

INDEX OF FUNGI

PUBLISHED SINCE THE BEGINNING OF 1940

Formerly issued as Supplements to the Review of Applied Mycology

VOL. I

PART 16

1948

- bstoma townei* (Lloyd) Zeller in *Mycologia*, xxxix, p. 306, 1947. (Syn. *Catastoma townei* Lloyd).
- caulopage crobylospora* Drechsler in *Mycologia*, xxxix, p. 275, 1947 on *Leptomyxa*.—Colorado, U.S.A.
- ischnospora* Drechsler in *Mycologia*, xxxix, p. 268, 1947 on *Amoeba*.—Wisconsin, U.S.A.
- cremonium ossicola* (as '*ossiculum*') Ciferri & Redaelli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, iii, p. 12, 1943 on old bones of man [*Homo sapiens*].—Italy.
- crospira pseudarthriae* Hansford in *Proc. Linn. Soc. Lond.*, clix, p. 40, 1947 on *Pseudarthria hookeri*.—Belgian Congo.
- actinomyces pelletieri* [(Laveran) St. J. Brooks] var. *hodeidae* Ambrosioni & Merucci in *Riv. Parasitol.*, vi, p. 222, 1942 on man [*Homo sapiens*] in Arabia.
- ecidium anningense* Tai in *Farlowia*, iii, p. 131, 1947 on *Sophora viciifolia*.—Yunnan, China.
- araliae* Sawada in *Trans. nat. Hist. Soc. Taiwan*, xxxiii, p. 97, 1943 on *Aralia decaisnec*.—Formosa. [In Japanese].
- berberidis-morrisonensis* Sawada in *Trans. nat. Hist. Soc. Taiwan*, xxxiii, p. 97, 1943 on *Berberis morrisonensis*.—Formosa. [In Japanese].
- campylotropidis* Tai in *Farlowia*, iii, p. 131, 1947 on *Campylotropis polyantha*.—Yunnan, China.
- crambes* Moesz in *Ann. hist.-nat. Mus. hung.*, Pars bot., xxiv, p. 149, 1941. (Correction of entry in Suppl. 14, p. 161).
- securinegae* Sawada in *Trans. nat. Hist. Soc. Taiwan*, xxxiii, p. 100, 1943 on *Securinega virosa*.—Formosa. [In Japanese].
- shansiense* Petrak in *Medd. Göteborgs bot.*, xvii, p. 117, 1947 on *Sedum aizoon*.—Shansi, China.
- smilacis-chinae* Sawada in *Trans. nat. Hist. Soc. Taiwan*, xxxiii, p. 98, 1943 on *Smilax china*.—Formosa. [In Japanese].
- euria nivalis* (Heim & Remy) Heim in *Rev. Mycologie*, N.S., xii, p. 71, 1947. (Syn. *Galactinia nivalis* Heim & Remy).
- lophylaria sublicoides* (Karst.) Nannfeldt in *Fungi exs. Suecici*, No. 989, 1941. (Syn. *Periza sublicoides* Karst.).
- nicola clavuligera* Romagnesi in *Bull. Soc. mycol. Fr.*, lviii, p. 148, 1942 on a fallen branch.—France.
- ternaria godetiae* (Neerg.) Neergaard in *Aarsberetn. J. E. Ohlens Enkes plantepatol. Lab. 1 April 1944–31 Juli 1945*, p. 14, 1945. (Syn. *A. tenuissima* var. *godetiae*. Suppl. 12 p. 105), fide Neergaard in an Addition to his book (1945).
- Ammanita ponderosa* Malençon & Heim apud Malençon in *Bull. Soc. mycol. Fr.*, lviii, p. 28, 1942.—Portugal.
- Amphididymella verrucosa* Petrak in *Medd. Göteborgs bot.*, xvii, p. 129, 1947 on dead stems of *Salsola gemmascens*.—Kansu, China.
- Anisomyces nectrioides* (Rehm) Petrak in *Sydowia*, *Ann. mycol.*, Ser. II, i, p. 38, 1947. (Syn. *Auerswaldia nectrioides* Rehm).
- APIOTHYRIUM* Petrak in *Sydowia*, *Ann. mycol.*, Ser. II, i, p. 1, 1947.—Sphaeriales.
- arcticum* Petrak in *Sydowia*, *Ann. mycol.*, Ser. II, i, p. 2, 1947 on dead *Diapensia lapponica*.—Finland.
- Arcangeliiella lactarioides* Zeller in *Mycologia*, xxxix, p. 282, 1947.—California, U.S.A. Type in Zeller Herb.
- Ascochyta oleracea* Ellis var. *tumida* Bond in *Ceylon J. Sci.*, Sect. A, xii, p. 176, 1947 on *Brassica oleracea*.—Ceylon.
- vindobonensis* Petrak in *Sydowia*, *Ann. mycol.*, Ser. II, i, p. 127, 1947 on *Siler trilobum*.—Austria.
- Ascochyta astragalina* Petrak in *Sydowia*, *Ann. mycol.*, Ser. II, i, p. 140, 1947 on *Astragalus onobrychis*.—Austria.
- Asterina casearicola* Hansford in *Proc. Linn. Soc. Lond.*, clix, p. 36, 1947 on *Casearia engleri*.—Uganda.
- macarangae* Hansford in *Proc. Linn. Soc. Lond.*, clix, p. 38, 1947 on *Macaranga*.—Belgian Congo.
- ramuligera* (Syd.) Petrak in *Medd. Göteborgs bot.*, xvii, p. 131, 1947. (Syn. *Asterinella ramuligera* Syd.).
- Asterinella randiae* Hansford in *Proc. Linn. Soc. Lond.*, clix, p. 36, 1947 on *Randia*.—Belgian Congo.
- Asterolibertia parinarii* (Syd.) Hansford in *Proc. Linn. Soc. Lond.*, clix, p. 36, 1947. (Syn. *Asterina parinarii* Syd.).
- Asteromella inulae* Petrak in *Sydowia*, *Ann. mycol.*, Ser. II, i, p. 134, 1947 on *Inula hirta*.—Austria.
- velata* Petrak in *Sydowia*, *Ann. mycol.*, Ser. II, i, p. 132, 1947 on *Acer platanoides* with *Rhytisma*.—Austria.
- **ASTEROTHYRITES* Cookson in *Proc. Linn. Soc. N.S.W.*, lxxii, p. 209, 1947.—Fossil Asterineae. Type not stated.
- **- delicatissimus* Cookson in *Proc. Linn. Soc. N.S.W.*, lxxii, p. 210, 1947 on leaves of *Olemites willisii*.—Victoria, Australia.
- **- minutus* Cookson in *Proc. Linn. Soc. N.S.W.*, lxxii, p. 210, 1947 on leaves of *Olemites willisii*.—Victoria, Australia.

- N.S.W., lxxii, p. 210, 1947 on a leaf of *Olemites willisii*.—Victoria, Australia.
- *—*sinuatus* Cookson in *Proc. Linn. Soc. N.S.W.*, lxxii, p. 209, 1947 on leaves of *Olemites willisii*.—Victoria, Australia.
- Barlaeina henningsii* Kirschst. in *Notizbl. bot. Gart. Berl.*, xv, p. 830, 1943 on sand.—Germany.
- Basidiobolus haptosporus* Drechsler in *Bull. Torrey bot. Cl.*, lxxiv, p. 411, 1947 in deciduous leaf-mould.—Wisconsin, U.S.A.
- Botrytis anacardii* Viégas in *Bragantia*, vi, p. 359, 1946 on *Anacardium occidentale*.—Brazil.
- artocarpi* Viégas in *Bragantia*, vi, p. 360, 1946 on *Artocarpus integrifolia*.—Brazil.
- **Bovistella karsteni* Nyberg in *Memor. Soc. Fauna Flor. fenn.*, xx, p. 153, 1945.—Finland.
- Calvatia fumosa* Zeller in *Mycologia*, xxxix, p. 300, 1947.—Oregon, U.S.A.
- lloydii* Zeller & Coker apud Zeller in *Mycologia*, xxxix, p. 301, 1947.—California, U.S.A. Type in Univ. of Calif. Herb.
- ochroleba* Zeller in *Mycologia*, xxxix, p. 302, 1947.—Oregon, U.S.A.
- rubrotincta* Zeller in *Mycologia*, xxxix, p. 303, 1947.—Oregon, U.S.A.
- subcretacea* Zeller in *Mycologia*, xxxix, p. 298, 1947.—Oregon, U.S.A.
- subpratensis* (Lloyd) Coker & Zeller apud Zeller in *Mycologia*, xxxix, p. 305, 1947. (Syn. *Lycoperdon subpratense* Lloyd).
- CAULOCARPA* Gilkey in *Mycologia*, xxxix, p. 441, 1947.—Tuberales.
- montana* Gilkey in *Mycologia*, xxxix, p. 442, 1947.—Oregon, U.S.A. Type in Oregon State College.
- Cercoseptoria smithii* Petrak in *Medd. Göteborgs bot.*, xvii, p. 161, 1947 on *Lysimachia omeiensis*.—Szechuan, China.
- Cercospora adinae* T. S. & K. Ramakrishnan in *Proc. Indian Acad. Sci.*, Sect. B, xxvi, p. 9, 1947 on *Adina cordifolia*.—India.
- *—*mucunae-capitatae* Sawada in *Trans. nat. Hist. Soc. Formosa*, xxxii, p. 372, 1942 on *Mucuna capitata*.—Formosa. [In Japanese].
- *—*musaecola* Sawada in *Trans. nat. Hist. Soc. Formosa*, xxxii, p. 368, 1942 on *Musa cavendishii*.—Formosa. [In Japanese].
- *—*osmanthi-asiatici* Sawada in *Trans. nat. Hist. Soc. Formosa*, xxxii, p. 369, 1942 on *Osmanthus asiaticus*.—Formosa. [In Japanese].
- Cercosporella indigoferae* Hansford in *Proc. Linn. Soc. Lond.*, cliv, p. 41, 1947 on *Indigofera*.—Uganda.
- CHAETAPIOSPORA* Petrak in *Sydowia*, Ann. mycol., Ser. II, i, p. 87, 1947.—Pyrenomyces.
- islandica* (Johans.) Petrak in *Sydowia*, Ann. mycol., Ser. II, i, p. 87, 1947. (Syn. *Venturia islandica* Johanson).
- Chaetothyrium dictyosporum* Petrak in *Medd. Göteborgs bot.*, xvii, p. 133, 1947 on *Ficus foveolata*.—Kwangsi, China.
- Chytridium cocconeidis* Canter in *Trans. Brit. mycol. Soc.*, xxxi, p. 104, 1947 on *Cocconeis pediculus*.—England.
- versatile* Scherffel var. *acaule* Canter in *Trans. Brit. mycol. Soc.*, xxxi, p. 102, 1947 on *Nitzschia sigmoidea*.—England.
- Chytriomyces appendiculatus* Karling in *Bull. Torrey bot. Cl.*, lxxiv, p. 335, 1947 on a chitinous substrata in fresh water and muck soil.—Virginia, New Jersey, New York and Connecticut, U.S.A.
- parasiticus* Karling in *Bull. Torrey bot. Cl.*, lxxiv, p. 334, 1947 on *Aphanomyces lacvis*.—New York, U.S.A.
- stellatus* Karling in *Bull. Torrey bot. Cl.*, lxxiv, p. 335, 1947 on chitinous substrata in fresh water and muck soil.—Brazil; New York and Connecticut, U.S.A.
- Cintractia utriculicola* (Henn.) Clint. var. *limitata* (Clint.) Hirschhorn in *Farlowia*, iii, p. 82, 1947. (Syn. *Cintractia limitata* Clint.).
- CIRCINOCOONIS* Boedijn, 150th Anniv. Vol. R. bot. Gard. Calcutta, p. 209, 1942.—Dematiaceae.
- paradoxa* Boedijn, 150th Anniv. Vol. R. bot. Gard. Calcutta, p. 209, 1942 on dead stems.—E. Indies.
- Cistella chlorosticta* (E. P. Fr. ex Cooke) Nannfeldt in *Fungi exs. Suecici*, No. 986, 1941. (Syn. *Mollisia chlorosticta* E. P. Fr. ex Cooke).
- Cladobotryum australe* Viégas in *Bragantia*, vi, p. 365, 1946 on *Septoideum didymopanicis*.—Brazil.
- Cladochaete coronata* Bond in *Ceylon J. Sci.*, Sect. A, xii, p. 180, 1947 on *Grevillea robusta*.—Ceylon.
- Cladochytrium aneurae* Thirumalachar in *Trans. Brit. mycol. Soc.*, xxxi, p. 8, 1947 on *Aneura*.—India. Type in Herb. Crypt. Ind. Orient., New Delhi and I.M.I., Kew.
- Cladosporium maracuja* Viégas in *Bragantia*, vi, p. 367, 1947 on *Passiflora*.—Brazil.
- solanicola* (as '*solanicum*') Viégas in *Bragantia*, vi, p. 368, 1946 on *Solanum lycocarpum*.—Brazil.
- versicolor* Bond in *Ceylon J. Sci.*, Sect. A, xii, p. 183, 1947 on *Ageratum conyzoides*.—Ceylon.
- **Clavaria cretacea* Coker in *J. Elisha Mitchell sci. Soc.*, lxiii, p. 44, 1947.—North Carolina, U.S.A.
- luteo-alba* Rea f. *montana* Coker in *J. Elisha Mitchell sci. Soc.*, lxiii, p. 35, 1947.—North Carolina, U.S.A.
- pistillaris* Linn. var. *unicolor* (Berk. & Rav.) Coker in *J. Elisha Mitchell sci. Soc.*, lxiii, p. 58, 1947. (Syn. *Craterellus unicolor* Berk. & Rav.).
- purpurea* Müll. var. *australis* Coker in *J. Elisha Mitchell sci. Soc.*, lxiii, p. 63, 1947.—North Carolina, U.S.A.
- *—*raveneliana* Coker in *J. Elisha Mitchell sci. Soc.*, lxiii, p. 44, 1947.—North Carolina, U.S.A.
- *—*rufobrunnea* Coker in *J. Elisha Mitchell sci. Soc.*, lxiii, p. 43, 1947.—California, U.S.A.
- *—*subfennica* Coker in *J. Elisha Mitchell sci. Soc.*, lxiii, p. 45, 1947.—North Carolina, U.S.A.
- CLAVICORONA* Doty in *Lloydia*, x, p. 38, 1947.—Hymenomyces. Type, *C. taxophila*.
- coronata* (Schweinitz) Doty in *Lloydia*, x, p. 42, 1947. (Syn. *Clavaria coronata* Schweinitz).
- cristata* (Kauffman) Doty in *Lloydia*, x, p. 40, 1947. (Syn. *Craterellus cristatus* Kauffman).
- pyxidata* (Fries) Doty in *Lloydia*, x, p. 43, 1947. (Syn. *Clavaria pyxidata* Fries).
- taxophila* (Thom) Doty in *Lloydia*, x, p. 39, 1947. (Syn. *Craterellus taxophilus* Thom).

5892/174

153356

- Clitocybe hydrogramma* (Fr.) var. *wernerii* Malençon in *Bull. Soc. mycol. Fr.*, lviii, p. 36, 1942.—France.
- *—*rufulo-alutacea* Métrod in *Bull. Soc. mycol. Fr.*, lxii, p. 46, 1946.—France.
- *—*salmona* Métrod in *Bull. Soc. mycol. Fr.*, lxii, p. 45, 1946.—France.
- *—*straminea* Métrod in *Bull. Soc. mycol. Fr.*, lxii, p. 48, 1946.—France.
- vibecina* (Fries) var. *floccipes* Métrod in *Bull. Soc. mycol. Fr.*, lxii, p. 47, 1946.—France.
- Clypeocarpus lirella* (Moug. & Nestl.) Kirschst. in *Hedwigia*, lxxxi, p. 213, 1944. [Syn. *Sphaeria lirella* Moug. & Nestl.].
- *—*Coelomomyces bisymmetricus* Couch & H. R. Dodge in *J. Elisha Mitchell sci. Soc.*, lxiii, p. 73, 1947 on larvae of *Anopheles crucians*.—Georgia, U.S.A.
- *—*cribrosus* Couch & H. R. Dodge in *J. Elisha Mitchell sci. Soc.*, lxiii, p. 74, 1947 on larvae of *Anopheles punctipennis*.—Georgia, U.S.A.
- *—*keilini* Couch & H. R. Dodge in *J. Elisha Mitchell sci. Soc.*, lxiii, p. 74, 1947 on larvae of *Anopheles crucians*.—Georgia, U.S.A.
- *—*lativittatus* Couch & H. R. Dodge in *J. Elisha Mitchell sci. Soc.*, lxiii, p. 72, 1947 on larvae of *Anopheles crucians*.—Georgia, U.S.A.
- *—*punctatus* Couch & H. R. Dodge in *J. Elisha Mitchell sci. Soc.*, lxiii, p. 72, 1947 on larvae of *Anopheles quadrimaculatus*.—Georgia, U.S.A.
- *—*quadrangulatus* Couch var. *irregularis* Couch & H. R. Dodge in *J. Elisha Mitchell sci. Soc.*, lxiii, p. 75, 1947 on larvae of *Anopheles punctipennis*.—Georgia, U.S.A.
- *—Couch var. *lamborni* Couch & H. R. Dodge in *J. Elisha Mitchell sci. Soc.*, lxiii, p. 75, 1947 on larvae of *Stegomyia scutellaris*.—Federated Malay States.
- *—*sculptosporus* Couch & H. R. Dodge in *J. Elisha Mitchell sci. Soc.*, lxiii, p. 73, 1947 on larvae of *Anopheles punctipennis* and *A. crucians*.—Georgia, U.S.A.
- Coleosporium pedicularidis* Tai in *Farlowia*, iii, p. 100, 1947 on *Pedicularis gracilis*.—Yunnan, China.
- Coleroa graminis* Guyot in *Rev. Mycologie*, N.S., xi, p. 58, 1946 on *Brachypodium pinnatum*.—France.
- Colletotrichum anthurii* (Allesch.) Neergaard in *Aarsberetn. J. E. Ohlsens Enkes plantepatol. Lab. 1 April 1942–31 Marts 1943*, p. 8, 1943. (Syn. *Gloeosporium anthurii* Allesch.).
- ciliatum* T. S. & K. Ramakrishnan in *Proc. Indian Acad. Sci.*, Sect. B, xxv, p. 186, 1947 on *Cymbopogon polyneuros*.—India.
- *—*godetiae* Neergaard in *Aarsberetn. J. E. Ohlsens Enkes plantepatol. Lab. 1 April 1942–31 Marts 1943*, p. 8, 1943 on *Godetia hybrida*.—Denmark.
- COLLOSTROMA** Petrak in *Sydowia*, Ann. mycol., Ser. II, i, p. 104, 1947.—Sphaeropsidales.
- gelatinosum* Petrak in *Sydowia*, Ann. mycol., Ser. II, i, p. 104, 1947 on *Pinus sylvestris*.—Austria.
- Collybia tergina* (Fr.) Lundell in *Fungi exs. Suecici*, No. 1109, 1942. (Syn. *Agaricus terginus* Fr.).
- Coniothyrium asperulum* Petrak in *Sydowia*, Ann. mycol., Ser. II, i, p. 136, 1947 on *Coronilla emeri*.—Austria.
- pittospori* J. Politis apud Maire & Politis in *Actes Inst. bot. Univ. Athènes*, i, p. 115, 1940 on *Pittosporum sinense*.—Greece.
- Conocybe hexagonospora* Métrod in *Bull. Soc. mycol. Fr.*, lvi, p. 48, 1940.—France.
- *—**COOLIA** Huysman in *Meded. ned. mycol. Ver.*, xxviii, p. 59, 1943.—Agaricaceae. Type, *C. odorata*.
- macrocephala* (Schulzer) Huysman in *Meded. ned. mycol. Ver.*, xxviii, p. 60, 1943. (Syn. *Agaricus macrocephalus* Schulzer).
- odorata* (Cool) Huysman in *Meded. ned. mycol. Ver.*, xxviii, p. 60, 1943. (Syn. *Lepiota odorata* Cool).
- *—*schreieri* Huysman in *Meded. ned. mycol. Ver.*, xxviii, p. 60, 1943. (As nom. nov. based on 'Tricholoma X' of Schreier).
- *—*Coprinus heterosetulosus* Locquin in *Bull. Soc. mycol. Fr.*, lxiii, p. 78, 1947.—France.
- *—*lagopus* Fr. var. *sphaerosporus* Kühner & Jossierand in *Bull. Soc. mycol. Fr.*, lx, p. 31, 1944.—France.
- patouillardii* Quéél. subsp. *isabellinus* Locquin in *Bull. Soc. mycol. Fr.*, lxiii, p. 83, 1947.—France.
- *—*pseudocortinatus* Locquin in *Bull. Soc. mycol. Fr.*, lxiii, p. 81, 1947.—France.
- *—*pseudo-radiatus* Kühner & Jossierand in *Bull. Soc. mycol. Fr.*, lx, p. 26, 1944 on dung.—France.
- *—*vermiculifer* Jossierand in *Bull. Soc. mycol. Fr.*, lx, p. 5, 1944 on dung.—France.
- *—*verrucispermus* Jossierand in *Bull. Soc. mycol. Fr.*, lx, p. 9, 1944.—France.
- Coriolus hirsutus* (Fr.) Quéél. var. *ochraceus* (Fr. ex Pers.) Maire apud Maire & Politis in *Actes Inst. bot. Univ. Athènes*, i, p. 78, 1940. (Syn. '*C. zonatus* var. *ochraceus* Fr. ex Pers.').
- Corticium bombycinum* (Sommerf. ex Fr.) Bres. var. *pinicola* Lundell nom. nov. in *Fungi exs. Suecici*, No. 1032, 1941. (Syn. *C. molle* Karst., non Fr.).
- pulchrum* Lundell in *Fungi exs. Suecici*, No. 1035, 1941 on rotten frondose trunk.—Sweden.
- Cortinarius albo-fimbriatus* Henry in *Bull. Soc. mycol. Fr.*, lvi, p. 95, 1940 as '*Cortinarius (Hydrocybe) albo-fimbriatus*'.—France.
- armillariellus* Henry in *Bull. Soc. mycol. Fr.*, lvi, p. 90, 1940 as '*Cortinarius (Hydrocybe) armillariellus*'.—France.
- cortinatus* Henry in *Bull. Soc. mycol. Fr.*, lvii, p. 24, 1941 as '*C. (Hydrotelamonia) cortinatus*'.—France.
- danili* Henry in *Bull. Soc. mycol. Fr.*, lix, p. 57, 1943 as '*C. (Hydrocybe) danili*'.—France.
- fuliginus* Joachim in *Bull. Soc. mycol. Fr.*, lx, p. 81, 1944.—France.
- fulvaureus* Henry in *Bull. Soc. mycol. Fr.*, lx, p. 71, 1944 as '*C. (Dermocybe) fulvaureus*'.—France.
- fulvo-isabellinus* Henry in *Rev. Mycologie*, N.S., lvii, p. 34, 1941 as '*C. (Hydrotelamonia) fulvo-isabellinus*'.—France.
- fulvo-ochraceus* Henry in *Bull. Soc. mycol. Fr.*, lix, p. 55, 1943 as '*C. (Phlegma-cium) fulvo-ochraceus*'.—France.
- hinnuloides* Henry in *Bull. Soc. mycol. Fr.*, lvii, p. 21, 1941 as '*C. (Telamonia) hinnuloides*'.—France.
- *—*kauffmanianus* Henry in *Bull. Soc. mycol. Fr.*, lxii, p. 213, 1947 as '*C. (Psiloderma) kauffmanianus*'. (As nom. nov. based on '*C. argentatus* Fr. var.' of Kauffman).



- *luci* Henry in *Bull. Soc. mycol. Fr.*, lvi, p. 106, 1940 as '*C. (Hydrocybe) luci*'.—France.
- *parvulus* Henry in *Bull. Soc. mycol. Fr.*, lvii, p. 28, 1941 as '*C. (Telamonia) parvulus*'.—France.
- *rugosus* Henry in *Bull. Soc. mycol. Fr.*, lx, p. 72, 1944 as '*C. (Dermocybe) rugosus*'.—France.
- *sordescens* Henry in *Bull. Soc. mycol. Fr.*, lx, p. 67, 1944 as '*C. (Inoloma) sordescens*'.—France.
- *spilomeus* Fries var. *subspilomeus* Henry in *Bull. Soc. mycol. Fr.*, lx, p. 77, 1944 as '*C. (Dermocybe) spilomeus* var. *subspilomeus*'.—France.
- *striatulus* Henry in *Bull. Soc. mycol. Fr.*, lvi, p. 114, 1940 as '*C. (Hydrocybe) striatulus*'.—France.
- *subanthracinus* Henry in *Bull. Soc. mycol. Fr.*, lx, p. 74, 1944 as '*C. (Dermocybe) subanthracinus*'.—France.
- *— *subbalaustinus* Henry in *Bull. Soc. mycol. Fr.*, lvi, p. 100, 1940 as '*C. (Hydrocybe) subbalaustinus*'. (As nom. nov. based on *C. balaustinus* sensu Lange non Fr.).
- *subincarnatus* Henry in *Bull. Soc. mycol. Fr.*, lvii, p. 27, 1941 as '*C. (Telamonia) subincarnatus*'.—France.
- *tricornandus* Henry in *Bull. Soc. mycol. Fr.*, lix, p. 58, 1943 as '*C. (Hydrocybe) tricornandus*'.—France.
- *uliginobtus* Henry in *Bull. Soc. mycol. Fr.*, lvi, p. 109, 1941.—France.
- *— *velenovskii* Henry in *Bull. Soc. mycol. Fr.*, lvi, p. 115, 1940 as '*C. (Hydrocybe) velenovskii*'. (As nom. nov. based on *C. obtusus* sensu Velen., non Fr.).
- *versicolor* Henry in *Bull. Soc. mycol. Fr.*, lvii, p. 32, 1941 as '*C. (Hydrotelamonia) versicolor*'.—France.
- Cotylidia vitellina* (Plowr.) Lundell in *Fungi exs. Suecici*, No. 1021, 1947. (Syn. *Thelephora vitellina* Plowr.).
- Cronartium keteleeriae* Tai in *Farlowia*, iii, p. 96, 1947 on *Keteleeria elveyniana*.—Yunnan, China.
- Cudoniella buissonii* Grelet in *Rev. Mycologie*, N.S., xii, p. 30, 1947 on rotten pine stump.—France.
- *viridula* Grelet in *Rev. Mycologie*, N.S., xii, p. 31, 1947 on rotten pine stump.—France.
- Cylindrocladium candelabrum* Viégas in *Bragantia*, vi, p. 370, 1946 on *Luma*.—Brazil.
- Cylindrosporium arbuti* Viennot-Bourgin in *Rev. Mycologie*, N.S., xii, p. 23, 1947 on *Arbutus andrachne*.—France.
- *umbelliferarum* Wehmeyer nom. nov. in *Mycologia*, xxxix, p. 475, 1947. (Syn. *Ascochyta heraclei* Lib., non *C. heraclei* Oudem.).
- CYMBOTHRUM** Petrak in *Sydowia*, Ann. mycol., Ser. II, i, p. 148, 1947.—Sphaeropsidales.
- *sudans* Petrak in *Sydowia*, Ann. mycol., Ser. II, i, p. 148, 1947 on *Smilax aspera*.—Austria.
- DACRYONAEMA** Nannfeldt in *Svensk bot. Tidskr.*, xli, p. 336, 1947.—Dacrymycetaceae.
- *rufum* (Fr.) Nannfeldt in *Svensk bot. Tidskr.*, xli, p. 336, 1947. (Syn. *Sphaeronaema rufum* Fr.).
- DEIGHTONIA** Petrak in *Sydowia*, Ann. mycol., Ser. II, i, p. 114, 1947.—Melanconiales.
- *rhombispora* Petrak in *Sydowia*, Ann. mycol., Ser. II, i, p. 114, 1947 on *Leptoderris*.—Sierra Leone.
- DICTYOASTERINA** Hansford in *Proc. Linn. Soc. Lond.*, clix, p. 39, 1947.—Asterinaceae.
- *conopharyngiae* Hansford in *Proc. Linn. Soc. Lond.*, clix, p. 39, 1947 on *Conopharyngia*.—Uganda.
- Diderma luteo-album* (List.) Buchet in *Bull. Soc. mycol. Fr.*, lvi, p. 127, 1940. (Syn. *Physarum luteo-album* List.).
- Didymella muhavurensis* Hansford in *Proc. Linn. Soc. Lond.*, clix, p. 28, 1947 on *Hypericum lanceolatum*.—Uganda.
- *syriaca* Petrak in *Sydowia*, Ann. mycol., Ser. II, i, p. 41, 1947 on *Phlomis brevilabris*.—Syria.
- Dimeriella terrieri* Petrak apud Terrier in *Ber. schweiz. bot. Ges.*, lvi, p. 167, 1947 on *Abies alba*.—Switzerland.
- Dinemasporium leptosporum* (Sacc.) Nannfeldt in *Fungi exs. Suecici*, No. 1094, 1941. (Syn. *D. strigosum* var. *leptosporum* Sacc.).
- Diplodia calaminthae* J. Politis apud Maire & Politis in *Actes Inst. bot. Univ. Athènes*, i, p. 120, 1940 on *Calamintha acinos*.—Greece.
- *— *recifensis* A. Chaves Batista, *Mal do Recife (grave doença da mangueira)*, p. 32, 1947 on *Mangifera indica*.—Brazil.
- Diplodiella anatolica* Petrak in *Sydowia*, Ann. mycol., Ser. II, i, p. 117, 1947.—Turkey.
- Diplodina arenicola* Guyot in *Bull. Soc. mycol. Fr.*, lxii, p. 71, 1946 on dry stems of *Euphorbia paralias*.—France.
- *pannonica* Petrak in *Sydowia*, Ann. mycol., Ser. II, i, p. 139, 1947 on *Sesleria varia*.—Austria.
- *rhinanthi* Guyot in *Bull. Soc. mycol. Fr.*, lxii, p. 71, 1946 on dry stalks of *Rhinanthus crista-galli*.—France.
- *vincae* J. Politis apud Maire & Politis in *Actes Inst. bot. Univ. Athènes*, i, p. 120, 1940 on *Vinca major*.—Greece.
- Disciseda atra* (as '*ater*') (Lloyd) Zeller in *Mycologia*, xxxix, p. 307, 1947. (Syn. *Catastoma ater* Lloyd).
- *brandegeei* (Lloyd) Zeller in *Mycologia*, xxxix, p. 307, 1947. (Syn. *Catastoma brandegeei* Lloyd).
- *defodioidis* (Lloyd) Zeller in *Mycologia*, xxxix, p. 309, 1947. (Syn. *Calvatia defodioidis* Lloyd).
- *johnstonii* (Lloyd) Zeller in *Mycologia*, xxxix, p. 309, 1947. (Syn. *Catastoma johnstonii* Lloyd).
- *levispora* (Lloyd) Zeller in *Mycologia*, xxxix, p. 310, 1947. (Syn. *Catastoma levisporum* Lloyd).
- *luteola* (Lloyd) Zeller in *Mycologia*, xxxix, p. 310, 1947. (Syn. *Catastoma luteolum* Lloyd).
- *uplandii* (Lloyd) Zeller in *Mycologia*, xxxix, p. 311, 1947. (Syn. *Catastoma uplandii* Lloyd).
- Dothichiza caroliniana* Demaree & Wilcox in *Phytopathology*, xxxvii, p. 492, 1947 on *Vaccinium australe*.—North Carolina, U.S.A.
- Type in Mycol. Coll. B.P.I. Beltsville, Md.
- Dothiorella araucariae* (Vogl.) Petrak in *Sydowia*, Ann. mycol., Ser. II, i, p. 66, 1947. (Syn. *Fusicoccum araucariae* Vogl.).
- *sileris* Petrak in *Sydowia*, Ann. mycol., Ser. II, i, p. 138, 1947 on *Siler trilobum*.—Austria.

- Eccilia rugosa* Malençon in *Bull. Soc. mycol. Fr.*, lviii, p. 40, 1942.—France.
- Entopeltis ruwenzoriensis* Hansford in *Proc. Linn. Soc. Lond.*, clix, p. 33, 1947 on *Ficus*.—Belgian Congo.
- Epicoccum sinense* Petrak in *Medd. Göteborgs bot.*, xvii, p. 162, 1947 on *Astragalus sinicus*.—Szechuan, China.
- ERIOSPOROPSIS** Petrak in *Sydowia, Ann. mycol.*, Ser. II, i, p. 94, 1947.—Sphaeropsidales.
- albida* Petrak in *Sydowia, Ann. mycol.*, Ser. II, i, p. 94, 1947 on *Pinus sylvestris*.—Austria.
- Erysiphe alhagii* Bremer, Ismen, Karel, & H. and M. Özkan in *Rev. Fac. Sci. Univ. Istanbul*, Sér. B, xii, p. 140, 1947 on *Alhagi camelorum*.—Turkey.
- communis* (Wallr.) Link f. *fibigiae* Rayss in *Bull. Soc. mycol. Fr.*, lxii, p. 11, 1946 on *Fibigia clypeata*.—Syria.
- Eurychora syzygii* (Rac.) Hansford in *Proc. Linn. Soc. Lond.*, clix, p. 27, 1947. (Syn. *Lizonia syzygii* Rac.).
- ***EUTHYRITES** Cookson in *Proc. Linn. Soc. N.S.W.*, lxxii, p. 210, 1947.—Fossil Asterineae.
- *—*oleinitus* Cookson in *Proc. Linn. Soc. N.S.W.*, lxxii, p. 210, 1947 on leaves of *Oleinites willisii*.—Victoria, Australia.
- Eutypa lata* (Pers.) Tul. f. *platani* Maire apud Maire & Politis in *Actes Inst. bot. Univ. Athènes*, i, p. 38, 1940 on *Platanus orientalis*.—Greece.
- Exosporina fawcetti* E. E. Wilson in *Hilgardia*, xvii, p. 427, 1947 on *Juglans regia*, *Castanea sativa*, *Citrus limonia*, *C. grandis*, and *C. sinensis*.—California, U.S.A. Type in Mycol. Coll., Univ. Calif.
- Exosporium sultanæ* du Plessis in *Ann. Univ. Stellenbosch*, Ser. A, p. 19, 1946 on *Vitis vinifera*.—S. Africa.
- Galerina clavus** Romagnesi in *Bull. Soc. mycol. Fr.*, lviii, p. 149, 1942.—France.
- pinetorum* Métrod in *Bull. Soc. mycol. Fr.*, lvi, p. 52, 1940.—France.
- Gaubaea bornmulleri* (P. Magn.) Petrak in *Sydowia, Ann. mycol.*, Ser. II, i, p. 67, 1947. (Syn. *Leptothyrium bornmuelleri* P. Magn.).
- Gelopellis hahashimensis* (S. Ito & S. Imai) Zeller in *Mycologia*, xxxix, p. 284, 1947. (Syn. *Hysterangium hahashimense* S. Ito & S. Imai).
- Gerwasia rosae* Tai in *Farlowia*, iii, p. 103, 1947 on *Rosa cymosa*.—Hunan, China.
- Ginanniella clintoniae* (Komarow) Ulbrich in *Notizbl. bot. Gart. Berl.*, xv, p. 77, 1940. (Syn. *Tuburcinea clintoniae* Komarow).
- paridis* (Unger) Ulbrich in *Notizbl. bot. Gart. Berl.*, xv, p. 77, 1940. (Syn. *Protomyces paridis* Unger).
- schizocaulon* (Cesati) Ulbrich in *Notizbl. bot. Gart. Berl.*, xv, p. 78, 1940. (Syn. *Sorosporium schizocaulon* Cesati).
- Glenospora viridobrunnea* Redaelli & Ciferri in *Atti Ist. bot. Univ. Pavia*, Ser. 5, iii, p. 25, 1943 on man [*Homo sapiens*].—Italy.
- ***GLENOSPOROPSIS** Da Fonseca, *Parasitologia médica*, I, p. 710, 1943.—Moniliales. Type, *G. amazonica*.
- *—*amazonica* Da Fonseca, *Parasitologia médica*, I, p. 711, 1943 on man [*Homo sapiens*].—Brazil.
- brevis* (Castell.) Da Fonseca, *Parasitologia médica*, I, p. 724, 1943. (Syn. *Glenospora brevis* Castell.).
- clapieri* ('Cast.' [Catanei]) Da Fonseca, *Parasitologia médica*, I, p. 724, 1943. (Syn. *Glenospora clapieri* Cat.).
- gammeli* (Pollacci & Nannizzi) Da Fonseca, *Parasitologia médica*, I, p. 725, 1943. (Syn. *Glenospora gammeli* Poll. & Nann.).
- gandavensis* (Vuill.) Da Fonseca, *Parasitologia médica*, I, p. 727, 1943. (Syn. *Glenospora gandavensis* Vuill.).
- graphii* (Harz & Bezold) Da Fonseca, *Parasitologia médica*, I, p. 727, 1943. (Syn. *Verticillium graphii* Harz & Bezold).
- khartoumensis* (Chalmers & Archibald) Da Fonseca, *Parasitologia médica*, I, p. 728, 1943. (Syn. *Glenospora khartoumensis* Chalm. & Arch.).
- lanuginosa* (Castell.) Da Fonseca, *Parasitologia médica*, I, p. 729, 1943. (Syn. *Blastomycoides lanuginosa* Castell.).
- metaeuropea* (Castell.) Da Fonseca, *Parasitologia médica*, I, p. 730, 1943. (Syn. *Glenospora metaeuropea* Castell.).
- metamerica* (Castell.) Da Fonseca, *Parasitologia médica*, I, p. 730, 1943. (Syn. *Glenospora metamerica* Castell.).
- semoni* (Chalmers & Archibald) Da Fonseca, *Parasitologia médica*, I, p. 730, 1943. (Syn. *Glenospora semoni* Chalm. & Arch.).
- Gloeocercospora inconspicua** Demaree & Wilcox in *Phytopathology*, xxxvii, p. 498, 1947 on *Vaccinium australe*.—North Carolina, U.S.A. Type in Mycol. Coll. B.P.I. Beltsville, Md.
- GLOEOTROCHILA** Petrak in *Sydowia, Ann. mycol.*, Ser. II, i, p. 50, 1947.—Sphaeropsidales.
- paradoxa* (de Not.) Petrak in *Sydowia, Ann. mycol.*, Ser. II, i, p. 50, 1947. (Syn. *Myxosporium paradoxum* de Not.).
- Gonapodya bohémica* Cejp in *Bull. Soc. mycol. Fr.*, lxii, p. 255, 1947 on various plants in forest pools.—Bohemia.
- Guignardia euphorbiae* Rayss in *Bull. Soc. mycol. Fr.*, lxii, p. 20, 1946 on *Euphorbia erinacea*.—Syria.
- Gymnosporangium hyalinum* Kern [nomen nudum, 1911] in *Mycologia*, xxxix, p. 123, 1947 on *Chamaecyparis thuyoides*.—Florida and S. Carolina, U.S.A.
- sikangense* Petrak in *Medd. Göteborgs bot.*, xvii, p. 120, 1947 on *Cotoneaster adpressa*.—Sikang, China.
- tsingchenense* Wei in *Bot. Bull. Acad. Sinica*, i, p. 210, 1947 on *Cupressus funebris*.—Szechuan, China.
- wenshanense* Tai in *Farlowia*, iii, p. 108, 1947 on *Photinia serrulata*.—Yunnan, China.
- ***Hebeloma edurum** Métrod in *Rev. Mycologie*, N.S., xi, p. 80, 1946.—France.
- Helicostilbe cantareirensis* Viégas in *Bragantia*, vi, p. 378, 1946 on dead branches.—Brazil.
- Helminthosporium cacaliae* Viégas in *Bragantia*, vi, p. 378, 1946 on *Cacalia sonchifolia*.—Brazil.
- coronatum* Viégas in *Bragantia*, vi, p. 379, 1946 on *Hydrangea*.—Brazil.
- ? *loniceræ* Viégas in *Bragantia*, vi, p. 380, 1946 on *Lonicera*.—Brazil.
- machaerii* Viégas in *Bragantia*, vi, p. 381, 1946 on *Machaerium*.—Brazil.

- *olyrae* Viégas in *Bragantia*, vi, p. 381, 1946 on *Olyra micrantha*.—Brazil.
- Helvella leucomelas** (Pers. ex Cooke) Nannfeldt in *Fungi exs. Suecici*, No. 952, 1941. (Syn. *Peziza leucomelas* Pers. ex Cooke).
- HEMISPHEROPSIS** Petrak in *Sydowia*, *Ann. mycol.*, Ser. II, i, p. 24, 1947.—Sphaeropsidales.
- *magnoliae* Petrak in *Sydowia*, *Ann. mycol.*, Ser. II, i, p. 25, 1947 on *Magnolia glauca*.—'Aus Herb. F. S. Earle'.
- Hendersonia arundinis** (Lib.) Sacc. var. *maritima* Guyot in *Rev. Mycologie*, N.S., xi, p. 55, 1946 in dry culms of *Juncus maritimus*.—France.
- *kwangsiensis* Petrak in *Medd. Göteborgs bot.*, xvii, p. 146, 1947 on *Andropogon*.—Kwangsi, China.
- Heteropatella polychaeta** Maire apud Maire & Politis in *Actes Inst. bot. Univ. Athènes*, i, p. 126, 1940 on *Bupleurum sibthorpiatum*.—Greece.
- Heterosporium tropaeoli** Bond in *Ceylon J. Sci.*, Sect. A, xii, p. 185, 1947 on *Tropaeolum majus*.—Ceylon.
- ***Himantia corticalis** Viégas in *Bragantia*, vi, p. 559, 1946 on *Dioscorea alata*.—Brazil.
- Holocotylon anomalum** Zeller in *Mycologia*, xxxix, p. 287, 1947.—Texas, U.S.A. Type in Zeller Herb.
- Humarina deformis** (Karst.) Nannfeldt in *Fungi exs. Suecici*, No. 1362, 1946. (Syn. *Peziza deformis* Karst.).
- *granulata* (Bull. ex Fr.) Nannfeldt in *Fungi exs. Suecici*, No. 1363, 1946. (Syn. *Peziza granulata* Bull. ex Fr.).
- Hydnotrya dysodes** Kirschstein in *Notizbl. bot. Gart. Berl.*, xv, p. 612, 1941.—Germany.
- *variiformis* Gilkey in *Mycologia*, xxxix, p. 444, 1947.—California, U.S.A. Type in Oregon State College.
- *yukonensis* Gilkey in *Mycologia*, xxxix, p. 445, 1947.—Yukon. Type in Oregon State College.
- Hydnotryopsis michaelis** (Fisch.) Soehner in *Notizbl. bot. Gart. Berl.*, xv, p. 864, 1944. [Syn. *Geopora michaelis* Fisch.].
- *— *suevica* Soehner in *Notizbl. bot. Gart. Berl.*, xv, p. 866, 1944.—Germany.
- Hygrophorus acutoconicus** (Clements) A. H. Smith, *North American species of Mycena*, p. 472, 1947. (Syn. *Mycena acutoconica* Clements).
- Hysterangium stoloniferum** Tulasne var. *brevisporum* Zeller in *Mycologia*, xxxix, p. 288, 1947.—Oregon, U.S.A.
- Hysteropezizella karstenii** (Sacc.) Nannfeldt in *Fungi exs. Suecici*, No. 962a, 1941. (Syn. *Pyrenopeziza karstenii* Sacc.).
- Hysterostomella gymnosporiae** Hansford in *Proc. Linn. Soc. Lond.*, clix, p. 34, 1947 on *Gymnosporia lepidota*.—Belgian Congo.
- Irene arisanensis** Yamamoto in *Trans. nat. Hist. Soc. Formosa*, xxxi, p. 216, 1941 on *Cyclobalanopsis ternaticupula* f. *arisanensis*.—Formosa.
- *castanopsisifoliae* Yamamoto in *Trans. nat. Hist. Soc. Formosa*, xxxi, p. 217, 1941 on *Synaedrys amygdalifolia* f. *castanopsisifolia*.—Formosa.
- *cyclobalanopsicola* Yamamoto in *Trans. nat. Hist. Soc. Formosa*, xxxi, p. 219, 1941 on *Cyclobalanopsis ternaticupula*.—Formosa.
- *konishii* Yamamoto in *Trans. nat. Hist. Soc. Formosa*, xxxi, p. 217, 1941 on *Synaedrys konishii*.—Formosa.
- *lithocarpicola* Yamamoto in *Trans. nat. Hist. Soc. Formosa*, xxxi, p. 218, 1941 on *Synaedrys amygdalifolia*.—Formosa.
- *sinsuiensis* Yamamoto in *Trans. nat. Hist. Soc. Formosa*, xxxi, p. 219, 1941 on *Synaedrys shinsuiensis*.—Formosa.
- Irenina eucleae** Hansford in *Proc. Linn. Soc. Lond.*, clix, p. 24, 1947 on *Euclea latidens*.—Belgian Congo.
- *hydrangeae* Yamamoto in *Trans. nat. Hist. Soc. Formosa*, xxxi, p. 220, 1941 on *Hydrangea chinensis*.—Formosa.
- *lonicerae* Yamamoto in *Trans. nat. Hist. Soc. Formosa*, xxxi, p. 221, 1941 on *Lonicera japonica*.—Formosa.
- *pithecolobii* Yamamoto in *Trans. nat. Hist. Soc. Formosa*, xxxi, p. 221, 1941 on *Pithecolobium lucidum*.—Formosa.
- *securidacae* Hansford in *Proc. Linn. Soc. Lond.*, clix, p. 23, 1947 on *Securidaca*.—Belgian Congo.
- Irenopsis hiptages** Yamamoto in *Trans. nat. Hist. Soc. Formosa*, xxxi, p. 222, 1941 on *Hiptage bengalensis*.—Formosa.
- Karschia adnata** Kanouse apud Wehmeyer in *Mycologia*, xxxix, p. 465, 1947 on weathered coniferous wood.—Wyoming, U.S.A. Type in Univ. of Mich.
- Laboulbenia colasi** Lepesme in *Bull. Soc. mycol. Fr.*, lviii, p. 190, 1942 on *Dromius linearis*.—France.
- Lachnum sphaerocephalum** (Wallr.) Nannfeldt in *Fungi exs. Suecici*, No. 984a, 1941. (Syn. *Peziza sphaerocephala* Wallr.).
- Lembosia peyronellii** E. Castellani in *Nuovo G. bot. ital.*, liii, p. 216, 1947 on *Syzygium guineense* f. *angustifolium*.—Abyssinia.
- ***Lepiota excoriata** (Schaeff. ex Fr.) Quel. var. *konradi* Huysman var. nov. in *Meded. ned. mycol. Ver.*, xxviii, p. 18, 1943. (As nom. nov. based on *L. excoriata* subsp. *mastoidea* sensu Konrad & Maubl., non Fr.).
- *— *kuehneri* Huysman in *Meded. ned. mycol. Ver.*, xxviii, p. 27, 1943. (As nom. nov. based on *L. clypeolarioides* sensu Kühner, non Rea).
- *— *meleagroides* Huysman in *Meded. ned. mycol. Ver.*, xxviii, p. 11, 1943. (As nom. nov. based on *L. badhami* sensu Pat., non Berk. & Br.).
- *— *setulosa* Lange var. *rhodorrhiza* Romagnesi & Locquin apud Locquin in *Bull. Soc. mycol. Fr.*, lx, p. 38, 1944.—France.
- Leptoporus ellipsosporus** (Pilát) Romagnesi in *Bull. Soc. mycol. Fr.*, lx, p. 88, 1944. (Syn. *L. wynnei* Berk. & Br. f. *ellipsospora* Pilát).
- Leptosphaeria clavata** Guyot in *Rev. Mycologie*, N.S., xi, p. 62, 1946 on dry stems and leaves of *Koeleria albescens* and *K. gracilis*.—France.
- *genistae* Oud. var. *microspora* Guyot in *Rev. Mycologie*, N.S., xi, p. 68, 1946 on dry stems of *Genista tinctoria*.—France.
- *grignonensis* Guyot in *Rev. Mycologie*, N.S., xi, p. 66, 1946 on dry stems of *Clematis vitalba*.—France.
- *porellae* Thirumalachar in *Trans. Brit. mycol. Soc.*, xxxi, p. 11, 1947 on *Porella*.—India.
- *sequana* Guyot in *Rev. Mycologie*, N.S., xi, p. 68, 1946 of dry sheaths of *Phleum boehmeri*.—France.

- Leucogaster columellatus* Zeller in *Mycologia*, xxxix, p. 289, 1947.—California, U.S.A. Type in Herb. Univ. Calif.
- longisterigmatus* Zeller in *Mycologia*, xxxix, p. 289, 1947.—Oregon, U.S.A.
- Limacinia hendrickxii* Hansford in *Proc. Linn. Soc. Lond.*, clix, p. 32, 1947 on *Teclea*.—Belgian Congo.
- LINDEROMYCES** Singer in *Farlowia*, iii, p. 157, 1947.—Paxillaceae.
- lateritius* (Petch) Singer in *Farlowia*, iii, p. 157, 1947. (Syn. *Paxillus lateritius* Petch).
- Linochora acaciae* E. Castellani in *Nuovo G. bot. ital.*, liii, p. 226, 1947 on *Acacia orfota*.—Eritrea.
- Linotexis deightonii* Hansford in *Proc. Linn. Soc. Lond.*, clix, p. 22, 1947 on *Salacia senegalensis*.—Sierra Leone.
- Lophodermium schweinitzii* Wilson & Robertson nom. nov. in *Trans. roy. Soc. Edinb.*, lxi, p. 527, 1947. (Syn. *Hysterium rhododendri* Schweinitz, non *L. rhododendri* Ces. ex Sacc.).
- vagulum* Wilson & Robertson in *Trans. roy. Soc. Edinb.*, lxi, p. 524, 1947 on *Rhododendron croceum*.—Scotland.
- Macowanites alpinus* Zeller in *Mycologia*, xxxix, p. 291, 1947.—California, U.S.A.
- Macrophoma crataegi* J. Politis apud Maire & Politis in *Actes Inst. bot. Univ. Athènes*, i, p. 112, 1940 on *Crataegus oxyacantha*.—Greece.
- eryngii* J. Politis apud Maire & Politis in *Actes Inst. bot. Univ. Athènes*, i, p. 111, 1940 on *Eryngium multifidum*.—Greece.
- stachydis* J. Politis apud Maire & Politis in *Actes Inst. bot. Univ. Athènes*, i, p. 111, 1940 on *Stachys cretica*.—Greece.
- Marasmius albocapitatus* Petch in *Trans. Brit. mycol. Soc.*, xxxi, p. 41, 1947 on dead leaves.—Ceylon.
- alliaris* Petch in *Trans. Brit. mycol. Soc.*, xxxi, p. 43, 1947 on dead wood and sticks.—Ceylon.
- amomi* Petch in *Trans. Brit. mycol. Soc.*, xxxi, p. 43, 1947 on dead stems of *Amomum*.—Ceylon.
- ascendens* Petch in *Trans. Brit. mycol. Soc.*, xxxi, p. 42, 1947 on bark of living trees.—Ceylon.
- brunneostriatus* Petch in *Trans. Brit. mycol. Soc.*, xxxi, p. 40, 1947 on dead leaves and twigs.—Ceylon.
- calami* Petch in *Trans. Brit. mycol. Soc.*, xxxi, p. 43, 1947 on dead stem of *Calamus*.—Ceylon.
- cineraceus* Petch in *Trans. Brit. mycol. Soc.*, xxxi, p. 41, 1947 on a dead leaf.—Ceylon.
- griseo-violaceus* Petch in *Trans. Brit. mycol. Soc.*, xxxi, p. 42, 1947 on dead leaves.—Ceylon.
- hakgalensis* Petch in *Trans. Brit. mycol. Soc.*, xxxi, p. 42, 1947 on dead leaves and twigs on the ground.—Ceylon.
- Petch var. *denudatus* Petch in *Trans. Brit. mycol. Soc.*, xxxi, p. 43, 1947.—Ceylon.
- lateritius* Petch in *Trans. Brit. mycol. Soc.*, xxxi, p. 41, 1947.—Ceylon.
- micraster* Petch in *Trans. Brit. mycol. Soc.*, xxxi, p. 42, 1947 on decaying twigs.—Ceylon.
- paspali* Petch in *Trans. Brit. mycol. Soc.*, xxxi, p. 43, 1947 on leaf sheaths of *Paspalum dilatatum*.—Ceylon.
- porphyreticus* Petch in *Trans. Brit. mycol. Soc.*, xxxi, p. 43, 1947 on dead sticks.—Ceylon.
- purpureo-albus* Petch in *Trans. Brit. mycol. Soc.*, xxxi, p. 43, 1947 on decaying banana stem; on bark scales on living *Lagerstroemia*; on fallen twigs of *Lagerstroemia*.—Ceylon.
- purpureo-griseus* Petch in *Trans. Brit. mycol. Soc.*, xxxi, p. 40, 1947 on dead wood.—Ceylon.
- rigidichorda* Petch in *Trans. Brit. mycol. Soc.*, xxxi, p. 42, 1947.—Ceylon. [See also Suppl. 11, p. 121].
- rufo-aurantiacus* Petch in *Trans. Brit. mycol. Soc.*, xxxi, p. 43, 1947 on dead twigs and bark.—Ceylon.
- rufo-ochraceus* Petch in *Trans. Brit. mycol. Soc.*, xxxi, p. 40, 1947 on dead wood.—Ceylon.
- senescens* Petch in *Trans. Brit. mycol. Soc.*, xxxi, p. 41, 1947.—Ceylon.
- stypinoides* Petch in *Trans. Brit. mycol. Soc.*, xxxi, p. 41, 1947 on dead bark.—Ceylon.
- subconiatius* Petch in *Trans. Brit. mycol. Soc.*, xxxi, p. 41, 1947 on dead bamboo.—Ceylon.
- tubulatus* Petch in *Trans. Brit. mycol. Soc.*, xxxi, p. 42, 1947 on dead leaves and twigs.—Ceylon.
- Marssonina melonis* Dolan in *Phytopathology*, xxxvii, p. 587, 1947 on *Cucumis melo* var. *reticulatus* and *Citrullus vulgaris*.—New York State, U.S.A.
- Melampsora salicis-cavaleriei* Tai in *Farlowia*, iii, p. 102, 1947 on *Salix cavaleriei*.—Yunnan, China.
- Melanops araucariae* (Vogl.) Petrak in *Sydowia*, Ann. mycol., Ser. II, i, p. 64, 1947. (Syn. *Cryptosporella araucariae* Vogl.).
- Melanospora brevispora* Moreau in *Bull. Soc. mycol. Fr.*, lxi, p. 59, 1945 on *Diospyros lotus*.—France. [Correction of entry in Suppl. 15, p. 188].
- Meliola acanthopanacis* Yamamoto in *Trans. nat. Hist. Soc. Formosa*, xxxi, p. 224, 1941 on *Acanthopanax trifoliatum*.—Formosa.
- agauriae* Hansford in *Proc. Linn. Soc. Lond.*, clix, p. 23, 1947 on *Agauria salicifolia*.—Belgian Congo.
- araliicola* Yamamoto in *Trans. nat. Hist. Soc. Formosa*, xxxi, p. 224, 1941 on *Aralia decaisneana*.—Formosa.
- bauhiniicola* Yamamoto in *Trans. nat. Hist. Soc. Formosa*, xxxi, p. 225, 1941 on *Bauhinia championi*.—Formosa.
- callicarpicola* Yamamoto in *Trans. nat. Hist. Soc. Formosa*, xxxi, p. 226, 1941 on *Callicarpa formosana*.—Formosa.
- caseariicola* Hansford in *Proc. Linn. Soc. Lond.*, clix, p. 24, 1947 on *Casearia engleri*.—Uganda.
- castanopsina* Yamamoto in *Trans. nat. Hist. Soc. Formosa*, xxxi, p. 125, 1941 on *Castanopsis formosana*.—Formosa.
- cyclobalanopsina* Yamamoto in *Trans. nat. Hist. Soc. Formosa*, xxxi, p. 130, 1941 on *Cyclobalanopsis glauca*.—Formosa.
- euchrestae* Yamamoto in *Trans. nat. Hist. Soc. Formosa*, xxxi, p. 226, 1941 on *Euchresta horsfieldii* var. *formosana*.—Formosa.
- flacourtiacearum* Hansford in *Proc. Linn. Soc. Lond.*, clix, p. 24, 1947 on *Scolopia rhamniphylla*.—Belgian Congo.

- *fusispora* Yamamoto in *Trans. nat. Hist. Soc. Formosa*, xxxi, p. 126, 1941 on *Castanopsis stipitata*.—Formosa.
- *hendrickxiana* Hansford in *Proc. Linn. Soc. Lond.*, clix, p. 25, 1947 on Leguminosae (? *Vigna*).—Belgian Congo.
- *hypoestes* E. Castellani in *Nuovo G. bot. ital.*, liii, p. 214, 1947 as '*M. (Irenopsis) hypoestes*' on *Hypoestes paniculata*.—Abysinia.
- *impatientis* Doidge var. *densa* Hansford in *Proc. Linn. Soc. Lond.*, clix, p. 25, 1947 on *Impatiens*.—Belgian Congo.
- *irvingiae* Hansford in *Proc. Linn. Soc. Lond.*, clix, p. 25, 1947 on *Irvingia wombolu*.—Belgian Congo.
- *kawakamii* Yamamoto in *Trans. nat. Hist. Soc. Formosa*, xxxi, p. 131, 1941 on *Synaedrys kawakamii*.—Formosa.
- *kiraiensis* Yamamoto in *Trans. nat. Hist. Soc. Formosa*, xxxi, p. 132, 1941 on *Synaedrys lepidocarpa*.—Formosa.
- *kodaihoensis* Yamamoto in *Trans. nat. Hist. Soc. Formosa*, xxxi, p. 133, 1941 on *Synaedrys kodaihoensis*.—Formosa.
- *lithocarpina* Yamamoto in *Trans. nat. Hist. Soc. Formosa*, xxxi, p. 133, 1941 on *Synaedrys brevicaudata*.—Formosa.
- *mephitidae* Yamamoto in *Trans. nat. Hist. Soc. Formosa*, xxxi, p. 227, 1941 on *Mephitidia chinensis*.—Formosa.
- *myricicola* Hansford in *Proc. Linn. Soc. Lond.*, clix, p. 26, 1947 on *Myrica*.—Belgian Congo.
- *peddicola* Hansford in *Proc. Linn. Soc. Lond.*, clix, p. 26, 1947 on *Peddiea fischeri*.—Uganda.
- *pileoestegiae* Yamamoto in *Trans. nat. Hist. Soc. Formosa*, xxxi, p. 228, 1941 on *Pileoestegia viburnoides*.—Formosa.
- *ramulicola* Yamamoto in *Trans. nat. Hist. Soc. Formosa*, xxxi, p. 134, 1941 on *Synaedrys brevicaudata*.—Formosa.
- *shiiae* Yamamoto in *Trans. nat. Hist. Soc. Formosa*, xxxi, p. 126, 1941 on *Castanopsis stipitata*.—Formosa.
- *styracis* Yamamoto in *Trans. nat. Hist. Soc. Formosa*, xxxi, p. 228, 1941 on *Styrax suberifolius*.—Formosa.
- *subacuminata* Yamamoto in *Trans. nat. Hist. Soc. Formosa*, xxxi, p. 127, 1941 on *Castanopsis subacuminata*.—Formosa.
- *subpellucida* Yamamoto in *Trans. nat. Hist. Soc. Formosa*, xxxi, p. 136, 1941 on *Synaedrys amygdalifolia* f. *castanopsidifolia*.—Formosa.
- *taiyuensis* Yamamoto in *Trans. nat. Hist. Soc. Formosa*, xxxi, p. 131, 1941 on *Cyclobalanopsis glauca*.—Formosa.
- *taiwaniana* Yamamoto in *Trans. nat. Hist. Soc. Formosa*, xxxi, p. 128, 1941 on *Castanopsis taiwaniana*.—Formosa.
- *yangambiensis* Hansford in *Proc. Linn. Soc. Lond.*, clix, p. 27, 1947 on *Fagara laurentii*.—Belgian Congo.
- Microdiplodia granulosa* Guyot in *Bull. Soc. mycol. Fr.*, lxii, p. 74, 1946 on *Sesleria coerulea*.—France.
- *sambuci* J. Politis apud Maire & Politis in *Actes Inst. bot. Univ. Athènes*, i, p. 117, 1940 on *Sambucus nigra*.—Greece.
- **MICROTHYRIACITES* Cookson in *Proc. Linn. Soc. N.S.W.*, lxxii, p. 210, 1947.—Fossil Microthyriaceae. Type not stated.
- *— *imbriatus* Cookson in *Proc. Linn. Soc. N.S.W.*, lxxii, p. 211 in ligneous clay.—Victoria, Australia.
- *— *grandis* Cookson in *Proc. Linn. Soc. N.S.W.*, lxxii, p. 211, 1947 in coal.—New Zealand.
- Milesia arisanensis* (Hiratsuka f.) Faull in *J. Arnold Arbor.*, xxviii, p. 311, 1947. (Syn. *Milesina arisanense* Hiratsuka f.).
- *coniogrammes* (Hiratsuka f.) Faull in *J. Arnold Arbor.*, xxviii, p. 310, 1947. (Syn. *Milesina coniogrammes* Hiratsuka f.).
- *cryptogrammes* (Diet.) Faull in *J. Arnold Arbor.*, xxviii, p. 311, 1947. (Syn. *Milesina cryptogrammes* (Diet.) Hiratsuka f.).
- *hashiokai* (Hiratsuka f.) Faull in *J. Arnold Arbor.*, xxviii, p. 311, 1947. (Syn. *Milesina hashiokai* Hiratsuka f.).
- *philippinensis* (Syd.) Faull in *J. Arnold Arbor.*, xxviii, p. 311, 1947. (Syn. [*Milesina philippinensis* Syd. and] *Milesia tenuis* Faull).
- Monacrosporium ambrosium* Gadd & Loos in *Trans. Brit. mycol. Soc.*, xxxi, p. 17, 1947 in galleries of *Xyleborus fornicatus*.—Ceylon.
- Mycena albicolor* A. H. Smith, *North American species of Mycena*, p. 82, 1947 on *Thuja plicata*.—Oregon, U.S.A. Type in Herb. Univ. Mich.
- *albidula* (Peck) A. H. Smith, *North American species of Mycena*, p. 93, 1947. (Syn. *Omphalia albidula* Peck).
- *albissima* A. H. Smith, *North American species of Mycena*, p. 84, 1947 on mossy redwood log.—California, U.S.A. Type in Herb. Univ. Mich.
- *alnicola* A. H. Smith var. *odora* A. H. Smith, *North American species of Mycena*, p. 331, 1947 on dead alder tree.—Washington State, U.S.A.
- *arenaria* A. H. Smith, *North American species of Mycena*, p. 376, 1947.—Michigan, U.S.A. Type in Herb. Univ. Mich.
- *atkinsoniana* A. H. Smith nom. nov., *North American species of Mycena*, p. 144, 1947. (Syn. *M. fagicola* A. H. Smith, non Grog.).
- *bisphaerigera* (Lange) A. H. Smith, *North American species of Mycena*, p. 449, 1947. (Syn. *Omphalia bisphaerigera* Lange).
- *brownii* A. H. Smith, *North American species of Mycena*, p. 363, 1947 on decaying stems of *Rubus*.—Washington State, U.S.A. Type in Herb. Univ. Mich.
- *cayugaensis* A. H. Smith, *North American species of Mycena*, p. 135, 1947.—New York State, U.S.A. Type in Atk. Herb., Cornell Univ.
- *cheboyganensis* A. H. Smith, *North American species of Mycena*, p. 221, 1947 on sphagnum.—Michigan, U.S.A. Type in Herb. Univ. Mich.
- *cineraria* A. H. Smith, *North American species of Mycena*, p. 450, 1947 on wet soil.—Washington State, U.S.A. Type in Herb. Univ. Mich.
- *cylindrospora* A. H. Smith, *North American species of Mycena*, p. 101, 1947 on old rhododendron leaves.—Tennessee, U.S.A. Type in Herb. Univ. Mich.
- *delicatella* (Peck) A. H. Smith, *North American species of Mycena*, p. 161, 1947. (Syn. *Agaricus (Collybia) delicatellus* Peck).
- *epipterygia* (Fr.) S. F. Gray var. *lignicola* A. H. Smith, *North American species of Mycena*, p. 428, 1947 on conifer wood.—

- Washington State, U.S.A. Type in Herb. Univ. Mich.
- *filiformis* A. H. Smith, *North American species of Mycena*, p. 83, 1947 on fallen beech leaves.—Michigan, U.S.A. Type in Herb. Univ. Mich.
 - *flavocalba* (Fr.) Quélet var. *microspora* A. H. Smith, *North American species of Mycena*, p. 168, 1947.—Washington State, U.S.A.
 - *fuliginella* A. H. Smith, *North American species of Mycena*, p. 372, 1947 on logs and stumps of Douglas fir.—Washington State, U.S.A. Type in Herb. Univ. Mich.
 - *gaultheri* A. H. Smith, *North American species of Mycena*, p. 51, 1947 on dead leaves of *Gaultheria shallon*.—Washington State, U.S.A. Type in Herb. Univ. Mich.
 - *griseoviridis* A. H. Smith, *North American species of Mycena*, p. 418, 1947.—Michigan, U.S.A. Type in Herb. Univ. Mich.
 - A. H. Smith var. *cascadensis* A. H. Smith, *North American species of Mycena*, p. 420, 1947 on conifer logs.—Washington State, U.S.A. Type in Herb. Univ. Mich.
 - *hymenocephala* (A. H. Smith) A. H. Smith, *North American species of Mycena*, p. 385, 1947. (Syn. *Collybia hymenocephala* A. H. Smith).
 - *incarnatifolia* A. H. Smith, *North American species of Mycena*, p. 318, 1947 on a black-cherry log.—Michigan, U.S.A. Type in Herb. Univ. Mich.
 - * — *invisibilis* Josseland in *Bull. Soc. mycol. Fr.*, lix, p. 16, 1943 on dry fronds of *Platycerium alcicorne* and on *Sphagnum*.—France.
 - *kalalochensis* A. H. Smith, *North American species of Mycena*, p. 99, 1947 on debris of red alder and thimbleberry.—Washington State, U.S.A. Type in Herb. Univ. Mich.
 - *kauffmaniana* A. H. Smith, *North American species of Mycena*, p. 260, 1947 on wood.—Washington State, U.S.A. Type in Herb. Univ. Mich.
 - *kuehneriana* A. H. Smith, *North American species of Mycena*, p. 190, 1947.—Michigan, U.S.A. Type in Herb. Univ. Mich.
 - *ilacifolia* (Peck) A. H. Smith, *North American species of Mycena*, p. 414, 1947. (Syn. *Agaricus ilacifolius* Peck).
 - *litoralis* A. H. Smith, *North American species of Mycena*, p. 98, 1947 on fern debris.—Oregon, U.S.A. Type in Herb. Univ. Mich.
 - *majalis* Lundell nom. nov. in *Fungi exs. Suecici*, No. 401, 1941. (Syn. *M. vernalis* H. v. Post ex Lundell, non Vel.).
 - *marginella* (Fr.) Quélet var. *rugosodisca* (Peck) A. H. Smith, *North American species of Mycena*, p. 395, 1947. (Syn. *Agaricus (Omphalia) rugosodiscus* Peck).
 - *mcmurphyi* (Murr.) A. H. Smith, *North American species of Mycena*, p. 93, 1947. (Syn. *Omphalopsis mcmurphyi* Murr.).
 - *misera* (Fr.) A. H. Smith, *North American species of Mycena*, p. 369, 1947. (Syn. *Agaricus (Collybia) miser* Fr.).
 - *olida* Bres. var. *americana* A. H. Smith, *North American species of Mycena*, p. 153, 1947.—Michigan, U.S.A. Type in Herb. Univ. Mich.
 - *pallida* (Murr.) A. H. Smith, *North American species of Mycena*, p. 361, 1947. (Syn. *Omphalopsis pallida* Murr.).
 - *papillata* (Peck) A. H. Smith, *North American species of Mycena*, p. 96, 1947. (Syn. *Omphalia papillata* Peck).
 - *paucilamellata* A. H. Smith, *North American species of Mycena*, p. 97, 1947 on fallen twigs of *Sequoia sempervirens*.—California, U.S.A. Type in Herb. Univ. Mich.
 - *plumbea* (Fr.) Sacc. var. *robusta* A. H. Smith, *North American species of Mycena*, p. 249, 1947.—Oregon, U.S.A. Type in Herb. Univ. Mich.
 - *pseudoclavicularis* A. H. Smith, *North American species of Mycena*, p. 374, 1947.—Oregon, U.S.A. Type in Herb. Univ. Mich.
 - *pseudogrisea* (Murr.) A. H. Smith, *North American species of Mycena*, p. 378, 1947. (Syn. *Omphalopsis pseudogrisea* Murr.).
 - *pseudogrisella* A. H. Smith, *North American species of Mycena*, p. 124, 1947.—Michigan, U.S.A. Type in Herb. Univ. Mich.
 - *pseudoinclinata* A. H. Smith, *North American species of Mycena*, p. 327, 1947.—Tennessee, U.S.A. Type in Herb. Univ. Mich. and Herb. Univ. Tenn.
 - *pusillissima* (Peck) A. H. Smith, *North American species of Mycena*, p. 100, 1947. (Syn. *Omphalia pusillissima* Peck).
 - *rickenii* A. H. Smith, *North American species of Mycena*, p. 158, 1947.—Michigan, U.S.A. Type in Herb. Univ. Mich.
 - *rubrotincta* A. H. Smith nom. nov., *North American species of Mycena*, p. 334, 1947. (Syn. *M. tenuicula* Murrill, non Karst.).
 - *semivestipes* (Peck) A. H. Smith, *North American species of Mycena*, p. 324, 1947. (Syn. *Omphalia semivestipes* Peck).
 - *serotina* (Peck) A. H. Smith, *North American species of Mycena*, p. 375, 1947. (Syn. *Omphalia serotina* Peck).
 - *setulosa* A. H. Smith, *North American species of Mycena*, p. 80, 1947 on bark of *Liriodendron tulipifera*.—Tennessee, U.S.A. Type in Herb. Univ. Mich.
 - *subcana* A. H. Smith, *North American species of Mycena*, p. 73, 1947 on dead coniferous trees.—California, U.S.A. Type in Herb. Univ. Mich.
 - *subconcolor* A. H. Smith, *North American species of Mycena*, p. 365, 1947.—California, U.S.A. Type in Herb. Univ. Mich.
 - *subfusca* A. H. Smith, *North American species of Mycena*, p. 261, 1947 on debris in wet places.—Washington State, U.S.A. Type in Herb. Univ. Mich.
 - *subimmaculata* (Murr.) A. H. Smith, *North American species of Mycena*, p. 92, 1947. (Syn. *Omphalopsis subimmaculata* Murr.).
 - *subvestita* A. H. Smith nom. nov., *North American species of Mycena*, p. 95, 1947. (Syn. *Omphalia vestita* Peck, non *M. vestita* Velen.).
 - *swartzii* (Fr.) A. H. Smith, *North American species of Mycena*, p. 123, 1947. (Syn. *Agaricus fibula* var. *swartzii* Fries).
 - *tenuiceps* A. H. Smith, *North American species of Mycena*, p. 305, 1947 on beech logs.—Tennessee, U.S.A. Type in Herb. Univ. Mich.
 - *thujina* A. H. Smith, *North American species of Mycena*, p. 361, 1947 on logs of *Thuja occidentalis*.—Ontario, Canada. Type in Herb. Univ. Mich.
 - *translucentipes* (Murr.) A. H. Smith, *North American species of Mycena*, p. 156, 1947. (Syn. *Omphalopsis translucentipes* Murr.).
 - *turbinata* (Murr.) A. H. Smith, *North*

- American species of Mycena*, p. 379, 1947. (Syn. *Omphalopsis turbinata* Murr.).
- *umbrina* A. H. Smith, *North American species of Mycena*, p. 398, 1947.—Michigan, U.S.A. Type in Herb. Univ. Mich.
- *viscosa* (Sec.) Maire var. *iodiolens* A. H. Smith, *North American species of Mycena*, p. 423, 1947.—Oregon, U.S.A. Type in Herb. Univ. Mich.
- Mycenella kuehneri* Romagnesi in *Bull. Soc. mycol. Fr.*, lvi, p. 63, 1940.—France.
- MYCOKLUYVERIA** Ciferri & Redaelli in *Mycopathologia*, iv, p. 56, 1947. [Proposed for *Mycoderma* Pers., which is considered a nomen confusum].
- *cerevisiae* (Desm.) Ciferri & Redaelli in *Mycopathologia*, iv, p. 58, 1947. (Syn. *Mycoderma cerevisiae* Desm.).
- *decolorans* (Will) Ciferri & Redaelli in *Mycopathologia*, iv, p. 58, 1947. (Syn. *Mycoderma decolorans* Will).
- *glutinis-farinulae* (Desm.) Ciferri & Redaelli in *Mycopathologia*, iv, p. 58, 1947. (Syn. *Mycoderma glutinis-farinulae* Desm.).
- *lafari* (Janke) Ciferri & Redaelli in *Mycopathologia*, iv, p. 58, 1947. (Syn. *Mycoderma lafari* Janke).
- *tannica* (Asai) Ciferri & Redaelli in *Mycopathologia*, iv, p. 58, 1947. (Syn. *Mycoderma tannica* Asai).
- *valida* (Leb.) Ciferri & Redaelli in *Mycopathologia*, iv, p. 58, 1947. (Syn. *Mycoderma valida* Leberle).
- *vini* (Desm.) Ciferri & Redaelli in *Mycopathologia*, iv, p. 58, 1947. (Syn. *Mycoderma vini* Desm.).
- Mycosphaerella clematidina** Petrak in *Sydowia*, Ann. mycol., Ser. II, i, p. 144, 1947 on *Clematis recta*.—Austria.
- **dictamni** Petrak in *Sydowia*, Ann. mycol., Ser. II, i, p. 145, 1947 on *Dictamnus albus*.—Austria.
- **hambergii** (Romell & Sacc.) Petrak in *Medd. Göteborgs bot.*, xvii, p. 137, 1947. (Syn. *Sphaerella confinis* Karst. subsp. *hambergii* Romell & Sacc.).
- * — **myricae** Sawada in *Trans. nat. Hist. Soc. Taiwan*, xxxiii, p. 7, 1943 on *Myrica rubra*.—Formosa. [In Japanese].
- **taeniographoides** Petrak in *Sydowia*, Ann. mycol., Ser. II, i, p. 142, 1947 on *Siler trilobum*.—Austria.
- **thironi** Guyot in *Bull. Soc. mycol. Fr.*, lxii, p. 83, 1946 on *Vicia sativa*.—France.
- Mycotorula chalmersi** (Castellani) Redaelli & Ciferri in *Mycopathologia*, iv, p. 38, 1947. [Syn. *Endomyces chalmersi* Castellani].
- **krausi** (Ota) Redaelli & Ciferri in *Mycopathologia*, iv, p. 38, 1947. (Syn. *Cryptococcus krausi* Ota).
- **messanensis** Redaelli & Ciferri in *Mycopathologia*, iv, p. 40, 1947 on man [*Homo sapiens*].—Italy.
- **pseudotropicalis** (Castellani) Redaelli & Ciferri in *Mycopathologia*, iv, p. 37, 1947. (Syn. *Endomyces pseudotropicalis* Cast.).
- NANNFELDTIA** Petrak in *Sydowia*, Ann. mycol., Ser. II, i, p. 18, 1947.—Discomycetes.
- **atra** Petrak in *Sydowia*, Ann. mycol., Ser. II, i, p. 18, 1947 on *Carex firma*.—Austria.
- Naucoria centunculus** Fr. f. *luxurians* Romagnesi in *Bull. Soc. mycol. Fr.*, lviii, p. 149, 1942 on a fallen branch.—France.
- Fr. var. *obscura* Romagnesi in *Bull. Soc. mycol. Fr.*, lviii, p. 149, 1942 on a fallen trunk.—France.
- **siparia** Fr. f. *umbonata* Romagnesi in *Bull. Soc. mycol. Fr.*, lviii, p. 149, 1942.—France.
- NEOBROOMELLA** Petrak in *Sydowia*, Ann. mycol., Ser. II, i, p. 5, 1947.—Sphaeriales.
- **ciliata** Petrak in *Sydowia*, Ann. mycol., Ser. II, i, p. 5, 1947 on *Phlomis brevibras*.—Syria.
- Neovossia macrospora** Petrak in *Medd. Göteborgs bot.*, xvii, p. 114, 1947 on *Pennisetum japonicum*.—Kiangsu, China.
- * **NOTOTHYRITES** Cookson in *Proc. Linn. Soc. N.S.W.*, lxxii, p. 208, 1947.—Fossil Microthyriaceae. Type not stated.
- * — **airensis** Cookson in *Proc. Linn. Soc. N.S.W.*, lxxii, p. 209, 1947 in Sentinel Rock beds, Victoria, Australia.
- * — **setiferus** Cookson in *Proc. Linn. Soc. N.S.W.*, lxxii, p. 209, 1947 from the Vegetable Creek matrix.—Kerguelen Island and Kiandra, New South Wales, Australia.
- OCELLARIELLA** Petrak in *Sydowia*, Ann. mycol., Ser. II, i, p. 98, 1947.—Discomycetes.
- **buxi** (Capron) Petrak in *Sydowia*, Ann. mycol., Ser. II, i, p. 99, 1947. (Syn. *Trochila buxi* Capron).
- Oidium phlomidis** J. Politis apud Maire & Politis in *Actes Inst. bot. Univ. Athènes*, i, p. 132, 1940 on *Phlomis fruticosa*.—Greece.
- Oligonema schweinitzii** (Berk.) G. W. Martin in *Mycologia*, xxxix, p. 460, 1947. (Syn. *Physarum schweinitzii* Berk.).
- * **Omphalia cyathella** Favre & Schweers in *Bull. Soc. mycol. Fr.*, lviii, p. 105, 1942.—France.
- Ophiobolus sambuci** J. Politis apud Maire & Politis in *Actes Inst. bot. Univ. Athènes*, i, p. 49, 1940 on *Sambucus nigra*.—Greece.
- **smyrni** J. Politis apud Maire & Politis in *Actes Inst. bot. Univ. Athènes*, i, p. 48, 1940 on *Smyrniurn rotundifolium*.—Greece.
- OPHIOSPORELLA** Petrak in *Sydowia*, Ann. mycol., Ser. II, i, p. 21, 1947.—Sphaeropsidales.
- **komarowii** (Jacz.) Petrak in *Sydowia*, Ann. mycol., Ser. II, i, p. 22, 1947. (Syn. *Cylindrosporium komarowii* Jacz.).
- * **Panus ramosus** Métrod in *Rev. Mycologie*, N.S., xi, p. 80, 1946.—France.
- * **Paranthostomella decaspermi** Sawada in *Trans. nat. Hist. Soc. Formosa*, xxxii, p. 370, 1942 on *Decaspermum fruticosum*.—Formosa. [In Japanese].
- Parasterina oleae-chrysophyllae** E. Castellani in *Nuovo G. bot. ital.*, liii, p. 218, 1947 on *Olea chrysophylla*.—Abyssinia.
- Passalora eragrostidis** Viégas in *Bragantia*, vi, p. 386, 1946 on *Eragrostis ciliaris*.—Brazil.
- Peniophora alienata** Lundell in *Fungi exs. Suecici*, No. 1043, 1941 on decaying *Alnus glutinosa*.—Sweden.
- **laurentii** Lundell nom. nov. in *Fungi exs. Suecici*, No. 1342, p. 23, 1946. (Syn. *Merulius lepidus* Romell, non P. *lepidus* Bres.).
- * **Pestalozzia eriobotryae-japonicae** Sawada in *Trans. nat. Hist. Soc. Taiwan*, xxxiii, p. 9, 1943 on *Eriobotrya japonica*.—Formosa. [In Japanese].
- **insueta** Petrak in *Sydowia*, Ann. mycol., Ser. II, i, p. 7, 1947 on *Phlomis brevibras*.—Syria.

- Pezicula morthieri** (Fuckel) Groves in *Mycologia*, xxxix, p. 329, 1947. (Syn. *Cenangium morthieri* Fuckel).
- Peziza limosa** (Greville) Nannfeldt in *Fungi exs. Suecici*, No. 373, 1941. (Syn. *Galactinia castanea* (Quél.) Boud. var. *limosa* Greville).
- **plebeia** (Le Gal) Nannfeldt in *Fungi exs. Suecici*, No. 1373, 1946. (Syn. *Galactinia plebeia* Le Gal).
- Phacidium infestans** Karst. var. **hikmetae** Bremer, Işmen, Karel, & H. and M. Özkan in *Rev. Fac. Sci. Univ. Istanbul*, Sér. B, xii, p. 164, 1947 on *Pinus silvestris*.—Turkey.
- Phaeochorella zonata** Petrak in *Sydowia*, *Ann. mycol.*, Ser. II, i, p. 122, 1947 on Leguminosae.—Philippine Islands.
- Phaeodimeriella negrii** E. Castellani in *Nuovo G. bot. ital.*, liii, p. 215, 1947 on *Randia dumetorum*.—Eritrea.
- Phaeodothis hendrickxii** Hansford in *Proc. Linn. Soc. Lond.*, clix, p. 29, 1947 on *Senecio mariettae*.—Belgian Congo.
- **rapaneae** Hansford in *Proc. Linn. Soc. Lond.*, clix, p. 30, 1947 on *Rapanea*.—Belgian Congo.
- Phaeophleospora elaeocarpi** Bond in *Ceylon J. Sci.*, Sect. A, xii, p. 185, 1947 on *Elaeocarpus amoenus*.—Ceylon.
- PHAEOTHYRIUM** Petrak in *Sydowia*, *Ann. mycol.*, Ser. II, i, p. 12, 1947.—Sphaeropsidales.
- **pulchellum** Petrak in *Sydowia*, *Ann. mycol.*, Ser. II, i, p. 12, 1947 on *Aegiceras corniculatum*.—Hainan, China.
- Phakopsora hengshanensis** Tai in *Farlowia*, iii, p. 98, 1947 on *Ficus martini*?—Hunan, China.
- Phaneroascus rapaneae** Hansford in *Proc. Linn. Soc. Lond.*, clix, p. 28, 1947 on *Rapanea*.—Belgian Congo.
- Phleospora hageniae** E. Castellani in *Nuovo G. bot. ital.*, liii, p. 227, 1947 on *Hagenia abyssinica*.—Abyssinia.
- Phlyctidium apophysatum** Canter in *Trans. Brit. mycol. Soc.*, xxxi, p. 95, 1947 on *Mougeotia*.—England.
- Phoma amygdali-communis** J. Politis apud Maire & Politis in *Actes Inst. bot. Univ. Athènes*, i, p. 109, 1940 on *Amygdalus communis*.—Greece.
- **campanulae** J. Politis apud Maire & Politis in *Actes Inst. bot. Univ. Athènes*, i, p. 109, 1940 on *Campanula sibirica*.—Greece.
- **cyparissiae** Guyot in *Bull. Soc. mycol. Fr.*, lxi, p. 75, 1946 on *Euphorbia cyparissias*.—France.
- **inulae-viscosae** J. Politis apud Maire & Politis in *Actes Inst. bot. Univ. Athènes*, i, p. 108, 1940 on *Inula viscosa*.—Greece.
- **onopordi** J. Politis apud Maire & Politis in *Actes Inst. bot. Univ. Athènes*, i, p. 109, 1940 on *Onopordon illyricum*.—Greece.
- **peponis** J. Politis apud Maire & Politis in *Actes Inst. bot. Univ. Athènes*, i, p. 108, 1940 on *Cucurbita pepo*.—Greece.
- **pini-nigrae** J. Politis apud Maire & Politis in *Actes Inst. bot. Univ. Athènes*, i, p. 109, 1940 on *Pinus nigra*.—Greece.
- **pruni-domesticae** J. Politis apud Maire & Politis in *Actes Inst. bot. Univ. Athènes*, i, p. 107, 1940 on *Prunus domestica*.—Greece.
- **sanguisorbae** J. Politis apud Maire & Politis in *Actes Inst. bot. Univ. Athènes*, i, p. 108, 1940 on *Poterium sanguisorba*.—Greece.
- **scolymi** J. Politis apud Maire & Politis in *Actes Inst. bot. Univ. Athènes*, i, p. 109, 1940 on *Scolymus hispanicus*.—Greece.
- **smyrnii** J. Politis apud Maire & Politis in *Actes Inst. bot. Univ. Athènes*, i, p. 108, 1940 on *Smyrnium rotundifolium*.—Greece.
- **spartii** J. Politis apud Maire & Politis in *Actes Inst. bot. Univ. Athènes*, i, p. 108, 1940 on *Spartium junceum*.—Greece.
- **subtruncata** Guyot in *Bull. Soc. mycol. Fr.*, lxii, p. 76, 1946 on *Koeleria gracilis*.—France.
- **verbasci-thapsi** J. Politis apud Maire & Politis in *Actes Inst. bot. Univ. Athènes*, i, p. 108, 1940 on *Verbascum thapsus*.—Greece.
- PHOMACHORELLA** Petrak in *Sydowia*, *Ann. mycol.*, Ser. II, i, p. 125, 1947.—Sphaeropsidales.
- **parinarii** Petrak in *Sydowia*, *Ann. mycol.*, Ser. II, i, p. 126, 1947 on *Parinarium capense*.—South Africa.
- Phragmidium handelii** Petrak in *Medd. Göteborgs bot.*, xvii, p. 121, 1947 on *Rosa glomerata*.—North-west Yunnan, China.
- **sikangense** Petrak in *Medd. Göteborgs bot.*, xvii, p. 123, 1947 on *Rubus pungens*.—Sikang, China.
- PHRAGMODISCUS** Hansford in *Proc. Linn. Soc. Lond.*, clix, p. 31, 1947.—Xylariaceae.
- **arundinariae** Hansford in *Proc. Linn. Soc. Lond.*, clix, p. 31, 1947 on *Arundinaria alpina*.—Uganda.
- Phyllachora cymbispora** T. S. & K. Ramakrishnan in *Proc. Indian Acad. Sci.*, Sect. B, xxv, p. 184, 1947 on *Eurya japonica*.—India.
- **eragrostidis** Petrak in *Medd. Göteborgs bot.*, xvii, p. 139, 1947 on *Eragrostis ferruginea*.—Kwangtung, China. [Cfr. *P. eragrostidis* Doidge, 1942, Suppl. 6, p. 70].
- **fici-variolosae** Petrak in *Medd. Göteborgs bot.*, xvii, p. 141, 1947 on *Ficus variolosae*.—Kwangtung, China.
- **hendrickxii** Hansford in *Proc. Linn. Soc. Lond.*, clix, p. 29, 1947 on *Acanthaceae*.—Belgian Congo.
- ***Phyllosticta catechu** Sawada in *Trans. nat. Hist. Soc. Taiwan*, xxxiii, p. 8, 1943 on *Areca catechu*.—Formosa. [In Japanese].
- **galegae** Maire apud Maire & Politis in *Actes Inst. bot. Univ. Athènes*, i, p. 105, 1940 on *Galega officinalis*.—Greece.
- **grevilleae** Gadd apud Bond in *Ceylon J. Sci.*, Sect. A, xii, p. 189, 1947 on *Grevillea robusta*.—Ceylon.
- **stygia** Maire apud Maire & Politis in *Actes Inst. bot. Univ. Athènes*, i, p. 105, 1940 on *Globularia stygia*.—Greece.
- Phyllostictina paederiae** Petrak in *Medd. Göteborgs bot.*, xvii, p. 149, 1947 on *Paederia scandens*.—Kwangsi, China.
- **vaccinii** Demaree & Wilcox in *Phytopathology*, xxxvii, p. 496, 1947 on *Vaccinium ashei*.—North Carolina, U.S.A. Type in Mycol. Coll. B.P.I. Beltsville, Md.
- Physalospora heterostemmae** T. S. & K. Ramakrishnan in *Proc. Indian Acad. Sci.*, Sect. B, xxvi, p. 8, 1947 on *Heterostemma tanjorensis*.—India.
- **pterolobii** T. S. & K. Ramakrishnan in *Proc. Indian Acad. Sci.*, Sect. B, xxvi, p. 7, 1947 on *Pterolobium indicum*.—India.
- Physarum stellatum** (Masse) G. W. Martin in *Mycologia*, xxxix, p. 461, 1947. (Syn. *Lepidoderma stellatum* Masse).

- Piricularia dubiosa* (Speg.) Viégas in *Bragantia*, vi, p. 387, 1946. (Syn. *Fusicladium? dubiosum* Speg.).
- PLACOSTROMELLA** Petrak in *Sydowia*, *Ann. mycol.*, Ser. II, i, p. 9, 1947.—Pyrenomyces.
- macrospora* Petrak in *Sydowia*, *Ann. mycol.*, Ser. II, i, p. 9, 1947 on *Castanopsis ceratocantha*.—Kweichow, China.
- Plenodomus haematites** Petrak in *Sydowia*, *Ann. mycol.*, Ser. II, i, p. 135, 1947 on *Clematis vitalba*.—Austria.
- syriacus* Petrak in *Sydowia*, *Ann. mycol.*, Ser. II, i, p. 42, 1947 on *Philomis brevilabris*.—Syria.
- Pleospora centaureae** J. Politis apud Maire & Politis in *Actes Inst. bot. Univ. Athènes*, i, p. 47, 1940 on *Centaurea solstitialis*.—Greece.
- coronillae* J. Politis apud Maire & Politis in *Actes Inst. bot. Univ. Athènes*, i, p. 47, 1940 on *Coronilla emeroides*.—Greece.
- eryngii* J. Politis apud Maire & Politis in *Actes Inst. bot. Univ. Athènes*, i, p. 47, 1940 on *Eryngium campestre*.—Greece.
- *PLOCHMOPELTINITES** Cookson in *Proc. Linn. Soc. N.S.W.*, lxxii, p. 212, 1947.—Fossil Micropeltaceae.
- *masoni** Cookson in *Proc. Linn. Soc. N.S.W.*, lxxii, p. 212, 1947 in carbonaceous sandstone.—Kerguelen Island.
- Polyporus lineatus** Overholts, Suppl. 3, p. 28, is a later homonym of *P. lineatus* Pers. (1827).
- Pompholyx occidentale** Zeller in *Mycologia*, xxxix, p. 293, 1947.—California, U.S.A. Type in Zeller Herb.
- *Poria excelsa** Lundell in *Fungi exs. Suecici*, No. 1328, 1946. (As nom. nov. based on *Poria rhodella* ('Fr.') Cooke, vix *Polyporus rhodellus* Fr.).
- fendzleri* (Berk. & Curt.) Lowe in *Lloydia*, x, p. 50, 1947. (Syn. *Polyporus* (Resupinati) *fendzleri* Berk. & Curt.).
- oleracea* Davidson & Lombard in *Mycologia*, xxxix, p. 317, 1947 on white oak wood.—U.S.A. Type in Mycol. Coll. B.P.I., Beltsville, Md.
- Protohydnum subgelatinosum** (Karst.) Lundell in *Fungi exs. Suecici*, No. 1433, 1947. (Syn. *Hydnum subgelatinosum* Karst.).
- Puccinia achilleicola** Petrak in *Sydowia*, *Ann. mycol.*, Ser. II, i, p. 46, 1947 on *Achillea* spp.—Persia.
- agrostidicola* Tai in *Farlowia*, iii, p. 115, 1947 on *Agrostis*.—Kansu, China.
- arundinellae-setosae* Tai in *Farlowia*, iii, p. 114, 1947 on *Arundinella setosa*.—Yunnan, China.
- asystasiae* E. Castellani in *Nuovo G. bot. ital.*, liii, p. 222, 1947 on *Asystasia anselioides*.—Abyssinia.
- bromicola* (E. B. Mains) Guyot in *Uredineana*, ii, p. 52, 1947. (Syn. *P. rubigo-vera* (DC.) Wint. f. sp. *bromicola* Mains).
- bromi-maximi* Guyot in *Uredineana*, ii, p. 50, 1947 on *Bromus maximus*, France and N. Afr., and on *Bromus* spp., widespread.
- cinnamomi* Tai in *Farlowia*, iii, p. 125, 1947 on *Cinnamomum*.—Szechuan, China.
- clematidicola* Tai in *Farlowia*, iii, p. 124, 1947 on *Clematis connata*.—Yunnan, China.
- delphinensis* Guyot in *Uredineana*, ii, p. 58, 1947 on *Teucrium aureum*.—France.
- difonzoi* Lindquist in *Notas Mus. La Plata*, xi, Bot. 54, p. 377, 1947 on *Senecio benthamii*.—Argentina.
- dracaenae* E. Castellani in *Nuovo G. bot. ital.*, liii, p. 223, 1947 on *Dracaena steudneri*.—Abyssinia.
- eragrostidis-ferrugineae* Tai in *Farlowia*, iii, p. 116, 1947 on *Eragrostis ferruginea*.—Yunnan, China.
- festucae-ovinae* Tai in *Farlowia*, iii, p. 116, 1947 on *Festuca ovina*.—Yunnan, China.
- gaudiniana* Guyot in *Uredineana*, ii, p. 56, 1947 on *Gaudinia fragilis*.—France and N. Africa.
- glycyrrhizae* Tai in *Farlowia*, iii, p. 125, 1947 on *Glycyrrhiza aspera*.—Kansu, China.
- hunkikeri* Lindquist in *Notas Mus. La Plata*, Bot., xi, 54, p. 380, 1947 on *Oreomyrrhis andicola*.—Argentina.
- impatiens-uliginosae* Tai in *Farlowia*, iii, p. 126, 1947 on *Impatiens uliginosa*.—Yunnan, China.
- koeleriae* J. Politis apud Maire & Politis in *Actes Inst. bot. Univ. Athènes*, i, p. 72, 1940 on *Koeleria phleoides*.—Greece.
- kwanhsienensis* Tai in *Farlowia*, iii, p. 118, 1947 on *Bambusa*.—Szechuan, China.
- lomatogonii* Petrak in *Medd. Göteborgs bot.*, xvii, p. 127, 1947 on *Lomatogonium bicornatum*.—Szechuan, China.
- milii-effusi* Dupias in *Bull. Soc. mycol. Fr.*, lxi, p. 61, 1945 on *Milium effusum*.—France.
- polygonicola* Tai in *Farlowia*, iii, p. 122, 1947 on *Polygonum chinense*.—Hunan, China.
- solani-giganteae* T. S. & K. Ramakrishnan in *Proc. Indian Acad. Sci.*, Sect. B, xxv, p. 180, 1947 on *Solanum giganteum*.—India.
- stenothecae* Guyot in *Uredineana*, ii, p. 57, 1947 on *Hieracium staticifolium*.—French Alps and Switzerland.
- taliensis* Tai in *Farlowia*, iii, p. 123, 1947 on *Polygonum paleaceum* var. *pubifolium*.—Yunnan, China.
- taygetea* Maire apud Maire & Politis in *Actes Inst. bot. Univ. Athènes*, i, p. 71, 1940 on *Cirsium*.—Greece.
- veratricola* Tai in *Farlowia*, iii, p. 120, 1947 on *Veratrum taliense*.—Yunnan, China.
- vulpiana* Guyot in *Uredineana*, ii, p. 53, 1947 on *Vulpia*.—France and N. Africa.
- yunnanensis* Tai in *Farlowia*, iii, p. 123, 1947 on *Polygonum cymosum*.—Yunnan, China.
- PYCNODERMELLA** Petrak in *Sydowia*, *Ann. mycol.*, Ser. II, i, p. 111, 1947.—Myriangiales.
- circinans* (Syd.) Petrak in *Sydowia*, *Ann. mycol.*, Ser. II, i, p. 112, 1947. (Syn. *Pycnoderma circinans* Syd.).
- Pyrenopeziza capsulicola** Petrak in *Sydowia*, *Ann. mycol.*, Ser. II, i, p. 32, 1947 on *Silene acaulis*.—Austria.
- Pyrenophora carthami** J. Politis apud Maire & Politis in *Actes Inst. bot. Univ. Athènes*, i, p. 48, 1940 on *Carthamus ruber*.—Greece.
- centranthi* J. Politis apud Maire & Politis in *Actes Inst. bot. Univ. Athènes*, i, p. 48, 1940 on *Centranthus ruber*.—Greece.
- euphorbiae* Guyot in *Bull. Soc. mycol. Fr.*, lxii, p. 85, 1946 on *Euphorbia paralias*.—France.
- Radulum rude** (Pers.) Lundell in *Fungi exs. Suecici*, No. 1412, 1947. (Syn. *Sistotrema rude* Pers.).
- Ramularia chorisiae** Viégas in *Bragantia*, vi, p. 389, 1946 on *Chorisia*.—Brazil.
- doliariae* Viégas in *Bragantia*, vi, p. 390, 1946 on *Ficus doliaria*.—Brazil.

- *mirim* Viégas in *Bragantia*, vi, p. 390, 1946 on *Baccharis punctulata*.—Brazil.
- Ravenelia indigoferae-scabridae* Tai in *Farlowia*, iii, p. 106, 1947 on *Indigofera scabrida*.—Yunnan, China.
- *macrocapitula* Tai in *Farlowia*, iii, p. 106, 1947 on *Indigofera hancockii*.—Yunnan, China.
- * *Rhacomyses dedyi* Lepesme in *Bull. Soc. mycol. Fr.*, lviii, p. 71, 1942 on *Aphaenops hutchinsii*.—France.
- * — *grassei* Lepesme in *Bull. Soc. mycol. Fr.*, lviii, p. 73, 1942 on *Duvalius veluchianus*.—France.
- * — *maublanci* Lepesme in *Bull. Soc. mycol. Fr.*, lviii, p. 78, 1942 on *Duvalius baldensis*.—France.
- * — *reymondi* Lepesme in *Bull. Soc. mycol. Fr.*, lviii, p. 66, 1942 on *Trechus distigma*.—France.
- * — *vayssierei* Lepesme in *Bull. Soc. mycol. Fr.*, lviii, p. 65, 1942 on *Trechus quadri-striatus*.—France.
- Rhinotrichum alterosum* Viégas in *Bragantia*, vi, p. 391, 1946 on *Meliola*.—Brazil.
- Rhizophidium columnare* Canter in *Trans. Brit. mycol. Soc.*, xxxi, p. 135, 1947 on *Spirotaenia condensata*.—England.
- * *Rhodophyllus eximius* Romagnesi in *Bull. Soc. mycol. Fr.*, lx, p. 99, 1944. —France.
- * — *pyrospilus* Romagnesi in *Bull. Soc. mycol. Fr.*, lx, p. 96, 1944. —France.
- Rhodotorula martyniae-fragrantis* Ruiz in *An. Inst. Biol. Univ. Méx.*, xviii, p. 41, 1947 in floral nectar of *Martynia fragrans*.—Mexico.
- * — *minuta* (Saito) Harrison var. *coralloides* Ruiz in *An. Inst. Biol. Univ. Méx.*, xiv, p. 121, 1943 on man (*Homo sapiens*).—Mexico.
- Rhizidium variabile* Canter in *Trans. Brit. mycol. Soc.*, xxxi, p. 100, 1947 on *Spirogyra*.—England.
- Ripartites albido-incarnatus* (Britzelmayr) Métrod in *Rev. Mycologie*, N.S., xi, p. 76, 1946. (Syn. *Inocybe albido-incarnata* Britzelmayr).
- Russula adusta* Fr. f. *rubens* Romagnesi in *Bull. Soc. mycol. Fr.*, lxi, p. 71, 1943. —France.
- *amarissima* Romagnesi & Gilbert apud Romagnesi in *Bull. Soc. mycol. Fr.*, lxi, p. 71, 1943. —France.
- * — *anatina* Romagnesi in *Bull. Soc. mycol. Fr.*, lxii, p. 68, 1946. (As nom. nov. based on *R. palumbina* sensu Melzer & Zvara, non Quél.).
- *delicula* Romagnesi in *Bull. Soc. mycol. Fr.*, lxi, p. 37, 1945. —France.
- *lutensis* Romagnesi & Le Gal apud Romagnesi in *Bull. Soc. mycol. Fr.*, lvi, p. 66, 1940. —France.
- *melitodes* Romagnesi in *Bull. Soc. mycol. Fr.*, lxi, p. 71, 1943. —France.
- * — *pseudoluteoviridans* Niole in *Bull. Soc. mycol. Fr.*, lx, p. 101, 1944. (As nom. nov. based on *R. luteoviridans* sensu Niole, non auct.).
- * — *rutila* Romagnesi in *Bull. Soc. mycol. Fr.*, lxii, p. 59, 1946. —France.
- *straminea* Malençon in *Bull. Soc. mycol. Fr.*, lviii, p. 45, 1942. —France.
- Rutstroemia conformata* (Karst.) Nannfeldt in *Fungi exs. Suecici*, No. 1174, 1942. (Syn. *Peziza conformata* Karst.).
- Sarcosphaera ammophila* (Dur. & Mont.) Kirschst. in *Notizbl. bot. Gart. Berl.*, xv, p. 828, 1943. [Syn. *Peziza ammophila* Dur. & Mont.].
- *ulbrichiana* Kirschst. in *Notizbl. bot. Gart. Berl.*, xv, p. 826, 1943 on soil. —Germany.
- Scleroderma arenicola* Zeller in *Mycologia*, xxxix, p. 295, 1947. —Oregon, U.S.A.
- *furfurellum* Zeller in *Mycologia*, xxxix, p. 296, 1947. —Mississippi, U.S.A. Type in Zeller Herb.
- *subviscidum* Zeller in *Mycologia*, xxxix, p. 296, 1947. —Oregon, U.S.A. Type in Zeller Herb.
- Sclerotium ignotum* Viégas in *Bragantia*, vi, p. 560, 1946 on leaves of undetermined plant. —Brazil.
- Scopella ascotela* (Syd.) T. S. & K. Ramakrishnan in *Proc. Indian Acad. Sci.*, Sect. B, xxvi, p. 67, 1947. (Syn. *Blastospora ascotela* Syd.).
- SCOPELLOPSIS** T. S. & K. Ramakrishnan in *Proc. Indian Acad. Sci.*, Sect. B, xxvi, p. 62, 1947. —Uredinales.
- *dalbergiae* T. S. & K. Ramakrishnan in *Proc. Indian Acad. Sci.*, Sect. B, xxvi, p. 62, 1947 on *Dalbergia paniculata*. —India. Type in Herb. Coimbatore and Herb. Crypt. Ind. Orient., New Delhi.
- Sebacia uvida* (Fr.) Bres. var. *appollinis* Maire apud Maire & Politis in *Actes Inst. bot. Univ. Athènes*, i, p. 75, 1940 on rotten *Abies*. —Greece.
- Secotium aurantium* Zeller in *Mycologia*, xxxix, p. 292, 1947. —Cuba.
- Selenophoma chondrillae* (Nikol.) Petrak in *Sydowia*, Ann. mycol., Ser. II, i, p. 66, 1947. (Syn. *Falcispora chondrillae* Nikol.).
- *linicola* Vanterpool in *Mycologia*, xxxix, p. 346, 1947 on *Linum usitatissimum*. —Saskatchewan, Canada.
- Septoidium araruvae* Viégas in *Bragantia*, vi, p. 392, 1946 on *Centrolobium tomentosum*. —Brazil.
- *loranthacearum* Viégas in *Bragantia*, vi, p. 393, 1946 on *Loranthaceae*. —Brazil.
- Septoria allorgei* Guyot in *Bull. Soc. mycol. Fr.*, lxii, p. 77, 1946 on *Melica ciliata*. —France.
- *aquilina* J. Politis apud Maire & Politis in *Actes Inst. bot. Univ. Athènes*, i, p. 124, 1940 on *Pteridium aquilinum*. —Greece.
- *buchtormensis* Petrak in *Medd. Göteborgs bot.*, xvii, p. 151, 1947 on *Seseli buchtormense*. —Shansi, China.
- *drogochiensis* Petrak in *Medd. Göteborgs bot.*, xvii, p. 152, 1947 on *Senecio erythropappus*. —Sikang, China.
- *erythrinae* T. S. & K. Ramakrishnan in *Proc. Indian Acad. Sci.*, Sect. B, xxvi, p. 10, 1947 on *Erythrina*. —India.
- *miscanthina* Petrak in *Medd. Göteborgs bot.*, xvii, p. 156, 1947 on *Miscanthus sinensis*. —Kwangsi, China.
- *pentarrhini* E. Castellani in *Nuovo G. bot. ital.*, liii, p. 227, 1947 on *Pentarrhinum insipidum*. —Eritrea.
- *platycodontis* Petrak in *Medd. Göteborgs bot.*, xvii, p. 157, 1947 on *Platycodon grandiflorum*. —Shansi, China.
- *rajkoftii* Bubák ex Maire & Politis in *Actes Inst. bot. Univ. Athènes*, i, p. 125, 1940 on *Cynanchum acutum*. —Greece.
- *sikangensis* Petrak in *Medd. Göteborgs bot.*, xvii, p. 159, 1947 on *Lactuca graciliflora*. —Sikang, China.

- *sileris* Petrak in *Sydowia*, Ann. mycol., Ser. II, i, p. 128, 1947 on *Siler trilobum*.—Austria.
- *thespesiae* T. S. & K. Ramakrishnan in *Proc. Indian Acad. Sci.*, Sect. B, xxvi, p. 11, 1947 on *Thespesia populnea*.—India.
- *vindobonensis* Petrak in *Sydowia*, Ann. mycol., Ser. II, i, p. 130, 1947 on *Libanotis montana*.—Austria.
- Seynesia polystachiae** E. Castellani in *Nuovo G. bot. ital.*, liii, p. 219, 1947 on *Polystachia*.—Abyssinia.
- Sirococcus inulae** J. Politis apud Maire & Politis in *Actes Inst. bot. Univ. Athènes*, i, p. 113, 1940 on *Inula viscosa*.—Greece.
- SIRODOMUS** Petrak in *Sydowia*, Ann. mycol., Ser. II, i, p. 157, 1947.—Sphaeropsidales.
- *montanus* (v. Höhn.) Petrak in *Sydowia*, Ann. mycol., Ser. II, i, p. 157, 1947. (Syn. *Peckia montana* v. Höhn.).
- Sistotrema muscicola** (Pers.) Lundell in *Fungi exs. Suecici*, No. 1415, 1947. (Syn. *Hydnium muscicola* Pers.).
- *vitellina* (Plowr.) Lundell in *Fungi exs. Suecici*, No. 1021, 1941. (Syn. *Thelephora vitellina* Plowr.).
- Sphaceloma curcumae** Thirumalachar in *Trans. Brit. mycol. Soc.*, xxxi, p. 6, 1947 on *Curcuma*.—India. Type in Herb. Crypt. Ind. Orient., New Delhi; and I.M.I., Kew; Inst. Biol., São Paulo.
- *oleanderi* Thirumalachar in *Trans. Brit. mycol. Soc.*, xxxi, p. 5, 1947 on *Nerium oleander*.—India. Type in Herb. Crypt. Ind. Orient., New Delhi; I.M.I., Kew; Inst. Biol., São Paulo.
- *osyridis* Thirumalachar in *Trans. Brit. mycol. Soc.*, xxxi, p. 3, 1947 on *Osyris wightiana*.—India. Type in Herb. Crypt. Ind. Orient., New Delhi; I.M.I., Kew; Inst. Biol., São Paulo.
- *santali* Thirumalachar in *Trans. Brit. mycol. Soc.*, xxxi, p. 2, 1947 on *Santalum album*.—India. Type in Herb. Crypt. Ind. Orient., New Delhi; I.M.I., Kew; Inst. Biol., São Paulo.
- Sphacelotheca smithii** Petrak in *Medd. Göteborgs bot.*, xvii, p. 115, 1947 on *Polygonum*.—Szechuan, China.
- Sphaerulina amygdali** J. Politis apud Maire & Politis in *Actes Inst. bot. Univ. Athènes*, i, p. 41, 1940 on *Amygdalus communis*.—Greece.
- Spondylocadium nigerrimum** Viégas in *Bragantia*, vi, p. 394, 1946 on *Manihot*.—Brazil.
- Sporodesmium syntrichiae** Racovitza in *Rev. Mycologie*, N.S., xi, p. 88, 1946 on *Syntrichia inermis*.—France.
- Sporotrichum columbiense** Sprague in *Mycologia*, xxxix, p. 350, 1947 on *Agropyron spicatum*.—Montana, U.S.A.
- Stagonospora sexseptata** (Trail) Guyot in *Bull. Soc. mycol. Fr.*, lxii, p. 78, 1946. (Syn. *Stagonospora aquatica* Sacc. var. *sexseptata* Trail).
- Steganosporium centaureae** Rayss in *Bull. Soc. mycol. Fr.*, lxii, p. 38, 1946 on *Centaurea dumulosa*.—Palestine.
- STEGOPHORELLA** Petrak in *Sydowia*, Ann. mycol., Ser. II, i, p. 15, 1947.—Sphaeriales.
- *lagerheimii* Petrak in *Sydowia*, Ann. mycol., Ser. II, i, p. 15, 1947 on *Bidens andicola*.—Ecuador.
- Stemphylium consortiale** (Thüm.) Groves & Skolko var. *minus* (Ruehle) Neergaard, Addition to *Danish species of Alternaria and Stemphylium*, 1945. (Syn. *S. ilicis* Tengw. var. *minus* (Ruehle) Neergaard, op. cit., p. 323).
- Stigmatea hageniae** E. Castellani in *Nuovo G. bot. ital.*, liii, p. 216, 1947 on *Hagenia abyssinica*.—Abyssinia.
- *hendrickxii* Hansford in *Proc. Linn. Soc. Lond.*, clix, p. 33, 1947 on *Rubiaceae*.—Belgian Congo.
- ***Streptomyces bikiniensis** Johnstone & Waksman in *Proc. Soc. exp. Biol.*, N.Y., lxv, p. 294, 1947 from soil.—Bikini Atoll (Marshall Islands).
- Strobilomyces kalimpongensis** Bose in *J. Dep. Sci. Calcutta Univ.*, N.S., ii, p. 82, 1946 on dead wood. —India.
- Stylopaga rhabdoides** Drechsler in *Mycologia*, xxxix, p. 262, 1947 on *Amoeba verrucosa*.—Colorado, U.S.A.
- Synchytrium oxalidis** M. T. Cook in *Mycologia*, xxxix, p. 351, 1947 on *Oxalis repens*.—Louisiana, U.S.A.
- *ranunculi* M. T. Cook in *Mycologia*, xxxix, p. 354, 1947 on *Ranunculus pusillus*.—Louisiana, U.S.A.
- Telimenella gangraena** (Fr.) Petrak in *Sydowia*, Ann. mycol., Ser. II, i, p. 79, 1947. (Syn. *Sphaeria gangrena* Fr.).
- Teratosperma meliolae** Hansford in *Proc. Linn. Soc. Lond.*, clix, p. 41, 1947 on *Meliola conopharyngiae*.—Uganda.
- Terfezia longii** Gilkey in *Mycologia*, xxxix, p. 448, 1947. —New Mexico, U.S.A. Type in Oregon State College.
- THRYPTOSPORA** Petrak in *Sydowia*, Ann. mycol., Ser. II, i, p. 52, 1947.—Pyrenomycetes.
- *singularis* Petrak in *Sydowia*, Ann. mycol., Ser. II, i, p. 52, 1947 on *Phlomis brevilabris*.—Syria.
- Tilletia spheonopodis** Rayss in *Bull. Soc. mycol. Fr.*, lxii, p. 25, 1946 on *Sphenopus divaricatus*.—Syria.
- Torulopsis neoformans** [(Sanf.) Red.] var. *albida* (Saito) W. Kaufmann in *Zbl. Bakt.*, Abt. 2, cvi, p. 442, 1944. (Syn. *T. albida* (Saito) Lodder).
- *orbiculata* Ruiz in *An. Inst. Biol. Mex.*, xiv, p. 381, 1943 on man (*Homo sapiens*).—Mexico.
- *sexta* Redaelli & Ciferri 'nom. nov.' in *Mycopathologia*, iv, p. 29, 1947. (Based on *Torula* N. 6 Will, 1916).
- Trametes albo-carneo-gilvida** (Romell) Lundell in *Fungi exs. Suecici*, No. 1331, 1946. (Syn. *Polyporus albo-carneo-gilvidus* Romell).
- Tremella foliacea** Pers. ex Fr. var. *fimbriata* (Pers. ex Fr.) Lundell in *Fungi exs. Suecici*, No. 940, 1941. (Syn. *T. fimbriata* Pers. ex Fr.).
- Tricholoma distinguendum** Lundell nom. nov. in *Fungi exs. Suecici*, No. 1101, 1942. (Syn. *Agaricus cartilagineus* Fr. of 1857, non 1821).
- ***Tricholomopsis flammula** Métrod in *Rev. Mycologie*, N.S., xi, p. 77, 1946 on wood. —France.
- ***TRICHOPELTINITES** Cookson in *Proc. Linn. Soc.*, N.S.W., lxxii, p. 211, 1947. —Fossil Trichopeltaceae.

- *—*pulcher* Cookson in *Proc. Linn. Soc., N.S.W.*, lxxii, p. 211, 1947 on leaves of *Oleinites willisii*.—Victoria, Australia.
- **Trichophyton otae* Dowding in *Canad. J. Res., Sect. E*, xxii, p. 71, 1944 on man [*Homo sapiens*].—Canada.
- Tritirachium brumpti* (Langeron & Lichaa) Langeron in *Ann. Parasit. hum. comp.*, xxii, p. 97, 1947. (Syn. *Beauveria brumpti* Langeron & Lichaa).
- epigeum* (Brunaud) Langeron in *Ann. Parasit. hum. comp.*, xxii, p. 98, 1947. (Syn. *Sporotrichum epigeum* Brunaud).
- rubrum* (Bauquis & Cardone) Langeron in *Ann. Parasit. hum. comp.*, xxii, p. 98, 1947. (Syn. *Verticillium rubrum* Bauquis & Cardone).
- shiota* (Kuru) Langeron in *Ann. Parasit. hum. comp.*, xxii, p. 98, 1947. (Syn. *Isaria shiota* Kuru).
- viannai* (de Mello) Langeron in *Ann. Parasit. hum. comp.*, xxii, p. 98, 1947. (Syn. *Trichophyton viannai* de Mello).
- Tubifera microsperma* (Berk. & Curt.) G. W. Martin in *Mycologia*, xxxix, p. 461, 1947. (Syn. *Licea microsperma* Berk. & Curt.).
- Tylostoma albiceps* Long & Ahmad in *Farlowia*, iii, p. 257, 1947.—India.
- albocretaceum* Long & Ahmad in *Farlowia*, iii, p. 243, 1947.—India.
- annicola* Long & Ahmad in *Farlowia*, iii, p. 243, 1947.—India.
- asperum* Long in *Lloydia*, x, p. 128, 1947.—Texas, U.S.A.
- balanoides* Long & Ahmad in *Farlowia*, iii, p. 242, 1947.—India.
- cineraceum* Long in *Lloydia*, x, p. 123, 1947 in soil.—Afghanistan.
- crassipes* Long & Ahmad in *Farlowia*, iii, p. 256, 1947.—India.
- dumeticola* Long in *Lloydia*, x, p. 117, 1947.—Brazil.
- evanescens* Long & Ahmad in *Farlowia*, iii, p. 235, 1947.—India.
- exitum* Long & Ahmad in *Farlowia*, iii, p. 254, 1947.—India.
- hygrophilum* Long & Ahmad in *Farlowia*, iii, p. 238, 1947.—India.
- inonotum* Long & Ahmad in *Farlowia*, iii, p. 246, 1947.—India.
- membranaceum* Long & Ahmad in *Farlowia*, iii, p. 251, 1947.—India.
- operculatum* Long & Ahmad in *Farlowia*, iii, p. 256, 1947.—India.
- orogrande* Long in *Lloydia*, x, p. 123, 1947 in soil.—New Mexico, U.S.A.
- perplexum* Long & Ahmad in *Farlowia*, iii, p. 257, 1947.—India.
- pluriosteum* Long & Ahmad in *Farlowia*, iii, p. 235, 1947.—India.
- polymorphum* Long in *Lloydia*, x, p. 129, 1947.—New Mexico, U.S.A.
- psilophilum* Long & Ahmad in *Farlowia*, iii, p. 242, 1947.—India.
- puncticulosum* Long & Ahmad in *Farlowia*, iii, p. 246, 1947.—India.
- punctilabratum* Long in *Lloydia*, x, p. 134, 1947.—North Africa. Type in Lloyd Myc. Coll.
- rivulosum* Long in *Lloydia*, x, p. 122, 1947.—Hawaiian Islands.
- sedimenticola* Long & Ahmad in *Farlowia*, iii, p. 237, 1947.—India.
- subsquamosum* Long & Ahmad in *Farlowia*, iii, p. 241, 1947.—India.
- vulgare* Long & Ahmad in *Farlowia*, iii, p. 248, 1947.—India.
- Uncinula bischoffiae* Wei in *Bot. Bull. Acad. Sinica*, i, p. 209, 1947 on *Bischofia trifoliata*.—Chengtu, China.
- Uredo arundinis-donacis* Tai in *Farlowia*, iii, p. 133, 1947 on *Arundo donax*.—Yunnan, China.
- *—*cissi* Sawada in *Trans. nat. Hist. Soc. Taiwan*, xxxiii, p. 98, 1943 on *Cissus pteroclada*.—Formosa. [In Japanese].
- cynodontis-dactylis* Tai in *Farlowia*, iii, p. 132, 1947 on *Cynodon dactylon*.—Yunnan, China.
- *—*dioscoreicola* Sawada in *Trans. nat. Hist. Soc. Taiwan*, xxxiii, p. 98, 1943 on *Dioscorea doryophora*.—Formosa. [In Japanese].
- *—*querci* Sawada in *Trans. nat. Hist. Soc. Taiwan*, xxxiii, p. 99, 1943 on *Quercus variabilis*.—Formosa. [In Japanese].
- *—*smilacis* Sawada in *Trans. nat. Hist. Soc. Taiwan*, xxxiii, p. 100, 1943 on *Smilax china*.—Formosa. [In Japanese].
- Uromyces beckeropsis* E. Castellani in *Nuovo G. bot. ital.*, liii, p. 224, 1947 on *Beckeropsis nubica*.—Eritrea.
- chevalieri* Guyot in *Uredineana*, ii, p. 60, 1947 on *Drimiopsis*.—Chari, Tropical Africa.
- garanbiensis* (Hirats. f. & Hashioka) Sawada [? n. comb.] in *Trans. nat. Hist. Soc. Taiwan*, xxxiii, p. 10, 1943. (Syn. *Uredo garanbiensis* Hirats. f. & Hashioka).
- melosporus* (Therry) Syd. var. *aethiopicus* E. Castellani in *Nuovo G. bot. ital.*, liii, p. 224, 1947 on *Alchemilla ellenbeckii*.—Abyssinia.
- sophorae-viciifoliae* Tai in *Farlowia*, iii, p. 109, 1947 on *Sophora viciifolia*.—Yunnan, China.
- Uropyxis antarctica* (Speg.) Lindquist in *Notas Mus. La Plata, Bot.*, xi, 54, p. 372, 1947. (Syn. *Puccinia antarctica* Speg.).
- Ustilago anomala* Kunze var. *carnea* (Liro) Hirschhorn in *Farlowia*, iii, p. 78, 1947. (Syn. *Ustilago carnea* Liro).
- reticulispota* Petrak in *Medd. Göteborgs bot.*, xvii, p. 116, 1947 on *Polygonum bungeanum*.—Shansi, China.
- Xenomeris alpina* Petrak in *Sydowia, Ann. mycol.*, Ser. II, i, p. 101, 1947 on *Vaccinium vitis-idaea*.—Austria.
- Xylaria sicula* Pass. & Beltr. f. *major* Ciccarone in *Nuovo G. bot. ital.*, N.S., liii, p. 357, 1947 on fallen leaves of *Olea*.—Kenya.
- Zoöpage pachyblasta* Drechsler in *Mycologia*, xxxix, p. 391, 1947 on Amoebae.—Colorado, U.S.A.
- toechospota* Drechsler in *Mycologia*, xxxix, p. 402, 1947 on *Euglypha laevis*.—Colorado, U.S.A.
- virgispota* Drechsler in *Mycologia*, xxxix, p. 384, 1947 on Amoebae.—Wisconsin, U.S.A.

HOST INDEX

For Phanerogams see under families; for Algae, Fungi, Bryophyta, and Pteridophyta those names; for animal hosts see under Insecta, Invertebrata, and Vertebrata

- ACANTHACEAE
Phyllachora hendrickxii
Asystasia anselloides
Puccinia asystasiae
Hypoestes paniculata
Meliola hypoestes
- ACERACEAE
Acer platanoides
Asteromella velata
- ALGAE
Cocconeis pediculus
Chytridium cocconeidis
Mougeotia
Phlyctidium apophysatum
Nitzschia sigmoidea
Chytridium versatile var. *acaule*
Spirogyra
Rhizidium variable
Spirotaenia condensata
Rhizopodium columnare
- ANACARDIACEAE
Anacardium occidentale
Botrytis anacardii
Mangifera indica
Diplodia recifensis
- APOCYNACEAE
Conopharyngia
Dictyoasterina conopharyngiae
Nerium oleander
Sphaceloma oleanderi
Vinca major
Diplodina vincae
- ARALIACEAE
Acanthopanax trifoliatum
Meliola acanthopanaxis
Aralia decaisneana
Aecidium araliae
Meliola araliicola
- ASCLEPIADACEAE
Cynanchum acutum
Septoria rajkoffii
Heterostemma tanjorensis
Physalospora heterostemmae
Pentarrhinum insipidum
Septoria pentarrhini
- BALSAMINACEAE
Impatiens
Meliola impatientis var. *densa*
Impatiens uliginosa
Puccinia impatientis-uliginosae
- BERBERIDACEAE
Berberis morrisonensis
Aecidium berberidis-morrisonensis
- BOMBACACEAE
Chorisia
Ramularia chorisiae
- BRYOPHYTA
Aneura
Cladochytrium aneurae
Porella
Leptosphaeria porellae
Syntrichia inermis
Sporodesmium syntrichiae
- CAMPANULACEAE
Campanula sibthorpiana
Phoma campanulae
Platyedon grandiflorum
Septoria platyodontis
- CAPRIFOLIACEAE
Lonicera
Helminthosporium? lonicerae
Lonicera japonica
Irenina lonicerae
Sambucus nigra
Microdiplodia sambuci
Ophiobolus sambuci
- CARYOPHYLLACEAE
Silene acaulis
Pyrenopeziza capsulicola
- CELASTRACEAE
Gymnosporia lepidota
Hysterostomella gymnosporiae
- CENOPODIACEAE
Salsola gemmascens
Amphididymella verrucosa
- COMPOSITAE
Achillea
Puccinia achilleicola
Ageratum conyzoides
Cladosporium versicolor
Baccharis punctulata
Ramularia mirim
Bidens andicola
Stegophorella lagerheimii
Cacalia sonchifolia
Helminthosporium cacaliae
Carthamus ruber
Pyrenophora carthami
Centaurea dumulosa
Steganosporium centaureae
Centaurea solstitialis
Pleospora centaurea
Cirsium
Puccinia taygetea
Hieracium staticifolium
Puccinia stenothecae
Inula hirta
Asteromella inulae
Inula viscosa
Phoma inulae-viscosae
Sirococcus inulae
Lactuca graciliflora
Septoria sikangensis
Onopordon illyricum
Phoma onopordi
Scolymus hispanicus
Phoma scolymi
Senecio benthamii
Puccinia difonzoii
Senecio erythropappus
Septoria drogachiensis
Senecio mariettae
Phaeodothis hendrickxii
- CRASSULACEAE
Sedum aizoon
Aecidium shansiense
- CRUCIFERAE
Brassica oleracea
Ascochyta oleracea var. *tumida*
Crambe tatarica
Aecidium crambes
Fibigia clypeata
Erysiphe communis f. *fibigiae*
- CUCURBITACEAE
Citrullus vulgaris
Marssonina melonis
Cucumis melo var. *reticulatus*
Marssonina melonis

CUCURBITACEAE (continued)

Cucurbita pepo
Phoma peponis

CYPERACEAE

Carex firma
Nannfeldtia atra

DIAPENSIACEAE

Diapensia lapponica
Apiothyrium arcticum

DIOSCOREACEAE

Dioscorea alata
Himantia corticalis
Dioscorea doryophora
Uredo dioscoreicola

EBENACEAE

Euclea latidens
Irenina eucleae

ELAEOCARPACEAE

Elaeocarpus ? amoenus
Phaeophlepsora elaeocarp

ERICACEAE

Agauria salicifolia
Meliola agauriae
Arbutus andrachne
Cylindrosporium arbuti
Rhododendron croceum
Lophodermium vagulum

Vaccinium ashei

Phyllostictina vaccinii

Vaccinium australe

Dothichiza caroliniana

Gloeocercospora inconspicua

Vaccinium vitis-idaea

Xenomeris alpina

EUPHORBIACEAE

Bischofia trifoliata
Uncinula bischoffiae
Euphorbia cyparissias
Phoma cyparissiae
Euphorbia erinacea
Guignardia euphorbiae
Euphorbia paralias
Diplodina arenicola
Pyrenophora euphorbiae

MACARANGA

Asterina macaranga

MANIHOT

Spondylocladium nigerrimum

Securinega virosa

Accidium securinegae

FAGACEAE

Castanea sativa
Exosporina jawcetti
Castanopsis ceratacantha
Placostromella macrospora
Castanopsis formosana
Meliola castanopsina
Castanopsis stipitata
Meliola fusispora
Meliola shiiae
Castanopsis subacuminata
Meliola subacuminata
Castanopsis taiwaniana
Meliola taiwaniana
Cyclobalanopsis glauca
Meliola cyclobalanopsina
Meliola taiyuensis
Cyclobalanopsis ternaticupula
Irenina cyclobalanopsicola
Cyclobalanopsis ternaticupula f. arisanensis
Irene arisanensis
Quercus variabilis
Uredo querci

FAGACEAE (continued)

Synaedrys amygdalifolia
Irene lithocarpicola
Synaedrys amygdalifolia f. castanopsisifolia
Irene castanopsisifoliae
Meliola subpellucida
Synaedrys brevicaudata
Meliola lithocarpina
Meliola ramulicola
Synaedrys kawakamii
Meliola kawakamii
Synaedrys kodaihoensis
Meliola kodaihoensis
Synaedrys konishii
Irene konishii
Synaedrys lepidocarpa
Meliola kiraiensis
Synaedrys shinsuiensis
Irene shinsuiensis

FLACOURTIACEAE

Casearia engleri
Asterina caseariicola
Meliola caseariicola
Scolopia rhamniphylla
Meliola flacourtiacearum

FUNGI

Aphanomyces laevis
Chytriumyces parasiticus
Meliola
Rhinotrichum alterosum
Meliola conopharyngiae
Teratosperma meliolae
Septoideum didymopanax
Cladobotryum australe

FUNGI FOSSILES

Oleinites willisii
Asterothyrites delicatissimus
Asterothyrites minutus
Euthyrites oleinitus
Trichopeltinites pulcher

GENTIANACEAE

Lomatogonium bicoronatum
Puccinia lomatogonii

GLOBULARIACEAE

Globularia stygia
Phyllosticta stygia

GRAMINEAE

Agropyron spicatum
Sporotrichum columbiense
Agrostis
Puccinia agrostidicola
Andropogon
Hendersonia kwangsiensis
Arundinaria alpina
Phragmodiscus arundinariae
Arundinella setosa
Puccinia arundinellae-setosae
Arundo donax
Uredo arundinis-donax
Bambusa
Puccinia kwanhsienensis
Beckeropsis nubica
Uromyces beckeropsidis
Brachypodium pinnatum
Colera graminis
Bromus maximus
Puccinia bromi-maximi
Cymbopogon polyneuros
Colletotrichum ciliatum
Cynodon dactylon
Uredo cynodontis-dactylis
Eragrostis ciliaris
Passalora eragrostidis

GRAMINEAE (continued)

- Eragrostis ferruginea*
- Phyllachora eragrostidis* Petrak
- Puccinia eragrostidis-ferruginea*
- Festuca ovina*
- Puccinia festucae-ovinae*
- Gaudinia fragilis*
- Puccinia gaudiniana*
- Koeleria albescens*
- Leptosphaeria clavata*
- Koeleria gracilis*
- Leptosphaeria clavata*
- Phoma subtruncata*
- Koeleria phleoides*
- Puccinia koeleriae*
- Melica ciliata*
- Septoria allorgei*
- Milium effusum*
- Puccinia milii-effusi*
- Miscanthus sinensis*
- Septoria miscanthina*
- Olyra micrantha*
- Helminthosporium olyrae*
- Paspalum dilatatum*
- Marasmius paspali*
- Pennisetum japonicum*
- Neovossia macrospora*
- Phleum boehmeri*
- Leptosphaeria sequana*
- Sesleria coerulea*
- Microdiplodia granulosa*
- Sesleria varia*
- Diplodina pannonica*
- Sphenopus divaricatus*
- Tilletia sphenopodis*
- Vulpia*
- Puccinia vulpiana*

GUTTIFERAE

- Hypericum lanceolatum*
- Didymella mukavurensis*

HIPPOCRATEACEAE

- Salacia senegalensis*
- Linotexis deightonii*

INSECTA

- Anopheles crucians*
- Coelomomyces bisymmetricus*
- Coelomomyces keilini*
- Coelomomyces lativittatus*
- Coelomomyces sculptosporus*
- Anopheles punctipennis*
- Coelomomyces cribrosus*
- Coelomomyces quadrangulatus* var. *irregularis*
- Coelomomyces sculptosporus*
- Anopheles quadrimaculatus*
- Coelomomyces punctatus*
- Aphaenops hustachei*
- Rhacomyces dedyi*
- Dromius linearis*
- Laboulbenia colasi*
- Duvalius baldensis*
- Rhacomyces maublanci*
- Duvalius veluchianus*
- Rhacomyces grassei*
- Stegomyia scutellaris*
- Coelomomyces quadrangulatus* var. *lambornii*
- Trechus distigma*
- Rhacomyces reymondi*
- Trechus quadristriatus*
- Rhacomyces vayssierei*
- Xyleborus fornicatus*
- Monacrosporium ambrosium*

INVERTEBRATA (other than Insecta)

- Amoeba*
- Acaulopage ischnospora*
- Zoöpage pachyblasta*
- Zoöpage virgisporea*
- Amoeba verrucosa*
- Stylopaga rhabdoides*
- Euglypha laevis*
- Zoöpage toechospora*
- Leptomyxa*
- Acaulopage crobylospora*

JUGLANDACEAE

- Juglans regia*
- Exosporina fawcetti*

JUNCACEAE

- Juncus maritima*
- Hendersonia arundinis* var. *maritima*

LABIATAE

- Calamintha acinos*
- Diplodia calaminthae*
- Phlomis brevilabris*
- Didymella syriaca*
- Neobroomella ciliata*
- Pestalozzia insueta*
- Plenodomus syriacus*
- Thryptospora singularis*
- Phlomis fruticosa*
- Oidium phlomidis*
- Stachys cretica*
- Macrophoma stachydis*
- Teucrium aureum*
- Puccinia delphinensis*

LAURACEAE

- Cinnamomum*
- Puccinia cinnamomi*

LEGUMINOSAE

- Phaeochorella zonata*
- Acacia orfota*
- Linochora acaciae*
- Alhagi camelorum*
- Erysiphe alhagii*
- Astragalus onobrychis*
- Ascochyella astragalina*
- Astragalus sinicus*
- Epicoccum sinense*
- Bauhinia championi*
- Meliola bauhinicola*
- Campylotropis polyantha*
- Aecidium campylotropidis*
- Centrolobium tomentosum*
- Septoidium araruae*
- Coronilla emeri*
- Coniothyrium asperulum*
- Coronilla emeroides*
- Pleospora coronillae*
- Dalbergia paniculata*
- Scopellopsis dalbergiae*
- Erythrina*
- Septoria erythrinae*
- Euchresta horsfieldii* var. *formosana*
- Meliola euchrestae*
- Galega officinalis*
- Phyllosticta galegae*
- Genista tinctoria*
- Leptosphaeria genistae* var. *microspora*
- Glycyrrhiza aspera*
- Puccinia glycyrrhizae*
- Indigofera*
- Cercospora indigoferae*
- Indigofera hancockii*
- Ravenelia macrocapitula*
- Indigofera scabrida*
- Ravenelia indigoferae-scabridae*

LEGUMINOSAE (continued)

- Leptoderris
Deightonia rhombispora
 Machaerium
Helminthosporium machaerii
 Mucuna capitata
Cercospora mucunae-capitatae
 Pithecolobium lucidum
Irenina pithecolobii
 Pseudarthria hookeri
Acrospira pseudarthriae
 Pterolobium indicum
Physalospora pterolobii
 Sophora viciifolia
Aecidium anningense
Uromyces sophorae-viciifoliae
 Spartium junceum
Phoma spartii
 Vicia sativa
Mycosphaerella thironi
 ? Vigna
Meliola hendrickxiana

LILIACEAE

- Dracaena steudneri
Puccinia dracaenae
 Drimiopsis
Uromyces chevalieri
 Smilax aspera
Cymbotryum sudans
 Smilax china
Aecidium smilacis-chinae
Uredo smilacis
 Veratrum taliense
Puccinia veratricola

LINACEAE

- Linum usitatissimum
Selenophoma linicola

LORANTHACEAE

- Septoidium loranthacearum*

MAGNOLIACEAE

- Liriodendron tulipifera
Mycena setulosa
 Magnolia glauca
Hemisphaeropsis magnoliae

MALPIGHIACEAE

- Hiptage bengalensis
Irenopsis hiptages

MALVACEAE

- Thespesia populnea
Septoria thespesiae

MARTYNIACEAE

- Martynia fragrans
Rhodotorula martyniae-fragrantis

MORACEAE

- Artocarpus integrifolia
Botrytis artocarpae
 Ficus
Entopeltis ruwenzoriensis

- Ficus doliaria
Ramularia doliariae

- Ficus foveolata
Chaetothyrium dictyosporum

- Ficus martini ?

- Phakopsora hengshanensis*

- Ficus variolosa

- Phyllachora fici-variolosae*

MUSACEAE

- Musa cavendishii
Cercospora musaeicola

MYRICACEAE

- Myrica
Meliola myricicola
 Myrica rubra
Mycosphaerella myricae

MYRSINACEAE

- Aegiceras corniculatum
Phaeothyrium pulchellum
 Rapanea
Phaeodothis rapaneae
Phaneroascus rapaneae
 MYRTACEAE
 Decaspermum fruticosum
Paranthostomella decaspermi
 Luma
Cylindrocladium candelairum
 Syzygium guineense f. angustifolium
Lembosia peyronellii

OLEACEAE

- Olea
Xylaria sicula
 Olea chrysophylla
Parasterina oleae-chrysophyllae
 Osmanthus asiaticus
Cercospora osmanthi-asiatici

ONAGRACEAE

- Godetia hybrida
Colletotrichum godetiae

ORCHIDACEAE

- Polystachia
Seynesia polystachiae

OXALIDACEAE

- Oxalis repens
Synchytrium oxalidis

PALMAE

- Areca catechu
Phyllosticta catechu

PASSIFLORACEAE

- Passiflora
Cladosporium maracuja

PINACEAE

- Abies alba
Dimeriella terrieri
 Chamaecyparis thyoides
Gymnosporangium hyalinum
 Cupressus funebris
Gymnosporangium tsingchenense
Keteleeria elveyniana
Cronartium keteleeriae
 Pinus nigra
Phoma pini-nigrae
 Pinus sylvestris
Collostroma gelatinosum
Eriosporopsis albida
Phacidium infestans var. *hikmetiae*
 Thuja plicata
Mycena albicolor

PITTOSPORACEAE

- Pittosporum sinense
Coniothyrium pittospori

PLATANACEAE

- Platanus orientalis
Eutypa lata f. *platani*

POLYGALACEAE

- Securidaca
Irenina securidacae

POLYGONACEAE

- Polygonum
Sphacelotheca smithii
 Polygonum bungeanum
Ustilago reticulisporea
 Polygonum chinense
Puccinia polygonicola
 Polygonum cynosum
Puccinia yunnanensis
 Polygonum paleaceum var. *pubifolium*
Puccinia taliensis

PRIMULACEAE
Lysimachia omeiensis
Cercoseptoria smithii
 PROTEACEAE
Grevillea robusta
Cladochaete coronata
Phyllosticta grevilleae
 PTERIDOPHYTA
Pteridium aquilinum
Septoria aquilina
 RANUNCULACEAE
Clematis connata
Puccinia clematidicola
Clematis recta
Mycosphaerella clematidina
Clematis vitalba
Leptosphaeria grignonensis
Plenodomus haematites
Ranunculus pusillus
Synchytrium ranunculi
 ROSACEAE
Alchemilla ellenbeckii
Uromyces melosporus var. *aethiopicus*
Amygdalus communis
Phoma amygdali-communis
Sphaerulina amygdali
Cotoneaster adpressa
Gymnosporangium sikangense
Crataegus oxyacantha
Macrophoma crataegi
Eriobotrya japonica
Pestalozzia eriobotryae-japonicae
Hagenia abyssinica
Phleospora hageniae
Stigmataea hageniae
Parinarium capense
Phomachorella parinari
Photinia serrulata
Gymnosporangium wenshanense
Poterium sanguisorba
Phoma sanguisorbae
Prunus domestica
Phoma pruni-domesticae
Rosa cymosa
Gervasia rosae
Rosa glomerata
Phragmidium handelii
Rubus pungens
Phragmidium sikangense
 RUBIACEAE
Stigmataea hendrickxii
Adina cordifolia
Cercospora adinae
Mephitidia chinensis
Meliola mephitidiae
Paederia scandens
Phyllostictina paederiae
Randia
Asterinella randiae
Randia dumetorum
Phaeodimeriella negrii
 RUTACEAE
Citrus grandis
Exosporina fawcetti
Citrus limonia
Exosporina fawcetti
Citrus sinensis
Exosporina fawcetti
Dictamnus albus
Mycosphaerella dictamni
Fagara laurentii
Meliola yangambiensis
Teclea
Limacinia hendrickxii

SALICACEAE
Salix cavaleriei
Melampsora salicis-cavaleriei
 SANTALACEAE
Osyris wightiana
Sphaceloma osyridis
Santalum album
Sphaceloma santali
 SAXIFRAGACEAE
Hydrangea
Helminthosporium coronatum
Hydrangea chinensis
Irenina hydrangeae
Pileostegia viburnoideis
Meliola pileostegiae
 SCROPHULARIACEAE
Pedicularis gracilis
Coleosporium pedicularidis
Rhinanthus crista-galli
Diplodina rhinanthi
Verbascum thapsus
Phoma verbasci-thapsi
 SIMARUBACEAE
Irvingia wombolu
Meliola irvingiae
 SOLANACEAE
Solanum giganteum
Puccinia solani-giganteae
Solanum lycocarpum
Cladosporium solanicola
 STYRACACEAE
Styrax suberifolius
Meliola styracis
 THEACEAE
Eurya japonica
Phyllachora cymbispora
 THYMELAEACEAE
Peddiaea fischeri
Meliola peddiaecola
 TROPAEOLACEAE
Tropaeolum major
Heterosporium tropaeoli
 UMBELLIFERAE
Bupleurum sibthorpiatum
Heteropatella polychaeta
Eryngium campestre
Pleospora eryngii
Eryngium multifidum
Macrophoma eryngii
Libanotis montana
Septoria vindobonensis
Oreomyrrhis andicola
Puccinia hunzikeri
Seseli buchtormense
Septoria buchtormensis
Siler trilobum
Ascochyta vindebonensis
Dothiorella sileris
Mycosphaerella taeniographoides
Septoria sileris
Smyrniotum rotundifolium
Ophiobolus smyrnii
Phoma smyrnii
 VALERIANACEAE
Centranthus ruber
Pyrenophora centranthi
 VERBENACEAE
Callicarpa formosana
Meliola callicarpicola

VERTEBRATA

Homo sapiens

*Acremonium ossicola**Actinomyces pelletieri* var. *hodeidae**Glenospora viridobrunnea**Glenosporopsis amazonica**Mycotorula messanensis**Rhodotorula minuta* var. *coralloides**Torulopsis orbiculata**Trichophyton otae*

VITACEAE

*Cissus pteroclada**Uredo cissi**Vitis vinifera**Exosporium sultanae*

ZINGIBERACEAE

*Curcuma**Sphaceloma curcumae*

The Editor gratefully acknowledges the assistance of Drs. G. C. Ainsworth and D. P. Rogers in supplying the details of certain citations.

PRINTED IN
GREAT BRITAIN
AT THE
UNIVERSITY PRESS
OXFORD
BY
CHARLES BATEY
PRINTER
TO THE
UNIVERSITY

INDEX OF FUNGI

PUBLISHED SINCE THE BEGINNING OF 1940

Formerly issued as Supplements to the Review of Applied Mycology

VOL. I

PART 17

1948

- Acaulopage baculispora** Drechsler in *Mycologia*, xl, p. 93, 1948 on *Amoeba*.—Maryland, U.S.A.
- **gyrinodes** Drechsler in *Mycologia*, xl, p. 98, 1948 on *Amoeba*.—Maryland, U.S.A.
- Achorella** (as '*Achroella*') **plectroniae** T. S. & K. Ramakrishnan in *Proc. Indian Acad. Sci.*, Sect. B, xxvii, p. 34, 1948 on *Plectronia didyma*.—India.
- Acrosperrum savulescui** André Racovitza in *Bull. Sect. sci. Acad. roum.*, xxiii, p. 402, 1941 on dead leaves of *Brachythecium*.—Rumania.
- Aecidium senecionis-macrophylli** T. & O. Săvulescu in *Mem. Sect. sci. Acad. roum.*, Ser. 3, xvii, p. 139, 1942 on *Senecio macrophyllus*.—Rumania.
- **terminaliae** T. S. & K. Ramakrishnan in *Proc. Indian Acad. Sci.*, Sect. B, xxvii, p. 43, 1948 on *Terminalia bellerica*.—India.
- Albugo chardineae** Bremer & Petrak in *Sydowia*, *Ann. mycol.*, Ser. 2, i, p. 248, 1947 on *Chardinia orientalis*.—Turkey.
- Aleuria proteana** Boud. var. **slavkoviensis** Neuwirth in *Studia bot. Českoslov.*, vii, p. 172, 1946. —Moravia, Czechoslovakia.
- Alternaria cookei** (Sacc.) Bremer, Ismen, Karel, & H. & M. Öznan in *Rev. Fac. Sci. Istanbul*, Ser. B, xiii, p. 42, 1948. (Syn. *Macrosporium cookei* Sacc.).
- Apiocarpella minor** R. Sprague apud Greene in *Amer. Midl. Nat.*, xxix, p. 454, 1948 on *Calamagrostis canadensis*.—Wisconsin, U.S.A.
- Armillaria decorosa** (Peck) A. H. Smith & Walters in *Mycologia*, xxxix, p. 622, 1947. (Syn. *Agaricus (Tricholoma) decorosus* Peck).
- **luteovirens** [(Alb. & Schw.)] f. **alba** A. H. Smith apud Smith & Walters in *Mycologia*, xxxix, p. 625, 1947. —Oregon, U.S.A. Type in Herb. Univ. Mich.
- Arthrobotryum cycadicola** Thirumalachar in *Bull. Torrey bot. Cl.*, lxxv, p. 175, 1948 on *Cycas circinalis*.—India. Type in Herb. Crypt. Ind. Orient. and I.M.I., Kew.
- Ascochyta phleina** Sprague in *Mycologia*, xl, p. 181, 1948 on *Phleum pratense*.—Minnesota, U.S.A. Type in Mycol. Coll., U.S.D.A.
- Ascochyta hilloana** Petrak in *Sydowia*, *Ann. mycol.*, Ser. 2, i, p. 303, 1947 on *Poa lanigera*.—Argentina.
- Ascophanus brunneus** Kanouse in *Mycologia*, xxxix, p. 638, 1947. —Washington State, U.S.A. Type in Herb. Univ. Mich.
- **granulatus** (Fr.) Speg. var. **robustus** (Starb.) Kanouse in *Mycologia*, xxxix, p. 640, 1947. (Syn. *Humaria granulata* var. *robusta* Starb.).
- **velenovskii** Kanouse nom. nov. in *Mycologia*, xxxix, p. 640, 1947. (Syn. *A. granulatus* Velenovsky (1934), non *A. granulatus* (Fr.) Speg. (1879)).
- Asterina mascagniae** Petrak in *Sydowia*, *Ann. mycol.*, Ser. 2, i, p. 290, 1947 on *Mascagnia chlorocarpa* var. *paradoxa*.—Brazil.
- Asterinella bangii** Petrak in *Sydowia*, *Ann. mycol.*, Ser. 2, i, p. 289, 1947 on *Vismia tomentosa*.—Bolivia.
- Asteromella pistaciarum** Bremer & Petrak in *Sydowia*, *Ann. mycol.*, Ser. 2, i, p. 253, 1947 on *Pistacia vera*.—Turkey.
- ASTOMELLA** Thirumalachar in *New Phytol.*, xlvi, p. 271, 1947. —Perisporiales.
- **neolitseae** Thirumalachar in *New Phytol.*, xlvi, p. 272, 1947 on *Neolitsea zeylanica*.—India.
- Bartalinia nolinae** Pollack in *Mycologia*, xxxix, p. 620, 1947 on dead leaves of *Nolina microcarpa*.—Arizona, U.S.A. Type in U.S.D.A.
- Belonioscypha miniata** Kanouse in *Mycologia*, xxxix, p. 640, 1947 on dead *Carex*.—Oregon, U.S.A. Type in Herb. Univ. Mich.
- Boletinus kunmingensis** Chiu in *Mycologia*, xl, p. 199, 1948. —Yunnan, China.
- **punctatipes** Snell & Dick var. **pinetorum** Chiu in *Mycologia*, xl, p. 200, 1948. —Yunnan, China.
- Boletus albofarinaceus** Chiu in *Mycologia*, xl, p. 209, 1948. —Yunnan, China.
- **atroviolaceus** (v. Höhn.) Chiu in *Mycologia*, xl, p. 203, 1948. (Syn. *Suillus atroviolaceus* v. Höhn.).
- **brunneissimus** Chiu in *Mycologia*, xl, p. 228, 1948. —Yunnan, China.
- **cheoi** Chiu in *Mycologia*, xl, p. 215, 1948. —Yunnan, China.
- **instabilis** Chiu in *Mycologia*, xl, p. 215, 1948. —Yunnan, China.
- **magnificus** Chiu in *Mycologia*, xl, p. 221, 1948. —Yunnan, China.
- **minutus** Chiu in *Mycologia*, xl, p. 201, 1948. —Yunnan, China.
- **moravicus** Vacek in *Studia bot. Českoslov.*, vii, p. 36, 1946. —Moravia, Czechoslovakia.
- **nigropunctatus** Chiu in *Mycologia*, xl, p. 214, 1948. —Yunnan, China.
- **pseudostrobilomyces** Chiu in *Mycologia*, xl, p. 212, 1948. —Yunnan, China.
- **punctato-fumosus** Chiu in *Mycologia*, xl, p. 207, 1948. —Yunnan, China.
- **punctilifer** Chiu in *Mycologia*, xl, p. 216, 1948. —Yunnan, China.
- **puniceus** Chiu in *Mycologia*, xl, p. 217, 1948. —Yunnan, China.
- **roseolus** Chiu in *Mycologia*, xl, p. 208, 1948. —Yunnan, China.

- *rugosellus* Chiu in *Mycologia*, xl, p. 219, 1948.—Yunnan, China.
- *sinicus* Chiu in *Mycologia*, xl, p. 220, 1948.—Yunnan, China.
- *subpaludosus* Chiu in *Mycologia*, xl, p. 213, 1948.—Yunnan, China.
- *subsplendidus* Chiu in *Mycologia*, xl, p. 222, 1948.—Yunnan, China.
- *taianus* Chiu in *Mycologia*, xl, p. 220, 1948.—Yunnan, China.
- *violaceo-fuscus* Chiu in *Mycologia*, xl, p. 210, 1948.—Yunnan, China.
- *virens* Chiu in *Mycologia*, xl, p. 206, 1948.—Yunnan, China.
- *yunnanensis* Chiu in *Mycologia*, xl, p. 217, 1948.—Yunnan, China.
- Botryodiplodia clusiae* Petrak in *Sydowia*, *Ann. mycol.*, Ser. 2, i, p. 301, 1947 on *Clusia alba*.—South America.
- Bovista citrina* (Berk. & Br.) Bottomley in *Bothalia*, iv, p. 580, 1948. (Syn. *Lycoperdon citrinum* Berk. & Broome).
- *oblongispora* (Lloyd) Bottomley in *Bothalia*, iv, p. 580, 1948. (Syn. *Bovistella oblongispora* Lloyd).
- *umbrina* Bottomley in *Bothalia*, iv, p. 580, 1948.—South Africa.
- Bremia lactucae* Regel f. *chinensis* Ling & Tai in *Trans. Brit. Mycol. Soc.*, xxviii, p. 24, 1945 on *Lactuca chinensis*.—Chengtu, China.
- *lactucae* Regel f. *ovata* (Saw.) Ling & Tai in *Trans. Brit. Mycol. Soc.*, xxviii, p. 24, 1945. (Syn. *Bremia ovata* Saw.).
- *lactucae* Regel f. *sonchicola* (Schlecht.) Ling & Tai in *Trans. Brit. Mycol. Soc.*, xxviii, p. 24, 1945. (Syn. *Botrytis sonchicola* Schlecht.).
- *lactucae* Regel f. *taraxaci* (Ito & Tokunaga) Ling & Tai in *Trans. Brit. Mycol. Soc.*, xxviii, p. 24, 1945. (Syn. *Bremia taraxaci* Ito & Tokunaga).
- Brettanomyces italicus* Verona & Florenzano in *R.C. Accad. Lincei*, Ser. 8, iii, p. 385, 1947 in grapes.—Italy.
- Bulgariastrum tumifaciens* T. S. & K. Ramakrishnan in *Proc. Indian Acad. Sci.*, Sect. B, xxvii, p. 33, 1948 on *Capparis sepiaria*.—India.
- Burrillia ajrekari* Thirumalachar in *Mycologia*, xxxix, p. 607, 1947 on *Monochoria vaginalis*.—India. Type in Herb. Crypt. India Orient. and Herb. I.M.I., Kew.
- Gaeoma saxifragae-aquaticae* Petrak in *Sydowia*, *Ann. mycol.*, Ser. 2, i, p. 207, 1947 on *Saxifraga aquatica*.—France.
- Calospora crataegi* Săvulescu & Sandu in *Mem. Sect. sci. Acad. roum.*, Ser. 3, p. 434, 1940 on dead branches of *Crataegus monogyna*.—Rumania.
- Calvatia incerta* Bottomley in *Bothalia*, iv, p. 576, 1948.—South Africa.
- Camarosporium smilacicola* (as '*smilacolum*') Petrak in *Sydowia*, *Ann. mycol.*, Ser. 2, i, p. 222, 1947 on *Smilax aspera*.—France.
- Cantharellus floccosus* Schw. f. *excavatus* A. H. Smith & Morse in *Mycologia*, xxxix, p. 525, 1947.—California, U.S.A. Type in Morse Coll.
- f. *rainieriensis* A. H. Smith & Morse in *Mycologia*, xxxix, p. 521, 1947.—Washington State, U.S.A.
- f. *wilsonii* A. H. Smith & Morse in *Mycologia*, xxxix, p. 523, 1947.—California, U.S.A. Type in Morse Coll. & Herb. Univ. Mich.
- *kauffmanii* A. H. Smith apud Smith & Morse in *Mycologia*, xxxix, p. 516, 1947.—Oregon and Washington State, U.S.A.
- *pseudoclavatus* A. H. Smith & Morse in *Mycologia*, xxxix, p. 505, 1947.—Michigan and California, U.S.A.
- *subalbidus* A. H. Smith & Morse in *Mycologia*, xxxix, p. 510, 1947.—Washington State, Oregon, and California, U.S.A.
- *wilkinsae* Morse apud A. H. Smith & Morse in *Mycologia*, xxxix, p. 528, 1947.—California, U.S.A.
- Catacauma davillae* Viégas in *Bragantia*, vii, p. 108, 1947 on *Davilla rugosa*.—Brazil.
- Cercoseptoria sublineolata* (Thüm.) Petrak in *Sydowia*, *Ann. mycol.*, Ser. 2, i, p. 230, 1947. (Syn. *Septoria sublineolata* Thüm.).
- Cercospora acanthi-longifolii* Săvulescu & Sandu in *Mem. Sect. sci. Acad. roum.*, Ser. 3, xv, p. 484, 1940 on *Acanthus longifolius*.—Rumania.
- *calonchobae* Viégas in *Bragantia*, vii, p. 32, 1947 on *Calonchoba echinata*.—Brazil.
- *cardopatii* Bremer & Petrak in *Sydowia*, *Ann. mycol.*, Ser. 2, i, p. 260, 1947 on *Cardopatum corymbosum*.—Turkey.
- *molucellae* Bremer & Petrak in *Sydowia*, *Ann. mycol.*, Ser. 2, i, p. 261, 1947 on *Molucella levis*.—Turkey.
- *psoraleae-bituminosae* Săvulescu & Sandu in *Mem. Sect. sci. Acad. Roum.*, Ser. 3, xv, p. 485, 1940 on *Psoralea bituminosa*.—Rumania.
- *stylogynis* Viégas in *Bragantia*, vii, p. 113, 1947 on *Stylogyne ambigua*.—Brazil.
- Cercosporiella karelii* Bremer & Petrak in *Sydowia*, *Ann. mycol.*, Ser. 2, i, p. 262, 1947 on *Vitex agnus-castus*.—Turkey.
- Chaetopyrena hederiae-helicis* Săvulescu & Hulea in *Mem. Sect. sci. Acad. roum.*, Ser. 3, xv, p. 450, 1940 on *Hedera helix*.—Rumania.
- Chlorociboria aeruginascens* (Nyl.) Kanouse in *Mycologia*, xxxix, p. 641, 1947. (Syn. *Chlorosplenium aeruginascens* (Nyl.) Karst.).
- Ciboria alni* (O. Rostr.) Buchwald in *Friesia*, iii, p. 257, 1947. (Syn. *Sclerotinia alni* O. Rostr.). [This is a later homonym and synonym of *C. alni* (Maul) Whetzel, 1945, Suppl. 13, p. 148.]
- *batschiana* (Zopf) Buchwald in *Friesia*, iii, p. 255, 1947. (Syn. *Sclerotinia batschiana* Zopf).
- Cladosporium baptisiae* Greene in *Amer. Midl. Nat.*, xxxix, p. 456, 1948 on *Baptisia leucophaea*.—Wisconsin, U.S.A.
- *jacarandae* Viégas in *Bragantia*, vii, p. 33, 1947 on *Jacaranda*.—Brazil.
- Coleroa hepaticola* André Racovitza in *Bull. Sect. sci. Acad. roum.*, xxiii, p. 251, 1941 on *Lophozia*.—Rumania.
- Colletotrichum clusiae* Petrak in *Sydowia*, *Ann. mycol.*, Ser. 2, i, p. 306, 1947 on *Clusia*.—Brazil.
- Coniothecium richardiae* (Mercer) Jauch in *An. Soc. cient. argent.*, cxliv, p. 456, 1947. (Syn. *Phoma richardiae* Mercer).
- Coniothyrium iranicum* Esfandiari in *Sydowia*, *Ann. mycol.*, Ser. 2, i, p. 163, 1947 on *Punica granatum*.—Iran.
- *stipae* Săvulescu & Sandu in *Mem. Sect. sci. Acad. roum.*, Ser. 3, xv, p. 462, 1940 on dead leaves of *Stipa capillata*.—Rumania.

- Cordyceps olivascens* Mains in *Mycologia*, xxxix, p. 537, 1947 on remains of insect.—Alabama, U.S.A. Type in Herb. Univ. Mich.
- salebrosa* Mains in *Mycologia*, xxxix, p. 541, 1947 from imago of a beetle.—Panama Canal Zone. Type in Herb. Univ. Mich.
- venezuelensis* Mains in *Mycologia*, xxxix, p. 543, 1947 on lepidopterous larvae.—Venezuela. Type in Herb. Dept. Plant Path., Cornell Univ.
- washingtonensis* Mains in *Mycologia*, xxxix, p. 535, 1947 from buried lepidopterous larvae.—Washington State, U.S.A. Type in Herb. Univ. Mich.
- Coriulus populinus* (Schulz.) Murrill in *Lloydia*, x, p. 258, 1947. [Syn. *Polyporus populinus* Schulz.].
- Corticium sulfureo-isabellinum* Litschauer apud Pilát in *Acta Mus. nat. Prag.*, ii B, p. 43, 1940 on decayed cortex of *Abies alba*.—Hungary and Austria.
- **Cortinarius calochrous* (Pers.) f. *violascens* Henry in *Rev. Mycologie Suppl.*, viii, p. 5 (& p. 46), 1943.—France.
- **claroflavus* Henry in *Rev. Mycologie Suppl.*, viii, p. 24, 1943.—Europe.
- **coerulescens* (Sch.) f. *decipiens* Henry in *Rev. Mycologie Suppl.*, viii, p. 16, 1943.—Europe.
- **coerulescentinus* Henry in *Rev. Mycologie Suppl.*, viii, p. 14, 1943.—Europe.
- **cookianus* Henry in *Rev. Mycologie Suppl.*, viii, p. 19, 1943 (Based in part on Cooke's Illustrations Pl. 707-13).—Europe.
- **elegantissimus* Henry in *Rev. Mycologie Suppl.*, viii, p. 25, 1943.—Europe.
- **flavescentius* Henry in *Rev. Mycologie Suppl.*, viii, p. 28, 1943.—Europe.
- **fulvo-ochraceus* Henry in *Rev. Mycologie Suppl.*, viii, p. 10, 1943.—Europe.
- **napus* (Fr.) f. *secretani* Henry in *Rev. Mycologie Suppl.*, viii, p. 45, 1943.—Europe.
- **paramoenolens* Henry in *Rev. Mycologie Suppl.*, viii, p. 7, 1943.—Europe.
- **polychrous* Henry in *Rev. Mycologie Suppl.*, viii, p. 12 and 32, 1943.—Europe.
- **pseudonapus* Henry in *Rev. Mycologie Suppl.*, viii, p. 45, 1943.—Europe.
- **subatkinsonianus* Henry in *Rev. Mycologie Suppl.*, viii, p. 5 (& p. 46), 1943 (based in part on *C. arcuatus* sensu Ricken).—Europe.
- **subvirentophyllus* Henry in *Rev. Mycologie Suppl.*, viii, p. 33, 1943.—Europe.
- Coryneum dacicum* Săvulescu & Hulea in *Mem. Sect. sci. Acad. roum.*, Ser. 3, xv, p. 474, 1940 on *Sorbus dacica*.—Rumania.
- Crepidotus roseus* Singer in *Lilloa*, xiii, p. 87, 1947 on dead wood of *Ficus*.—Florida, U.S.A. Type in Farlow Herb., Cambridge, Mass.
- Cristulariella pyramidalis* Waterman & Marshall in *Mycologia*, xxxix, p. 692, 1947 on *Acer negundo*.—Connecticut, U.S.A. Type in U.S.D.A., &c.
- Cucurbitaria ephedricola* Esfandiari nom. nov. in *Sydowia*, Ann. mycol., Ser. 2, i, p. 162, 1947. (Syn. *Fenestella ephedrae* Rehm, non *C. ephedrae* Tassi).
- pontica* Săvulescu & Sandu in *Mem. Sect. sci. Acad. roum.*, Ser. 3, xv, p. 417, 1940 on dead branches of *Quercus pedunculata*.—Rumania.
- Cylindrosporium koenigii* Thirumalachar in *Bull. Torrey bot. Cl.*, lxxv, p. 177, 1948 on *Murraya koenigii*.—India. Type in Herb. Crypt. Ind. Orient. and I.M.I., Kew.
- Dasyscypha capitata* (Peck) Kanouse in *Mycologia*, xxxix, p. 646, 1947. (Syn. *Peziza capitata* Peck).
- Dendryphium obstipum* Pollack in *Mycologia*, xxxix, p. 617, 1947 on *Colocasia esculenta*.—China. Type in U.S.D.A.
- **DERMOSPORIDIUM* Carini in *Arg. Inst. Biol.*, S. Paulo, xi, p. 94, 1940.—? Chytridiales.
- **hyalarum* Carini in *Arg. Inst. Biol.*, S. Paulo, xi, p. 94, 1940 on *Hyla rubrum*.—Brazil.
- Dictyolus pusillus* Angèle Racovitza in *Bull. Sect. sci. Acad. roum.*, xxviii, p. 632, 1946 on *Acetabula vulgaris*.—Rumania.
- Didymella hierochloes* Petrak in *Sydowia*, Ann. mycol., Ser. 2, i, p. 267, 1947 on *Hierochloë fraseri*.—New Zealand.
- pleosporae* Petrak in *Sydowia*, Ann. mycol., Ser. 2, i, p. 268, 1947 on *Pleospora verhoef-fenii*.—Kerguelen Island.
- Didymosphaeria macluriae* Săvulescu & Sandu in *Mem. Sect. sci. Acad. roum.*, Ser. 3, xv, p. 421, 1940 on dead branches of *Maclura aurantiaca*.—Rumania.
- Diplodina polytricha* André Racovitza in *Bull. Sect. sci. Acad. roum.*, xxiii, p. 250, 1941 in dead sporogonia of *Polytrichum formosum*.—Rumania.
- Discina olympiana* Kanouse in *Mycologia*, xxxix, p. 648, 1947.—Washington State, U.S.A. Type in Herb. Univ. Mich.
- Discinella washingtonensis* Kanouse in *Mycologia*, xxxix, p. 650, 1947.—Washington State, U.S.A. Type in Herb. Univ. Mich.
- Disciseda castanea* (Lév.) Bottomley in *Bothalia*, iv, p. 568, 1948. (Syn. *Bovista castanea* Lév.).
- Doassansiopsis nymphaeae* (Syd.) Thirumalachar in *Mycologia*, xxxix, p. 604, 1947. (Syn. *Doassansia nymphaeae* Syd.).
- Dothiorella pedrosensis* (Bub. & Frag.) Petrak in *Sydowia*, Ann. mycol., Ser. 2, i, p. 225, 1947. (Syn. *Macrophoma pedrosensis* Bub. & Frag.).
- santaremica* Petrak in *Sydowia*, Ann. mycol., Ser. 2, i, p. 302, 1947 on *Clusia*.—Brazil.
- Durella polytrichina* (Karst.) André Racovitza in *Bull. Sect. sci. Acad. roum.*, xxix, p. 58, 1946. (Syn. *Patinellaria polytrichina* Karst.).
- Epicoccum plagiochilae* André Racovitza in *Bull. Sect. sci. Acad. roum.*, xxvii, p. 37, 1944 on *Plagiochila asplenoides* var. *major*.—Rumania.
- Exarmidium clypeatum* Petrak in *Sydowia*, Ann. mycol., Ser. 2, i, p. 314, 1947 on *Pinus sylvestris*.—Austria.
- Fomitiporia cryptacantha* (Mont.) Murrill in *Lloydia*, x, p. 253, 1947. (Syn. *Poria cryptacantha* Mont.).
- punctata* (Fr.) Murrill in *Lloydia*, x, p. 254, 1947. (Syn. *Poria punctata* (Fr.) Karst.).
- Fulvidula flava* (Bres.) Singer in *Rev. Mycologie*, N.S., v, p. 12, 1940. (Syn. *Naucoria flava* Bres.).
- Fulviformes demidoffii* (Lév.) Murrill in *Lloydia*, x, p. 276, 1947. [Syn. *Fomes demidoffii* Lév.].
- Fusarium bulbigenum* Cooke & Massee var. *coffae* Alvarez Garcia in *J. Agric. P.R.*,

- xxix, p. 8, 1945 on *Coffea arabica*.—Porto Rico.
- oxysporum* Schl. emend. Sny. & Hans. f. *mathioli* Baker in *Phytopathology*, xxxviii, p. 402, 1948 on *Mathiola* [or *Matthiola*] *incana*.—California, U.S.A.
- Fuscoporia carteri** (Berk. ex Cooke) Cunningham in *Bull. Plt Dis. Div., D.S.I.R., N.Z.* 73, p. 10, 1948. (Syn. *Polyporus carteri* Berk.).
- contigua* (Pers. ex Fr.) Cunningham in *Bull. Plt Dis. Div., D.S.I.R., N.Z.* 73, p. 4, 1947. (Syn. *Boletus contiguus* Pers.).
- dryophila* (Murrill) Cunningham in *Bull. Plt Dis. Div., D.S.I.R., N.Z.* 73, p. 11, 1948. (Syn. *Fomitoporia dryophila* Murr.).
- ferrea* (Pers.) Cunningham in *Bull. Plt Dis. Div., D.S.I.R., N.Z.* 73, p. 7, 1948. (Syn. *Poria ferrea* Pers.).
- inermis* (Ellis & Everhart) Cunningham in *Bull. Plt Dis. Div., D.S.I.R., N.Z.* 73, p. 12, 1948. (Syn. *Poria inermis* Ell. & Ev.).
- laevigata* (Fries) Cunningham in *Bull. Plt Dis. Div., D.S.I.R., N.Z.* 73, p. 9, 1948. (Syn. *Polyporus laevigatus* Fr.).
- punctata* (Fries) Cunningham in *Bull. Plt Dis. Div., D.S.I.R., N.Z.* 73, p. 11, 1948. (Syn. *Polyporus punctatus* Fr.).
- tawhai* Cunningham in *Bull. Plt Dis. Div., D.S.I.R., N.Z.* 73, p. 8, 1948 on dead wood associated with an active white rot.—New Zealand.
- uncinata* (Weir) Cunningham in *Bull. Plt Dis. Div., D.S.I.R., N.Z.* 73, p. 3, 1948. (Syn. *Poria uncinata* Weir).
- Gaillardella caryocana** Viégas in *Bragantia*, vii, p. 107, 1947 on *Caryocar villosum*.—Brazil.
- Geastrum dissimile** Bottomley in *Bothalia*, iv, p. 592, 1948.—South Africa.
- Gibbera conferta** (Fr.) Petrak in *Sydowia*, *Ann. mycol.*, Ser. 2, i, p. 200, 1947. (Syn. *Sphaeria conferta* Fr.).
- elegantula* (Rehm) Petrak in *Sydowia*, *Ann. mycol.*, Ser. 2, i, p. 200, 1947. (Syn. *Venturia elegantula* Rehm).
- ericophila* (Link) Petrak in *Sydowia*, *Ann. mycol.*, Ser. 2, i, p. 199, 1947. (Syn. *Antennaria ericophila* Link).
- myrtilli* (Cooke) Petrak in *Sydowia*, *Ann. mycol.*, Ser. 2, i, p. 200, 1947. (Syn. *Venturia myrtilli* Cooke).
- pulchella* (Cooke & Peck) Petrak in *Sydowia*, *Ann. mycol.*, Ser. 2, i, p. 200, 1947. (Syn. *Venturia pulchella* Peck).
- Gloeosporium bolleyi** R. Sprague in *Phytopathology*, xxxviii, p. 135, 1948 on Gramineae.—North Dakota, U.S.A.
- brunneo-maculatum* Greene in *Amer. Midl. Nat.*, xxxix, p. 455, 1948 on *Trillium grandiflorum*.—Wisconsin, U.S.A.
- Gloniopsis buxi** Petrak in *Sydowia*, *Ann. mycol.*, Ser. 2, i, p. 211, 1947 on *Buxus sempervirens*.—France.
- Gymnoglossum radiatum** (Lloyd) Bottomley in *Bothalia*, iv, p. 499, 1948. (Syn. *Hymenogaster radiatus* Lloyd).
- Hapalophragmium anamalaiense** T. S. & K. Ramakrishnan in *Proc. Indian Acad. Sci.*, Sect. B, xxvii, p. 41, 1948 on *Derris eulata*.—India.
- HELICOMINA** Olive in *Mycologia*, xl, p. 16, 1948.—Moniliales.
- caperoniae* Olive in *Mycologia*, xl, p. 17, 1948 on *Caperonia castaneifolia*.—Louisiana, U.S.A.
- Helminthosporium heringerianum** Viégas in *Bragantia*, vii, p. 32, 1948 on *Tipuana speciosa*.—Brazil.
- Hendersonia dactylonis** Esfandiari in *Sydowia*, *Ann. mycol.*, Ser. 2, i, p. 166, 1947 on *Cynodon dactylon*.—Iran.
- mouiensis* Petrak in *Sydowia*, *Ann. mycol.*, Ser. 2, i, p. 275, 1947 on *Koeleria glomerata*.—Hawaii.
- rockiana* Petrak in *Sydowia*, *Ann. mycol.*, Ser. 2, i, p. 274, 1947 on *Koeleria glomerata*.—Hawaii.
- Humaria albocincta** (Berk. & Curt.) Kanouse in *Mycologia*, xxxix, p. 655, 1947. (Syn. *Peziza albocincta* Berk. & Curt.).
- coprinaria* (Cooke) Kanouse in *Mycologia*, xxxix, p. 655, 1947. (Syn. *Peziza coprinaria* Cooke).
- crucipila* (Cooke & Phill.) Kanouse in *Mycologia*, xxxix, p. 655, 1947. (Syn. *Peziza crucipila* Cooke & Phill.).
- diplotricha* (Rehm) Kanouse in *Mycologia*, xxxix, p. 656, 1947. (Syn. *Lachnea diplotricha* Rehm).
- erinacea* (Schw.) Kanouse in *Mycologia*, xxxix, p. 656, 1947. (Syn. *Peziza erinaceus* Schw. ex Fr.).
- lusatae* (Cooke) Kanouse in *Mycologia*, xxxix, p. 656, 1947. (Syn. *Peziza lusatae* Cooke).
- melaloma* (Fr.) Kanouse in *Mycologia*, xxxix, p. 656, 1947. (Syn. *Peziza melaloma* Fr.).
- stellata* Kanouse in *Mycologia*, xxxix, p. 657, 1947.—Washington State, U.S.A. Type in Herb. Univ. Mich.
- theleboloides* (Fr.) Kanouse in *Mycologia*, xxxix, p. 658, 1947. (Syn. *Peziza theleboloides* Fr.).
- Humarina washingtonensis** Kanouse in *Mycologia*, xxxix, p. 659, 1947.—Washington State, U.S.A. Type in Herb. Univ. Mich.
- Hyalopeziza pteridis** Kanouse in *Mycologia*, xxxix, p. 660, 1947 on old stems of *Pteris*.—Washington State, U.S.A. Type in Herb. Univ. Mich.
- Hygrophorus poetarum** Heim in *Bull. Soc. mycol. Fr.*, lxi, p. 127, 1947 (publ. 1948) as '*Hygrophorus (Limacium) poetarum*'.—France and Switzerland.
- psittacinus* Fr. ex Schaeff. var. *abietinus* Heim in *Bull. Soc. mycol. Fr.*, lxi, p. 131, 1947 (publ. 1948) as '*Hygrophorus (Hygrocybe) psittacinus* Fr. ex Schaeff. var. *abietinus*'.—France.
- Hypoderma handelii** Petrak in *Sydowia*, *Ann. mycol.*, Ser. 2, i, p. 371, 1947 on *Cunninghamia*.—China.
- Hysterostoma pavettae** T. S. & K. Ramakrishnan in *Proc. Indian Acad. Sci.*, Sect. B, xxvii, p. 36, 1948 on *Pavetta indica*.—India.
- Kirschsteiniella inaequalis** (H. Fabre) Petrak in *Sydowia*, *Ann. mycol.*, Ser. 2, i, p. 213, 1947. (Syn. *Amphisphaeria inaequalis* H. Fabre).
- Lachnaster miniatus** Kanouse in *Mycologia*, xxxix, p. 662, 1947 on *Pteridium aquilinum*.—Washington State, U.S.A. Type in Herb. Univ. Mich.
- Lepiota pseudo-lilacea** Huysman in *Bull. Soc. Linn. Lyon*, xvi, p. 183, 1947.—Holland and France.

- Leptochlamys thecicola** (B. & Br.) André Racovitza in *Bull. Sect. sci. Acad. roum.*, xxx, p. 125, 1947. (Syn. *Sphaeropsis thecicola* B. & Br.).
- LEPTOPELTINA** Petrak in *Sydowia, Ann. mycol.*, Ser. 2, i, p. 240, 1947.—Leptopeltaceae. Type not stated. [Cfr. *Leptopeltina* Speg., 1923].
- filicina** (Lib.) Petrak in *Sydowia, Ann. mycol.*, Ser. 2, i, p. 240, 1947. (Syn. *Aylo-graphum filicinum* Lib.).
- jaapi** (Rehm) Petrak in *Sydowia, Ann. mycol.*, Ser. 2, i, p. 240, 1947. (Syn. *Aporia jaapii* Rehm).
- Leptopeltis aquilina** (Fr.) Petrak in *Sydowia, Ann. mycol.*, Ser. 2, i, p. 237, 1947. (Syn. *Xyloma aquilinum* Fr.).
- LEPTOPELTOPSIS** Petrak in *Sydowia, Ann. mycol.*, Ser. 2, i, p. 243, 1947.—Leptopeltaceae.
- nebulosa** Petrak in *Sydowia, Ann. mycol.*, Ser. 2, i, p. 244, 1947 on *Athyrium filic-femina*.—Yugoslavia.
- Leptosphaeria avenaria** Weber f. sp. *triticea* T. Johnson in *Canad. J. Res.*, Sect. C, xxv, p. 262, 1947 on *Triticum vulgare* and *T. durum*.—Canada.
- caricis-firmae** Petrak in *Sydowia, Ann. mycol.*, Ser. 2, i, p. 315, 1947 on *Carex firma*.—Austria.
- mendozana** Petrak in *Sydowia, Ann. mycol.*, Ser. 2, i, p. 294, 1947 on *Trisetum longiglume*.—Argentina.
- *—**swertiae** Thirumalachar in *Bull. Torrey bot. Cl.*, lxxv, p. 176, 1948 on *Swertia*.—India.
- Leptothyrium carpinii** Săvulescu & Sandu in *Mem. Sect. sci. Acad. roum.*, Ser. 3, xv, p. 468, 1940 on *Carpinus betulus*.—Rumania.
- Letendreaa fuscospora** (Plowr.) Petch in *Naturalist, Hull*, 1947, No. 822, p. 94. (Syn. *Nectria fuscospora* Plowr.).
- Leucopaxillus albissimus** [(Peck) Singer] var. *monticola* Singer & A. H. Smith in *Mycologia*, xxxix, p. 730, 1947.—Idaho, U.S.A.
- septentrionalis** Singer & A. H. Smith in *Mycologia*, xxxix, p. 726, 1947.—Oregon, U.S.A. and Ontario, Canada.
- Linotexis argentinensis** Petrak in *Sydowia, Ann. mycol.*, Ser. 2, i, p. 292, 1947 on *Salacia micrantha*.—Paraguay.
- Lophodermium ginzbergeri** Petrak in *Sydowia, Ann. mycol.*, Ser. 2, i, p. 300, 1947 on *Eryngium paniculatum*.—Brazil.
- occultum** Petrak in *Sydowia, Ann. mycol.*, Ser. 2, i, p. 271, 1947 on *Spinifex australis*.—Australia.
- Lycoperdon duthiei** Bottomley in *Bothalia*, iv, p. 555, 1948.—South Africa.
- qudenii** Bottomley in *Bothalia*, iv, p. 559, 1948.—South Africa.
- MACROMETRULA** Donk & Singer apud Singer in *Mycologia*, xl, p. 264, 1948.—Agaricaceae.
- rubriceps** (Cooke & Massee) Donk & Singer apud Singer in *Mycologia*, xl, p. 264, 1948. (Syn. *Agaricus rubriceps* Cooke & Mass.).
- Macrosporium anatolicum** A. Săvulescu in *Bull. Sect. sci. Acad. roum.*, xxvi, p. 709, 1944 on *Carthamus tinctorius*.—Turkey.
- Marssonina celtidis** Bremer apud Bremer & Petrak in *Sydowia, Ann. mycol.*, Ser. 2, i, p. 256, 1947 on *Celtis tournefortii*.—Turkey.
- Melanconium nectandrae** Viégas in *Bragantia*, vii, p. 112, 1947 on *Nectandra*.—Brazil.
- Melanops pedrosensis** (Bub. & Frag.) Petrak in *Sydowia, Ann. mycol.*, Ser. 2, i, p. 215, 1947. (Syn. *Guignardia pedrosensis* Bub. & Frag.).
- Melanotus eccentricus** (Murr.) Singer in *Lilloa*, xiii, p. 87, 1947. (Syn. *Crepidotus eccentricus* Murr.).
- fumosifolius** (Murr.) Singer in *Lilloa*, xiii, p. 87, 1947. (Syn. *Crepidotus fumosifolius* Murr.).
- subcuneiformis** (Murr.) Singer in *Lilloa*, xiii, p. 87, 1947. (Syn. *Crepidotus subcuneiformis* Murr.).
- Meliola pontualii** Vital in *Bol. Agric., Pernambuco*, xiv, p. 337, 1947 on *Ipomoea pes-caprae*.—Brazil.
- Microsphaera alni** [(Wallr.) Wint.] var. *cinnamomi* Olive in *Mycologia*, xl, p. 8, 1948 on *Camphora cinnamomi*.—Louisiana, U.S.A.
- ***Microsporum domesticum** Webb in Macleod & Muende, *Practical Handbook of the Pathology of the Skin*, 2nd Ed., p. 364, 1940 on man and the cat.—England.
- Microthyrium pyrenaicum** Petrak in *Sydowia, Ann. mycol.*, Ser. 2, i, p. 216, 1947 on *Carex pyrenaica*.—France.
- MOESZOPÉLTIS** Petrak in *Sydowia, Ann. mycol.*, Ser. 2, i, p. 241, 1947.—Leptopeltaceae.
- gregaria** Petrak in *Sydowia, Ann. mycol.*, Ser. 2, i, p. 241, 1947 on *Phegopteris polypodioides*.—Norway.
- ***Monochaetia muscicola** Nicot-Toulouse in *Rev. Mycologie*, N.S., xii, p. 130, 1947 on *Cephalozia bicuspidata*.—France.
- Montagnites arenarius** (DC.) Morse in *Mycologia*, xl, p. 256, 1948. (Syn. *Agaricus arenarius* DC.).
- ***Mucor ramiger** Fosteris in *Bull. Sect. sci. Acad. roum.*, xxv, p. 241, 1943 on excreta of a cat.—Rumania.
- ***Mycenella lasiosperma** (Bres.) sensu Kühner f. *minor* Loquin in *Rev. Mycologie*, viii, p. 3, 1943.—France.
- Mycocalicium rappii** Nádvořník in *Ann. mycol., Berl.*, xl, p. 139, 1942 on *Sabal palmetto*.—Florida, U.S.A.
- reticulatum** Nádvořník in *Ann. mycol., Berl.*, xl, p. 139, 1942 on wood.—S. Carolina, U.S.A.
- victoriae** (Kn.) Nádvořník in *Ann. mycol., Berl.*, xl, p. 138, 1942. (Syn. *Calicium victoriae* Kn.).
- Mycosphaerella danubialis** O. Săvulescu in *Bull. Sect. sci. Acad. roum.*, xxii, p. 308, 1940 on *Oryza sativa*.—Rumania.
- pueraricola** Weimer & Luttrell in *Phytopathology*, xxxviii, p. 350, 1948 on *Pueraria thunbergiana*.—Georgia, U.S.A. Type in B.P.I., Washington and R.B.G., Kew.
- Myrioconium affine** (Desm.) Buchwald in *Friesia*, iii, p. 301, 1947. (Syn. *Epidochium affine* Desm.).
- MYRIOGONIUM** Cain in *Mycologia*, xl, p. 158, 1948.—Ascomycetes.
- odontiae** Cain in *Mycologia*, xl, p. 159, 1948 on *Odontia sudans*.—Austria. Type in Univ. Toronto Crypt. Herb.
- MYRIOSCLEROTINIA** Buchwald in *Friesia*, iii, p. 289, 1947.—Sclerotiniaceae. Type, *M. scirpicola*.
- curreyana** (Berk.) Buchwald in *Friesia*,

- iii, p. 291, 1947. (Syn. *Peziza curreyana* Berk.).
- *duriacana* (Tul.) Buchwald in *Friesia*, iii, p. 299, 1947. (Syn. *Peziza duriacana* Tul.).
- *scirpicola* (Rehm) Buchwald in *Friesia*, iii, p. 296, 1947. (Syn. *Sclerotinia scirpicola* Rehm).
- *sulcata* (Whetz.) Buchwald in *Friesia*, iii, p. 301, 1947. (Syn. *Sclerotinia sulcata* Whetzel).
- *vahlana* (Rostr.) Buchwald in *Friesia*, iii, p. 302, 1947. (Syn. *Sclerotinia vahlana* Rostr.).
- NEOGIBBERA** Petrak in *Sydowia*, *Ann. mycol.*, Ser. 2, i, p. 191, 1947.—Pyrenomyces. Type not stated.
- *aterrima* (Cooke & Wint.) Petrak in *Sydowia*, *Ann. mycol.*, Ser. 2, i, p. 191, 1947. (Syn. *Dimerosporium aterrimum* Cooke & Wint.).
- *elegans* (Syd.) Petrak in *Sydowia*, *Ann. mycol.*, Ser. 2, i, p. 191, 1947. (Syn. *Dimerium elegans* Syd.).
- *hamata* (Penz. & Sacc.) Petrak in *Sydowia*, *Ann. mycol.*, Ser. 2, i, p. 191, 1947. (Syn. *Dimerosporium hamatum* Penz. & Sacc.).
- *sinensis* Petrak in *Sydowia*, *Ann. mycol.*, Ser. 2, i, p. 192, 1947 on *Quercus semicarpifolia*.—Sikang, China.
- NEOMUNKIA** Petrak in *Sydowia*, *Ann. mycol.*, Ser. 2, i, p. 329, 1947.—Sphaeropsidales.
- *sydowii* Petrak in *Sydowia*, *Ann. mycol.*, Ser. 2, i, p. 329, 1947 on *Chusquea*.—Ecuador.
- NEOPAXILLUS** Singer in *Mycologia*, xl, p. 262, 1948.—Agaricaceae.
- *echinosporus* Singer in *Mycologia*, xl, p. 262, 1948.—Brazil. Type in Farlow Herb.
- Neosphaeropsis iranica** Esfandiari in *Sydowia*, *Ann. mycol.*, Ser. 2, i, p. 164, 1947 on *Ononis leiosperma*.—Iran.
- Neottiaella ricciaecola** (Corda) André Racovitza in *Bull. Sect. sci. Acad. Roum.*, xxix, p. 56, 1942. (Syn. *Humaria leucoloma* (Hedw.) Boud. var. *ricciaecola* Corda).
- Nummularia ubatubensis** Viégas in *Bragantia*, vii, p. 27, 1947 on unknown tree.—Brazil.
- Ombrophila lysichitonis** Kanouse in *Mycologia*, xxxix, p. 672, 1947 on *Lysichiton camtschatcense*.—Washington State, U.S.A. Type in Herb. Univ. Mich.
- Oncospora anatolica** Petrak apud Bremer & Petrak in *Sydowia*, *Ann. mycol.*, Ser. 2, i, p. 255, 1947 on *Quercus coccifera*.—Turkey.
- Orcadella singularis** (Jahn) Santesson in *Svensk bot. Tidskr.*, xlii, p. 46, 1948. (Syn. *Licea singularis* Jahn).
- Ormathodium ambrosiae** Olive in *Mycologia*, xl, p. 14, 1948 on *Ambrosia trifida*.—Louisiana, U.S.A.
- *costaricense* (Speg.) Olive in *Mycologia*, xl, p. 16, 1948. (Syn. *Dendryphium costaricense* Speg.).
- Othia crataegi** Fuckel var. *minor* Săvulescu & Sandu in *Mem. Sect. sci. Acad. roum.*, Ser. 3, xv, p. 416, 1940 on *Crataegus oxyacantha*.—Rumania.
- Penzigia handelii** Petrak in *Sydowia*, *Ann. mycol.*, Ser. 2, i, p. 354, 1947.—China.
- Perischizon brasiliensis** Viégas in *Bragantia*, vii, p. 29, 1947 on *Araucaria brasiliana*.—Brazil.
- Phaeochorella artocarpi** T. S. & K. Ramakrishnan in *Proc. Indian Acad. Sci.*, Sect. B, xxvii, p. 37, 1948 on *Artocarpus lakoocha*.—India.
- Phaeomarasmius distans** (Peck) Singer in *Lilloa*, xiii, p. 83, 1947. (Syn. *Crepidotus distans* Peck).
- Phaeopeltosphaeria irregularis** Wehmeyer apud G. W. Martin in *Pacific Sci.*, ii, p. 74, 1948 on dead wood of *Bursera graveolens*.—Galapagos.
- Phaeoseptoria poae** Sprague in *Mycologia*, xl, p. 190, 1948 on *Poa canbyi*.—Montana, U.S.A. Type in Mycol. Coll., U.S.D.A.
- Phialea cyathioidea** var. *minutula* (Sacc.) Kanouse in *Mycologia*, xxxix, p. 680, 1947 on herbaceous stems. (Syn. *Phialea minutula* Sacc.).
- *olympiana* Kanouse in *Mycologia*, xxxix, p. 681, 1947 on herbaceous stems.—Washington State, U.S.A. Type in Herb. Univ. Mich.
- *pallida* Kanouse in *Mycologia*, xxxix, p. 681, 1947 on dead *Delphinium*.—Washington State, U.S.A. Type in Herb. Univ. Mich.
- Phleospora idahoensis** Sprague in *Mycologia*, xl, p. 180, 1948 on *Festuca idahoensis*.—Idaho, U.S.A. Type in Mycol. Coll., U.S.D.A.
- Phoma funariae** André Racovitza in *Bull. Sect. sci. Acad. roum.*, xxii, p. 250, 1941 on dead capsules of *Funaria hygrometrica*.—Rumania.
- *scutellariae* Săvulescu & Sandu in *Mem. Sect. sci. Acad. roum.*, Ser. 3, xv, p. 448, 1940 on *Scutellaria altissima*.—Rumania.
- Phomopsis diospyri** Bongini in *Ann. Sper. Agr.*, N.S., ii, p. 114, 1948 on *Diospyros kaki*.—Italy.
- *muscorum* André Racovitza in *Bull. Sect. sci. Acad. roum.*, xxiii, p. 249, 1941 on dead pedicels of *Amblystegium pachyrrhizon*.—Rumania.
- Phyllachora andicola** (Speg.) Viégas in *Bragantia*, vii, p. 28, 1947. (Syn. *Plowrightia andicola* Speg.).
- *bogotensis* Petrak in *Sydowia*, *Ann. mycol.*, Ser. 2, i, p. 297, 1947 on *Tetracera acuminata*.—Colombia.
- *derridicola* Petrak in *Sydowia*, *Ann. mycol.*, Ser. 2, i, p. 264, 1947 on *Derris uliginosa*.—Fiji.
- *drepanocarpi* Petrak in *Sydowia*, *Ann. mycol.*, Ser. 2, i, p. 299, 1947 on *Drepanocarpus ferox*.—S. America.
- *simabicola* Petrak in *Sydowia*, *Ann. mycol.*, Ser. 2, i, p. 296, 1947 on *Simaba maiana*.—Brazil.
- *tirolensis* Petrak in *Sydowia*, *Ann. mycol.*, Ser. 2, i, p. 320, 1947 on *Carex firma*.—Austria.
- Phyllosticta calaliae** Greene in *Amer. Midl. Nat.*, xxxix, p. 453, 1948 on *Cacalia tuberosa*.—Wisconsin, U.S.A.
- *epichloes* Thirumalachar in *Bull. Torrey bot. Cl.*, lxxv, p. 176, 1948 on *Epichloe cinerea*.—India. Type in Herb. Crypt. Ind. Orient., and I.M.I., Kew.
- *healdii* Sprague in *Mycologia*, xl, p. 182, 1948 on *Panicum huachucae*.—Nebraska, U.S.A. Type in Mycol. Coll., U.S.D.A.
- *penstemonicola* Greene in *Amer. Midl. Nat.*, xxxix, p. 453, 1948 on *Penstemon hirsutus*.—Wisconsin, U.S.A.
- Physisporinus borbonicus** (Pat.) Murrill in *Lloydia*, x, p. 251, 1947. (Syn. *Poria borbonica* Pat.).

- *carneopallens* (Berk.) Murrill in *Lloydia*, x, p. 251, 1947. (Syn. *Polyporus carneopallens* Berk.).
- Pirottaea scabiosicola* Petrak in *Sydowia*, *Ann. mycol.*, Ser. 2, i, p. 324, 1947 on *Scabiosa*.—Austria.
- Plasmopara megasperma* Săvulescu in *Bull. Sect. sci. Acad. roum.*, xxiv, p. 57, 1941 on *Scorzonera humilis*.—Rumania.
- *sphaerosperma* Săvulescu in *Bull. Sect. sci. Acad. roum.*, xxiv, p. 65, 1941 on *Tragopogon dubius*.—Rumania.
- Platystomum compressum* (Pers.) Trevisan var. *microsporum* (Sacc.) Săvulescu & Sandu in *Mem. Sect. sci. Acad. Roum.*, Ser. 3, xv, p. 415, 1940. (Syn. *Lophidium compressum* var. *microsporum* Sacc.).
- Pleospora aradensis* Petrescu in *Bull. Sect. sci. Acad. roum.*, xxiv, p. 567, 1942 on *Lycium vulgare*.—Rumania.
- *dusenii* Petrak in *Sydowia*, *Ann. mycol.*, Ser. 2, i, p. 270, 1947 on *Festuca arenaria*.—Polynesia.
- Pleuroflammula chocoruensis* Singer in *Lilloa*, xiii, p. 83, 1947 on wood. —New Hampshire, U.S.A.
- *puberula* (Peck) Singer in *Lilloa*, xiii, p. 85, 1947. (Syn. *Crepidotus puberula* Peck).
- Polyporus subrubescens* (Murrill) Murrill in *Lloydia*, x, p. 266, 1947. (Syn. *Scutiger subrubescens* Murrill).
- Poria adiposa* (Berk. & Broome) Cunningham in *Bull. Plt Dis. Div., D.S.I.R., N.Z.* 72, p. 13, 1947. (Syn. *Polyporus adiposus* Berk. & Br.).
- *aroha* Cunningham in *Bull. Plt Dis. Div., D.S.I.R., N.Z.* 72, p. 39, 1947 on *Beilschmiedia tawa*.—New Zealand.
- *coprosmae* Cunningham in *Bull. Plt Dis. Div., D.S.I.R., N.Z.* 72, p. 38, 1947 on *Coprosma*.—New Zealand.
- *cordylina* Cunningham in *Bull. Plt Dis. Div., D.S.I.R., N.Z.* 72, p. 39, 1947 on *Cordyline australis*.—New Zealand.
- *curreyana* (Berk.) Cunningham in *Bull. Plt Dis. Div., D.S.I.R., N.Z.* 72, p. 16, 1947. (Syn. *Polyporus curreyanus* Berk.).
- *hunua* Cunningham in *Bull. Plt Dis. Div., D.S.I.R., N.Z.* 72, p. 39, 1947 on *Beilschmiedia tawa*.—New Zealand.
- *manuka* Cunningham in *Bull. Plt Dis. Div., D.S.I.R., N.Z.* 72, p. 38, 1947 on *Leptospermum scoparium*.—New Zealand.
- *novaezelandiae* Cunningham in *Bull. Plt Dis. Div., D.S.I.R., N.Z.* 72, p. 40, 1947 on *Metrosideros*.—New Zealand.
- *otakou* Cunningham in *Bull. Plt Dis. Div., D.S.I.R., N.Z.* 72, p. 38, 1947 on *Nothofagus fusca*.—New Zealand.
- *oviforma* Cunningham in *Bull. Plt Dis. Div., D.S.I.R., N.Z.* 72, p. 35, 1947 on *Nothopanax*.—New Zealand.
- *pirongia* Cunningham in *Bull. Plt Dis. Div., D.S.I.R., N.Z.* 72, p. 39, 1947 on *Hedycarya arborea*.—New Zealand.
- *rata* Cunningham in *Bull. Plt Dis. Div., D.S.I.R., N.Z.* 72, p. 40, 1947 on *Metrosideros robusta*.—New Zealand.
- *subserpens* (Murrill) Murrill in *Lloydia*, x, p. 245, 1947. (Syn. *Trametes subserpens* Murrill).
- *weraroensis* Cunningham in *Bull. Plt Dis. Div., D.S.I.R., N.Z.* 72, p. 40, 1947 on *Coprosma grandifolia*.—New Zealand.
- Prillieuxina sinensis* Petrak in *Sydowia*, *Ann. mycol.*, Ser. 2, i, p. 351, 1947 on *Sabia gracilis*.—China.
- Pseudonectria crozalsiana* (Grelet) André Racovitza in *Bull. Sect. sci. Acad. roum.*, xxix, p. 72, 1946. (Syn. *Neottiella crozalsiana* Grelet).
- Puccinia ankarensis* Bremer & Petrak in *Sydowia*, *Ann. mycol.*, Ser. 2, i, p. 249, 1947 on *Lactuca ? viminea*.—Turkey.
- *cardui-carlinoidis* Petrak in *Sydowia*, *Ann. mycol.*, Ser. 2, i, p. 208, 1947 on *Carduus carlinoides*.—France.
- *garhadioli* Esfandiari in *Sydowia*, *Ann. mycol.*, Ser. 2, i, p. 161, 1947 on *Garhadiolus hedypnois*.—Iran.
- *luculenta* (Syd.) T. S. & K. Ramakrishnan in *Proc. Indian Acad. Sci., Sect. B*, xxvii, p. 38, 1948. (Syn. *Aecidium luculentum* Syd.).
- *vernoniae-monosis* T. S. & K. Ramakrishnan in *Proc. Indian Acad. Sci., Sect. B*, xxvii, p. 42, 1948 on *Vernonia monosis*.—India.
- Ramularia anatolica* Bremer & Petrak in *Sydowia*, *Ann. mycol.*, Ser. 2, i, p. 258, 1947 on *Wiedemannia orientalis*.—Turkey.
- *dacica* Săvulescu & Hulea in *Mem. Sect. sci. Acad. roum.*, Ser. 3, xv, p. 478, 1940 on *Petasites officinalis*.—Rumania.
- *helminthiae* Bremer & Petrak in *Sydowia*, *Ann. mycol.*, Ser. 2, i, p. 259, 1947 on *Helminthia echinoides*.—Turkey.
- *hesperidis* Săvulescu & Sandu in *Mem. Sect. sci. Acad. roum.*, Ser. 3, xv, p. 477, 1940 on *Hesperis tristis*.—Rumania.
- *sidae* Olive in *Mycologia*, xl, p. 11, 1948 on *Sida*.—Louisiana, U.S.A.
- Rhabdoclema olyrae* (Speg.) Petrak in *Sydowia*, *Ann. mycol.*, Ser. 2, i, p. 307, 1947. (Syn. *Cylindrosporium olyrae* Speg.).
- Rhachomyces girardi* Lepesme & Tempere in *Bull. Soc. mycol. Fr.*, lxiii, p. 205, 1947 (publ. 1948) on *Aphaenops ochsi* subsp. *reymondi*.—France.
- Rhizophydium chitinophilum* Antikajian in *Mycologia*, xxxix, p. 613, 1947 on chitin. —New York City, U.S.A.
- Rhodophyllus niphoides* Romagnesi in *Bull. Soc. mycol. Fr.*, lxiii, p. 198, 1947 (publ. 1948 as *R. niphoides* Romagn. nom. nov., for Cooke sub *Entoloma speculum*, Fr.).—France.
- Rhodosticta coluteae* Bremer apud Bremer & Petrak in *Sydowia*, *Ann. mycol.*, Ser. 2, i, p. 251, 1947 on *Colutea cilicica*.—Turkey.
- Roesleria brasiliiana* Viégas in *Bragantia*, vii, p. 34, 1947 on *Spondias lutea*.—Brazil.
- RONNIGERIA** Petrak in *Sydowia*, *Ann. mycol.*, Ser. 2, i, p. 310, 1947.—Leptopeltaceae.
- *arctica* (Oud.) Petrak in *Sydowia*, *Ann. mycol.*, Ser. 2, i, p. 310, 1947. (Syn. *Microthyrium arcticum* Oud.).
- Rutstroemia microspora* Kanouse in *Mycologia*, xxxix, p. 684, 1947 on old branches. —Washington State, U.S.A. Type in Herb. Univ. Mich.
- Sarcosphaera amplissima* (Fr.) Kanouse in *Mycologia*, xxxix, p. 685, 1947. (Syn. *Peziza amplissima* Fr.).
- Selenophoma exigua* Petrak in *Sydowia*, *Ann. mycol.*, Ser. 2, i, p. 304, 1947 on *Sisyrinchium micranthum*.—Brazil.

- *proximella* Petrak in *Sydowia*, *Ann. mycol.*, Ser. 2, i, p. 226, 1947 on *Foeniculum*.—France.
- Septoria acericola** Petrak in *Sydowia*, *Ann. mycol.*, Ser. 2, i, p. 227, 1947 on *Acer monspessulanum*.—France.
- *avenae* Frank f. sp. *triticea* J. Johnson in *Canad. J. Res.*, Sect. C, xxv, p. 263, 1947 on *Triticum durum*.—Canada.
- *glycericola* Sprague in *Mycologia*, xl, p. 183, 1948 on *Glyceria striata*.—Oregon, U.S.A. Type in Mycol. Coll., U.S.D.A.
- *karelli* Petrak apud Bremer & Petrak in *Sydowia*, *Ann. mycol.*, Ser. 2, i, p. 254, 1947 on *Tordylium syriacum*.—Turkey.
- *parvimaculans* Greene in *Amer. Midl. Nat.*, xxxix, p. 455, 1948 on *Kuhnia eupatorioides*.—Wisconsin, U.S.A.
- *sleumeri* Petrak in *Sydowia*, *Ann. mycol.*, Ser. 2, i, p. 229, 1947 on *Mulgedium alpinum*.—France.
- Solenia svrcekii** Pilát in *Bull. Soc. mycol. Fr.*, lxiii, p. 203, 1947 (publ. 1948) on rotten wood of frondose trees.—Bohemia (Czechoslovakia).
- SPERMOSPORA** Sprague in *Mycologia*, xl, p. 177, 1948.—Moniliaceae.
- *subulata* (Sprague) Sprague in *Mycologia*, xl, p. 178, 1948. (Syn. *Cercospora subulata* Sprague).
- Sphaerodothis magnifica** Petrak in *Sydowia*, *Ann. mycol.*, Ser. 2, i, p. 265, 1947 on *Triodia pumila*.—New Zealand.
- SPHINCTRINELLA** Nádvořník in *Ann. mycol.*, Berl., xl, p. 138, 1942.—Helotiales.
- *calicioides* Nádvořník in *Ann. mycol.*, Berl., xl, p. 138, 1942 on wood of *Cedrus*.—Iowa, U.S.A.
- Spilosticta cinerascens** (Fleischh.) Petrak in *Sydowia*, *Ann. mycol.*, Ser. 2, i, p. 197, 1947. (Syn. *Sphaerella cinerascens* Fleischhack).
- Stagonospora aristolochiae-siphonis** Săvulescu & Sandu in *Mem. Sect. sci. Acad. roum.*, Sect. 3, xv, p. 462, 1940 on *Aristolochia siphon*.—Rumania.
- *glycericola* Sprague in *Mycologia*, xl, p. 189, 1948 on *Glyceria striata*.—Minnesota, U.S.A. Type in Mycol. Coll., U.S.D.A.
- *maculata* (Grove) Sprague in *Mycologia*, xl, p. 189, 1948. (Syn. *Stagonospora subseriata* (Desm.) Sacc. var. *maculata* Grove).
- *polytaeniae* Greene in *Amer. Midl. Nat.*, xxxix, p. 454, 1948 on *Polytaenia nuttallii*.—Wisconsin, U.S.A.
- *triodiae* Petrak in *Sydowia*, *Ann. mycol.*, Ser. 2, i, p. 273, 1947 on *Triodia exigua*.—New Zealand.
- Strobilomyces glabriceps** Chiu in *Mycologia*, xl, p. 229, 1948.—Yunnan, China.
- Stylopaga rhicnacra** Drechsler in *Mycologia*, xl, p. 102, 1948 on *Amoeba*.—Maryland, U.S.A.
- Tetracrium incarnatum** G. W. Martin in *Pacific Sci.*, ii, p. 75, 1948 on dead stem of *Opuntia*.—Galapagos.
- THALLOSPORA** Olive in *Mycologia*, xl, p. 11, 1948.—Moniliaceae.
- *aspera* Olive in *Mycologia*, xl, p. 12, 1948 on *Veronica peregrina*.—Louisiana, U.S.A.
- Torula bowdichiae** Petrak in *Sydowia*, *Ann. mycol.*, Ser. 2, i, p. 308, 1947 on *Bowdichia virgilioides*.—Brazil.
- Trichodothis zernyi** Petrak in *Sydowia*, *Ann. mycol.*, Ser. 2, i, p. 280, 1947 on *Ocotea usambarensis*.—Tanganyika.
- Tricholoma helviodor** Pilát & Svrček in *Studia bot. Českoslov.*, vii, p. 2, 1946.—Bohemia, Czechoslovakia.
- TRICHOMONASCUS** Jackson in *Mycologia*, xxxix, p. 712, 1947.—'Aspergillaceae' [Eurotiales].
- *mycophagus* Jackson in *Mycologia*, xxxix, p. 712, 1947 on *Corticium confluens*.—Ontario, Canada.
- Trichophyton quinckeanum** (Zopf) Macleod & Muende, *Practical Handbook of the Pathology of the Skin*, 2nd Ed., p. 361, 1940. (Syn. *Oidium quinckeanum* Zopf).
- Tuberculina hyalospora** Esfandiari in *Sydowia*, *Ann. mycol.*, Ser. 2, i, p. 167, 1947 on *Tranzschelia punctata*.—Iran.
- Ustilago sleumeri** Petrak in *Sydowia*, *Ann. mycol.*, Ser. 2, i, p. 206, 1947 on *Alopecurus gerardi*.—Andorra.
- *symbiotica* Grasso in *R.C. Accad. Lincei*, Ser. 8, iii, p. 612, 1947 on *Triticum vulgare* with *Tilletia*.—Italy.
- XENODIMERIUM** Petrak in *Sydowia*, *Ann. mycol.*, Ser. 2, i, p. 190, 1947.—Pyrenomycetes.
- *mycophilum* Petrak in *Sydowia*, *Ann. mycol.*, Ser. 2, i, p. 190, 1947 on *Quercus, Pasania* and *Lithocarpus*.—Philippines, etc.
- XENOLACHNE** Rogers in *Mycologia*, xxxix, p. 561, 1947.—Hyaloriaceae.
- *flagellifera* Rogers in *Mycologia*, xxxix, p. 562, 1947 on *Hyaloscypha atomaria*.—Oregon, U.S.A.
- ZERNYA** Petrak in *Sydowia*, *Ann. mycol.*, Ser. 2, i, p. 277, 1947.—Sphaeropsidales.
- *clypeata* Petrak in *Sydowia*, *Ann. mycol.*, Ser. 2, i, p. 277, 1947 on ? *Eugenia*.—Brazil.

HOST INDEX

For Phanerogams see under families; for Fungi, Bryophyta, and Pteridophyta see under those names;
for animal hosts see under Insecta, Invertebrata, and Vertebrata.

- ACANTHACEAE
Acanthus longifolius
Cercospora acanthi-longifolii
- ACERACEAE
Acer monspessulanum
Septoria acericola
Acer negundo
Cristulariella pyramidalis
- ANACARDIACEAE
Pistacia vera
Asteromella pistaciarum
Spondias lutea
Roesleria brasiliensis
- ARACEAE
Colocasia esculenta
Dendryphium obtusum
Lysichiton camtschatcense
Ombrophila lysichitonis
- ARALIACEAE
Hedera helix
Chaetopyrena hederæ-helicis
Nothopanax
Poria oviforma
- ARISTOLOCHACEAE
Aristolochia siphonis
Stagonospora aristolochiae-siphonis
- BETULACEAE
Carpinus betulus
Leptothyrium carpini
- BIGNONIACEAE
Jacaranda
Cladosporium jacarandae
- BRYOPHYTA
Amblystegium pachyrhizon
Phomopsis muscorum
Brachythecium
Acrosporum savulescui
Cephalozia bicuspidata
Monochaetia muscicola
Funaria hygrometrica
Phoma funariae
- Lophozia
Coleroa hepaticola
Plagiochila asplenoides var. major
Epicoccum plagiochiles
Polytrichum formosum
Diplodina polytricha
- BURSERACEAE
Bursera graveolens
Phaeopeltosphaeria irregularis
- BUXACEAE
Buxus sempervirens
Glioniopsis buxi
- CACTACEAE
Opuntia
Tetracrium incarnatum
- CAPPARIDACEAE
Capparis sepiaria
Bulgariastrum tumifaciens
- CARYOCARACEAE
Caryocar villosum
Gaillardia caryocana
- COMBRETACEAE
Terminalia bellerica
Acidium terminaliae
- COMPOSITAE
Ambrosia trifida
Ormathodium ambrosiae
- COMPOSITAE (continued)
Cacalia tuberosa
Phyllosticta cacaliae
Cardopatum corymbosum
Cercospora cardopatii
Carduus carlinoides
Puccinia cardui-carlinoidis
Carthamus tinctorius
Macrosporium anatolicum
Chardinia orientalis
Albugo chardineae
Garhadiolus hedypnois
Puccinia garhadioli
Helminthia echinoides
Ramularia helminthiae
Kuhnia eupatorioides
Septoria parvimaculans
Lactuca chinensis
Bremia lactucae f. chinensis
Lactuca ? viminea
Puccinia ankarensis
Mulgedium alpinum
Septoria sleumeri
Petasites officinalis
Ramularia dacica
Scorzonera humilis
Plasmopara megasperma
Senecio macrophyllus
Acidium senecionis-macrophylli
Tragopogon dubius
Plasmopara sphaerosperma
Vernonia monosis
Puccinia vernoniae-monosis
- CONVOLVULACEAE
Ipomoea pes-caprae
Meliola pontualii
- CRUCIFERAE
Hesperis tristis
Ramularia hesperidis
Matthiola incana
Fusarium oxysporum f. mathioli
- CYCADACEAE
Cycas circinalis
Arthrobotryum cycadicola
- CYPERACEAE
Carex firma
Leptosphaeria caricis-firmae
Phyllachora tirolensis
Carex pyrenaica
Microthyrium pyrenaicum
- DILLENIACEAE
Davilla rugosa
Catacaruma davillae
Tetracera acuminata
Phyllachora bogotensis
- DIPSACACEAE
Scabiosa
Pirottaea scabiosicola
- EBENACEAE
Diospyros kaki
Phomopsis diospyros
- EUPHORBIACEAE
Caperonia castaneifolia
Helicodina caperoniae
- FAGACEAE
Lithocarpus
Xenodimerium mycophilum

FAGACEAE (continued)

- Nothofagus fusca
Poria otakou
 Pasania
Xenodimerium mycophilum
 Quercus
Xenodimerium mycophilum
 Quercus coccifera
Oncospora anatolica
 Quercus pedunculata
Cucurbitaria pontica
 Quercus semicarpifolia
Neogibbera sinensis

FLACOURTIACEAE

- Calonchoba echinata
Cercospora calonchobae

FUNGI

- Acetabula vulgaris
Dictyolus pusillus
 Corticium confluens
Trichomonascus mycophagus
 Epichloe cinerea
Phyllosticta epichloes
 Hyalosecypha atomaria
Xenolachne flagellifera
 Odontia sudans
Myriogonium odontiae
 Pleospora verhoefenii
Didymella pleosporae
 Tranzschelia punctata
Tuberculina hyalospora

GENTIANACEAE

- Swertia
Leptosphaeria swertiae

GRAMINEAE

- Gloeosporium bolleyi*
 Alopecurus gerardi
Ustilago sleumeri
 Calamagrostis canadensis
Apiocarpella minor
 Chusquea
Neomunkia sydowii
 Cynodon dactylon
Hendersonia dactylonis
 Festuca arenaria
Pleospora dusenii
 Festuca idahoensis
Phleospora idahoensis
 Glyceria striata
Septoria glycericola
Stagonospora glycericola
 Hierochloë fraseri
Didymella hierochloes
 Koeleria glomerata
Hendersonia mouiensis
Hendersonia rockiana
 Oryza sativa
Mycosphaerella danubialis
 Panicum huachucae
Phyllosticta healdii
 Phleum pratense
Ascochyta phleina
 Poa canbyi
Phaeoseptoria poae
 Poa lanigera
Ascochytaella villosa
 Spinifex australis
Lophodermium occultum
 Stipa capillata
Coniothyrium stipae
 Triodia exigua
Stagonospora triodiae
 Triodia pumila
Sphaerodothia magnifica

GRAMINEAE (continued)

- Trisetum longiglume
Leptosphaeria mendozana
 Triticum durum
Leptosphaeria avenaria f. sp. triticea
Septoria avenae f. sp. triticea
 Triticum vulgare
Leptosphaeria avenaria f. sp. triticea
Ustilago symbiotica

GUTTIFERAE

- Clusia
Colletotrichum clusiae
Dothiorella santaremica
 Clusia alba
Botryodiplodia clusiae
 Vismia tomentosa
Asterinella bangii

HIPPOCRATACEAE

- Salacia micrantha
Linotexis argentinensis

INSECTA

- Cordyceps olivascens*
 Aphaenops ochsi
Rhachomyces girardi
 Elateridae
Cordyceps salebrosa
 Lepidoptera
Cordyceps venezuelensis
Cordyceps washingtonensis

INVERTEBRATA (other than Insecta)

- Amoeba
Acaulopage baculispora
Acaulopage gyrinodes
Stylopaga rhinacra

IRIDACEAE

- Sisyrinchium micranthum*
Selenophoma exigua

LABIATAE

- Molucella levis
Cercospora molucellae
 Scutellaria altissima
Phoma scutellariae
 Wiedemannia orientalis
Ramularia anatolica

LAIIRACEAE

- Beilschmiedia tawa
Poria aroha
Poria hunua
 Camphora cinnamomi
Microsphaeraalni var. cinnamomi
 Nectandra
Melanconium nectandrae
 Neolitsea zeylanica
Astomella neolitseeae
 Ocotea usambariensis
Trichodothia zernyi

LEGUMINOSAE

- Baptisia leucophaea
Cladosporium baptisiae
 Bowdichia virgilioides
Torula bowdichiae
 Colutea cilicica
Rhodosticta coluteae
 Derris eulata
Hapalophragmium anamalaiense
 Derris uliginosa
Phyllachora derridicola
 Drepanocarpus ferox
Phyllachora drepanocarpi
 Ononis leiosperma
Neosphaeropsis iranica

- LEGUMINOSAE (continued)
Psoralea bituminosa
Cercospora psoraleae-bituminosae
Pueraria thunbergiana
Mycosphaerella pueraricola
Tipuana speciosa
Helminthosporium heringerianum
- LILIACEAE
Cordyline australis
Poria cordylina
Nolina microcarpa
Bartalinia nolinae
Smilax aspera
Camarosporium smilacicola
Trillium grandiflorum
Gloeosporium brunneo-maculatum
- MALPIGHIACEAE
Mascagnia chlorocarpa var. *paradoxa*
Asterina mascagniae
- MALVACEAE
Sida
Ramularia sidae
- MONIMIACEAE
Hedycarya arborea
Poria pirongia
- MORACEAE
Artocarpus lakoocha
Phaeochyella artocarpae
Machura aurantiaca
Didymosphaeria maclurac
- MYRSINACEAE
Stylogyne ambigua
Cercospora stylogynis
- MYRTACEAE
 ? *Eugenia*
Zernya clypeata
Leptospermum scoparium
Poria manuka
Metrosideros
Poria novaezelandiae
Metrosideros robusta
Poria rata
- PALMAE
Sabal palmeto
Mycocalicium rappii
- PINACEAE
Araucaria brasiliana
Perischizon brasiliense
Cedrus
Sphinctrinella calicioides
Cunninghamensis
Hypoderma handelii
Pinus sylvestris
Ecarnidium clypeatum
- PONTEDERIACEAE
Monochoria vaginalis
Burrillia ajrekari
- PTERIDOPHYTA
Athyrium filix-femina
Leptopeltopsis nebulosa
Phegopteris polypodioides
Moeszopeltis gregaria
- PUNICACEAE
Punica granatum
Coniothyrium iranicum
- RANUNCULACEAE
Delphinium
Phialea pallida
- ROSACEAE
Crataegus monogyna
Calospora crataegi
Crataegus oxyacantha
Oothia crataegi
Sorbus dacica
Coryneum dacicum
- RUBIACEAE
Coffea arabica
Fusarium bulbigenum var. *coffae*
Coprosma
Poria coprosmae
Coprosma grandifolia
Poria weraroensis
Pavetta indica
Hysterostoma pavettae
Plectronia didyma
Achorella plectroniae
- RUTACEAE
Murraya koenigii
Cylindrosporium koenigii
- SABIACEAE
Sabia gracilis
Prillieuxina sinensis
- SAXIFRAGACEAE
Saxifraga aquatica
Caeoma saxifragae-aquaticae
- SCROPHULARIACEAE
Penstemon hirsutus
Phyllosticta penstemonicola
Veronica peregrina
Thallospora aspera
- SIMARUBACEAE
Simaba maiana
Phyllachora simabicola
- SOLANACEAE
Lycium vulgare
Pleospora aradensis
- ULMACEAE
Celtis tournefortii
Marssonina celtidis
- UMBELLIFERAE
Eryngium paniculatum
Lophodermium ginzbergeri
Foeniculum
Selenophoma proximella
Polytaenia nuttallii
Stagonospora polytaeniae
Tordylium syriacum
Septoria karelii
- VERBENACEAE
Vitex agnus-castus
Cercospora karelii
- VERTEBRATA
Felis domestica
Microsporium domesticum
Homo sapiens
Microsporium domesticum
Hyla rubrum
Dermosporidium hylarum

The Editor gratefully acknowledges the assistance of Dr. G. C. Ainsworth in supplying the details of certain citations.

PRINTED IN
GREAT BRITAIN
AT THE
UNIVERSITY PRESS
OXFORD
BY
CHARLES BATEY
PRINTER
TO THE
UNIVERSITY

INDEX OF FUNGI

PUBLISHED SINCE THE BEGINNING OF 1940

Formerly issued as Supplements to the Review of Applied Mycology

VOL. I

PART 18

1949

- Achlya crenulata* Ziegler in *Mycologia*, xl, p. 336, 1948 in water.—S. Carolina, U.S.A.
- †*Acrothecium rubi* Sawada in *Rep. Govt. Res. Inst. Formosa* 85, p. 93, 1943 on *Rubus conduplicatus*.—Formosa. [In Japanese].
- Alnicola pseudoamarens* as *A. (Nauco-ria) pseudoamarens* Kuhner & Romagnesi in *Ann. scient. Franche-Comté*, ii, p. 42, 1947.—France.
- †*Amastigis artemisiae* Sawada in *Rep. Govt. Res. Inst. Formosa* 85, p. 87, 1943 on *Artemisia lactiflora*.—Formosa. [In Japanese. *Amastigis* is an invalid change of *Amastigosporium*].
- Amazonia lecae* Hansf. & Thirum. in *Farlowia*, iii, p. 287, 1948 on *Leea macrophylla*.—India.
- Amphichaeta muscicola* (Nicot-Toulouse) Nicot-Toulouse in *Rev. Mycologie*, N.S., xiii, p. 58, 1948. (Syn. *Monochaetia muscicola* Nicot-Toulouse).
- Anellaria semi-ovata* (Sow. ex Fr.) Pearson & Dennis in *Trans. Brit. mycol. Soc.*, xxxi, p. 185, 1948. (Syn. *Agaricus semi-ovatus* Sow. ex Fr.).
- Anthopeziza floccosa* (Schw.) Kancuse in *Mycologia*, xl, p. 491, 1948. (Syn. *Peziza floccosa* Schw.).
- Aporomyces szaboi* Bänhegyi in *Bot. Köz.*, xli, p. 51, 1944 on *Pelochares versicolor*.—Hungary.
- Armatella cinnamomi* Hansf. & Thirum. in *Farlowia*, iii, p. 286, 1948 on *Cinnamomum zeylanicum*.—India.
- Ascochyta allii* Petr. (This Index, p. 164). See also *A. allii* Lobik, *Bot. Rast.*, xvii, p. 173, 1928, and *A. allii* Hollos, *Bot. Közlem.*, xxv, p. 126, 1929.
- avenae* (Petrak) Sprague & A. G. Johnson in *Mycologia*, xl, p. 297, 1948. (Syn. *Ascochyta avenae* Petrak).
- †*—*dichrocephalae* Sawada in *Rep. Govt. Res. Inst. Formosa* 85, p. 71, 1943 on *Dichrocephala latifolia*.—Formosa. [In Japanese].
- †*—*ligulariae* Sawada in *Rep. Govt. Res. Inst. Formosa* 85, p. 71, 1943 on *Ligularia tussilaginea*.—Formosa. [In Japanese].
- melongenae* Padmanabhan in *Indian J. agric. Sci.*, xvii, p. 395, 1947 on *Solanum melongena*.—India.
- utahensis* Sprague in *Mycologia*, xl, p. 295, 1948 on *Agropyron inerme*.—Utah, U.S.A.
- Asperisporium acori* Tehon in *Mycologia*, xl, p. 321, 1948 on *Acorus calamus*.—Illinois, U.S.A.
- Asterina brandisiae* Hansford in *Farlowia*, iii, p. 278, 1948 on *Brandisia* sp.—China.
- cansjericola* Hansford & Thirumalachar in *Farlowia*, iii, p. 304, 1948 on *Cansjera rheedii*.—India.
- dichapetali* Hansford & Thirumalachar in *Farlowia*, iii, p. 305, 1948 on *Dichapetalum gelonioides*.—India.
- jasmini* Hansford in *Farlowia*, iii, p. 278, 1948 on *Jasminum* sp.—China.
- linderiae* Hansford in *Farlowia*, iii, p. 279, 1948 on *Lindera* sp.—China.
- lobeliae* Hansford. (This Index, p. 177). See also *A. lobeliae* F. L. Stevens & Ryan, *B.P. Bishop Mus. Bull.*, xix, p. 74, 1925.
- mysorensis* Hansford & Thirumalachar in *Farlowia*, iii, p. 307, 1948 on *Ficus* sp.—India.
- Asterolibertia mangiferae* Hansford & Thirumalachar in *Farlowia*, iii, p. 303, 1948 on *Mangifera indica*.—India.
- BAGNISIMITRULA** Imai in *Bot. Mag., Tokyo*, lvi, p. 525, 1942. Geoglossaceae.
- saccardoa* (Bagnis) Imai in *Bot. Mag., Tokyo*, lvi, p. 525, 1942. (Syn. *Mitrula saccardoa* Bagnis).
- Boletus chalybaeus* (Sing.) Murrill in *Lloydia*, xi, p. 26, 1948. (Syn. *Leccinum chalybaeum* Singer).
- flaviceps* Murrill in *Lloydia*, xi, p. 34, 1948. —Florida, U.S.A.
- floridanus* (Sing.) Murrill in *Lloydia*, xi, p. 23, 1948. [Syn. *B. frostii* Peck subsp. *floridanus* Singer].
- fulvipallidus* Murrill in *Lloydia*, xi, p. 34, 1948. —Florida, U.S.A.
- hemixanthus* (Sing.) Murrill in *Lloydia*, xi, p. 24, 1948. (Syn. *Xerocomus hemixanthus* Sing.).
- hypoxanthus* (Sing.) Murrill in *Lloydia*, xi, p. 24, 1948. (Syn. *Xerocomus hypoxanthus* Singer).
- luteus* L. ex Fr. var. *cothurnatus* (Sing.) Murrill in *Lloydia*, xi, p. 24, 1948. [Syn. *Suillus cothurnatus* Singer].
- merulioides* (Schw.) Coker & Beers var. *proximus* (Sing.) Murrill in *Lloydia*, xi, p. 28, 1948. (Syn. *Gyrodon proximus* Singer).
- minor* (Sing.) Murrill in *Lloydia*, xi, p. 24, 1948. (Syn. *Tylopilus minor* Singer).
- pallidiceps* Murrill in *Lloydia*, xi, p. 35, 1948. —Florida, U.S.A.
- purpurellus* Murrill in *Lloydia*, xi, p. 35, 1948. —Florida, U.S.A.
- scaber* Bull. ex Fr. var. *chalybaeus* (Sing.) Murrill in *Lloydia*, xi, p. 26, 1948. [Syn. *Leccinum chalybaeum* Singer].

† Some of the species listed in this Index from Sawada's paper in *Rep. Govt. Res. Inst. Formosa* 85, 1943, though marked by him "sp. nov." were probably described by him at an earlier date.

Brachysporium dioscoreae Steyaert in *Bull. Soc. Bot. Belg.*, lxxx, II^e Sér. xxx, p. 34, 1948 on *Dioscorea trifida*.—Belgian Congo.

Calocybe cyanea Singer in *Pap. Mich. Acad. Sci.*, xxxii, p. 126, 1946.—Brazil.

—*cyarella* Singer in *Pap. Mich. Acad. Sci.*, xxxii, p. 124, 1946.—Florida, U.S.A.

—*rubra* Rick ex Singer in *Pap. Mich. Acad. Sci.*, xxxii, p. 126, 1946.—Brazil.

Cantharellus fujisanensis Imai in *Bot. Mag., Tokyo*, lv, p. 519, 1941.—Japan.

Catacauma elaeocarpi Ramakrishnan, T. S. & Ramakrishnan, K. in *Proc. Indian Acad. Sci.*, Sect. B, xxviii, p. 57, 1948 on *Elaeocarpus munroi*.—India.

Cephalosporium fici Tims & Olive in *Phytopathology*, xxxviii, p. 708, 1948 on *Ficus carica*.—Louisiana, U.S.A.

—*gregatum* Allington & Chamberlain in *Phytopathology*, xxxviii, p. 797, 1948 on *Glycine max*.—Central U.S.A.

Cercospora achyranthina Thirumalachar & Chupp in *Mycologia*, xl, p. 352, 1948 on *Achyranthis aspera*.—India.

—*bangalorensis* Thirumalachar & Chupp in *Mycologia*, xl, p. 353, 1948 on *Aristolochia indica*.—India.

†*—*bidensis-pilosae* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 98, 1943 on *Bidens pilosa*.—Formosa. [In Japanese].

†*—*callicarpicola* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 100, 1943 on *Callicarpa formosana*.—Formosa. [In Japanese. Cf. *C. callicarpicola* Naito 1940, this *Index*, p. 3].

—*camptothecae* Tai in *Lloydia*, xi, p. 39, 1948 on *Camptotheca acuminata*.—Szechuan, China.

—*capparidicola* Hansford & Thirumalachar in *Farlowia*, iii, p. 307, 1948 on *Capparis sepiaria*.—India.

†*—*celtidis* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 100, 1943 on *Celtis sinensis*.—Formosa. [In Japanese].

—*chengtuensis* Tai in *Lloydia*, xi, p. 40, 1948 on *Lycium chinensis*.—Szechuan, China.

—*clauseniae* Thirumalachar & Chupp in *Mycologia*, xl, p. 354, 1948 on *Clausenia willdenowii*.—India.

—*coriariae* Tai in *Lloydia*, xi, p. 43, 1948 on *Coriaria sinica*.—Szechuan, China. [See also *C. coriariae* Chupp in *J. Dep. Agric. P.R.*, xiv, p. 285, 1930].

—*difformis* Tehon in *Mycologia*, xl, p. 322, 1948 on *Viola (papilionacea?)*.—Illinois, U.S.A.

†*—*diospyri-erianthae* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 103, 1943 on *Diospyros eriantha*.—Formosa. [In Japanese].

†*—*diospyri-morrisianae* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 104, 1943 on *Diospyros morrisiana*.—Formosa. [In Japanese].

—*elaeidis* Steyaert in *Bull. Soc. Bot. Belg.*, lxxx, II^e Sér. xxx, p. 35, 1948 on *Elaeis guineensis*.—Belgian Congo.

†*—*eugeniae* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 104, 1943 on *Eugenia javanica*.—Formosa. [In Japanese. Cf. *C. eugeniae* Rangel) Chupp 1945, this *Index*, p. 132].

—*fagarae* Hansford. (This *Index*, p. 178). See also *C. fagarae* Yamamoto in *Trans. Sapporo Nat. Hist. Soc.*, xiii, p. 140, 1934.

†*—*fagaricola* Sawada in *Rep. Govt Res. Inst.*

Formosa 85, p. 105, 1943 on *Fagara nitida*.—Formosa. [In Japanese].

†*—*fici-harlandii* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 106, 1943 on *Ficus harlandii*.—Formosa. [In Japanese].

†*—*fici-septicae* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 106, 1943 on *Ficus septica*.—Formosa. [In Japanese].

†*—*forrestiae* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 107, 1943 on *Forrestia chinensis*.—Formosa. [In Japanese].

†*—*gomphrenae* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 107, 1943 on *Gomphrena globosa*.—Formosa. [In Japanese. Cf. *C. gomphrenae* Ray 1944, this *Index*, p. 98].

—*holarrhenae* Thirumalachar & Chupp in *Mycologia*, xl, p. 355, 1948 on *Holarrhena antidysenterica*.—India.

†*—*ilicis-micrococcae* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 109, 1943 on *Ilex micrococca*.—Formosa. [In Japanese].

†*—*ipomoeae-indicae* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 110, 1943 on *Ipomoea indica*.—Formosa. [In Japanese].

—*jububae* Chowdhury in *Indian J. agric. Sci.*, xvi, p. 525, 1946 on *Zizyphus jububa*.—India.

—*justiciae* Tai in *Lloydia*, xi, p. 47, 1948 on *Justicia procumbens*.—Szechuan, China.

—*justiciaecola* Tai in *Lloydia*, xi, p. 47, 1948 on *Justicia*.—Szechuan, China.

—*kallarensis* Ramakrishnan, T. S. & Ramakrishnan, K. in *Proc. Indian Acad. Sci.*, Sect. B, xxviii, p. 68, 1948 on *Ficus* sp.—India.

†*—*lactucae-sativae* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 111, 1943 on *Lactuca sativa*.—Formosa. [In Japanese]. (*C. lactucae* Welles cited as a syn.).

†*—*lagerstroemiicola* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 112, 1943 on *Lagerstroemia subcostata*.—Formosa. [In Japanese].

—*lettsoniae* Thirumalachar & Chupp in *Mycologia*, xl, p. 356, 1948 on *Lettsonia elliptica*.—India.

—*lingi* Tai in *Lloydia*, xi, p. 49, 1948 on *Oenothera*.—Szechuan, China.

†*—*liquidambaris* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 112, 1943 on *Liquidambar formosana*.—Formosa. [In Japanese]. [See also *C. liquidambaris* Cooke & Ellis].

†*—*machili* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 113, 1943 on *Machilus kusanoi*.—Formosa. [In Japanese].

†*—*myriactidis* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 117, 1943 on *Myriactis longipedunculata*.—Formosa. [In Japanese].

—*mysorensis* Thirumalachar & Chupp in *Mycologia*, xl, p. 357, 1948 on *Pouzolzia benettiana*.—India.

†*—*odoratissimi* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 110, 1943 on *Jasminum odoratissimum*.—Formosa. [In Japanese].

—*panacis* Thirumalachar & Chupp in *Mycologia*, xl, p. 358, 1948 on *Panax fruticosum*.—India.

—*paramignya* Thirumalachar & Chupp in *Mycologia*, xl, p. 358, 1948 on *Paramignya* sp.—India.

—*petila* Thirumalachar & Chupp in *Mycologia*, xl, p. 359, 1948 on *Euphorbia pulcherrima*.—India.

*—*phyllanthi* Sawada in *Trans. nat. Hist. Soc. Taiwan*, xxxiii, p. 30, 1943 [also in *Rep. Govt*

† See footnote on p. 237.

- Res. Inst. Formosa* 85, p. 118, 1943] on *Phyllanthus niruri*.—Formosa. [In Japanese]. [See also *C. phyllanthi* Chupp, 1931].
- pileae* Tai in *Lloydia*, xi, p. 51, 1948 on *Pilea*.—Szechuan, China.
- †*—*plagiogyriae* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 119, 1943 on *Plagiogyria euphlebia*.—Formosa. [In Japanese].
- †*—*polygoni* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 119, 1943 on *Polygonum hydropiper*.—Formosa. [In Japanese].
- premnae* E. Castellani in *Nuovo G. bot. ital.*, N.S., liv, p. 783, 1947 on *Premna schimperii*.—Italy.
- *—*pruni-yedoensis* Sawada in *Trans. nat. Hist. Soc. Taiwan*, xxxiii, p. 32, 1943 [also in *Rep. Govt Res. Inst. Formosa* 85, p. 120, 1943] on *Prunus yedoensis*.—Formosa. [In Japanese].
- †*—*sapii-sebiferi* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 121, 1943 on *Sapium sebiferum*.—Formosa. [In Japanese].
- sapindicola* Tai in *Lloydia*, xi, p. 52, 1948 on *Sapindus mukorasis*.—Szechuan, China.
- shoreae* Thirumalachar & Chupp in *Mycologia*, xl, p. 360, 1948 on *Shorea talura*.—India.
- sororiae* Tehon in *Mycologia*, xl, p. 323, 1948 on *Viola sororia*.—Illinois, U.S.A.
- †*—*symploci* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 122, 1943 on *Symplocos crataegoides* var. *chinensis*.—Formosa. [In Japanese].
- szechuanensis* Tai in *Lloydia*, xi, p. 54, 1948 on *Pisum sativum*.—Szechuan, China.
- †*—*taihokuensis* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 123, 1943 on *Glochidion hongkongense*.—Formosa. [In Japanese].
- unamunoi* E. Castellani nom. nov. (as '(Unam.) nobis') in *Riv. Agric. sub trop.*, xlii, p. 27, 1948. (Syn. *Cercospora capsici* Unam., non Heald & Wolf).
- viburnicola* Tai in *Lloydia*, xi, p. 54, 1948 on *Viburnum cylindricum*.—Yunnan, China. [See also *C. viburnicola* Ray, 1941, this *Index*, p. 66].
- †*—*violae-kiusianae* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 126, 1943 on *Viola kiusiana*.—Formosa. [In Japanese].
- waltheriae* Thirumalachar & Chupp in *Mycologia*, xl, p. 361, 1948 on *Waltheria indica*.—India.
- wrightiae* Thirumalachar & Chupp in *Mycologia*, xl, p. 362, 1948 on *Wrightia tinctoria*.—India.
- †*—*Cercospora boehmeriae* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 90, 1943 on *Boehmeria frutescens* var. *concolor*.—Formosa. [In Japanese].
- indigoferae* Hansford. (This *Index*, p. 204). See also *C. indigoferae* Miura, *Fl. Manchuria*, iii, p. 500, 1928.
- †*—*Cerebella ischaemicola* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 128, 1943 on *Ischaemum timorense*.—Formosa. [In Japanese].
- Chaconia baphiae* (Cumm.) Thirumalachar & Cummins in *Mycologia*, xl, p. 421, 1948. (Syn. *Ypsilospora baphiae* Cumm.).
- Chaetomium erectum* Skolko & Groves in *Canad. J. Res.*, xxvi, p. 277, 1948 on germinating seeds of *Petroselinum hortense*.—Canada.
- reflexum* Skolko & Groves in *Canad. J. Res.*, xxvi, p. 279, 1948 on germinating seeds of *Capsicum annuum*.—Canada.
- Chaetothyrium mysorensis* Hansford & Thirumalachar in *Farlowia*, iii, p. 301, 1948 on *Salacia* sp.—India.
- Chlorophyllum molybdites* (Mey.) Massee var. *luteolosperra* Sing. in *Pap. Mich. Acad. Sci.*, xxxii, p. 139, 1946.—Florida, U.S.A.
- Chytridium rhizophydii* Karling in *Mycologia*, xl, p. 333, 1948 on *Rhizophydium nodulosum*.—New York, U.S.A.
- Cibarocoryne* [*Cibalocoryne*?] *affinis* (Durand) Imai in *Bot. Mag., Tokyo*, lvi, p. 526, 1942. (Syn. *Geoglossum affine* Durand).
- barlae* (Boud.) Imai in *Bot. Mag., Tokyo*, lvi, p. 526, 1942. (Syn. *Geoglossum barlae* Boud.).
- bogoriensis* (P. Henn. & Nym.) Imai in *Bot. Mag., Tokyo*, lvi, p. 526, 1942. (Syn. *Geoglossum bogoriense* P. Henn. & Nym.).
- glutinosa* (Pers. ex Fr.) Imai in *Bot. Mag., Tokyo*, lvi, p. 525, 1942. (Syn. *Geoglossum glutinosum* Pers. ex Fr.).
- peckiana* (Cooke) Imai in *Bot. Mag., Tokyo*, lvi, p. 525, 1942. (Syn. *Geoglossum peckianum* Cooke).
- †*—*Cladosporium araliae* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 91, 1943 on *Aralia decaisneana*.—Formosa. [In Japanese].
- †*—*caesalpiniae* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 91, 1943 on *Caesalpinia nuga*.—Formosa. [In Japanese].
- †*—*daphniphylli* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 91, 1943 on *Daphniphyllum glaucescens*.—Formosa. [In Japanese].
- †*—*lactucae* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 92, 1943 on *Lactuca indica*.—Formosa. [In Japanese].
- †*—*tectonae* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 92, 1943 on *Tectona grandis*.—Formosa. [In Japanese].
- versicolor* Bond. (This *Index*, p. 204). See also *C. versicolor* Dangeard in *Le Botaniste*, xxii, p. 455, 1931.
- Claviceps litoralis* Kawatani in *Bot. Mag., Tokyo*, lix, p. 90, 1946 on *Elymus mollis*.—Japan.
- Clitocybe mundula* (Lasch) Pearson & Dennis in *Trans. Brit. mycol. Soc.*, xxxi, p. 153, 1948. [Syn. *Agaricus mundulus* Lasch].
- straminea* Métrod. (This *Index*, p. 205). See also *C. straminea* Cleland in *Trans. & Proc. R. Soc. S. Australia*, lv, p. 154, 1931.
- Coleopuccinia kunmingensis* Tai in *Acta agriculturae*, i, p. 97, 1948 on *Cotoneaster franchetii*.—Yunnan, China.
- Colletotrichum anthurii* (Allesch.) Neergaard. (This *Index*, p. 205). See also *C. anthurii* Delacroix in *Bull. Soc. Myc. Fr.*, xiii, p. 110, 1897.
- †*—*artabotrydis* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 81, 1943 on *Artabotrys uncinata*.—Formosa. [In Japanese].
- consociatum* Lindquist in *Notas del Museo de La Plata*, xiii, p. 40, 1948 on *Solidago chilensis*.—Argentina.
- †*—*hydrangeae* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 82, 1943 on *Hydrangea chinensis*.—Formosa. [In Japanese].

† See footnote on p. 237.

- †*—*pachyrrhizi* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 82, 1943 on *Pachyrrhizus erosus*.—Formosa. [In Japanese].
- †*—*plantaginis* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 83, 1943 on *Plantago sawadai*.—Formosa. [In Japanese].
- **Coprinus neglectus* Reijnders in *Rec. Trav. bot. néerland.*, xli, p. 293, 1948. A nomen provisorium for *C. miser* Auct.
- Coriolus azureus* (Fries) Cunningham in *D.S.I.R. New Zealand, Plant Dis. Div. Bull.* 75, p. 7, 1948. (Syn. *Polystictus azureus* Fr.).
- cinnabarinus* (Jacq. ex Fr.) Cunningham in *D.S.I.R. New Zealand, Plant Dis. Div. Bull.* 75, p. 8, 1948. (Syn. *Polyporus cinnabarinus* Fr.).
- **Corticium dealbans* Tunstall & Sarmah in *Memor. Tocklai exp. Sta. Indian Tea Ass.* 16, p. 76, 1947 on *Camellia sinensis*.—India.
- definitum* Jackson in *Canad. J. Res.*, xxvi, p. 149, 1948 on coniferous wood.—Ontario, Canada.
- delectabile* Jackson in *Canad. J. Res.*, xxvi, p. 145, 1948 on deciduous wood.—Ontario, Canada.
- electum* Jackson in *Canad. J. Res.*, xxvi, p. 146, 1948 on wood of *Pinus* sp.—Ontario, Canada.
- eximum* Jackson in *Canad. J. Res.*, xxvi, p. 152, 1948 on bark of *Pinus strobus*.—Ontario, Canada.
- invisitatum* Jackson in *Canad. J. Res.*, xxvi, p. 155, 1948 on debris.—Ontario, Canada.
- notabile* Jackson in *Canad. J. Res.*, xxvi, p. 156, 1948 on wood of *Picea mariana*.—Ontario, Canada.
- praestans* Jackson in *Canad. J. Res.*, xxvi, p. 148, 1948 on bark.—Ontario, Canada.
- probatum* Jackson in *Canad. J. Res.*, xxvi, p. 155, 1948 on decayed coniferous wood.—Ontario, Canada.
- reconditum* Jackson in *Canad. J. Res.*, xxvi, p. 154, 1948 on bark of *Pinus strobus*.—Ontario, Canada.
- Cortinarius kauffmanianus* Henry. (This *Index*, p. 205). See also *C. kauffmanianus* A. H. Smith in *Pap. Mich. Acad. Sci.* xvii, p. 163, 1933.
- striatulus* Henry. (This *Index*, p. 206). See also *C. striatulus* Cleland in *Trans. & Proc. R. Soc. S. Australia*, lii, p. 221, 1928.
- Cudonia spathulata* Imai in *Bot. Mag., Tokyo*, lvi, p. 524, 1942.—Japan.
- Cylindrosporium castaneae* (Lév.) Krenner in *Bot. Közl.*, xli, p. 126, 1944. (Syn. *Septoria castaneae* Lév.).
- Cystoderma amianthina* var. *longispora* (Kühner) Locquin in *Bull. Soc. linn. Lyon*, xiv, p. 94, 1945. [Syn. *Lepiota amianthina* var. *longispora* Kühner].
- paradoxum* Smith & Singer in *Mycologia*, xl, p. 454, 1948.—Oregon, U.S.A.
- subpurpureum* Smith & Singer in *Mycologia*, xl, p. 457, 1948.—Oregon, U.S.A.
- Dacrymyces abietinus* var. *triseptata* Olive in *Mycologia*, xl, p. 598, 1948 on dead pine.—Louisiana, U.S.A.
- Dasyscypha capitata* (Peck) Kanouse. (This *Index*, p. 227). See also *D. capitata* (Peck) Le Gal in *Rev. Mycol.*, iv, p. 29, 1939.
- †**Dendrographium bambusae* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 129, 1943 on *Bambusa oldhami*.—Formosa. [In Japanese].
- Desmella berberidis* (Lagerh.) Thirumalachar & Cummins in *Mycologia*, xl, p. 420, 1948. (Syn. *Sphenospora berberidis* Lagerh.).
- quitensis* (Lagerh.) Thirumalachar & Cummins in *Mycologia*, xl, p. 420, 1948. (Syn. *Uropyxis quitensis* Lagerh.).
- teneila* (Jacks. & Holw.) Thirumalachar & Cummins in *Mycologia*, xl, p. 420, 1948. (Syn. *Edythea teneila* Jacks. & Holw.).
- Dictyonella alangii* Hansford & Thirumalachar in *Farlowia*, iii, p. 285, 1948 on *Alangium begoniifolium*.—India.
- Dimeriella salaciae* Hansford & Thirumalachar in *Farlowia*, iii, p. 300, 1948 on *Salacia* sp.—India.
- Diplodia buddleiae* C. Moreau in *Rev. Mycologie*, N.S., xi, p. 43, 1946 on *Buddleia lindleyana* and *B. thyrsoides*.—France. (Correction of entry in this *Index*, p. 182).
- rhinanthi* Guyot. (This *Index*, p. 206). See also *D. rhinanthi* Hollos in *Math. Term. Köstem.*, xxxv, p. 25, 1926.
- Dothidea azmatii* Chowdhury in *Indian J. agric. Sci.*, xvi, p. 521, 1946 on *Setaria palmifolia*.—India.
- Dothiorella pedrosensis* (Bub. & Frag.) Petrak. (This *Index*, p. 227). See also *D. pedrosensis* (Bub. & Frag.) Petr. in *Beih. Repert. Spec. Nov. Fedde*, xlii, p. 253, 1927.
- Eccilia nivea* Velenovsky. (This *Index*, p. 182). See also *E. nivea* Rick in *Lilloa*, iii, p. 439, 1938.
- straminipes* (Mass.) Pearson & Dennis in *Trans. Brit. mycol. Soc.*, xxxi, p. 171, 1948. (Syn. *Agaricus straminipes* Masse).
- Englerodonthis grovei* (Sacc.) E. Castellani in *Nuovo G. bot. ital.*, N.S., lv, p. 66, 1948. (Syn. *Phaeodothis grovei* Sacc.).
- Eriomyces chinensis* Hansford in *Farlowia*, iii, p. 280, 1948 on *Asterina linderae*.—China.
- Erysiphe alhagii* Bremer. (This *Index*, p. 207). See also *E. alhagi* Sorok. in *Rev. Mycol.*, xi, p. 147, 1889.
- Fomes robustus* var. *taxodii* Baxter in *Pap. Mich. Acad. Sci.*, xxxii, p. 193, 1946 on *Taxodium distichum*.—Georgia, U.S.A.
- Fomitopsis cuneata* (Lloyd) Cunningham in *D.S.I.R. New Zealand, Plant Dis. Div. Bull.* 76, p. 4, 1948. (Syn. *Fomes cuneatus* Lloyd).
- hemitephra* (Berk.) Cunningham in *D.S.I.R. New Zealand, Plant Dis. Div. Bull.* 76, p. 2, 1948. (Syn. *Polyporus hemitephrus* Berk.).
- ochroleuca* (Berk.) Cunningham in *D.S.I.R. New Zealand, Plant Dis. Div. Bull.* 76, p. 5, 1948. (Syn. *Polyporus ochroleucus* Berk.).
- scutellata* (Schw.) Cunningham in *D.S.I.R. New Zealand, Plant Dis. Div. Bull.* 76, p. 6, 1948. (Syn. *Polyporus scutellatus* Schw.). See also *F. scutellata* (Schw.) Bondarzew & Singer in *Ann. mycol. Berl.*, xxxix, p. 55, 1941.
- Fusarium orthoceras* App. & Wr. var. *lathyri* Bhide & Uppal in *Phytopathology*, xxxviii, p. 565, 1948 on *Lathyrus sativus*.—India.

† See footnote on p. 237.

- *oxysporum* f. *fabae* Yu & Fang in *Phytopathology*, xxxviii, p. 590, 1948 on *Vicia faba*.—China.
- *xylarioides* Steyaert in *Bull. Soc. Bot. Belg.*, lxxx, II^e Sér. xxx, p. 42, 1948 on *Coffea excelsa*.—Belgian Congo.
- †* *Fusicladium alopecuri* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 93, 1943 on *Alopecurus geniculatus*.—Formosa. [In Japanese].
- Galactinia pseudosuccosa* Le Gal f. *macrospora* Le Gal in *Rev. de Mycologie*, x, p. 95, 1945.—Madagascar.
- Galerina hypnorum* (Schränk ex Fr.) Kühner var. *evelata* Sing. in *Pap. Mich. Acad. Sci.*, xxxii, p. 146, 1946.—New Hampshire, U.S.A.
- Geaster pluriosteus* Long & Stouffer in *Mycologia*, xl, p. 553, 1948.—New Mexico, U.S.A.
- *xylogenus* Long & Stouffer in *Mycologia*, xl, p. 563, 1948 on rotting log of *Pinus ponderosa*.—New Mexico, U.S.A.
- Gliocladium aureum* Rader in *Phytopathology*, xxxviii, p. 450, 1948 on *Daucus carota*.—New York, U.S.A.
- †* *Gloeosporium passifloricolum* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 79, 1943 on *Passiflora quadrangularis*.—Formosa. [In Japanese].
- †*— *rotundimaculatum* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 80, 1943 on *Citrus poonensis*.—Formosa. [In Japanese].
- †*— *siameae* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 80, 1943 on *Cassia siamea*.—Formosa. [In Japanese].
- * *Glomerella major* Tunstall & Sarmah in *Memor. Tocklai exp. Sta. Indian Tea Ass.* 16, p. 73, 1947 on *Camellia sinensis*. [But see *G. major* Tunstall in *Trans. Brit. mycol. Soc.*, xix, p. 332, 1935.]
- Gomphidius leptocystis* Singer in *Pap. Mich. Acad. Sci.*, xxxii, p. 148, 1946.—B.C., Canada.
- *ochraceus* Kauffm. ssp. *muscigenus* Singer in *Pap. Mich. Acad. Sci.*, xxxii, p. 149, 1946.—North America.
- *septentrionalis* Singer in *Pap. Mich. Acad. Sci.*, xxxii, p. 149, 1946.—N.E. North America.
- *smithii* Singer in *Pap. Mich. Acad. Sci.*, xxxii, p. 150, 1946.—Oregon, U.S.A.
- *smithii* var. *xanthobasis* Singer in *Pap. Mich. Acad. Sci.*, xxxii, p. 150, 1946.—Mass., U.S.A.
- *subroseus* Kauffm. var. *homobasis* Singer in *Pap. Mich. Acad. Sci.*, xxxii, p. 150, 1946.—[? Michigan, U.S.A.].
- *vinicolor* Peck ssp. *californicus* Singer in *Pap. Mich. Acad. Sci.*, xxxii, p. 149, 1946.—[California, U.S.A.].
- Guignardia ilicis-formosanae* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 30, 1943 on *Ilex formosana*.—Formosa. [In Japanese].
- *nilagiriaca* Ramakrishnan, T. S. & Ramakrishnan, K. in *Proc. Indian Acad. Sci.*, Sect. B, xxviii, p. 56, 1948 on a Papilionaceous plant.—India.
- †*— *pruni-persicae* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 31, 1943 on *Prunus persica*.—Formosa. [In Japanese].
- †*— *rubi* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 31, 1943 on *Rubus nagasawanus*.—Formosa. [In Japanese].
- Hariotula capparidis* Hansford & Thirumalachar in *Farlowia*, iii, p. 301, 1948 on *Capparis sepiaria*.—India.
- *convolvuli* Hansford & Thirumalachar in *Farlowia*, iii, p. 302, 1948 on *Convolvulus* sp.—India.
- Helicogloea sebacinoidea* Olive in *Mycologia*, xl, p. 588, 1948 on dead *Quercus*.—Louisiana, U.S.A.
- †* *Helminthosporium arundinis* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 94, 1943 on *Arundo formosana*.—Formosa. [In Japanese].
- *biforme* Mason & Hughes apud Chesters in *Trans. Brit. mycol. Soc.*, xxx, p. 114, 1948 on rotten roots from soil.—England.
- *canephorae* Steyaert in *Bull. Soc. Bot. Belg.*, lxxx, II^e Sér. xxx, p. 37, 1948 on *Coffea canephora*.—Belgian Congo.
- *coronatum* Viégas. (This *Index*, p. 207). See also *H. coronatum* Berk. & Curt., *J. linn. Soc. Lond.*, x, p. 361, 1869.
- †*— *elephantopi* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 95, 1943 on *Elephantopus mollis*.—Formosa. [In Japanese].
- †*— *fimbristylidis* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 95, 1943 on *Fimbristylis annua*.—Formosa. [In Japanese].
- †*— *panici* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 96, 1943 on *Panicum plicatum*.—Formosa. [In Japanese]. [See also *H. panici* Stev., 1918].
- *portulacae* Rader in *Mycologia*, xl, p. 344, 1948 on *Portulaca oleracea*.—New York, U.S.A.
- Helotium firmum* Velenovsky. (This *Index*, p. 184). See also *H. firmum* (Pers.) Karst. in *Not. Sällsk. Faun. Fl. Fenn.*, viii, p. 206, 1866 (?).
- *ulmariae* Velenovsky. (This *Index*, p. 184). See also *H. ulmariae* Roum. in *Rev. Myc.*, iv, p. 102, 1882.
- Humaria albocincta* (Berk. & Curt.) Kanouse. (This *Index*, p. 228). See also *H. albocincta* (B. & C.) Rehm, *Ascom.*, no. 453, 1878; *Ber. Naturh. Ver. Augsburg*, xxvi, p. 110, 1881.
- *melaloma* (A. & S.) Kanouse. (This *Index*, p. 228). See also *H. melaloma* (A. & S.) Karst. in *Acta Soc. Faun. Fl. Fenn.*, ii, p. 120, 1885.
- *theleboloides* (Fr.) Kanouse. (This *Index*, p. 228). See also *H. theleboloides* (Fr.) Rehm, *Ascom.*, no. 604, 1881; *Hedwigia*, xxi, p. 66, 1882.
- Hydropus africanus* Singer in *Pap. Mich. Acad. Sci.*, xxxii, p. 127, 1946.—Liberia.
- Hygrophorus borealis* Peck f. *salmonaeus* Coker in *J. Elisha Mitchell sci. Soc.*, lxiv, p. 137, 1948.—North Carolina, U.S.A.
- *mycenoides* Velenovsky. (This *Index*, p. 185). See also *H. mycenoides* A. H. Smith & Hesler, this *Index*, p. 80.
- *obrusseus* Fr. f. *pusillus* Imai in *Bot. Mag., Tokyo*, lv, p. 446, 1941.—Japan.
- *pallidus* Velenovsky. (This *Index*, p. 185). See also *H. pallidus* Peck in *Bull. Torrey bot. Cl.*, xxix, p. 69, 1902.
- *purpureo-badius* Imai in *Bot. Mag., Tokyo*, lv, p. 447, 1941 as '*H. (Limacium) purpureo-badius*'.—Japan.
- *quietus* Kühner in *Ann. scient. Franche-Comté*, ii, p. 42, 1947 as '*H. (Hygrocybe) quietus*'.—France.
- *subvitellinus* Imai in *Bot. Mag., Tokyo*, lv, p. 448, 1941 as '*H. (Hygrocybe) subvitellinus*'.—Japan.

† See footnote on p. 237.

- Hymenostilbe australiensis* Mains nom. nov. in *Mycologia*, xl, p. 411, 1948. (Syn. *Stilbum formicarum* Cooke & Massee, non *H. formicarum* Petch).
- Inocybe pudica* Kuhnner in *Ann. scient. Franche-Comté*, ii, p. 42, 1947.—France.
- *subvaticosa* Imai in *Bot. Mag., Tokyo*, lv, p. 516, 1941.—Japan.
- Irene styriacola* Yamamoto var. *minor* Hansford in *Farlowia*, iii, p. 269, 1948 on *Styrax benzoin* sp.—China.
- Irenina buddleiae* Hansford in *Farlowia*, iii, p. 270, 1948 on *Buddleia* sp.—Kwangsi, China.
- (?) — *castanopsidis* Hansford in *Farlowia*, iii, p. 271, 1948 on *Castanopsis tibetana*.—China.
- *cheoi* Hansford in *Farlowia*, iii, p. 272, 1948 on *Ficus* sp.—China.
- *cyclobalanopsicola* Yamamoto in *Trans. nat. Hist. Soc. Formosa*, xxxi, p. 219, 1941. (Correction of entry in this *Index*, p. 208).
- *loniceræ* Hansford in *Farlowia*, iii, p. 272, 1948 on *Lonicera* sp.—China.
- *malloti* Hansford & Thirumalachar in *Farlowia*, iii, p. 289, 1948 on *Mallotus albus*.—India.
- *pothodis* Hansford & Thirumalachar in *Farlowia*, iii, p. 288, 1948 on *Pothos scandens*.—India.
- *quercina* Hansford in *Farlowia*, iii, p. 273, 1948 on *Quercus*.—China.
- *rosæ* Hansford in *Farlowia*, iii, p. 273, 1948 on *Rosa roxburghii*.—China.
- Irenopsis mysorensis* Hansford & Thirumalachar in *Farlowia*, iii, p. 287, 1948 on *Lasio-siphon ericocephalus*.—India.
- † *Kmetia ampelopsidis* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 126, 1943 on *Ampelopsis heterophylla* var. *hancei*.—Formosa. [In Japanese].
- * — *dioscoreæ* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 127, 1943 on *Dioscorea alata*.—Formosa. [In Japanese].
- † *Kordyana polliniæ* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 54, 1943 on *Pollinia japonica*.—Formosa. [In Japanese].
- Lachnea aurantia* Velenovsky. (This *Index*, p. 186). See also *L. aurantia* (Rodw.) Sacc. in *Syll. Fung.*, xxiv, p. 1176, 1928.
- Lachnum sphaerocephalum* (Wallr.) Nannf. (This *Index*, p. 208). See also *L. sphaerocephalum* (Wallr.) Rehm in *Ann. mycol., Berl.*, xi, p. 395, 1913.
- Lactarius avellaneus* (Murr.) Murrill. (This *Index*, p. 186). See also *L. avellaneus* Imai in *Bot. Mag., Tokyo*, xlix, p. 608, 1935.
- *lacunarum* (Romagn.) Lange. (The entry in this *Index*, p. 186 is antedated by that on p. 135).
- Laternea brasiliensis* (Fischer) Long & Stouffer in *Lloydia*, xi, p. 64, 1948. (Syn. *Clathrus brasiliensis* Fischer).
- Leccinum scabrum* (Bull. ex Fr.) S. F. Gray var. *chalybaeum* (Sing.) Murrill in *Lloydia*, xi, p. 26, 1948. (Syn. *Leccinum chalybaeum* Singer).
- Lepiota atro-vinosa* Imai in *Bot. Mag., Tokyo*, lv, p. 444, 1941.—Japan.
- *haematites* (B. & Br.) Pearson & Dennis in *Trans. Brit. mycol. Soc.*, xxxi, p. 149, 1948. [Syn. *Agaricus haematites* Berk. & Br.].
- *hetieriana* Locquin nom. nov. in *Bull. Soc. linn. Lyon*, xiv, p. 94, 1945. (For *L. hetieri* sensu Lange).
- *langei* Locquin nom. nov. in *Bull. Soc. linn. Lyon*, xiv, p. 95, 1945. (For *L. rufescens* sensu Lange).
- *pseudo-lilacea* Huysman in *Bull. Soc. linn. Lyon*, xvi, p. 183, 1947.—Holland.
- *rhodorrhiza* (Romagn. & Locq.) Locquin in *Bull. Soc. linn. Lyon*, xiv, p. 98, 1945. (Syn. *L. setulosa* var. *rhodorrhiza* Romagn. & Locq. in *op. cit.*, xiv, p. 23, 1945).
- Leptosphaeria canephora* Steyaert in *Bull. Soc. Bot. Belg.*, lxxx, II^e Sér. xxx, p. 22, 1948 on *Coffea canephora*.—Belgian Congo.
- *cavanillesii* de Urries in *An. Jard. bot. Madr.*, vi, pp. 337, 349, 1945 on *Lavandula* sp.—Spain.
- Leptostromella solani* Tehon in *Mycologia*, xl, p. 317, 1948 on stems of *Solanum carolinense*.—Illinois, U.S.A.
- Leptothyrium anthelmintici* Tehon in *Mycologia*, xl, p. 314, 1948 on dead stems of *Chenopodium ambrosioides anthelminticum*.—Illinois, U.S.A.
- *avenae* Tehon in *Mycologia*, xl, p. 315, 1948 on *Avena sativa*.—Illinois, U.S.A.
- *fimbriatum* Tehon in *Mycologia*, xl, p. 315, 1948 on leaves of *Smilax hispida*.—Illinois, U.S.A.
- Leucocoprinus affinis* (Velen.) Locquin in *Bull. Soc. linn. Lyon*, xiv, p. 51, 1945. (Syn. *Lepiota affinis* Velen.).
- *badhami* (Berk. & Br.) Locquin in *Bull. Soc. linn. Lyon*, xii, p. 15, 1943. (Syn. *Agaricus badhami* B. & Br.).
- *biornatus* (Berk. & Br.) Locquin in *Bull. Soc. linn. Lyon*, xiv, p. 92, 1945. (Syn. *Agaricus biornatus* B. & Br.).
- *brebissonii* (Godey) Locquin in *Bull. Soc. linn. Lyon*, xii, p. 41, 1943. [Syn. not cited].
- *brunnescens* (Peck) Locquin in *Bull. Soc. linn. Lyon*, xiv, p. 93, 1945. [Syn. not cited].
- *carneifolius* (Gill.) Locquin in *Bull. Soc. linn. Lyon*, xiv, p. 93, 1945. [Syn. not cited].
- *cinerascens* (Qué.) Locquin in *Bull. Soc. linn. Lyon*, xiv, p. 93, 1945. [Syn. not cited].
- *coccineo-basalis* (Locquin) Locquin in *Bull. Soc. linn. Lyon*, xiv, p. 92, 1945. (Syn. *L. mastoideus* ssp. *coccineo-basalis* Locq.).
- *cretaceus* (Bull. ex Fr.) Locquin in *Bull. Soc. linn. Lyon*, xiv, p. 93, 1945. [Syn. *Agaricus cretaceus* Bull. ex Fr.].
- *fuliginosus* (Barla) Locquin in *Bull. Soc. linn. Lyon*, xiv, p. 92, 1945. [Syn. not cited].
- *gueguenii* (Sacc.) Locquin in *Bull. Soc. linn. Lyon*, xii, p. 75, 1943. [Syn. not cited].
- *heterosporus* (Locquin) Locquin in *Bull. Soc. linn. Lyon*, xiv, p. 92, 1945. (Syn. *Lepiophyllum heterosporum* Locq.).
- *holosericeus* (Fr.) Locquin in *Bull. Soc. linn. Lyon*, xii, p. 95, 1943. (Syn. *Agaricus holosericeus* Fr.).
- *ianthinus* (Cooke) Locquin in *Bull. Soc. linn. Lyon*, xiv, p. 94, 1945. [Syn. not cited].
- *licmophora* (Rea) Locquin in *Bull. Soc. linn. Lyon*, xiv, p. 94, 1945. [Syn. not cited].
- *lilacino-granulosus* (Henn.) Locquin in *Bull. Soc. linn. Lyon*, xii, p. 95, 1943. [Syn. not cited].
- *luteus* (With.) Locquin in *Bull. Soc. linn. Lyon*, xii, p. 41, 1943. [Syn. not cited].
- * — *macrorhizus* Locquin in *Bull. Soc. linn. Lyon*, xii, p. 80, 1943.—France.

- mastoideus* (Fr.) Locquin in *Bull. Soc. linn. Lyon*, xiv, p. 46, 1945. (Syn. *Agaricus mastoideus* Fr.).
- maublancii* Locquin ? nom. nov. in *Bull. Soc. linn. Lyon*, xiv, p. 92, 1945. [Syn. not cited].
- meleagris* (Auct.) Locquin in *Bull. Soc. linn. Lyon*, xiv, p. 93, 1945. [Syn. *Lepiota meleagris* Auct.].
- olgae* (Velen.) Locquin in *Bull. Soc. linn. Lyon*, xiv, p. 92, 1945. [Syn. not cited].
- permixtus* (Barla) Locquin in *Bull. Soc. linn. Lyon*, xiv, p. 91, 1945. [Syn. *Lepiota permixta* Barla].
- prominens* (Fr.) Locquin in *Bull. Soc. linn. Lyon*, xiv, p. 92, 1945. (Syn. *Agaricus prominens* Fr.).
- pudicus* [(Bull. ex Fr.)] Locquin in *Bull. Soc. linn. Lyon*, xiv, p. 53, 1945. [Syn. *Agaricus pudicus* Bull. ex Fr.].
- puellaris* (Fr.) Locquin in *Bull. Soc. linn. Lyon*, xiv, p. 91, 1945. (Syn. *Agaricus puellaris* Fr.).
- rubescens* (Duf.) Locquin in *Bull. Soc. linn. Lyon*, xii, p. 42, 1943. [Syn. not cited].
- sublittoralis* (Kühner) Locquin in *Bull. Soc. linn. Lyon*, xiv, p. 93, 1945. [Syn. not cited].
- tenellus* (Boud.) Locquin in *Bull. Soc. linn. Lyon*, xii, p. 95, 1943. [Syn. not cited].
- LEUCOGLOSSUM** Imai in *Bot. Mag., Tokyo*, lvi, p. 524, 1942. Geoglossaceae.
- durandii* (Teng) Imai in *Bot. Mag., Tokyo*, lvi, p. 524, 1942. (Syn. *Trichoglossum durandii* Teng).
- MACROLEPIOTA** Singer in *Pap. Mich. Acad. Sci.*, xxxii, p. 141, 1946. Leucocoprineae.
- procera* (Scop. ex Fr.) Singer in *Pap. Mich. Acad. Sci.*, xxxii, p. 141, 1946. (Syn. *Lepiota procera* Auct.).
- †***Macrophoma magnoliae** Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 70, 1943 on *Magnolia pumila*.—Formosa. [In Japanese].
- sporoboli* Sprague in *Mycologia*, xl, p. 300, 1948 on dead leaves of *Sporobolus giganteus*.—Arizona, U.S.A.
- Macrosporium carthami** Săvulescu. (This *Index*, p. 188). See also *M. carthami* Rodigin. in *Ann. Saratov. Agr. Inst.*, i, p. 190, 1939.
- †*—*ricini* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 97, 1943 on *Ricinus communis*.—Formosa. [See also *M. ricini* Yoshii, 1929].
- Marasmiellus anthocephalus** (Sacc.) Singer in *Pap. Mich. Acad. Sci.*, xxxii, p. 130, 1946. (Syn. *Marasmius anthocephalus* Sacc.).
- caespitosus* (Pat.) Singer in *Pap. Mich. Acad. Sci.*, xxxii, p. 129, 1946. (Syn. *Clitocybe caespitosa* Pat.).
- nigripes* (Schw.) Singer in *Pap. Mich. Acad. Sci.*, xxxii, p. 130, 1946. (Syn. *Helomyces nigripes* (Schw.) Morgan).
- ramealis* (Bull. ex Fr.) Singer in *Pap. Mich. Acad. Sci.*, xxxii, p. 130, 1946. (Syn. *Marasmius ramealis* (Bull. ex Fr.) Fr.).
- rugulosus* (Berk. & Curt.) Singer in *Pap. Mich. Acad. Sci.*, xxxii, p. 130, 1946. (Syn. *Marasmius rugulosus* Berk. & Curt.).
- tricolor* (Alb. & Schw. ex Fr.) Singer in *Pap. Mich. Acad. Sci.*, xxxii, p. 128, 1946. (Syn. *Agaricus tricolor* A. & S. ex Fr.).
- tricolor* (Alb. & Schw. ex Fr.) Singer f. *americana* Singer in *Pap. Mich. Acad. Sci.*, xxxii, p. 128, 1946.—Mass., U.S.A.
- Marasmius acervatus** (Fr.) Pearson & Dennis in *Trans. Brit. mycol. Soc.*, xxxi, p. 158, 1948. (Syn. *Agaricus acervatus* Fr.). [See also *M. acervatus* (Fr.) Karst. in *Bidr. Finl. Nat. Folk*, xlviii, p. 103, 1889].
- cryptomeriae* Imai in *Bot. Mag., Tokyo*, lv, 658, p. 450, 1941 on fallen leaves of *Cryptomeria japonica*.—Japan.
- †***Marsonia rosae-laevigatae** Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 83, 1943 on *Rosa laevigata*.—Formosa. [In Japanese].
- Melampsora kiusiana** Hiratsuka f. in *Bot. Mag., Tokyo*, lvii, p. 281, 1943 on *Salix subopposita*.—Japan.
- Melanotus fumosifolius** (Murr.) Singer. (This *Index*, p. 229). See also *M. fumosifolius* (Murr.) Murr. in *Mycologia*, x, p. 16, 1918.
- Meliola actinodaphnes** Hansford in *Farlowia*, iii, p. 274, 1948 on *Actinodaphne* sp.—China.
- bangalorensis* Hansford & Thirumalachar in *Farlowia*, iii, p. 290, 1948 on *Ficus* sp.—India.
- brandisiae* Hansford in *Farlowia*, iii, p. 275, 1948 on *Brandisia* sp.—China.
- cansjeriae* Hansford & Thirumalachar in *Farlowia*, iii, p. 290, 1948 on *Cansjera rheedii*.—India.
- castanopsidis* Hansford in *Farlowia*, iii, p. 275, 1948 on *Castanopsis tibetana*.—China.
- cissampellicola* Hansford & Thirumalachar in *Farlowia*, iii, p. 291, 1948 on *Cissampelos convolvulacea*.—India.
- dichapetalii* Hansford & Thirumalachar in *Farlowia*, iii, p. 292, 1948 on *Dichapetalum gelonioides*.—India.
- elaeagni* Hansford & Thirumalachar in *Farlowia*, iii, p. 292, 1948 on *Elaeagnus latifolia*.—India.
- ficicola* Hansford & Thirumalachar in *Farlowia*, iii, p. 293, 1948 on *Ficus* sp.—India.
- gardneriae* Hansford & Thirumalachar in *Farlowia*, iii, p. 293, 1948 on *Gardneria* sp.—India.
- heyneae* (as 'heyniae') Hansford & Thirumalachar in *Farlowia*, iii, p. 294, 1948 on *Heynea trijuga*.—India.
- holarrhenae* (as 'holarrheniae') Hansford & Thirumalachar in *Farlowia*, iii, p. 294, 1948 on *Holarrhena antidysenterica*.—India.
- ichnocarpi* Hansford & Thirumalachar in *Farlowia*, iii, p. 295, 1948 on *Ichnocarpus frutescens*.—India.
- koelreuteriae* Hansford in *Farlowia*, iii, p. 276, 1948 on *Koelreuteria* sp.—China.
- kweichowensis* Hansford in *Farlowia*, iii, p. 277, 1948 on *Styrax benzoin*.—China.
- kydiae-calycinae* Hansford & Thirumalachar in *Farlowia*, iii, p. 296, 1948 on *Kydia calycina*.—India.
- ovatipoda* Hansford & Thirumalachar in *Farlowia*, iii, p. 297, 1948 on *Ficus* sp.—India.
- symplocicola* Yamamoto var. *chinensis* Hansford in *Farlowia*, iii, p. 277, 1948 on *Symplocos seichuenensis*.—China.
- tabernaemontanicola* Hansford & Thirumalachar in *Farlowia*, iii, p. 298, 1948 on *Tabernaemontana* sp.—India.
- toddalicola* Hansford var. *indica* Hansford & Thirumalachar in *Farlowia*, iii, p. 299, 1948 on *Toddalia asiatica*.—India.

† See footnote on p. 237.

- *zizyphi* Hansford & Thirumalachar in *Farlowia*, iii, p. 299, 1948 on *Zizyphus rugosa*.—India.
- Microglossum rickii* Imai in *Bot. Mag., Tokyo*, lvi, p. 523, 1942.—Japan.
- Microstoma protracta* (Fr.) Kanouse in *Mycologia*, xl, p. 486, 1948. (Syn. *Peziza protracta* Fr.).
- Milesina formosana* Hiratsuka f. & Hashioka in *Bot. Mag., Tokyo*, lv, p. 267, 1941 on *Diplazium kawakamii*.—Formosa.
- *morrisonensis* Hiratsuka f. in *Bot. Mag., Tokyo*, lvii, 279, 1943 on *Dryopteris paleacea*.—Japan.
- *niitakensis* Hiratsuka f. in *Bot. Mag., Tokyo*, lvii, 280, 1943 on *Peranema cyathoides*.—Japan.
- Mycena fragilis* Velenovsky. (This *Index*, p. 190). See also *M. fragilis* (Fr.) Murr. in *Mycologia*, iv, p. 73, 1912.
- *fuyoensis* Imai in *Bot. Mag., Tokyo*, lv, p. 448, 1941.—Japan.
- *paralactea* Imai in *Bot. Mag., Tokyo*, lv, p. 449, 1941.—Japan.
- *pseudovulgaris* Velenovsky. (This *Index*, p. 190). See also *M. pseudovulgaris* Kühner, *Genre Mycena*, p. 393, 1938.
- *umeae* Imai in *Bot. Mag., Tokyo*, lv, p. 450, 1941 on dead branches.—Japan.
- **Mycosphaerella entadae* Sawada in *Trans. nat. Hist. Soc. Formosa*, xxxii, p. 340, 1942 on *Entada phaseoloides*.—Formosa. [In Japanese].
- †*— *fici-wightianae* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 33, 1943 on *Ficus wightiana*.—Formosa. [In Japanese].
- *myricae* Sawada. (This *Index*, p. 212). See also *M. myricae* Miles in *Mycologia*, xviii, p. 165, 1926.
- Mycotorula chalmersi*, *M. krausi*, *M. mesanensis*, *M. pseudotropicalis*. (This *Index*, p. 212; see also p. 152).
- Myrothecium jollymannii* Preston in *Trans. Brit. mycol. Soc.*, xxxi, p. 272, 1948 on dried leaves of *Nicotiana tabacum*.—Nyasaland.
- *striatisporum* Preston in *Trans. Brit. mycol. Soc.*, xxxi, p. 275, 1948 from clay soil.—New Zealand.
- †**Napicladium musae* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 97, 1943 on *Musa cavendishi*.—Formosa. [In Japanese].
- Naucoria confragosa* (Fr.) Singer in *Pap. Mich. Acad. Sci.*, xxxii, p. 143, 1946. (Syn. *Pholiota confragosa* (Fr.) Karst.).
- Nectaromyces rattus* Negroni & Daglio in *An. Soc. cient. argent.*, cxliv, p. 489, 1947 in the spleen of a rat.—Argentina.
- Octomyxa brevillegniae* Pendergrass in *J. Elisha Mitchell sci. Soc.*, lxiv, p. 133, 1948 on *Brevilegnia linearis*.—South Carolina, U.S.A.
- Olpidium allomycetos* Karling in *Amer. J. Bot.*, xxxv, p. 508, 1948 on *Allomyces anomalous*.—Louisiana, U.S.A.
- *rhizophlyctidis* Sparrow in *Mycologia*, xl, p. 449, 1948 on *Rhizophlyctis*.—Marshall Islands.
- Omphalina oreades* Singer in *Pap. Mich. Acad. Sci.*, xxxii, p. 123, 1946.—New Hampshire, U.S.A.
- Omphalotus olearius* (DC. ex Fr.) Singer in *Pap. Mich. Acad. Sci.*, xxxii, p. 133, 1946. (Syn. *Agaricus olearius* DC.).
- †**Ophionectria globosa* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 24, 1943 on *Eurya japonica*.—Formosa. [In Japanese].
- Ormethodium fici* Tims & Olive in *Phytopathology*, xxxviii, p. 711, 1948 on *Ficus carica*.—Louisiana, U.S.A.
- †**ORTHOCHAETA* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 22, 1943.—Erysiphaceae. [In Japanese].
- †*— *acalyphae* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 23, 1943 on *Acalypha australis* var. *lanceolata*.—Formosa. [In Japanese].
- Pachybasium erectum* Steyaert in *Bull. Soc. Bot. Belg.*, lxxx, II^e Sér. xxx, p. 39, 1948 on *Elaeis guineensis*.—Belgian Congo.
- Papulospora stoveri* Warren in *Mycologia*, xl, p. 400, 1948 from soil; parasitic on *Rhizoctonia solani*.—Ohio, U.S.A.
- Parodiella gloeosporidia* Steyaert in *Bull. Soc. Bot. Belg.*, lxxx, II^e Sér. xxx, p. 23, 1948 on *Elaeis guineensis*.—Belgian Congo.
- Penicillium aculeatum* Raper & Fennell in *Mycologia*, xl, p. 535, 1948 on textiles.—Florida, U.S.A.
- *capsulatum* Raper & Fennell in *Mycologia*, xl, p. 528, 1948 on an optical instrument.—Panama Canal Zone.
- *diversum* Raper & Fennell in *Mycologia*, xl, p. 539, 1948 on mouldy leather.—Pennsylvania, U.S.A.
- *diversum* Raper & Fennell var. *aureum* Raper & Fennell in *Mycologia*, xl, p. 541, 1948.—U.S.A.
- *helicum* Raper & Fennell in *Mycologia*, xl, p. 515, 1948 from soil.—Sweden.
- *lpidosum* Raper & Fennell in *Mycologia*, xl, p. 524, 1948 on canned blueberries.—U.S.A.
- *lavendulum* Raper & Fennell in *Mycologia*, xl, p. 530, 1948.—Illinois, U.S.A.
- *levitum* Raper & Fennell in *Mycologia*, xl, p. 511, 1948 on modelling clay.—New York, U.S.A.
- *parvum* Raper & Fennell in *Mycologia*, xl, p. 508, 1948 from soil.—Nicaragua.
- *piceum* Raper & Fennell in *Mycologia*, xl, p. 533, 1948.—Source unknown.
- *rotundum* Raper & Fennell in *Mycologia*, xl, p. 518, 1948 on wood.—Panama.
- *striatum* Raper & Fennell in *Mycologia*, xl, p. 521, 1948 on canned blueberries.—? U.S.A.
- Peniophora compta* Jackson in *Canad. J. Res.*, Sect. C, xxvi, p. 138, 1948 on decayed coniferous wood.—Ontario, Canada.
- *cymosa* Rogers & Jackson in *Canad. J. Res.*, Sect. C, xxvi, p. 133, 1948 on coniferous wood.—Ontario, Canada.
- *hamata* Jackson in *Canad. J. Res.*, Sect. C, xxvi, p. 133, 1948 on coniferous wood.—Ontario, Canada.
- *inornata* Jackson & Rogers in *Canad. J. Res.*, Sect. C, xxvi, p. 139, 1948 on coniferous wood.—Ontario, Canada.
- *lauta* Jackson in *Canad. J. Res.*, Sect. C, xxvi, p. 129, 1948 on bark of *Thuja occidentalis*.—Ontario, Canada.
- *perexigua* Jackson in *Canad. J. Res.*, Sect. C, xxvi, p. 132, 1948 on bark of *Tsuga canadensis*.—Ontario, Canada.
- *proбата* Jackson in *Canad. J. Res.*, Sect. C, xxvi, p. 134, 1948 on wood of *Pinus*.—Ontario, Canada.

† See footnote on p. 237.

- pusilla* Jackson in *Canad. J. Res.*, Sect. C, xxvi, p. 137, 1948 on bark of *Tsuga canadensis*.—Quebec, Canada.
- ralla* Jackson in *Canad. J. Res.*, Sect. C, xxvi, p. 136, 1948 on bark and wood of *Abies balsamea*.—Ontario, Canada.
- Peronospora cortusae* Gäumann & Blumer in *Ber. schweiz. bot. Ges.*, lvii, p. 250, 1947 on *Cortusa matthioli*.—Switzerland.
- tozziae* Gäumann & Blumer in *Ber. schweiz. bot. Ges.*, lvii, p. 255, 1947 on *Tozzia alpina*.—Switzerland.
- **Pestalozzia aucoumeae* Moreau in *Rev. de Mycologie*, xiii, Supp. Colon. No. 1, p. 15, 1948 on *Aucoumea klaineana*.—Gabon.
- †*—*bischoffiae* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 84, 1943 on *Bischofia javanica*.—Formosa. [In Japanese].
- †*—*Phaeodothis ligustri* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 28, 1943 on *Ligustrum nokoensis*.—Formosa. [In Japanese].
- †*—*Phaeosphaerella melongenae* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 34, 1943 on *Solanum melongena*.—Formosa. [In Japanese].
- Pholiota maackiae* Singer in *Pap. Mich. Acad. Sci.*, xxxii, p. 142, 1946.—U.S.S.R.
- Pholiotina rugosa* (Peck) Singer in *Pap. Mich. Acad. Sci.*, xxxii, p. 148, 1946. (Syn. *Pholiota rugosa* Peck).
- Phoma dianthi* Lagière. (This *Index*, p. 192). See also *P. dianthi* Bubák in *Ann. mycol.*, Berl., xiii, p. 30, 1915.
- *—*hibisci-esculenti* Sawada in *Trans. nat. Hist. Soc. Taiwan*, xxxiii, p. 33, 1943 [and also in *Rep. Govt Res. Inst. Formosa* 85, p. 68, 1943] on *Hibiscus esculentus*.—Formosa. [In Japanese].
- smyrnii* J. Politis. (This *Index*, p. 213). See also *P. smyrnii* Da Camara in *Anais Inst. Sup. Agron.*, iii, p. 100, 1930.
- Phomopsis viterbensis* Camici in *Ann. Sper. agr.*, N.S., ii, p. 560, 1948 on *Castanea vesca*.—Italy.
- †*—*Phyllachora arthraxonis-hispidi* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 25, 1943 on *Arthraxon hispidus* var. *typicus*.—Formosa. [In Japanese].
- †*—*indocalami* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 25, 1943 on *Indocalamus nitakayamensis*.—Formosa. [In Japanese].
- †*—*miscanthi-japonici* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 26, 1943 on *Miscanthus japonicus*.—Formosa. [In Japanese].
- †*—*pachinensis* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 27, 1943 on *Bambusa pachinensis*.—Formosa. [In Japanese].
- †*—*Phyllosticta alpiniae-kelungensis* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 59, 1943 on *Alpinia kelungensis*.—Formosa. [In Japanese].
- †*—*araliae-cordatae* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 59, 1943 on *Aralia cordata*.—Formosa. [In Japanese].
- †*—*artemisiae-lactiflorae* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 60, 1943 on *Artemisia lactiflora*.—Formosa. [In Japanese].
- barleriae* da Costa & Mundkur in *Proc. nat. Inst. Sci. India*, xiv, p. 56, 1948 on *Barleria*.—India.
- bischoffiae* da Costa & Mundkur in *Proc. nat. Inst. Sci. India*, xiv, p. 56, 1948 on *Bischofia*.—India.
- butleri* da Costa & Mundkur nom. nov. in *Proc. nat. Inst. Sci. India*, xiv, p. 59, 1948. (Syn. *Phyllosticta hoyae* Diedicke, non Allescher).
- capparidis-heyneanae* da Costa & Mundkur in *Proc. nat. Inst. Sci. India*, xiv, p. 57, 1948 on *Capparis heyneana*.—India.
- †*—*caricaecola* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 60, 1943 on *Carica papaya*.—Formosa. [In Japanese].
- †*—*cryptotaeniae* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 61, 1943 on *Cryptotaenia canadensis*.—Formosa. [In Japanese].
- †*—*cymbidii* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 62, 1943 on *Cymbidium aloifolium*.—Formosa. [In Japanese].
- galegae* Maire. (This *Index*, p. 213). See also *P. galegae* Garbowski in *Bull. Soc. mycol. Fr.*, xxxix, p. 243, 1924.
- †*—*gordonii* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 62, 1943 on *Gordonia axillaris*.—Formosa. [In Japanese].
- †*—*kawakamii* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 63, 1943 on *Dioscorea alata*.—Formosa. [In Japanese].
- †*—*liquidambaricola* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 64, 1943 on *Liquidambar formosana*.—Formosa. [In Japanese].
- †*—*melongenae* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 65, 1943 on *Solanum melongena*.—Formosa. [In Japanese].
- moringicola* da Costa & Mundkur in *Proc. nat. Inst. Sci. India*, xiv, p. 60, 1948 on *Moringa*.—India.
- myroxyli* da Costa & Mundkur in *Proc. nat. Inst. Sci. India*, xiv, p. 60, 1948 on *Myroxylon tolniferum*.—India.
- †*—*papayicola* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 65, 1943 on *Carica papaya*.—Formosa. [In Japanese].
- †*—*rubi-adenotrichopodi* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 66, 1943 on *Rubus adenotrichopodus*.—Formosa. [In Japanese].
- sedgwickii* da Costa & Mundkur in *Proc. nat. Inst. Sci. India*, xiv, p. 61, 1948 on *Grewia tiliaefolia*.—India.
- †*—*siameae* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 66, 1943 on *Cassia siamea*.—Formosa. [In Japanese].
- †*—*thladianthae* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 67, 1943 on *Thladiantha formosana*.—Formosa. [In Japanese].
- †*—*yugokwa* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 67, 1943 on *Magnolia pumila*.—Formosa. [In Japanese].
- Pleurotus floridanus* Singer in *Pap. Mich. Acad. Sci.*, xxxii, p. 134, 1946.—Florida, U.S.A.
- Pluteus cervinus* (Schaeff.) Fr. var. *eximius* (W. G. Sm.) Pearson & Dennis in *Trans. Brit. mycol. Soc.*, xxxi, p. 169, 1948. [Syn. *Agaricus eximius* W. G. Sm.].
- cinereus* Quel. var. *venosus* Vacek in *Studia bot. Českoslov.*, ix, p. 47, 1948 on wood. —Czechoslovakia.
- Polycephalomyces paludosus* Mains in *Mycologia*, xl, p. 414, 1948 on a lepidopterous larva.—Michigan, U.S.A.
- ramosus* (Peck) Mains in *Mycologia*, xl, p. 414, 1948. (Syn. *Stilbum ramosum* Peck).

† See footnote on p. 237.

- Polyporus abietinus** Fr. f. *fuscoviolaceus* (Fr.) Baxter in *Pap. Mich. Acad. Sci.*, xxxii, p. 202, 1946 on coniferous wood. (Syn. *Irpez fuscoviolaceus* Fr.).
- **abietinus** f. *thelephoroides* Baxter in *Pap. Mich. Acad. Sci.*, xxxii, p. 203, 1946 on coniferous wood.—Washington, U.S.A.
- **oviformus** (Cunningham) Cunningham in *Bull. N.Z. Dep. sci. industr. Res. Pl. Dis. Div.*, 74, p. 34, 1948. (Syn. *Poria oviforma* Cunningham).
- **rosularis** Cunningham in *Bull. N.Z. Dep. sci. industr. Res. Pl. Dis. Div.*, 74, p. 36, 1948 on rotting logs of *Nothofagus*.—New Zealand.
- **rosulatus** Cunningham in *Bull. N.Z. Dep. sci. industr. Res. Pl. Dis. Div.*, 74, p. 36, 1948 on wood.—New Zealand.
- **sepium** (Berk.) Cunningham in *Bull. N.Z. Dep. sci. industr. Res. Pl. Dis. Div.*, 74, p. 33, 1948. (Syn. *Trametes sepium* Berk.).
- Poria diospyri** Baxter in *Pap. Mich. Acad. Sci.*, xxxii, p. 191, 1946 on *Diospyros virginiana*.—Oklahoma, U.S.A.
- **herbicola** Baxter in *Pap. Mich. Acad. Sci.*, xxxii, p. 190, 1946.—Michigan, U.S.A.
- **subserpens** (Murr.) Murrill. (This *Index*, p. 231). See also *P. subserpens* (Murr.) Weir in *Bull. U.S. Dept. Agric.* 1380, p. 91, 1926.
- Psathyra microspora** Velenovsky. (This *Index*, p. 193). See also *P. microspora* Imai in *Jour. Fac. Agr. Hokkaido Univ.*, xliii, p. 294, 1938.
- **solitaria** Velenovsky. (This *Index*, p. 193). See also *P. solitaria* Karst. in *Meddel. Soc. Faun. Fl. Fenn.*, xvi, p. 102, 1889.
- Psathyrella fibrillosa** (Pers. ex Fr.) Pearson & Dennis in *Trans. Brit. mycol. Soc.*, xxxi, p. 184, 1948. (Syn. *Agaricus fibrillosus* Pers. ex Fr.). [See also *P. fibrillosa* (Fr. ex Pers.) Maire in *Mem. Soc. Sci. Nat. Maroc.*, xlv, p. 113, 1938].
- **gordonii** (B. & Br.) Pearson & Dennis in *Trans. Brit. mycol. Soc.*, xxxi, p. 184, 1948. [Syn. *Agaricus gordonii* Berk. & Br.].
- **gossypina** (Bull. ex Fr.) Pearson & Dennis in *Trans. Brit. mycol. Soc.*, xxxi, p. 184, 1948. (Syn. *Agaricus gossypinus* Bull. ex Fr.).
- **nolitangere** (Fr.) Pearson & Dennis in *Trans. Brit. mycol. Soc.*, xxxi, p. 184, 1948. (Syn. *Agaricus nolitangere* Fr.).
- **pennata** (Fr.) Pearson & Dennis var. **annulata** (Pearson) Pearson & Dennis in *Trans. Brit. mycol. Soc.*, xxxi, p. 185, 1948. [Syn. *Psathyra pennata* var. *annulata* Pearson].
- Puccinia arisanensis** Hiratsuka f. & Hashioka nom. nov. in *Bot. Mag., Tokyo*, lv, p. 270, 1941. (Syn. *Uredo zehneriae* Thümen).
- **geraniophila** Lindquist in *Notas del Museo de La Plata*, xiii, p. 69, 1948 on *Geranium* sp.—Argentina.
- **graminis** Pers. f. **agropyri** Mehta & Prasada (as '(Pers.) Mehta & Prasada') in *Indian J. Agric. Sci.*, xvii, p. 149, 1948 on *Agropyron semicostatum* and *A. longearistatum*.—India.
- **hakodatensis** Hiratsuka f. in *Bot. Mag., Tokyo*, lvi, p. 379, 1942 on *Carex* sp.—Japan.
- **koeleriae** J. Politis. (This *Index*, p. 214). See also *P. koeleriae* Arthur in *Mycologia*, i, p. 247, 1909.
- **lupinicola** Gäumann in *Ber. schweiz. bot. Ges.* lvii, p. 247, 1947 on *Lupinus benthami*.—California, U.S.A.
- **sakamotoi** Hiratsuka f. & Yoshinaga in *Bot. Mag., Tokyo*, lvi, p. 377, 1942 on *Distylium racemosum*.—Japan.
- **smilacis-sieboldii** Hiratsuka f. in *Bot. Mag., Tokyo*, lvi, p. 377, 1942 on *Smilax sieboldii*.—Japan.
- **sphaeralceae** Gäumann in *Ber. schweiz. bot. Ges.*, lvii, p. 248, 1947 on *Sphaeralcea ambigua*.—California, U.S.A.
- **themedae** Hiratsuka f. nov. nom. in *Bot. Mag., Tokyo*, lvi, p. 379, 1942. (Syn. *Uredo themedae* Dietel).
- **thomasiana** Ramakrishnan, T. S. & Ramakrishnan, K. in *Proc. Indian Acad. Sci.*, Sect. B, xxviii, p. 60, 1948 on *Ocimum gratissimum*.—India.
- **tricholaenae** (Syd.) Ramakrishnan, T. S. & Ramakrishnan, K. in *Proc. Indian Acad. Sci.*, Sect. B, xxviii, p. 63, 1948. (Syn. *Diorchidium tricholaenae* Syd.).
- **tweediana** (Speg.) Ramakrishnan, T. S. & Ramakrishnan, K. in *Proc. Indian Acad. Sci.*, Sect. B, xxviii, p. 62, 1948. (Syn. *Aecidium tweedianum* Speg.).
- **wentii** Gäumann in *Ber. schweiz. bot. Ges.*, lvii, p. 246, 1947 on *Haplopappus acradeniis* var. *eremophilus*.—California, U.S.A.
- Pucciniastrum ishiuchii** Hiratsuka f. in *Bot. Mag., Tokyo*, lvii, p. 280, 1943 on *Deutzia scabra* var. *crenata*.—Japan.
- Pulveroboletus gentilis** (Quél.) Singer. (This *Index*, p. 194). See same comb. by Singer in *Fartlowia*, ii, p. 300, 1945.
- Pyrenochaeta elymi** Sprague in *Mycologia*, xl, p. 299, 1948 on dead leaf tips of *Elymus glaucus*.—Utah, U.S.A.
- **terrestris** (Hansen) Gorenz, Walker, & Larson in *Phytopathology*, xxxviii, p. 838, 1948. (Syn. *Phoma terrestris* Hansen).
- Pyrenophora lolii** Dovaston in *Trans. Brit. mycol. Soc.*, xxxi, p. 252, 1948 in culture from *Lolium italicum*.—Scotland.
- Pythium indicum** Balakrishnan in *Proc. Indian Acad. Sci.*, xxvii, Sect. B, p. 172, 1948 on *Hibiscus esculentus*.—India.
- **periplocum** Drechsler var. **coimbatorensis** Balakrishnan in *Proc. Indian Acad. Sci.*, Sect. B, xxviii, p. 31, 1948 in water.—India.
- †***Ramularia puerariae** Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 89, 1943 on *Pueraria thunbergiana*.—Formosa. [In Japanese].
- †*— **rumicis-crispi** Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 89, 1943 on *Rumex crispus*.—Formosa. [In Japanese].
- Resupinatus chilensis** Singer in *Pap. Mich. Acad. Sci.*, xxxii, p. 134, 1946.—Chile.
- Rhizoctonia carotae** Rader in *Phytopathology*, xxxviii, p. 444, 1948 on *Daucus carota*.—New York, U.S.A.
- Rhizophydium marshallense** Sparrow in *Mycologia*, xl, p. 450, 1948 on *Rhizophlyctis*.—Marshall Islands.
- **nodulosum** Karling in *Mycologia*, xl, p. 328, 1948 on dead human hair, &c.—New York, U.S.A.
- **planktonicum** Canter apud Canter & Lund in *New Phytol.*, xlvii, p. 259, 1948 on *Asterionella formosa*.—England.
- Rhodocybe truncata** (Fr.) Singer. (This *Index*, p. 194; see also p. 170).

† See footnote on p. 237.

- Rhodosticta coluteae* Bremer. (This *Index*, p. 231). See also *R. coluteae* Maire in *Bull. Soc. mycol. Fr.*, xlv, p. 240, 1930.
- Ripartites strigiceps* (Fr.) Singer. (This *Index*, p. 195). See also *R. strigiceps* (Fr.) Karst. in *Bidr. Finl. Nat. Folk*, xxxii, p. 478, 1879.
- Rostkovites brevipes* (Peck) Murrill in *Lloydia*, xi, p. 29, 1948. (Syn. *Boletus brevipes* Peck).
- Russula albonigroides* Singer in *Pap. Mich. Acad. Sci.*, xxxii, p. 109, 1946.—Liberia.
- anatina* Romagnesi. (This *Index*, p. 215). See also *Bull. Soc. mycol. Fr.*, lxi, p. 35, 1946.
- brasilensis* Singer in *Pap. Mich. Acad. Sci.*, xxxii, p. 108, 1946.—Brazil.
- heterophylla* Fr. var. *virginea* (Cooke & Massee) Pearson & Dennis in *Trans. Brit. mycol. Soc.*, xxxi, p. 166, 1948. [Syn. *Russula virginea* Cooke & Massee].
- hoehneltii* Singer in *Pap. Mich. Acad. Sci.*, xxxii, p. 110, 1946.—Java.
- liberensis* Singer in *Pap. Mich. Acad. Sci.*, xxxii, p. 112, 1946.—Liberia.
- patriotica* Murrill nom. nov. in *Mycologia*, xl, p. 635, 1948. (Syn. *Russula tricolor* Murr. [this *Index*, p. 155], non Heim).
- vinosa* Lindb. ssp. *occidentalis* Singer in *Pap. Mich. Acad. Sci.*, xxxii, p. 114, 1946.—Western U.S.A.
- Rutstroemia microspora* Kanouse. (This *Index*, p. 231). See also *R. microspora* Velenovsky, *Mon. Disc. Bohem.*, p. 232, 1934.
- Sarcosphaera ammophila* (Dur. & Mont.) Kirschstein. (This *Index*, p. 215). See also *S. ammophila* (Dur. & Lev.) Moesz in *Bot. Közlem.*, xi, p. 196, 1912; also this *Index*, p. 72.
- Schizostoma argentinense* (Speg.) Long in *Lloydia*, xi, p. 58, 1948. (Syn. *Tylostoma argentinense* Speg.).
- Scleromitrla brassicae* (Hammerl.) Imai in *Bot. Mag., Tokyo*, lvi, p. 525, 1942. (Syn. *Mitrla brassicae* Hammerl.).
- Sclerotinia spermophila* Noble in *Trans. Brit. mycol. Soc.*, xxx, p. 90, 1948 on seeds of white clover from New Zealand.
- Sclerotium bataticola* Taub. ssp. *intermedia* Reichert & Hellinger in *Palestine J. Bot.*, R. Ser., vi, p. 138, 1947 on cotton and tobacco.—Palestine.
- bataticola* Taub. ssp. *sesamica* Reichert & Hellinger in *Palestine J. Bot.*, R. Ser., vi, p. 138, 1947 on *Sesame*.—Palestine.
- bataticola* Taub. ssp. *typica* Reichert & Hellinger in *Palestine J. Bot.*, R. Ser., vi, p. 137, 1947 on bean, &c.—Palestine.
- †**Scolecotrichum musae* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 93, 1943 on *Musa cavendishii*.—Formosa. [In Japanese]. [See also *S. musae* Zimm., 1902].
- Sebacina variseptata* Olive in *Mycologia*, xl, p. 595, 1948 on wood.—Louisiana, U.S.A.
- †**Septoria crawfordiae* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 73, 1943 on *Crawfordia japonica*.—Formosa. [In Japanese].
- †*—*crepidis-japonicae* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 74, 1943 on *Crepis japonica*.—Formosa. [In Japanese].
- elymi* f. *elymina* (J. J. Davis) Sprague in *Mycologia*, xl, p. 304, 1948. (Syn. *S. bromi* var. *elymina* J. J. Davis).
- †*—*melongenae* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 74, 1943 on *Solanum melongena*.—Formosa. [In Japanese].
- †*—*modonia* Sacc. var. *brevispora* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 75, 1943 on *Sonchus arvensis*.—Formosa. [In Japanese].
- †*—*oenanthis-stoloniferae* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 75, 1943 on *Oenanthe stolonifera*.—Formosa. [In Japanese].
- †*—*peucedanicola* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 76, 1943 on *Peucedanum decursivum*.—Formosa. [In Japanese].
- †*—*pirina* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 76, 1943 on *Pyrus serotina*.—Formosa. [In Japanese].
- platycodontis* Petr. (This *Index*, p. 215). See also *S. platycodontis* Syd., *Ann. mycol., Berl.*, xi, p. 116, 1913.
- rajkoffii* Bubák ex Maire & Politis. (This *Index*, p. 215). See also *S. rajkoffii* Bub. & Moesz in *Magyar Bot. Lapok*, xxi, p. 10, 1923.
- †*—*xanthicola* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 77, 1943 on *Xanthium strumarium*.—Formosa. [In Japanese].
- Sordaria curvispora* Cain apud Cain & Groves in *Canad. J. Res.*, Sect. C, xxvi, p. 492, 1948 on seed of *Daucus carota* L. var. *sativa*.—California, U.S.A.
- inaequalis* Cain apud Cain & Groves in *Canad. J. Res.*, Sect. C, xxvi, p. 489, 1948 on seed of *Daucus carota* L. var. *sativa*.—Minnesota, U.S.A.
- †**Sphaceloma asteris* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 78, 1943 on *Aster subulatus*.—Formosa. [In Japanese].
- Sphaeropsis akebiae* C. Mireau. (This *Index*, p. 195). See also *S. akebiae* Dearn. in *Mycologia*, xvi, p. 161, 1924.
- Stagonospora sexseptata* (Trail) Guyot. (This *Index*, p. 216). See also *S. sexseptata* (Trail) Tehon in *Mycologia*, xxv, p. 248, 1933.
- Stephanotheca oleae* Hansford & Thirumalachar in *Farlowia*, iii, p. 303, 1948 on *Olea dioica*.—India.
- †**STEREOSORUS* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 45, 1943.—Ustilaginales. [In Japanese].
- †*—*monochoriae* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 45, 1943 on *Monochoria vaginata*.—Formosa. [In Japanese].
- Stictopateella iridis* Tehon in *Mycologia*, xl, p. 320, 1948 on leaves of *Iris shrevei*.—Illinois, U.S.A.
- Stilbum burmense* Mains in *Mycologia*, xl, p. 410, 1948 on a flying ant.—Burma.
- Suilellus austrinus* (Sing.) Murrill in *Lloydia*, xi, p. 29, 1948. (Syn. *Boletus austrinus* Singer).
- floridanus* (Sing.) Murrill in *Lloydia*, xi, p. 29, 1948. (Syn. *Boletus floridanus* (Sing.) Murr.).
- hypocarycinus* (Sing.) Murrill in *Lloydia*, xi, p. 29, 1948. (Syn. *Boletus hypocarycinus* Singer).
- subvelutipes* (Peck) Murrill in *Lloydia*, xi, p. 29, 1948. (Syn. *Boletus subvelutipes* Peck).
- weberi* (Sing.) Murrill in *Lloydia*, xi, p. 29, 1948. (Syn. *Boletus weberi* Singer).
- Suillus pseudogranulatus* (Murr.) Murrill in *Lloydia*, xi, p. 29, 1948. (Syn. *Boletus pseudo-granulatus* Murr.).

† See footnote on p. 237.

- *ruber* Singer & Sipe in *Pap. Mich. Acad. Sci.*, xxxii, p. 103, 1946.—Oregon, U.S.A.
- Teloconia kamtschatkae* (Anders.) Hiratsuka f. in *Bot. Mag., Tokyo*, lvii, p. 283, 1943. (Syn. *Puccinia kamtschatkae* Anderson).
- Termitomyces congolensis* (Beeli) Singer in *Pap. Mich. Acad. Sci.*, xxxii, p. 137, 1946. (Syn. *Lepiota congolensis* Beeli).
- Tomentella biennis* (Fr.) A. M. Rogers in *Mycologia*, xl, p. 634, 1948. (Syn. *Thelephora biennis* Fr.).
- **Torula acidophila* Owen & Mobley in *Food Res.*, xiii, p. 281, 1948 on wood.—Louisiana, U.S.A.
- Tremella rufobrunnea* Olive in *Mycologia*, xl, p. 591, 1948 on wood.—Louisiana, U.S.A.
- Tricholoma hybridum* Kuhner in *Ann. scient. Franche-Comté*, ii, p. 42, 1947.—France.
- *infumatum* (Bres.) Pearson & Dennis in *Trans. Brit. mycol. Soc.*, xxxi, p. 151, 1948. (Syn. *Collybia infumata* (Bres.) Rea).
- *orirubens* Quel. var. *guttatum* (Schaeff.) Pearson & Dennis in *Trans. Brit. mycol. Soc.*, xxxi, p. 151, 1948. [Syn. *Agaricus guttatus* Schaeff. ex Fr.].
- *pergamenum* (Cooke) Pearson & Dennis in *Trans. Brit. mycol. Soc.*, xxxi, p. 151, 1948. [Syn. *Agaricus pergamenum* Cooke].
- *sejunctum* (Sow.) Fr. var. *coryphaeum* (Fr.) Pearson & Dennis in *Trans. Brit. mycol. Soc.*, xxxi, p. 151, 1948. [Syn. *Agaricus coryphaeus* Fr.].
- Tubaria thermophila* Singer in *Pap. Mich. Acad. Sci.*, xxxii, p. 145, 1946.—Florida, U.S.A.
- Tylophilus pisciodorus* (Murr.) Murrill in *Lloydia*, xi, p. 29, 1948. (Syn. *Gyroporus pisciodorus* Murr.).
- *praeanisatus* (Murr.) Murrill in *Lloydia*, xi, p. 29, 1948. (Syn. *Gyroporus praeanisatus* Murr.).
- Uraecium nothopegiae* Ramakrishnan, T. S. & Ramakrishnan, K. in *Proc. Indian Acad. Sci.*, Sect. B, xxviii, p. 59, 1948 on *Nothopegia*.—India.
- Uredinopsis komagatakensis* Hiratsuka f. in *Bot. Mag., Tokyo*, lvii, 279, 1943 on *Athyrium yokoscense*.—Japan.
- Uredo dioscoreicola* Sawada. (This *Index*, p. 217). See also *U. dioscoreicola* Kern et al. in *Ann. mycol., Berl.*, xxxi, p. 24, 1933.
- *— *nephelii* Sawada in *Trans. nat. Hist. Soc. Taiwan*, xxxiii, p. 33, 1943 [also in *Rep. Govt Res. Inst. Formosa* 85, p. 53, 1943] on *Nephelium litchi*.—Formosa. [In Japanese].
- *polygalicola* (as '*polygalaeicola*') Hiratsuka f. nom. nov. in *Bot. Mag., Tokyo*, lvi, p. 379, 1942. (Syn. *Uredo polygalae* Dietel, non Kalchbr.).
- Uromyces acori* Ramakrishnan & Ranga-swami in *Curr. Sci.*, xvii, p. 241, 1948 on *Acorus calamus*.—India.
- *loculiformis* Ramakrishnan, T. S. & Ramakrishnan, K. in *Proc. Indian Acad. Sci.*, Sect. B, xxviii, p. 65, 1948 on *Chlorophytum attenuatum*.—India.
- *scirpi-maritimi* Hiratsuka f. & Yoshinaga in *Bot. Mag., Tokyo*, lvi, p. 376, 1942 on *Scirpus maritimus*.—Japan.
- *tessariae* (Speg.) Lindquist in *Notas Museo La Plata*, xiii, 58, p. 37, 1948. (Syn. *Uredo tessariae* Speg.).
- *wellingtonica* Ramakrishnan, T. S. & Ramakrishnan, K. in *Proc. Indian Acad. Sci.*, Sect. B, xxviii, p. 66, 1948 on *Sporobolus indicus*.—India.
- †**Ustilago eleocharidis* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 39, 1943 on *Eleocharis dulcis*.—Formosa. [In Japanese].
- *sporoboli-tremuli* Ramakrishnan, T. S. & Ramakrishnan, K. in *Proc. Indian Acad. Sci.*, Sect. B, xxviii, p. 58, 1948 on *Sporobolus tremulus*.—India.
- †**Vermicularia nigronitens* Sawada in *Rep. Govt Res. Inst. Formosa* 85, p. 70, 1943 on *Phyllostachys makinoi*.—Formosa. [In Japanese].
- Verticillium menisporoides* Petch in *Trans. Brit. mycol. Soc.*, xxxi, p. 299, 1948 on a dead spider.—Britain.
- Xanthoconium affine* (Peck) Singer. (This *Index*, p. 197). See also *X. affine* (Peck) Singer in *Mycologia*, xxxvi, p. 361, 1944.
- Xenosteles neolitseae* Ramakrishnan, T. S. & Ramakrishnan, K. (This *Index*, p. 197). See also *X. neolitseae* Teng, this *Index*, p. 48.
- *takakumensis* Hiratsuka f. in *Bot. Mag., Tokyo*, lvi, p. 376, 1942 on *Fiwa longifolia*.—Japan.
- Xerocomus indicus* Singer in *Pap. Mich. Acad. Sci.*, xxxii, p. 104, 1946.—India.

† See footnote on p. 237.

HOST INDEX

For Phanerogams see under families; for Algae, Fungi, and Pteridophyta see under those names;
for animal hosts see under Insecta and Vertebrata.

ACANTHACEAE

- Barleria
 Phyllosticta barleriae
Justicia
 Cercospora justiciaecola
Justicia procumbens
 Cercospora justiciae

ALANGIACEAE

- Alangium begoniifolium
 Dictyonella alangii

ALGAE

- Asterionella formosa
 Rhizophidium planktonicum

AMARANTACEAE

- Achyranthes aspera
 Cercospora achyranthina
Gomphrena globosa
 Cercospora gomphrenae
Sesame
 Sclerotium bataticola ssp. *sesamica*

ANACARDIACEAE

- Mangifera indica
 Asterolibertia mangiferae
Nothopegia sp.
 Uraecium nothopegiae

ANONACEAE

- Artabotrys uncinata
 Colletotrichum artabotrydis

APOCYNACEAE

- Holarrhena antidysenterica
 Cercospora holarrhenae
 Meliola holarrhenae
Ichnocarpus frutescens
 Meliola ichnocarpi
Tabernaemontana
 Meliola tabernaemontanicola
Wrightia tinctoria
 Cercospora wrightiae

AQUIFOLIACEAE

- Ilex formosana
 Guignardia ilicis-formosanae
Ilex micrococca
 Cercospora ilicis-micrococcae

ARACEAE

- Acorus calamus
 Asperisporium acori
 Uromyces acori
Pothos scandens
 Irenina pothodis

ARALIACEAE

- Aralia cordata
 Phyllosticta araliae-cordatae
Aralia decaisneana
 Cladosporium araliae
Panax fruticosa
 Cercospora panacis

ARISTOLOCHACEAE

- Aristolochia indica
 Cercospora bangalorensis

BOMBACACEAE

- Waltheria indica
 Cercospora waltheriae

BURSERACEAE

- Aucoumea klaineana
 Pestalozzia aucoumeae

CAPPARIDACEAE

- Capparis heyneana
 Phyllosticta capparidis-heyneanae

CAPPARIDACEAE (continued)

- Capparis sepiaria
 Cercospora capparidicola
 Hariotula capparidis

CAPRIFOLIACEAE

- Lonicera
 Irenina loniceriae
Viburnum cylindricum
 Cercospora viburnicola

CARICACEAE

- Carica papaya
 Phyllosticta caricaecola
 Phyllosticta papayicola

CHENOPODIACEAE

- Chenopodium ambrosioides anthelminticum
 Leptothyrium anthelmintici

COMMELINACEAE

- Forrestia chinensis
 Cercospora forrestiae

COMPOSITAE

- Artemisia lactiflora
 Amastigis artemisiae
 Phyllosticta artemisiae
Aster subulatus
 Sphaceloma asteris
Bidens pilosa
 Cercospora bidentis-pilosae
Crepis japonica
 Septoria crepidis-japonicae
Dichrocephala latifolia
 Ascochyta dichrocephalae
Elephantopus mollis
 Helminthosporium elephantopi
Haplopappus acradenius var. *eremophilus*
 Puccinia wentii
Lactuca indica
 Cladosporium lactucae
Lactuca sativa
 Cercospora lactucae-sativae
Ligularia tussilaginea
 Ascochyta ligulariae
Myriactis longipedunculata
 Cercospora myriactidis
Solidago chilensis
 Colletotrichum consociatum
Sonchus arvensis
 Septoria modonia var. *brevispora*
Xanthium strumarium
 Septoria xanthiicola

CONVOLVULACEAE

- Convolvulus
 Hariotula convolvuli
Ipomoea indica
 Cercospora ipomoeae-indicae
Lettsomia elliptica
 Cercospora lettsomiae

CORIARIACEAE

- Coriaria sinica
 Cercospora coriariae

CUCURBITACEAE

- Thladiantha formosana
 Phyllosticta thladianthae

CYPERACEAE

- Carex
 Puccinia hakodatensis
Eleocharis dulcis
 Ustilago eleocharidis
Fimbristylis annua
 Helminthosporium fimbristylidis

CYPERACEAE (continued)

Scirpus maritimus
Uromyces scirpi-maritimi

DICHAPETALACEAE

Dichapetalum gelonioides
Asterina dichapetal
Meliola dichapetali

DIOSCOREACEAE

Dioscorea alata
Kmetia dioscoreae
Phyllosticta kawakamii
Dioscorea trifida
Brachysporium dioscoreae

DIPTEROCARPACEAE

Shorea talura
Cercospora shoreae

EBENACEAE

Diospyros eriantha
Cercospora diospyri-erianthae
Diospyros morrisiana
Cercospora diospyri-morrisianae
Diospyros virginiana
Poria diospyri

ELAEAGNACEAE

Elaeagnus latifolia
Meliola elaeagni

ELAEOCARPACEAE

Elaeocarpus munroi
Catacauma elaeocarp

EUPHORBIACEAE

Acalypha australis var. *lanceolata*
Orthochaeta acalyphe
Bischofia
Phyllosticta bischoffiae
Bischofia javanica
Pestalozzia bischoffiae
Daphniphyllum glaucescens
Cladosporium daphniphylli
Euphorbia pulcherrima
Cercospora petila
Glochidion hongkongense
Cercospora taihokuensis
Mallotus albus
Irenina malloti
Phyllanthus niruri
Cercospora phyllanthi
Ricinus communis
Macrosporium ricini
Sapium sebiferum
Cercospora sapii-sebiferi

FAGACEAE

Castanea vesca
Phomopsis viterbensis
Castanopsis tibetana
Irenina castanopsidis
Meliola castanopsidis
Quercus
Helicogloea sebacinoides
Irenina quercina

FUNGI

Allomyces anomalus
Olpidium allomycetos
Asterina linderiae
Eriomyopsis chinensis
Rhizophlyctis
Olpidium rhizophlyctidis
Rhizophydium marshallense
Rhizophydium nodulosum
Chytridium rhizophyidi

GENTIANACEAE

Crawfordia japonica
Septoria crawfordiae

GERANIACEAE

Geranium sp.
Puccinia geraniiphila

GRAMINEAE

Agropyron inerme
Ascochyta utahensis
Agropyron longearistatum
Puccinia graminis f. *agropyri*
Agropyron semicostatum
Puccinia graminis f. *agropyri*
Alopecurus geniculatus
Fusicladium alopecuri
Arthraxon hispidus var. *typicus*
Phyllachora arthraxonis-hispidi
Arundo formosana
Helminthosporium arundinis
Avena sativa
Leptothyrium avenae
Bambusa oldhami
Dendrographium bambusae
Bambusa pachinensis
Phyllachora pachinensis
Elymus glaucus
Pyrenochaeta elymi
Indocalamus niitakayamensis
Phyllachora indocalami
Ischaemum timorense
Cerebella ischaemicola
Miscanthus japonicus
Phyllachora miscanthi-japonici
Panicum plicatum
Helminthosporium panici
Phyllostachys makinoi
Vermicularia nigronitensis
Pollinia japonica
Kordyana polliniae
Setaria palmifolia
Dothidea azmati
Sporobolus giganteus
Macrophoma sporoboli
Sporobolus indicus
Uromyces wellingtonica
Sporobolus tremulus
Ustilago sporoboli-tremuli

HAMAMELIDACEAE

Distylium racemosum
Puccinia sakamotoi
Liquidambar formosana
Cercospora liquidambaris
Phyllosticta liquidambaricola

HIPPOCRATEACEAE

Salacia
Chaetothyrium mysorensis
Dimeriella salaciae

INSECTA

Ants
Stilbum burmense
Lepidoptera
Polycephalomycetes paludosus
Pelochares versicolor
Aporomyces szabó
Periplaneta americana
Torula acidophila

IRIDACEAE

Iris shrevei
Stictopatella iridis

LABIATAE

Lavandula
Leptosphaeria cavanillesii
Ocimum gratissimum
Puccinia thomasiana

LAURACEAE

- Actinodaphne
Meliola actinodaphnes
 Cinnamomum zeylanicum
Armatella cinnamomi
 Fiwa longifolia
Xenostele takakumensis
 Lindera

- Asterina linderae*
 Machilus kusanoi
Cercospora machili

LEGUMINOSAE

- Guignardia nilagiriaca*
 Caesalpinia nuga
Cladosporium caesalpiniae
 Cassia siamea
Gloeosporium siameae
Phyllosticta siameae
 Entada phaseoloides
Mycosphaerella entadae
 Glycine max
Cephalosporium gregatum
 Lathyrus sativus
Fusarium orthoceras
 Lupinus benthami
Puccinia lupinicola
 Mucuna capitata
Cercospora mucunae-capitatae
 Myroxylon tolnerum
Phyllosticta myrozyli
 Pachyrrhizus erosus
Colletotrichum pachyrrhizi
 Pisum sativum
Cercospora szechuanensis
 Pueraria thunbergiana
Ramularia puerariae
 Trifolium repens
Sclerotinia spermophila
 Vicia faba
Fusarium oxysporum f. fabae

LILIACEAE

- Chlorophytum attenuatum
Uromyces loculiformis
 Smilax hispida
Leptothyrium fimbriatum
 Smilax sieboldii
Puccinia smilacis-sieboldii

LOGANIACEAE

- Buddleia
Irenina buddleiae
 Buddleia lindleyana
Diplodina buddleiae
 Buddleia thyrsoides
Diplodina buddleiae
 Gardneria
Meliola gardneriae

LYTHRACEAE

- Lagerstroemia subcostata
Cercospora lagerstroemiicola

MAGNOLIACEAE

- Magnolia pumila
Macrophoma magnoliae
Phyllosticta yugokwa

MALVACEAE

- Gossypium
Sclerotium bataticola ssp. intermedia
 Hibiscus esculentus
Phoma hibisci-esculenti
Pythium indicum
 Kydia calycina
Meliola kydiae-calcinae
 Sphaeralcea ambigua
Puccinia sphaeralceae

MELIACEAE

- Heynea trijuga
Meliola heyneae

MENISPERMACEAE

- Cissampelos convolvulacea
Meliola cissampelicola

MORACEAE

- Ficus
Asterina mysorensis
Cercospora kallarensis
Irenina cheoi
Meliola bangalorensis
Meliola ficicola
Meliola ovatipoda
 Ficus carica
Cephalosporium fici
Ormathodium fici
 Ficus harlandi
Cercospora fici-harlandii
 Ficus septica
Cercospora fici-septicae
 Ficus wightiana
Mycosphaerella fici-wightianae

MORINGACEAE

- Moringa
Phyllosticta moringicola

MUSACEAE

- Musa cavendishi
Napicladium musae
Scolecotrichum musae

MYRICACEAE

- Myrica rubra
Mycosphaerella myricae

MYRTACEAE

- Decaspermum fruticosum
Paranthostomella decaspermii
 Eugenia javanica
Cercospora eugeniae

NYSSACEAE

- Camptotheca acuminata
Cercospora camptothecae

OLEACEAE

- Jasminum
Asterina jasmini
 Jasminum odoratissimum
Cercospora odoratissimi
 Ligustrum nokoensis
Phaeodothis ligustri
 Olea dioica
Stephanotheca oleae
 Osmanthus asiaticus
Cercospora osmanthi-asiatici

ONAGRACEAE

- Oenothera
Cercospora lingi

OPILIACEAE

- Cansjera rheedii
Asterina cansjericola
Meliola cansjeriae

ORCHIDACEAE

- Cymbidium aloifolium
Phyllosticta cymbidii

PALMAE

- Areca catechu
Phyllosticta catechu
 Elaeis guineensis
Cercospora elaeidis
Pachybasium erectum
Parodiella gloeosporidia

5892/174

153356

PASSIFLORACEAE

- Passiflora quadrangularis*
Gloeosporium passifloricolum

PINACEAE

- Cryptomeria japonica*
Marasmius cryptomeriae
Pinus ponderosa
Geaster zylogenus
Taxodium distichum
Fomes robustus taxodii
Thuja occidentalis
Peniophora lauta
Tsuga canadensis
Peniophora perezigua
Peniophora pusilla

PLANTAGINACEAE

- Plantago sawadai*
Colletotrichum plantaginis

POLYGONACEAE

- Polygonum hydropiper*
Cercospora polygoni
Rumex crispus
Ramularia rumicis-crispi

PONTEDERIACEAE

- Monochoria vaginata*
Stereosorus monochoriae

PORTULACACEAE

- Portulaca oleracea*
Helminthosporium portulacae

PRIMULACEAE

- Cortusa matthioli*
Peronospora cortusae

PTERIDOPHYTA

- Athyrium yokoscense*
Uredinopsis komagataensis
Diplazium kawakamii
Milesina formosana
Dryopteris paleacea
Milesina morrisonensis
Peranema cyatheoides
Milesina nitakensis
Plagiogyria euphlebia
Cercospora plagiogyriae

RHAMNACEAE

- Zizyphus jujuba*
Cercospora jujubae
Zizyphus rugosa
Meliola zizyphi

ROSACEAE

- Cotoneaster franchetii*
Coleopuccinia kunningensis
Eriobotrya japonica
Pestalozzia eriobotryae-japonicae
Prunus persica
Guignardia pruni-persicae
Prunus yedoensis
Cercospora pruni-yedoensis
Pyrus serotina
Septoria pirina
Rosa laevigata
Marsonia rosae-laevigatae
Rosa roxburghii
Irenina rosae
Rubus adenotrichopus
Phyllosticta rubi-adenotrichopodi
Rubus conduplicatus
Acrothecium rubi
Rubus nagasawanus
Guignardia rubi

RUBIACEAE

- Coffea canephora*
Helminthosporium canephorae
Leptosphaeria canephorae

RUBIACEAE (continued)

- Coffea excelsa*
Fusarium xylarioides
RUTACEAE
Citrus poonensis
Gloeosporium rotundimaculatum
Clausenia willdenowii
Cercospora clauseniae
Fagaria nitida
Cercospora fagaricola
Paramignya
Cercospora paramignyae
Toddalia asiatica
Meliola toddaliicola var. *indica*

SALICACEAE

- Salix subopposita*
Melampsora kiusiana

SAPINDACEAE

- Koelreuteria*
Meliola koelreuteriae
Nephelium litchi
Uredo nephelii
Sapindus mukorasis
Cercospora sapindicola

SAXIFRAGACEAE

- Deutzia scabra* var. *crenata*
Pucciniastrum ishiuchii
Hydrangea chinensis
Colletotrichum hydrangeae

SCROPHULARIACEAE

- Brandisia*
Asterina brandisiae
Meliola brandisiae
Tozzia alpina
Peronospora tozziae
SOLANACEAE
Capsicum annuum
Chaetomium reflexum
Lycium chinensis
Cercospora chengtuensis
Nicotiana
Sclerotium bataticola ssp. *intermedia*
Solanum carolinense
Leptostromella solani
Solanum melongena
Aschochyta melongenae
Phaeosphaerella melongenae
Phyllosticta melongenae
Septoria melongenae

STYRACACEAE

- Styrax benzoin*
Irene styracicola var. *minor*
Meliola kweichowensis

SYMPLOCACEAE

- Symplocos crataegoides* var. *chinensis*
Cercospora symploci
Symplocos setchuenensis
Meliola symplocicola var. *chinensis*

THEACEAE

- Camellia sinensis*
Corticium dealbans
Glomerella major
Eurya japonica
Ophionectria globosa
Gordonia axillaris
Phyllosticta gordoniiicola

THYMELAEACEAE

- Lasiosiphon ericocephalus*
Irenopsis mysorensis

TILIAEAE

- Grewia tiliaefolia*
Phyllosticta sedgwickii

ULMACEAE

- Celtis sinensis*
Cercospora celtidis

UMBELLIFERAE

- Cryptotaenia canadensis*
Phyllosticta cryptotaeniae
Daucus carota
Gliocladium aureum
Rhizoctonia carotae

- Daucus carota* var. *sativa*
Sordaria curvispora
Sordaria inaequalis

- Oenanthe stolonifera*
Septoria oenanthis-stoloniferae

- Petroselinum hortense*
Chaetomium erectum
Peucedanum decursivum
Septoria peucedanicola

URTICACEAE

- Boehmeria frutescens* var. *concolor*
Cercospora boehmeriae
Pilea
Cercospora pileae
Pouzolzia bennettiana
Cercospora mysorensis

VERBENACEAE

- Callicarpa formosana*
Cercospora callicarpicola
Premna schimperi
Cercospora premnae
Tectona grandis
Cladosporium tectonae

VERTEBRATA

- Rattus*
Nectaromyces rattus

VIOLACEAE

- Viola kiusiana*
Cercospora violae-kiusianae
Viola papilionacea
Cercospora difformis
Viola sororia
Cercospora sororiae

VITACEAE


- Ampelopsis heterophylla* var. *hancei*
Kmetia ampelopsidis
Leea macrophylla
Amazonia leae

ZINGIBERACEAE

- Alpinia kelungensis*
Phyllosticta alpiniae-kelungensis

The Editor again gratefully acknowledges the assistance of Dr. J. A. Stevenson and Miss Edith Cash, particularly for noting later homonyms, and of Dr. R. W. G. Dennis for supplying details of certain citations.

PRINTED IN
GREAT BRITAIN
AT THE
UNIVERSITY PRESS
OXFORD
BY
CHARLES BATEY
PRINTER
TO THE
UNIVERSITY



INDEX OF FUNGI

PUBLISHED SINCE THE BEGINNING OF 1940

Formerly issued as Supplements to the Review of Applied Mycology

VOL. I

PART 19

1949

- Acanthostigma glabrescens* Petrak in *Sydowia*, ii, p. 318, 1948 on a Discomycete.—Ecuador.
- Achlya intricata* Beneke in *J. Elisha Mitchell Sci. Soc.*, lxiv, p. 261, 1948 on *Crataegus* twigs in water.—Illinois, U.S.A.
- *sparrowii* Reischer in *Mycologia*, xli, p. 339, 1949 from soil.—New Jersey, U.S.A.
- Aecidium cissicola* Cantournet in *Bull. Soc. mycol. Fr.*, lxiv, p. 170, 1948 on *Cissus* sp.—Africa.
- *dorsteniae-walleri* Cantournet in *Bull. Soc. mycol. Fr.*, lxiv, p. 172, 1948 on *Dorstenia walleri*.—Africa.
- *ghesquierei* Hendrickx nom. nov. in *Publ. Inst. nat. Étude agron. Congo belge*, Sér. sci., xxxv, p. 7, 1948. (Syn. *A. solani* Beeli, 1923 non Mont., 1852).
- *le-testuanum* Cantournet in *Bull. Soc. mycol. Fr.*, lxiv, p. 174, 1948 on *Impatiens irvingi*.—Africa.
- *marsdeniae* T. S. & K. Ramakrishnan in *Proc. Indian Acad. Sci.*, Sect. B, xxix, p. 56, 1949 on *Marsdenia volubilis*.—Madras, India.
- Aleuria pectinospora* Svrček in *Studia bot. Czechoslov.*, ix, p. 136, 1948 on soil and dead *Picea excelsa*.—Czechoslovakia.
- Alnicola scolecina* (Fr.) Kühner var. *fellea* Favre in *Beitr. Kryptogamenfl. Schweiz*, x, 3, p. 214, 1948.—Switzerland.
- Amanita agglutinata* (Berk. & Curt.) Murr. in *Lloydia*, xi, p. 104, 1948. (Syn. *Agaricus agglutinator* Berk. & Curt.).
- *cokeriana* Singer nom. nov. in *Sydowia*, ii, p. 34, 1948. (Syn. *A. recutita* sensu Coker, non Fr.).
- *gemmata* (Fr.) Gill. var. *volvata* (Murr.) Murr. in *Lloydia*, xi, p. 104, 1948. (Syn. *Venenarius gemmatus* var. *volvatus* Murr.).
- *mairei* Foley in *Mém. Soc. Hist. nat. Afr. Nord, Hors-sér.*, ii, p. 118, 1949 under *Pinus halepensis*.—North Africa.
- *mappa* (Fr.) Murr. var. *tenuipes* (Murr.) Murr. in *Lloydia*, xi, p. 105, 1948. (Syn. *Venenarius mappa* var. *tenuipes* Murr.).
- *rubens* (Scop.) Murr. in *Lloydia*, xi, p. 104, 1948. (Syn. *Agaricus rubens* Scop.).
- *spretella* (Murr.) Murr. in *Lloydia*, xi, p. 105, 1948. (Syn. *Venenarius spretellus* Murr.).
- Ammauroderma fuscoporia* Wakefield apud Wakef. & Talbot in *Bothalia*, iv, p. 948, 1948.—South Africa.
- Amazonia sideroxyli* Hansford in *Proc. Linn. Soc. Lond.*, clx, p. 128, 1949 on *Sideroxylon*.—Philippines.
- *tetrorchidii* Hansford in *Mycol. Pap. C.M.I.*, 23, p. 19, 1948 on *Tetrorchidium didymostemon*.—Uganda.
- Angiopsora ampelopsidis* (Dietel & Sydow) Thirumalachar & Kern in *Mycologia*, xli, p. 288, 1949. (Syn. *Phakopsora ampelopsidis* Diet. & Syd.).
- *hansfordii* (Cumm.) Thirumalachar & Kern in *Mycologia*, xli, p. 286, 1949. (Syn. *Phakopsora hansfordii* Cumm.).
- *melaena* (Sydow) Thirumalachar & Kern in *Mycologia*, xli, p. 286, 1949. (Syn. *Phakopsora melaena* Sydow).
- *meliosmae* (Kusano) Thirumalachar & Kern in *Mycologia*, xli, p. 288, 1949. (Syn. *Phakopsora meliosmae* Kusano).
- *venezuelana* (Sydow) Thirumalachar & Kern in *Mycologia*, xli, p. 287, 1949. (Syn. *Phakopsora venezuelana* Sydow).
- Anthostomella lodhii* Ahmad in *Sydowia*, ii, p. 72, 1948 on *Palmae*.—Pakistan.
- ANTIMANOPSIS** Petrak in *Sydowia*, ii, p. 46, 1948.—Melanconiales.
- *aequatoriensis* Petrak in *Sydowia*, ii, p. 46, 1948 on *Adenaria*.—Ecuador.
- APHANODICTYON** Huneycutt in *J. Elisha Mitchell Sci. Soc.*, lxiv, p. 279, 1948.—Saprolegniaceae.
- *papillatum* Huneycutt in *J. Elisha Mitchell Sci. Soc.*, lxiv, p. 279, 1948.—North Carolina, U.S.A.
- Arcangeliiella magna* (Parks) Zeller in *Mycologia*, xl, p. 643, 1948. (Syn. *Macowanites magnus* Parks).
- Armatella yatesii* Hansford in *Proc. Linn. Soc. Lond.*, clx, p. 151, 1949 on *Neolitsea*.—Philippines.
- Ascochyta illicicola* Politis in *Mém. Soc. Hist. nat. Afr. Nord.*, Hors-sér., ii, p. 268, 1949 on *Ilex aquifolium*.—Greece.
- *orobi* Sacc. f. *macrocarpa* Rayss in *Bull. Soc. mycol. Fr.*, lxii, p. 34, 1946 on *Onobrychis cornuta*.—France.
- Aspergillus mattletii* Hendrickx nom. nov. in *Publ. Inst. nat. Étude agron. Congo belge*, Sér. Sci., xxxv, p. 7, 1948. (Syn. *A. giganteus* (Mattlet) Dodge, 1935 non Wehmer, 1907).
- Asterina anisopterica* Hansford in *Proc. Linn. Soc. Lond.*, clx, p. 142, 1949 on *Anisoptera thurifera*.—Philippines.
- *champereiae* Hansford in *Proc. Linn. Soc. Lond.*, clx, p. 149, 1949 on *Champereia cumingiana*.—Philippines.
- *omphaleae* Petrak in *Sydowia*, ii, p. 319, 1948 on *Omphalea*.—Ecuador.
- *rizalensis* Hansford in *Proc. Linn. Soc. Lond.*, clx, p. 147, 1949 on *Anisoptera thurifera*.—Philippines.
- *submegas* (P. Henn.) Hansford in *Proc. Linn. Soc. Lond.*, clx, p. 148, 1949. (Syn. *Seynesia submegas* P. Henn.).
- Asterolibertia anisopterae* (Sydow) Hansford in *Proc. Linn. Soc. Lond.*, clx, p. 139, 1949. (Syn. *Asterina anisopterae* Syd.).
- *bakeri* (Sydow) Hansford in *Proc. Linn.*

- Soc. Lond.*, clx, p. 139, 1949. (Syn. *Asterina bakeri* Syd.).
- *gibbosa* (Gaill.) Hansford in *Proc. Linn. Soc. Lond.*, clx, p. 141, 1949. (Syn. *Asterina gibbosa* Gaill.).
- *licaniae* (Cooke) Hansford in *Proc. Linn. Soc. Lond.*, clx, p. 140, 1949. (Syn. *Asterina licaniae* Cooke).
- *licanilicola* Hansford in *Proc. Linn. Soc. Lond.*, clx, p. 140, 1949 on *Licania* sp.—Brazil.
- *nodulosa* (Speg) [as '(Cooke)'] Hansford in *Proc. Linn. Soc. Lond.*, clx, p. 141, 1949. (Syn. *Asterina nodulosa* Speg.).
- *olei* Hansford in *Proc. Linn. Soc. Lond.*, clx, p. 142, 1949 on *Malpighiaceae*.—Brazil.
- Asteroma arctii* Politis in *Mém. Soc. Hist. nat. Afr. Nord*, Hors-sér., ii, p. 267, 1949 on dead stems of *Arctium*.—Greece.
- Asteromella urGINEAE* Bremer apud Bremer & Petrak in *Sydowia*, ii, p. 311, 1948 on *Urginea maritima*.—Turkey.
- ASTERONECTRIOIDEA** Cantournet in *Bull. Soc. mycol. Fr.*, lxiv, p. 178, 1948.—Sphaeropsidales.
- *heveicola* Cantournet in *Bull. Soc. mycol. Fr.*, lxiv, p. 178, 1948 on *Hevea brasiliensis*.—Africa.
- ASTEROSCUTULA** Petrak in *Sydowia*, ii, p. 59, 1948.—Sphaeropsidales.
- *sydowii* Petrak in *Sydowia*, ii, p. 59, 1948 on *Lauraceae*.—Ecuador.
- Asterostromella rumpiana* Talbot apud Wakefield & Talbot in *Bothalia*, iv, p. 939, 1948 on wood.—South Africa.
- Astraeus pteridis* (Shear) Zeller in *Mycologia*, xl, p. 654, 1948. (Syn. *Scleroderma pteridis* Shear).
- Baeodromus dominicana* (Kern) Thirumalachar & Kern in *Mycologia*, xli, p. 284, 1949. (Syn. *Phakopsora dominicana* Kern).
- Bagnisiopsis capparis* Mundkur & Sultan Ahmad in *Mycol. Pap. C.M.I.*, 18, p. 1, 1946 on dead *Capparis aphylla*.—India.
- Beauveria alba* (Limber) Saccas in *Rev. de Mycologie*, xiii, p. 64, 1948. (Syn. *Tritirachium album* Limber).
- *dependens* (Limber) Saccas in *Rev. de Mycologie*, xiii, p. 64, 1948. (Syn. *Tritirachium dependens* Limber).
- * — *heimii* Saccas in *Rev. de Mycologie*, xiii, p. 63, 1948 on paper.—France.
- *spicata* (Ferr.) Saccas in *Rev. de Mycologie*, xiii, p. 64, 1948. (Syn. *Tritirachium spicatum* (Ferr.) Limber).
- * *Boletus polyporoides* Gentili in *W. Aust. Nat.*, i, p. 143, 1948.—Australia.
- Botryosphaeria prosopidis* Mundkur & Sultan Ahmad in *Mycol. Pap. C.M.I.*, 18, p. 3, 1946 on dead *Prosopis spicigera*.—India.
- Bovistella atrobrunnea* Zeller in *Mycologia*, xl, p. 649, 1948.—Michigan, U.S.A.
- Bremia ganglioniformis* (Casp.) Shaw in *Mycologia*, xli, p. 326, 1949. (Syn. *Peronospora ganglioniformis* Casp.).
- Callistosporium galerinoides* Singer in *Sydowia*, ii, p. 29, 1948.—Florida, U.S.A.
- Calonectria mindoensis* Petrak in *Sydowia*, ii, p. 323, 1948 on *Bambuseae*.—Ecuador.
- Camarosporium cisti* Politis in *Mém. Soc. Hist. nat. Afr. Nord*, Hors-sér., ii, p. 268, 1949 on dead *Cistus*.—Greece.
- *mirabile* Petrak in *Sydowia*, ii, p. 236, 1948 on *Festuca filiformis*.—Teneriffe.
- *platani* Politis in *Mém. Soc. Hist. nat. Afr. Nord*, Hors-sér., ii, p. 268, 1949 on dead *Platanus orientalis*.—Greece.
- Candida olei* (v. Tiegh.) Ciferri, Verona, & Luparini in *Mycopathologia*, iv, p. 256, 1948. (Syn. *Saccharomyces olei* v. Tiegh.).
- Catacauma torrendiella* Batista in *Bol. Agric., Pernambuco*, xv, p. 132, 1948 on *Cocos nucifera*.—Brazil.
- Cephalosporium eichhorniae** Padwick in *Mycol. Pap. C.M.I.*, 17, p. 10, 1946 on *Eichhornia crassipes*.—India.
- *sclerotigenum* Moreau (This Index, p. 165). A Latin diagnosis of *C. sclerotigenum* Moreau em. Valenta is given in *Acta Soc. Sci. nat. Morav.*, xx, 6, p. 4, 1948.
- Cercoseptoria quercina* Bremer & Petrak in *Sydowia*, ii, p. 313, 1948 on *Quercus*.—Turkey.
- Cercospora bremeri* Petrak apud Bremer & Petrak in *Sydowia*, ii, p. 312, 1948 on *Morus nigra*.—Turkey.
- *cardamines* Losa España in *An. Jard. bot. Madr.*, vi, p. 453, 1945 on *Cardamine pratensis*.—Spain.
- *salvadorae* Maire in *Botaniste*, xxxiv, p. 308, 1949 on *Salvadora persica*.—Sahara, Africa.
- *trimeriae* Petrak in *Sydowia*, ii, p. 379, 1948 on *Trimeria*.—Ecuador.
- CERINOMYCES** Martin in *Mycologia*, xli, p. 82, 1949.—Tremellales. Type, *C. pallidus*.
- *canadensis* (Jacks. & Martin) Martin in *Mycologia*, xli, p. 85, 1949. (Syn. *Ceracea canadensis* Jacks. & Martin).
- *crustulinus* (Bourd. & Galz.) Martin in *Mycologia*, xli, p. 85, 1949. (Syn. *Ceracea crustulina* Bourd. & Galz.).
- *pallidus* Martin in *Mycologia*, xli, p. 83, 1949 on rotted *Quercus*.—Iowa, U.S.A.
- CHAETOMELANOPS** Petrak in *Sydowia*, ii, p. 68, 1948.—Dothideales.
- *aequatoriensis* Petrak in *Sydowia*, ii, p. 68, 1948 on leaves of an unknown tree.—Ecuador.
- * *Chaetosphaeria stenostachyae* Sawada in *Trans. nat. Hist. Soc. Formosa*, xxxii, 224, p. 221, 1942 on *Ischurochloa stenostachya*.—Formosa. [In Japanese].
- Chrysocelis indica* T. S. & K. Ramakrishnan in *Proc. Indian Acad. Sci.*, Sect. B, xxix, p. 49, 1949 on *Justicia betonica*.—Madras, India.
- Chytriumyces tabellariae* (Schröter) Canter in *Trans. Brit. mycol. Soc.*, xxxii, p. 16, 1949. (Syn. *Phlyctidium tabellariae* Schröter).
- Ciliaria umbrorum* (Fr.) Boud. var. *cancrina* Le Gal & Romagnesi apud Le Gal in *Bull. Soc. mycol. Fr.*, lxi, p. 52, 1945.—France.
- Cintractia scleriicola* Cantournet in *Bull. Soc. mycol. Fr.*, lxiv, p. 169, 1948 on *Scleria centralis*.—Africa.
- Cladosporium aequatoriense* Petrak in *Sydowia*, ii, p. 380, 1948 on *Mikania*.—Ecuador.
- *bruhei* Linder nom. nov. in *Bull. nat. Mus. Can.* 97, p. 259, 1947. (Syn. *Hormodendron hordei* Bruhne, non *C. hordei* Pass.).
- *gynoxidicola* [as '*gynoxidicolum*'] Petrak in *Sydowia*, ii, p. 381, 1948 on *Gynoxis*.—Ecuador.
- Clavaria cristata* (Holmsk.) Pers. var. *mutans* (Burt) Möller in *Fungi of the Farões*, Part I, p. 117, 1945. (Syn. *Clavaria mutans* Burt).

- *sanguinaria* Heim in *Mém. Soc. Hist. nat. Afr. Nord*, Hors-sér., ii, p. 153, 1949.—Madagascar.
- Clitopilus incrustatus* Singer in *Sydowia*, ii, p. 38, 1948 on wood.—Florida, U.S.A.
- CLYPEOCERIOSPORA** da Camara in *Agron. lusit.*, viii, p. 30, 1946.—Sphaeriales.
- *rubi* da Camara in *Agron. lusit.*, viii, p. 31, 1946 on *Rubus*.—Portugal.
- Clypeolella zizyphi* (Yates) Hansford in *Proc. Linn. Soc. Lond.*, clx, p. 152, 1949. (Syn. *Asterina zizyphiae* Yates).
- Clypeosphaeria phillyreae* da Camara in *Agron. lusit.*, viii, p. 31, 1946 on *Phillyrea latifolia*.—Portugal.
- Clypeothecium sacchari* Mundkur & Sultan Ahmad in *Mycol. Pap. C.M.I.*, 18, p. 2, 1946 on dead *Saccharum munja*.—India.
- Coccomyces consociatus* Petrak in *Sydowia*, ii, p. 66, 1948 on *Cavendishia*.—Ecuador.
- Coleosporium satyrii* Mundkur & Thirumalachar in *Mycol. Pap. C.M.I.*, 16, p. 7, 1946 on *Satyrium nepalense*.—India.
- Colletotrichum dasturii* Roy in *J. Indian Bot. Soc.*, xxvii, p. 101, 1948 on *Piper betle*.—Bengal, India.
- *stevensii* Roy nom. nov. in *J. Indian bot. Soc.*, xxvii, p. 101, 1948. (Syn. *Colletotrichum piperis* Stevens, non Petch).
- Collybia alkalivirens* Singer in *Sydowia*, ii, p. 27, 1948.—Virginia, U.S.A.
- *langei* Favre nom. nov. in *Beitr. Kryptogamenfl. Schweiz*, x, 3, p. 85, 1948. (Syn. *Collybia misera* Fr. forma Lange).
- *obscura* Favre nom. nov. in *Beitr. Kryptogamenfl. Schweiz*, x, 3, p. 87, 1948. (Syn. *Marasmius fuscopurpureus* Rick, non al.).
- *vulgaris* Sing. nom. nov. in *Pap. Mich. Acad. Sci.*, xxxii, p. 121, 1946. (For *C. ignobilis* sensu auct. Amer., non Karst.).
- Coltricia aureo-fulva* (Lloyd) Cunningham in *Bull. Dep. sci. industr. Res. N.Z.*, 77, p. 9, 1948. (Syn. *Polyporus aureo-fulvus* Lloyd).
- *dependens* (Berk. & Curt.) Cunningham in *Bull. Dep. sci. industr. Res. N.Z.*, 77, p. 2, 1948. (Syn. *Polyporus dependens* Berk. & Curt.).
- *laeta* (Cooke) Cunningham in *Bull. Dep. sci. industr. Res. N.Z.*, 77, p. 8, 1948. (Syn. *Polyporus laetus* Cooke).
- *oblectans* (Berk.) Cunningham in *Bull. Dep. sci. industr. Res. N.Z.*, 77, p. 3, 1948. (Syn. *Polyporus oblectans* Berk.).
- *salpincta* (Cooke) Cunningham in *Bull. Dep. sci. industr. Res. N.Z.*, 77, p. 6, 1948. (Syn. *Polystictus salpinctus* Cooke).
- *schweinitzii* (Fries) Cunningham in *Bull. Dep. sci. industr. Res. N.Z.*, 77, p. 7, 1948. (Syn. *Polyporus schweinitzii* Fr.).
- *strigosa* Cunningham in *Bull. Dep. sci. industr. Res. N.Z.*, 77, p. 4, 1948.—New Zealand.
- Coniophora papillosa* Talbot apud Wakefield & Talbot in *Bothalia*, iv, p. 939, 1948 on wood.—South Africa.
- Coniothyrium dianthicola* Alcalde in *An. Jard. bot. Madr.*, vi, p. 411, 1945 on *Dianthus brachyanthus*.—Spain.
- *tungurahense* Petrak in *Sydowia*, ii, p. 367, 1948 on *Phyllachora piptocarphae*.—Ecuador.
- Conocybe detrusa* (Peck) Sing. in *Sydowia*, ii, p. 36, 1948. (Syn. *Cortinarius detrusus* Peck).
- **Coprinus hexagonosporus* Josserand in *Rev. de Mycologie*, xiii, p. 83, 1948.—France.
- * — var. *stephanosporus* Josserand in *Rev. de Mycologie*, xiii, p. 86, 1948.—France.
- *melo* Favre in *Beitr. Kryptogamenfl. Schweiz*, x, 3, p. 215, 1948.—Switzerland.
- *myceliocephalus* Lange in *Mycologia*, xl, p. 742, 1948.—Texas, U.S.A.
- *subpurpureus* Smith in *Mycologia*, xl, p. 684, 1948.—Michigan, U.S.A.
- Corticium gloeosporum* Talbot apud Wakefield & Talbot in *Bothalia*, iv, p. 940, 1948 on wood.—South Africa.
- *lundellii* Bourd. apud J. Eriksson in *Svensk bot. Tidskr.*, xliii, p. 56, 1949 on *Picea abies*.—Sweden.
- *luteocystidium* Talbot apud Wakefield & Talbot in *Bothalia*, iv, p. 941, 1948 on wood.—South Africa.
- *tumulosum* Talbot apud Wakefield & Talbot in *Bothalia*, iv, p. 941, 1948 on wood.—South Africa.
- Cortinarius adalberti* Favre nom. nov. in *Beitr. Kryptogamenfl. Schweiz*, x, 3, p. 104, 1948. (Syn. *Hydrocybe pateriformis* Rick., non Fr.).
- *betulinus* Favre in *Beitr. Kryptogamenfl. Schweiz*, x, 3, p. 213, 1948.—Switzerland.
- *hinnuleus* Sow. var. *radicata* Henry in *Bull. Soc. mycol. Fr.*, lviii, p. 19, 1941.—France.
- *pulchripes* Favre in *Beitr. Kryptogamenfl. Schweiz*, x, 3, p. 213, 1948.—Switzerland.
- *pusillus* Möller in *Fungi of the Farões*, Part I, p. 233, 1945.—Faroe Islands.
- *speciosus* Favre in *Beitr. Kryptogamenfl. Schweiz*, x, 3, p. 213, 1948.—Switzerland.
- *striaepilus* Favre in *Beitr. Kryptogamenfl. Schweiz*, x, 3, p. 213, 1948.—Switzerland.
- *validus* Favre in *Beitr. Kryptogamenfl. Schweiz*, x, 3, p. 214, 1948.—Switzerland.
- Corynella sydowii* Petrak in *Sydowia*, ii, p. 324, 1948 on *Eugenia*.—Ecuador.
- CREBROTHERCIUM** Routien in *Mycologia*, xli, p. 184, 1949.—Endomycetales.
- *ashbyi* (Guill.) Routien in *Mycologia*, xli, p. 185, 1949. (Syn. *Eremothecium ashbyi* Guilliermond).
- Cronartium fici* T. S. & K. Ramakrishnan in *Proc. Indian Acad. Sci.*, Sect. B, xxix, p. 50, 1949 on *Ficus*.—Madras, India.
- Cudoniella borealis* Linder in *Bull. nat. Mus. Can.*, 97, p. 253, 1947 on moss.—Canada.
- *muscorum* Linder in *Bull. nat. Mus. Can.*, 97, p. 253, 1947 on moss.—Canada.
- Cylindrocolla longispora* da Camara in *Agron. lusit.*, viii, p. 65, 1946 on *Agave americana*.—Portugal.
- DACRYOPINAX** Martin in *Lloydia*, xi, p. 116, 1948.—Tremellales. Type, *D. elegans*.
- *elegans* (Berk. & Curt.) Martin in *Lloydia*, xi, p. 116, 1948. (Syn. *Guepinia elegans* Berk. & Curt.).
- *fissus* (Berk.) Martin in *Lloydia*, xi, p. 116, 1948. (Syn. *Guepinia fissa* Berk.).
- *spathularia* (Schw.) Martin in *Lloydia*, xi, p. 116, 1948. (Syn. *Merulius spathularia* Schw.).
- Dasyscyphella indica* Cash in *Mycologia*, xl, p. 724, 1948 on mossy bark.—India.
- Davincia sydowiana* Petrak in *Sydowia*, ii, p. 43, 1948 on dead stems of herbs.—Ecuador.

- **Debaryomyces cavensis* Giovannozzi in *Mycopathologia*, iv, p. 263, 1948 on fermenting tobacco.—Italy.
- *—*marylandii* Giovannozzi in *Mycopathologia*, iv, p. 262, 1948 on fermenting tobacco.—Italy.
- *—*nicotianae* Giovannozzi in *Mycopathologia*, iv, p. 262, 1948 on fermenting tobacco.—Italy.
- *—var. *minor* Giovannozzi in *Mycopathologia*, iv, p. 262, 1948 on fermenting tobacco.—Italy.
- DERMATOSORUS** Sawada in *Mycologia*, xli, p. 267, 1949.—Ustilaginales.
- eleocharidis* Sawada in *Mycologia*, xli, p. 268, 1949 on *Eleocharis dulcis*.—China.
- Dictyuchus pseudoachlyoides* Beneke in *J. Elisha Mitchell Sci. Soc.*, lxiv, p. 263, 1948.—Illinois, U.S.A.
- Didymosphaeria armeriae* da Camara in *Agron. lusit.*, viii, p. 29, 1946 on *Armeria pungens*.—Portugal.
- polyspora* Cantournet in *Bull. Soc. mycol. Fr.*, lxiv, p. 176, 1948 on *Hevea brasiliensis*.—Africa.
- verrucispora* Ahmad in *Sydowia*, ii, p. 74, 1948 on dead *Gossypium*.—Pakistan.
- Dimeriella pumila* Petrak in *Sydowia*, ii, p. 328, 1948 on *Chusquea serrulata*.—Ecuador.
- Dimerium liabium* Petrak in *Sydowia*, ii, p. 330, 1948 on *Liabum*.—Ecuador.
- tungurahense* Petrak in *Sydowia*, ii, p. 331, 1948 on *Disterigma*.—Ecuador.
- Diplodia calycotomes-villosae* Politis in *Mém. Soc. Hist. nat. Afr. Nord*, Hors-sér., ii, p. 268, 1949 on dead *Calycotome villosa*.—Greece.
- carpinicola* Politis in *Mém. Soc. Hist. nat. Afr. Nord*, Hors-sér., ii, p. 268, 1949 on dead *Carpinus duinensis*.—Greece.
- Diplodina canariensis* Petrak in *Sydowia*, ii, p. 234, 1948 on *Festuca filiformis*.—Teneriffe.
- Domingoella deightonii* Hansford in *Proc. Linn. Soc. Lond.*, clx, p. 118, 1949 on *Schaffnerula*.—Sierra Leone.
- Echidnodes sydowii* Petrak in *Sydowia*, ii, p. 61, 1948 on Lauraceae.—Ecuador.
- Ectrogella besseyi* Sparrow & Ellison in *Mycologia*, xli, p. 33, 1949 on *Olpidiopsis schenkiana*.—Michigan, U.S.A.
- Elasmomyces alpinus* (Zeller) Zeller in *Mycologia*, xl, p. 643, 1948. (Syn. *Macowanites alpinus* Zeller).
- rodwayi* (Masse) Zeller in *Mycologia*, xl, p. 642, 1948. (Syn. *Secotium rodwayi* Masse).
- Elsinoë mattirolanum* Arnaud & Bitancourt in *Mycologia*, xli, p. 322, 1949 on *Arbutus unedo*.—Italy.
- Endocochlus binarius* Drechsler in *Mycologia*, xli, p. 245, 1949 on *Amoeba papyracea*.—North Carolina, U.S.A.
- ENDODESMIDIUM** Canter in *Trans. Brit. mycol. Soc.*, xxxii, p. 72, 1949.—Chytridiales.
- formosum* Canter in *Trans. Brit. mycol. Soc.*, xxxii, p. 73, 1949 on *Netrium oblongum*, *Cylindrocystis crassa*, and *C. brebissonii*.—England.
- Entoloma fusco-tomentosum* Möller in *Fungi of the Farões*, Part I, p. 251, 1945.—Farøe Islands.
- lividum* Fries var. *pratense* Niolle in *Bull. Soc. mycol. Fr.*, lxiv, p. 253, 1948.—France.
- Entyloma eleocharidis* (Saw.) Ling in *Mycologia*, xli, p. 255, 1949. (Syn. *Ustilago eleocharidis* Saw.).
- scirpicola* Thirumalachar & Dickson in *Amer. J. Bot.*, xxxvi, p. 404, 1949 on *Scirpus articulatus*.—India.
- Exobasidium angustisporum* Linder in *Bull. nat. Mus. Can.*, 97, p. 271, 1947 on *Arctostaphylos alpina*.—Canada.
- celtidis* T. S. & K. Ramakrishnan in *Proc. Indian Acad. Sci.*, Sect. B, xxix, p. 9, 1949 on *Celtis tetrandra*.—India.
- nilagiricum* T. S. & K. Ramakrishnan in *Proc. Indian Acad. Sci.*, Sect. B, xxix, p. 7, 1949 on *Gordonia obtusa*.—India.
- triseptatum* T. S. & K. Ramakrishnan in *Proc. Indian Acad. Sci.*, Sect. B, xxix, p. 10, 1949 on *Vaccinium leschnaultii*.—India.
- Favolus beelii* Hendrickx nom. nov. in *Publ. Inst. nat. Étude agron. Congo belge*, Sér. sci., xxxv, p. 7, 1948. (Syn. *F. alutaceus* Beeli, non Berk. & Mont.).
- Fayodia bisphaerigera* (Lange) Kühn. var. *anthracobia* Favre in *Beitr. Kryptogamenfl. Schweiz*, x, 3, p. 213, 1948.—Switzerland.
- var. *longicystis* Favre in *Beitr. Kryptogamenfl. Schweiz*, x, 3, p. 213, 1948.—Switzerland.
- Fomes awhitu* Cunningham in *Bull. Dep. sci. industr. Res. N.Z.*, 79, p. 16, 1948 on bark and wood.—New Zealand.
- endozonus* (Fries) Cunningham in *Bull. Dep. sci. industr. Res. N.Z.*, 79, p. 13, 1948. (Syn. *Polyporus endozonus* Fr.).
- inermis* (Ellis & Everhart) Cunningham in *Bull. Dep. sci. industr. Res. N.Z.*, 79, p. 14, 1948. (Syn. *Poria inermis* Ell. & Ev.).
- mastoporus* (Lév.) Cooke forma *rugosus* Cunningham in *Bull. Dep. sci. industr. Res. N.Z.*, 79, p. 18, 1948.—New Zealand.
- scruposus* (Fries) Cunningham in *Bull. Dep. sci. industr. Res. N.Z.*, 79, p. 11, 1948. (Syn. *Polyporus scruposus* Fr.).
- uncatus* Cunningham in *Bull. Dep. sci. industr. Res. N.Z.*, 79, p. 3, 1948 on dead trees.—New Zealand.
- zuluensis* Wakefield apud Wakef. & Talbot in *Bothalia*, iv, p. 948, 1948 on wood.—South Africa.
- Fusarium oxysporum* Schl. ex Fr. f. *raphani* Kendrick & Snyder in *Phytopathology*, xxxii, p. 1033, 1942 on *Raphanus sativus* var. *longipinnatus*.—California, U.S.A.
- Fuscoporia contigua* (Pers. ex Fr.) Cunningham in *Bull. Pl. Dis. Div., D.S.I.R., N.Z.*, 73, p. 4, 1948. (Syn. *Boletus contiguus* Pers.). [Correction of entry on p. 228].
- Galeropsis cucullata* (Shope & Seaver) Pilát in *Studia bot. Čechoslov.*, ix, p. 181, 1948. (Syn. *Bolbitius cucullatus* Shope & Seaver). [See *Mycologia*, xxxv, p. 410; transfer made by Singer in 1936].
- paradoxa* (Mattir.) Pilát in *Studia bot. Čechoslov.*, ix, p. 184, 1948. (Syn. *Galera paradoxa* Mattir.).
- Geastrum schweinitzii* (Berk. & Curtis) Zeller in *Mycologia*, xl, p. 649, 1948. (Syn. *Coilomyces schweinitzii* Berk. & Curtis).
- Gibbera sydowiana* Petrak in *Sydowia*, ii, p. 333, 1948 on leaves of an unknown plant.—Ecuador.
- Gibellula formicarum* Mains in *Mycologia*, xli, p. 309, 1949 on ants.—Liberia.

- Gloeosporium pachybasoides* Alcalde in *An. Jard. bot. Madr.*, vi, p. 412, 1945 on *Dianthus brachyanthus*.—Spain.
- **Gnomonia fimicola* Moreau in *Bull. Soc. mycol. Fr.*, lxiv, p. 244, 1948 on dung.—France.
- Goplana indica* T. S. & K. Ramakrishnan in *Proc. Indian Acad. Sci.*, Sect. B, xxix, p. 48, 1949 on *Beilschmiedia roxburghiana*.—Madras, India.
- Grandinia bicolor* Talbot apud Wakefield & Talbot in *Bothalia*, iv, p. 947, 1948 on wood.—South Africa.
- Guignardia caricae* (March. & Stey.) Hendrickx in *Publ. Inst. nat. Étude agron. Congo belge*, Sér. sci., xxxv, p. 7, 1948. (Syn. *Laestadia caricae* March. & Stey.).
- citricarpa* Kiely in *Proc. Linn. Soc. N.S.W.*, lxxiii, p. 259, 1948 on decaying leaves of *Citrus*.—New South Wales, Australia.
- lonchocarpi* (March. & Stey.) Hendrickx in *Publ. Inst. nat. Étude agron. Congo belge*, Sér. sci., xxxv, p. 7, 1948. (Syn. *Laestadia lonchocarpi* March. & Stey.).
- Gymnoglossum cambodgense* (Pat.) Zeller in *Mycologia*, xl, p. 643, 1948. (Syn. *Dendrogaster cambodgensis* Pat.).
- candidum* (Harkness) Zeller in *Mycologia*, xl, p. 643, 1948. (Syn. *Hymenogaster candidus* Harkness).
- connectens* (Bucholtz) Zeller in *Mycologia*, xl, p. 643, 1948. (Syn. *Dendrogaster connectens* Bucholtz).
- elasmomycetoides* (Zeller) Zeller in *Mycologia*, xl, p. 643, 1948. (Syn. *Dendrogaster elasmomycetoides* Zeller).
- foetidum* (Coker & Couch) Zeller in *Mycologia*, xl, p. 643, 1948. (Syn. *Hymenogaster foetidus* Coker & Couch).
- globosum* (Harkness) Zeller in *Mycologia*, xl, p. 643, 1948. (Syn. *Hymenogaster globosus* Harkness).
- majus* (Zeller & Dodge) Zeller in *Mycologia*, xl, p. 643, 1948. (Syn. *Dendrogaster major* Zeller & Dodge).
- megasporum* (Zeller & Dodge) Zeller in *Mycologia*, xl, p. 643, 1948. (Syn. *Dendrogaster megasporus* Zeller & Dodge).
- olivaceum* (Zeller) Zeller in *Mycologia*, xl, p. 643, 1948. (Syn. *Dendrogaster olivaceus* Zeller).
- radiatum* (Lloyd) Zeller in *Mycologia*, xl, p. 643, 1948. (Syn. *Hymenogaster radiatus* Lloyd).
- utriculatum* (Harkness) Zeller in *Mycologia*, xl, p. 643, 1948. (Syn. *Hymenogaster utriculatus* Harkness).
- Hansenula castelli* Ciferri, Verona, & Luperini in *Mycopathologia*, iv, p. 252, 1948 on olives and in olive oil.—Italy.
- Hebeloma helodes* Favre in *Beitr. Kryptogamenfl. Schweiz*, x, 3, p. 214, 1948.—Switzerland.
- Helminthosporium buchloës* Lefebvre & Johnson in *Mycologia*, xli, p. 204, 1949 on *Buchloë dactyloides*.—Kansas, U.S.A.
- sorghicola* Lefebvre & Sherwin in *Mycologia*, xl, p. 714, 1948 on *Sorghum vulgare* var. *sudanense*.—Georgia, U.S.A.
- vignicola* (Kawamura) Olive in *Mycologia*, xli, p. 355, 1949. (Syn. *Cercospora vignicola* Kawamura).
- Helotium suzai* Svrček in *Studia bot. Česlo-*
- slov.*, ix, p. 135, 1948 on dead *Lupinus polyphyllus*.—Czechoslovakia.
- taborense* Svrček in *Studia bot. Česlo-*
- slov.*, ix, p. 135, 1948 on old cone scales of *Picea excelsa*.—Czechoslovakia.
- Hendersonia roblediae* Petrak in *Sydowia*, ii, p. 57, 1948 on *Robledia eupatorii*.—Ecuador.
- Hirsutella liberiana* Mains in *Mycologia*, xli, p. 306, 1949 on an ant.—Liberia.
- ramosa* Mains in *Mycologia*, xli, p. 308, 1949 on fragments of a lepidopterous larva.—Nova Scotia, Canada.
- Humaria ahmadii* Cash in *Mycologia*, xl, p. 725, 1948.—Pakistan.
- bipolaris* Svrček in *Studia bot. Česlo-*
- slov.*, ix, p. 138, 1948 on soil.—Czechoslovakia.
- pallidisetosa* Cash in *Mycologia*, xl, p. 725, 1948.—India.
- Humarina plumbeo-atra* Cash in *Mycologia*, xl, p. 726, 1948.—India.
- umbrina* Cash in *Mycologia*, xl, p. 726, 1948.—Pakistan.
- zizyphi* Cash in *Mycologia*, xl, p. 727, 1948 on dead branches of *Zizyphus jujuba*.—India.
- Hydnangium nigrescens* Zeller in *Mycologia*, xl, p. 641, 1948.—New York, U.S.A.
- Hydnangium vesiculosum* (Coker & Couch) Zeller in *Mycologia*, xl, p. 641, 1948. (Syn. *Gymnomyces vesiculosus* Coker & Couch).
- Hygrocybe acuta* Möller in *Fungi of the Faröes*, Part I, p. 143, 1945.—Faröe Islands.
- brevispora* Möller in *Fungi of the Faröes*, Part I, p. 142, 1945.—Faröe Islands.
- ingrata* Jensen & Möller apud Möller in *Fungi of the Faröes*, Part I, p. 136, 1945.—Faröe Islands.
- f. minor* Möller in *Fungi of the Faröes*, Part I, p. 137, 1945.—Faröe Islands.
- laeta* (Pers.) Fr. *f. curtipes* Möller in *Fungi of the Faröes*, Part I, p. 150, 1945.—Faröe Islands.
- marchii* (Bres.) Möller in *Fungi of the Faröes*, Part I, p. 152, 1945. (Syn. *Hygrophorus marchii* Bresadola).
- miniato-alba* (Pat.) Möller in *Fungi of the Faröes*, Part I, p. 154, 1945. (Syn. *Hygrophorus miniato-albus* Pat.).
- ovina* (Bull.) Möller in *Fungi of the Faröes*, Part I, p. 137, 1945. (Syn. *Agaricus ovinus* Bull.).
- tristis* (Pers.) Möller in *Fungi of the Faröes*, Part I, p. 140, 1945. (Syn. *Hygrophorus tristis* (Pers.) Bres.).
- Hymenochaete fasciculata* Talbot apud Wakefield & Talbot in *Bothalia*, iv, p. 943, 1948 on wood.—South Africa.
- ochromarginata* Talbot apud Wakefield & Talbot in *Bothalia*, iv, p. 944, 1948 on wood.—South Africa.
- Hypocrella chusqueae* Petrak in *Sydowia*, ii, p. 334, 1948 on Bambuseae.—Ecuador.
- Hypoxylon deustum* (Hoff. ex Fries) Grev. *f. conidiophorum* (Bres.) Hendrickx in *Publ. Inst. nat. Étude agron. Congo belge*, Sér. sci., xxxv, p. 7, 1948. (Syn. *Ustilina vulgaris* Tul. *f. conidiophora* Bres.).
- f. madagascariense* (P. Henn.) Hendrickx in *Publ. Inst. nat. Étude agron. Congo belge*, Sér. sci., xxxv, p. 7, 1948. (Syn. *Ustilina vulgaris* Tul. *f. madagascariensis* P. Henn.).

- Inocybe corydalina* Quél. var. *montana* Möller in *Fungi of the Faröes*, Part I, p. 228, 1945.—Faröe Islands.
- hirtella* Bres. var. *paupera* Möller in *Fungi of the Faröes*, Part I, p. 227, 1945.—Faröe Islands.
- lacera* Fr. f. *subsquarrosa* Möller in *Fungi of the Faröes*, Part I, p. 226, 1945.—Faröe Islands.
- nana* Möller in *Fungi of the Faröes*, Part I, p. 224, 1945.—Faröe Islands.
- pusilla* Möller in *Fungi of the Faröes*, Part I, p. 225, 1945.—Faröe Islands.
- Inonotus nothofagi* Cunningham in *Bull. Dep. sci. industr. Res. N.Z.* 78, 1948 on *Nothofagus*.—New Zealand.
- Irene dombeyae* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 16, 1948 on *Dombeya buetneri*.—Sierra Leone.
- Irenina aegiphilae* Hansford in *Proc. Linn. Soc. Lond.*, clx, p. 134, 1949 on *Aegiphila alata*.—Dominica.
- anthocleistae* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 51, 1948 on *Anthocleista frezoulsii*.—Sierra Leone.
- barbacenniae* Hansford in *Proc. Linn. Soc. Lond.*, clx, p. 136, 1949 on *Barbacennia purpurea*.—Brazil.
- callista* (Rehm) Hansford in *Proc. Linn. Soc. Lond.*, clx, p. 134, 1949. (Syn. *Meliola callista* Rehm).
- capparidis* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 3, 1948 on *Capparis erythrocarpa*.—Sierra Leone.
- combreti* Stev. var. *major* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 12, 1948 on *Combretum mooreanum*.—Sierra Leone.
- cyclobalanopsicola* Yamamoto in *Trans. nat. Hist. Soc. Formosa*, xxxi, p. 219, 1941 on *Cyclobalanopsis ternaticupula*.—Formosa. [Correction of entry on p. 208].
- deightonii* Hansford apud Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 7, 1948 on *Caloncoba echinata*.—Sierra Leone.
- diospyricola* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 48, 1948 on *Diospyros heudelotii*.—Sierra Leone.
- ekebergiae* (Doidge) Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 42, 1948. (Syn. *Irene ekebergiae* Doidge).
- hansfordii* Stev. var. *densa* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 19, 1948 on *Alchornea cordifolia*.—Sierra Leone.
- hippocrateae* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 39, 1948 on *Hippocratea clematoides*.—Uganda.
- linocieriae* (Syd.) Hansford in *Proc. Linn. Soc. Lond.*, clx, p. 128, 1949. (Syn. *Meliola linocieriae* Syd.).
- pileae* Hansford in *Proc. Linn. Soc. Lond.*, clx, p. 125, 1949 on *Pilea parietaria*.—Porto Rico.
- pipturi* Hansford in *Proc. Linn. Soc. Lond.*, clx, p. 125, 1949 on *Pipturus arborecens*.—Philippine Islands.
- plumeriae* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 53, 1948 on *Plumeria rubra*.—Sierra Leone.
- premnae* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 68, 1948 on *Premna hispida*.—Sierra Leone.
- sarcocephali* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 58, 1948 on *Sarcocephalus esculentus*.—Sierra Leone.
- schlegeliae* (Stev.) Hansford in *Proc. Linn. Soc. Lond.*, clx, p. 132, 1949. (Syn. *Meliola glabroides* Stev. var. *schlegeliae* Stev.).
- symphoniae* Hansford in *Proc. Linn. Soc. Lond.*, clx, p. 120, 1949 on *Symphonia gabunensis*.—Uganda.
- terminaliae* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 12, 1948 on *Terminalia ivorensis*.—Sierra Leone.
- tetracerae* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 6, 1948 on *Tetracera potatoria*.—Sierra Leone.
- thunbergiae-chrysopidis* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 67, 1948 on *Thunbergia chrysops*.—Sierra Leone.
- ugandensis* (Hansf.) Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 38, 1948. (Syn. *Irene ugandensis* Hansf.).
- var. *antiaridis* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 38, 1948 on *Antiaris africana*.—Gold Coast.
- Irenopsis acridocarpicola* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 18, 1948 on *Acridocarpus plagiopterus*.—Sierra Leone.
- cathormionis* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 25, 1948 on *Cathormion altissimum*.—Sierra Leone.
- collicola* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 16, 1948 on *Cola nitida*.—Sierra Leone.
- coronata* (Speg.) Stev. var. *christianae* (Deight.) Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 15, 1948. (Syn. *Meliola coronata* Speg. var. *christianae* Deighton).
- malpighiae* Hansford in *Proc. Linn. Soc. Lond.*, clx, p. 121, 1949 on *Malpighia glabra*.—Costa Rica.
- mikaniae* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 64, 1948 on *Mikania scandens*.—Sierra Leone.
- njalaensis* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 15, 1948 on *Cola nitida*.—Sierra Leone.
- tarrietiae* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 15, 1948 on *Tarrietta utilis*.—Sierra Leone.
- triumfettae* (Stev.) Hansf. & Deight. var. *glyphaeicola* (Deight.) Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 15, 1948. (Syn. *Meliola triumfettae* Stev. var. *glyphaeicola* Deighton).
- var. *vanderystii* (Beeli) Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 14, 1948. (Syn. *Meliola triumfettae* Stev. var. *vanderystii* Beeli).
- Isoachlya toruloides* Kauffman & Coker var. *paucispora* Moreau in *Bull. Soc. mycol. Fr.*, lxiv, p. 227, 1948.—France.
- ITERSONILIA** Derx in *Bull. Bot. Gard. Buitenzorg*, Ser. III, xvii⁴, p. 471, 1948.—Sporobolomycetaceae.
- perplexans* Derx in *Bull. Bot. Gard. Buitenzorg*, Ser. III, xvii⁴, p. 471, 1948 on *Althaea rosea*.—?Holland.
- KERNELLA** Thirumalachar nom. nov. in *Mycologia*, xli, p. 97, 1949. (Syn. *Kernia* Thirum. 1946, non Nieuwl. 1916).
- lauricola* (Thirum.) Thirumalachar in *Mycologia*, xli, p. 97, 1949. (Syn. *Kernia lauricola* Thirum.).

- Laccaria laccata* (Scop.) Berk. et Br. var. *montana* Möller in *Fungi of the Faröes*, Part I, p. 269, 1945.—Faröe Islands.
- Lachnea mariae* Svrček in *Studia bot. Cechoslov.*, ix, p. 137, 1948 on dead *Larix europaea*.—Czechoslovakia.
- Lactarius allochrous* Singer in *Sydowia*, ii, p. 41, 1948.—Florida, U.S.A.
- caeruleitinctus* Murrill in *Lloydia*, xi, p. 92, 1948.—Florida, U.S.A.
- clitocybiformis* Murrill in *Lloydia*, xi, p. 93, 1948.—Florida, U.S.A.
- floridanus* Beards. & Burl. var. *glaber* (Murr.) Murr. in *Lloydia*, xi, p. 89, 1948. (Syn. *Lactaria torminosa* var. *glabra* Murr.).
- jecorinus* Fr. var. *monticola* Möller in *Fungi of the Faröes*, Part I, p. 156, 1945.—Faröe Islands.
- paucifluus* Murrill in *Lloydia*, xi, p. 93, 1948.—Florida, U.S.A.
- purgatorii* Singer in *Sydowia*, ii, p. 42, 1948.—Massachusetts, U.S.A.
- subisabellinus* Murrill in *Lloydia*, xi, p. 93, 1948.—Florida, U.S.A.
- Lactocollybia angiospermarum* Singer in *Sydowia*, ii, p. 32, 1948 on wood.—Florida, U.S.A.
- **Lambertella bouchetii* Grelet in *Rev. de Mycologie*, xiii, p. 134, 1948 on a decayed root.—France.
- Lembosia fallaciosa* (Sydow) Hansford in *Proc. Linn. Soc. Lond.*, clx, p. 152, 1949. (Syn. *Asterina fallaciosa* Syd.).
- lophopetali* (Rehm) Hansford in *Proc. Linn. Soc. Lond.*, clx, p. 152, 1949. (Syn. *Asterina lophopetali* Rehm).
- Lepista rickenii* Singer in *Sydowia*, ii, p. 26, 1948.—Europe.
- Leptonia intermedia* Möller in *Fungi of the Faröes*, Part I, p. 241, 1945.—Faröe Islands.
- Leptosphaeria capparidicola* Mundkur and Sultan Ahmad in *Mycol. Pap. C.M.I.*, 18, p. 4, 1946 on dead *Capparis aphylla*.—India.
- phyllachoricola* Petrak in *Sydowia*, ii, p. 337, 1948 on *Phyllachora disseminata*.—Ecuador.
- tungurahensis* Petrak in *Sydowia*, ii, p. 338, 1948 on *Phyllachora tungurahensis*.—Ecuador.
- LEUCOAGARICUS** (Locquin) Singer in *Sydowia*, ii, p. 35, 1948. (Syn. *Leucocoprinus* subgen. *Leucoagaricus* Locquin). Type, *L. macrorhizus*.
- excoriatus* (Schaeff. ex Fr.) Singer in *Sydowia*, ii, p. 35, 1948. (Syn. *Lepiota excoriata* Auct.).
- macrorhizus* (Locquin) Sing. in *Sydowia*, ii, p. 35, 1948. (Syn. *Leucocoprinus macrorhizus* Locquin).
- rubrotinctus* (Peck) Singer in *Sydowia*, ii, p. 36, 1948. (Syn. *Lepiota rubrotincta* Peck).
- LOPHOTRICHUS** Benjamin in *Mycologia*, xli, p. 347, 1949.—Chaetomiaceae. Type, *L. ampullus*.
- ampullus* Benjamin in *Mycologia*, xli, p. 347, 1949 on goat dung.—Illinois, U.S.A.
- martinii* Benjamin in *Mycologia*, xli, p. 349, 1949 on dung.—Peru.
- Macrophoma antirrhini* da Camara in *Agron. lusit.*, viii, p. 42, 1946 on *Antirrhinum majus*.—Portugal.
- aphyllantis* Alcalde in *An. Jard. bot. Madr.*, vi, p. 409, 1945 on *Aphyllanthes monspeliensis*.—Spain.
- asphodeli* Ahmad in *Sydowia*, ii, p. 79, 1948 on dead *Asphodelus tenuifolius*.—Pakistan.
- triticina* Ahmad in *Sydowia*, ii, p. 79, 1948 on dead *Triticum*.—Pakistan.
- Macrosporium convolvuli* Losa España in *An. Jard. bot. Madr.*, vi, p. 460, 1945 on *Polygonum convolvulus*.—Spain.
- Marasmiellus fibula* (Bull. ex Fr.) Sing. in *Sydowia*, ii, p. 32, 1948. (Syn. *Omphalia fibula* (Bull. ex Fr.) Quél.).
- icterinus* Singer in *Sydowia*, ii, p. 30, 1948 on wood.—Florida, U.S.A.
- Marasmius linderi* Singer in *Sydowia*, ii, p. 33, 1948.—Liberia.
- ruforotula* Singer in *Sydowia*, ii, p. 34, 1948 on wood.—Florida, U.S.A.
- Massarina graminicola* Mundkur & Sultan Ahmad in *Mycol. Pap. C.M.I.*, 18, p. 4, 1946 on dead *Eleusine flagellifera*.—India.
- Melampsora stereospermi* T. S. & K. Ramakrishnan in *Proc. Indian Acad. Sci.*, Sect. B, xxix, p. 51, 1949 on *Stereospermum tetragonum*.—Madras, India.
- Melanconium majusculum* da Camara in *Agron. lusit.*, viii, p. 63, 1946 on *Prunus persica*.—Portugal.
- Melanoleuca cavipes* Métrod in *Bull. Soc. mycol. Fr.*, lxiv, p. 164, 1948.—France.
- contracta* Métrod in *Bull. Soc. mycol. Fr.*, lxiv, p. 159, 1948.—France.
- humilis* (Fries ex Persoon) Métrod in *Bull. Soc. mycol. Fr.*, lxiv, p. 158, 1948. [Syn. not cited].
- intervenosa* Métrod in *Bull. Soc. mycol. Fr.*, lxiv, p. 160, 1948.—France.
- leucophylla* Métrod in *Bull. Soc. mycol. Fr.*, lxiv, p. 161, 1948.—France.
- nigripes* Métrod in *Bull. Soc. mycol. Fr.*, lxiv, p. 164, 1948.—France.
- stridula* (Fries) Métrod in *Bull. Soc. mycol. Fr.*, lxiv, p. 154, 1948. [Syn. not cited].
- subpulverulenta* (Persoon) Métrod in *Bull. Soc. mycol. Fr.*, lxiv, p. 159, 1948. [Syn. not cited].
- Melanopsichium eleusinis* (Kulkarni) Mundkur & Thirumalachar in *Mycol. Pap. C.M.I.*, 16, p. 1, 1946. (Syn. *Ustilago eleusinis* Kulkarni).
- esculentum* (P. Henn.) Mundkur & Thirumalachar in *Mycol. Pap. C.M.I.*, 16, p. 2, 1946. (Syn. *Ustilago esculenta* P. Henn.).
- Meliola achyrospermi* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 70, 1948 on *Achyrospermum oblongifolium*.—Sierra Leone.
- aequatoriensis* Petrak in *Sydowia*, ii, p. 339, 1948 on *Viburnum tinoides*.—Ecuador.
- aethiops* Sacc. var. *caesalpiniae* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 22, 1948 on *Caesalpinia sappan*.—Sierra Leone.
- var. *flexuosa* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 22, 1948 on *Delonix regia*.—Sierra Leone.
- var. *minor* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 22, 1948 on *Cassia siamea*.—Sierra Leone.
- albizziae* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 26, 1948 on *Albizzia gummiifera*.—Sierra Leone.
- var. *zygiae* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 26, 1948 on *Albizzia zygia*.—Sierra Leone.
- amaraliae* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 63, 1948 on *Amaralia heinsioides*.—Sierra Leone.
- anacardii* Zimm. var. *minor* Hansford in

- Proc. Linn. Soc. Lond.*, clx, p. 127, 1949 on *Anacardium occidentale*.—Philippine Islands.
- anisophylleae* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 13, 1948 on *Anisophyllea laurina*.—Sierra Leone.
- apiculata* Hansford in *Proc. Linn. Soc. Lond.*, clx, p. 137, 1949 on *Scleria*.—Puerto Rico.
- arundinis* Pat. var. *angulosa* Hansford in *Proc. Linn. Soc. Lond.*, clx, p. 138, 1949 on *Phragmites*.—Philippine Islands.
- baphiae-nitidae* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 33, 1948 on *Baphia nitida*.—Gold Coast.
- baphiae-polygalaceae* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 34, 1948 on *Baphia polygalacea*.—Sierra Leone.
- berliniae* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 23, 1948 on *Berlinia heudelotiana*.—Sierra Leone.
- bignoniacearum* Stevens var. *tabebuiae* Hansford in *Proc. Linn. Soc. Lond.*, clx, p. 133, 1949 on *Tabebuia berterii*.—San Domingo.
- bonamiae* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 65, 1948 on *Bonamia cymosa*.—Sierra Leone.
- brillantaisiae* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 68, 1948 on *Brillantaisia nitens*.—Sierra Leone.
- butyrospermi* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 51, 1948 on *Butyrospermum parkii*.—Gold Coast.
- calami* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 73, 1948 on *Calamus deeratus*.—Sierra Leone.
- canthii* Hansf. var. *leonensis* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 59, 1948 on *Mitragyna stipulosa*.—Sierra Leone.
- capensis* (Kalchbr. & Cooke) Theiss. var. *alophyllicola* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 45, 1948 on *Allophyllus [Allophylus] africanus*.—Gold Coast.
- var. *blighiae* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 45, 1948 on *Blighia sapida*.—Sierra Leone.
- var. *lecaniodisci* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 46, 1948 on *Lecaniodiscus cupanioides*.—Sierra Leone.
- var. *thomasii* (Hansf.) Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 45, 1948. (Syn. *Meliola thomasii* Hansf.).
- carapae* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 43, 1948 on *Carapa procera*.—Sierra Leone.
- carpolobiicola* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 4, 1948 on *Carpolobia lutea*.—Sierra Leone.
- cissampeli* Hansf. & Stev. var. *tiliacorae* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 3, 1948 on *Tiliacora*.—Sierra Leone.
- cissi-caesiae* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 41, 1948 on *Cissus caesia*.—Sierra Leone.
- copaiferae* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 25, 1948 on *Copaifera copallifera*.—Sierra Leone.
- danielliae* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 22, 1948 on *Daniellia thurifera*.—Sierra Leone.
- dioscoreae* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 71, 1948 on *Dioscorea*.—Sierra Leone.
- dioscoreicola* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 71, 1948 on *Dioscorea*.—Sierra Leone.
- diospyri* Syd. var. *yatesiana* (Trotter) Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 50, 1948. (Syn. *Meliola yatesiana* Trotter).
- dissotidis* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 11, 1948 on *Dissotis paucistellata*.—Sierra Leone.
- distictidis* Hansford in *Proc. Linn. Soc. Lond.*, clx, p. 132, 1949 on *Distictis lactiflora*.—San Domingo.
- entadae* Hansford in *Proc. Linn. Soc. Lond.*, clx, p. 124, 1949 on *Entada gigans*.—San Domingo.
- erithalidis* (Ciferri) Hansford in *Proc. Linn. Soc. Lond.*, clx, p. 130, 1949. (Syn. *Meliola kaduae* Stev. var. *erithalidis* Ciferri).
- erythrophlei* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 24, 1948 on *Erythrophleum guineense*.—Sierra Leone.
- fagarae-martinicensis* Hansford in *Proc. Linn. Soc. Lond.*, clx, p. 126, 1949 on *Fagara martinicensis*.—San Domingo.
- forsteroniae* (Stev.) Hansford in *Proc. Linn. Soc. Lond.*, clx, p. 129, 1949. (Syn. *Meliola tabernaemontanae* Speg. var. *forsteroniae* Stevens).
- franciscana* Hansford in *Proc. Linn. Soc. Lond.*, clx, p. 123, 1949 on Leguminosae.—Brazil.
- garciniae* Yates var. *mangostana* (Sacc.) Hansford in *Proc. Linn. Soc. Lond.*, clx, p. 120, 1949. (Syn. *Meliola mangostana* Sacc.).
- hippocrateicola* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 39, 1948 on *Hippocratea ? richardiana*.—Sierra Leone.
- hirsuta* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 50, 1948 on *Diospyros heudelotii*.—Sierra Leone.
- homalii-dolichophylli* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 7, 1948 on *Homalium dolichophyllum*.—Sierra Leone.
- hugoniae* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 5, 1948 on *Hugonia planchonii*.—Sierra Leone.
- hymenocardiae* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 20, 1948 on *Hymenocardia lyrata*.—Sierra Leone.
- ilicicola* Hansford in *Proc. Linn. Soc. Lond.*, clx, p. 126, 1949 on *Ilex montana*.—San Domingo.
- interrupta* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 71, 1948 on *Dracaena mannii*.—Gold Coast.
- janeirensis* Hansford in *Proc. Linn. Soc. Lond.*, clx, p. 121, 1949 on *Croton*.—Brazil.
- khayae* Hansf. var. *minor* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 44, 1948 on *Khaya grandifoliola*.—Gold Coast.
- kibirae* Hansf. & Stev. var. *leonensis* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 59, 1948 on *Randia hispida*.—Sierra Leone.
- var. *randiae* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 60, 1948 on *Randia maculata*.—Sierra Leone.
- koniaensis* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 41, 1948 on Rutaceae.—Sierra Leone.
- leonensis* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 13, 1948 on *Harungana madagascariensis*.—Sierra Leone.
- linacearum* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 6, 1948 on *Ochthocismus africanus*.—Sierra Leone.
- linociericola* Hansford in *Proc. Linn. Soc.*

- Lond., clx, p. 129, 1949 on *Linociera cumingiana*.—Philippine Islands.
- loranthi* Gaill. var. *bangwensis* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 40, 1948 on *Loranthus bangwensis*.—Gold Coast.
- maesobotryae* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 21, 1948 on *Maesobotrya sparsiflora*.—Gold Coast.
- malouetiae* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 55, 1948 on *Malouetia heudelotii*.—Sierra Leone.
- manotis* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 47, 1948 on *Manotes longiflora*.—Sierra Leone.
- mauritiae* Stev. var. *ancistrophylli* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 73, 1948 on *Ancistrophyllum secundiflorum*.—Sierra Leone.
- var. *raphiae* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 73, 1948 on *Raphia gracilis*.—Sierra Leone.
- mezoneuri* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 23, 1948 on *Mezoneurum benthamiani*.—Sierra Leone.
- microspora* Pat. & Gaill. var. *ceratothecae* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 67, 1948 on *Ceratotheca sesamoides*.—Sierra Leone.
- milletiae-rhodanthae* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 35, 1948 on *Milletia rhodantha*.—Sierra Leone.
- milletiae-sanaganae* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 35, 1948 on *Milletia sanagana*.—Sierra Leone.
- mucunae* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 36, 1948 on *Mucuna urens*.—Sierra Leone.
- napoleonae* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 10, 1948 on *Napoleona heudelotii*.—Sierra Leone.
- newbouldiae* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 66, 1948 on *Newbouldia laevis*.—Sierra Leone.
- ochthocosmi* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 5, 1948 on *Ochthocosmus africanus*.—Sierra Leone.
- ochthocosmicola* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 5, 1948 on *Ochthocosmus africanus*.—Sierra Leone.
- ormocarpi* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 30, 1948 on *Ormocarpum verrucosum*.—Sierra Leone.
- ostryoderridis* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 34, 1948 on *Ostryoderris leucobotrya*.—Sierra Leone.
- var. *leptoderridis* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 35, 1948 on *Leptoderris fasciculata*.—Sierra Leone.
- ouratae* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 8, 1948 on *Ouratea flava*.—Sierra Leone.
- pandanicola* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 74, 1948 on *Pandanus candelabrum*.—Sierra Leone.
- phoebes* Hansford in *Proc. Linn. Soc. Lond.*, clx, p. 136, 1949 on *Phoebe costaricana*.—Costa Rica.
- physostigmatis* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 33, 1948 on *Physostigma venenosum*.—Sierra Leone.
- piptadeniae* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 27, 1948 on *Piptadenia elliotii*.—Sierra Leone.
- platysepalii* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 33, 1948 on *Platysepalum*.—Sierra Leone.
- popowiae* Doidge var. *tenuis* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 2, 1948 on *Uvaria afzelii*.—Sierra Leone.
- premae* Hansford in *Proc. Linn. Soc. Lond.*, clx, p. 135, 1949 on *Premna odorata*.—Philippine Islands.
- pseudospondiadis* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 46, 1948 on *Pseudospondias microcarpa*.—Sierra Leone.
- psychotriae* Earle var. *densa* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 62, 1948 on *Morinda lucida*.—Gold Coast.
- pterochrysalis* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 37, 1948 on *Pterocarpus santalinoides*.—Sierra Leone.
- randiae* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 60, 1948 on *Randia genipiflora*.—Sierra Leone.
- rizalensis* Syd. var. *viticis* (Hansf.) Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 70, 1948. (Syn. *M. clerodendricola* P. Henn. var. *viticis* Hansf.).
- roureae* Syd. var. *major* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 48, 1948 on *Connarus africanus*.—Sierra Leone.
- scabriseta* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 36, 1948 on *Dalbergia*.—Gold Coast.
- scytometali* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 14, 1948 on *Scytometalum tieghemii*.—Sierra Leone.
- setariae* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 75, 1948 on *Setaria chevalieri*.—Sierra Leone.
- smeathmanniae* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 8, 1948 on *Smeathmannia laevigata*.—Sierra Leone.
- sorindeiae* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 47, 1948 on *Sorindeia juglandifolia*.—Sierra Leone.
- sterculiaceae* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 17, 1948 on *Sterculia tragacantha*.—Sierra Leone.
- stizolobii* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 31, 1948 on *Mucuna (Stizolobium) aterrima*.—Sierra Leone.
- var. *desmodii-salicifolii* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 31, 1948 on *Desmodium salicifolium*.—Sierra Leone.
- var. *eriosemae* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 31, 1948 on *Eriosema glomeratum*.—Sierra Leone.
- subdentata* Pat. var. *microspora* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 72, 1948 on *Sansevieria liberica*.—Gold Coast.
- sydowi* Hansford in *Proc. Linn. Soc. Lond.*, clx, p. 122, 1949 on Leguminosae. —Costa Rica.
- thunbergiicola* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 68, 1948 on *Thunbergia cynanchifolia*.—Sierra Leone.
- tunkiaensis* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 63, 1948 on *Randia genipiflora*.—Sierra Leone.
- ulei* Hansford in *Proc. Linn. Soc. Lond.*, clx, p. 132, 1949 on Scrophulariaceae. —Brazil.
- usteriae* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 52, 1948 on *Usteria guineensis*.—Sierra Leone.
- vicina* Syd. var. *gaertnerae* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 52, 1948 on *Gaertnera paniculata*.—Sierra Leone.
- var. *minor* Hansford & Deighton in

- Mycol. Pap. C.M.I.*, 23, p. 59, 1948 on *Virecta multiflora*.—Sierra Leone.
- *vignae-gracilis* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 36, 1948 on *Vigna gracilis*.—Sierra Leone.
- *voacangae* Hansf. & Stev. var. *carpodini* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 55, 1948 on *Carpodinus dulcis*.—Sierra Leone.
- var. *conopharyngiae* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 54, 1948 on *Conopharyngia longiflora*.—Sierra Leone.
- var. *funtumiicola* Hansford & Deighton in *Mycol. Pap. C.M.I.*, 23, p. 54, 1948 on *Funtumia africana*.—Sierra Leone.
- Metasphaeria cavanillesiana** Alcalde in *An. Jard. bot. Madr.*, vi, p. 404, 1945 on *Scirpus holoschoenus*.—Spain.
- *didymelloidea* Petrak in *Sydowia*, ii, p. 231, 1948 on *Festuca filiformis*.—Teneriffe.
- *saccharicola* (Mundkur & Ahmad) Ahmad in *Sydowia*, ii, p. 73, 1948. (Syn. *Clypeosphaeria saccharicola* Mundkur & Ahmad).
- Micromphale perforans** (Hofm. ex Fr.) Sing. in *Sydowia*, ii, p. 32, 1948. (Syn. *Marasmius perforans* (Hofm. ex Fr.) Fr.).
- *westii* (Murr.) Sing. in *Sydowia*, ii, p. 32, 1948. (Syn. *Marasmius westii* Murr.).
- Micromyces echinocystis** Linder in *Bull. nat. Mus. Can.* 97, p. 240, 1947 on *Zygnema* and *Mougeotia*.—Canada.
- *laevis* Canter in *Trans. Brit. mycol. Soc.*, xxxii, p. 88, 1949 on *Mougeotia* sp.—England.
- *minimus* Linder in *Bull. nat. Mus. Can.* 97, p. 239, 1947 on *Zygnema*.—Canada.
- *wheldenii* Linder in *Bull. nat. Mus. Can.* 97, p. 240, 1947 on *Zygnema*.—Canada.
- Micromycopsis intermedia** Canter in *Trans. Brit. mycol. Soc.*, xxxii, p. 79, 1949 on *Zygnema*.—England.
- *mirabilis* Canter in *Trans. Brit. mycol. Soc.*, xxxii, p. 82, 1949 on *Closterium* spp.—England.
- Micropeltis juniperi** da Camara in *Agron. lusit.*, viii, p. 36, 1946 on *Juniperus nana*.—Portugal.
- Monochaetia quercina** Politis in *Mém. Soc. Hist. nat. Afr. Nord.* Hors-sér., ii, p. 269, 1949 on *Quercus lanuginosa*.—Greece.
- MORGANELLA** Zeller in *Mycologia*, xl, p. 650, 1948.—Lycoperdales.
- *mexicana* Zeller in *Mycologia*, xl, p. 650, 1948.—Mexico.
- Mycena flavo-alba** (Fr.) Quél. sensu Pat. var. *amara* Favre in *Beitr. Kryptogamenfl. Schweiz*, x, 3, p. 212, 1948.—Switzerland.
- [as '*Micena*'] *salicicola* Losa España in *An. Jard. bot. Madr.*, vi, p. 442, 1945.—Spain.
- Mycocacia pinicola** J. Eriksson in *Svensk bot. Tidskr.*, xliii, p. 59, 1949 on dead *Pinus mugo*.—Sweden.
- Mycosphaerella aequatoriensis** Petrak in *Sydowia*, ii, p. 342, 1948 on ?*Eugenia*.—Ecuador.
- *cucumis* (Fautr. & Roum.) Chiu & Walker in *J. agric. Res.*, lxxviii, p. 82, 1949. (Syn. *Ascochyta cucumis* Fautrey & Roumeguère).
- *elaëidis* (Beeli) Hendrickx in *Publ. Inst. nat. Étude agron. Congo belge*, Sér. sci., xxxv, p. 7, 1948. (Syn. *Sphaerella elaëidis* Beeli).
- *liabi* Petrak in *Sydowia*, ii, p. 343, 1948 on *Liabum peltalangense*.—Ecuador.
- Mycosyrinx microspora** Cantournet in *Bull. Soc. mycol. Fr.*, lxiv, p. 167, 1948 on ?*Cissus* sp.—Africa.
- Naematoloma campestre** Smith in *Mycologia*, xl, p. 692, 1948.—U.S.A.
- *humidicola* (Murr.) Smith in *Mycologia*, xl, p. 693, 1948. (Syn. *Naucoria humidicola* Murrill).
- *laeticolor* Möller in *Fungi of the Farøes*, Part I, p. 192, 1945.—Farøe Islands.
- *petasiforme* (Murrill) Smith in *Mycologia*, x, p. 694, 1948. (Syn. *Psathyrella petasiformis* Murrill).
- *squamosum* (Pers. ex Fr.) Sing. in *Sydowia*, ii, p. 36, 1948. (Syn. *Hypholoma squamosum* Auct.).
- *subfususporum* Möller in *Fungi of the Farøes*, Part I, p. 191, 1945.—Farøe Islands.
- Naucoria centunculus** (Fr.) Gill. var. *laevigata* Favre in *Beitr. Kryptogamenfl. Schweiz*, x, 3, p. 214, 1948.—Switzerland.
- *macrospora* Lange var. *borealis* Möller in *Fungi of the Farøes*, Part I, p. 213, 1945.—Farøe Islands.
- *myosotis* Fr. var. *humilis* Möller in *Fungi of the Farøes*, Part I, p. 214, 1945.—Farøe Islands.
- *saliciphila* Favre in *Beitr. Kryptogamenfl. Schweiz*, x, 3, p. 214, 1948.—Switzerland.
- Nectria tuxurahuana** Petrak in *Sydowia*, ii, p. 345, 1948 on *Polystomellaceae*.—Ecuador.
- Nematostigma arachnoideum** Petrak in *Sydowia*, ii, p. 347, 1948 on *Chusquea serrulata*.—Ecuador.
- *lantanae* (Theiss.) Petr. in *Sydowia*, ii, p. 348, 1948. (Syn. *Acanthostigma lantanae* Theiss.).
- Nidulariopsis iowensis** (Walker) Zeller in *Mycologia*, xl, p. 657, 1948. (Syn. *Sphaerobolus iowensis* Walker).
- Nolanea hirtipes** (Schum.) Fr. var. *montana* Möller in *Fungi of the Farøes*, Part I, p. 236, 1945.—Farøe Islands.
- Olivea tectonae** (Racib.) Thirum. in *Curr. Sci.*, xviii, p. 176, 1949. (Syn. *Uredo tectonae* Racib.).
- Olpidiopsis karlingiae** Karling in *Mycologia*, xli, p. 271, 1949 on *Karlingia rosea*.—Maryland, U.S.A.
- Omphalia cincta** Favre in *Beitr. Kryptogamenfl. Schweiz*, x, 3, p. 212, 1948.—Switzerland.
- *flava* (Cooke) Möller in *Fungi of the Farøes*, Part I, p. 260, 1945. (Syn. *Omphalia umbellifera* (L.) Fr. var. *flava* Cooke).
- *fusco-alba* Möller in *Fungi of the Farøes*, Part I, p. 263, 1945.—Farøe Islands.
- *umbellifera* (L.) Fr. f. *bispora* Möller in *Fungi of the Farøes*, Part I, p. 258, 1945.—Farøe Islands.
- Ophiobolus lapponicus** L. Holm in *Svensk bot. Tidskr.*, xlii, p. 343, 1948 on *Astragalus frigidus*.—Sweden.
- *nigromaculatus* Rehm f. *anthrisci* L. Holm in *Svensk bot. Tidskr.*, xlii, p. 345, 1948 on *Anthriscus silvestris*.—Sweden.
- *ophioboloides* (Sacc.) L. Holm in *Svensk bot. Tidskr.*, xlii, p. 345, 1948. (Syn. *Leptosphaeria ophioboloides* Sacc.).
- *spirosporus* Ahmad in *Sydowia*, ii, p. 75, 1948 on *Saccharum spontaneum*.—Pakistan.
- Ophiodothella sydowii** Petrak in *Sydowia*, ii, p. 63, 1948 on *Cavendishia*.—Ecuador.

- Panaeolus castaneifolius** (Murrill) Smith in *Mycologia*, xl, p. 685, 1948. (Syn. *Psilocybe castaneifolia* Murrill).
- **fontinalis** Smith in *Mycologia*, xl, p. 690, 1948.—Michigan, U.S.A.
- **fraxinophilus** Smith in *Mycologia*, xl, p. 686, 1948 on ash wood.—New York, U.S.A.
- **georgii** Szemere in *Acta Mycol. Hungarica* (Budapest), I, p. 47, 1944.—Hungary.
- **olivaceus** Möller in *Fungi of the Faröes*, Part I, p. 171, 1945.—Faröe Islands.
- Panellus ringens** (Fr.) Romagnesi in *Bull. Soc. mycol. Fr.*, lxi, p. 38, 1945. (Syn. *Panus ringens* Fr.).
- Parodiopsis melioides** (Berk. & Curt.) Arn. var. **macrospora** (Torrend) Hendrickx in *Publ. Inst. nat. Étude agron. Congo belge*, Sér. sci., xxxv, p. 8, 1948. (Syn. *Parodiella melioides* (Berk. & Curt.) Wint. var. **macrospora** Torrend apud Beeli).
- Peniophora arenata** Talbot apud Wakefield & Talbot in *Bothalia*, iv, p. 944, 1948 on wood.—South Africa.
- Penzigia capparidis** (Mundkur & Ahmad) Ahmad in *Sydowia*, ii, p. 73, 1948. (Syn. *Bagnisiopsis capparidis* Mundkur & Ahmad).
- Peronospora astragali-purpurei** Mayor & Viennot-Bourgin in *Rev. Path. Vég.*, xxviii, p. 42, 1949 on *Astragalus purpureus*.—France.
- **embergeri** Mayor & Viennot-Bourgin in *Rev. Path. Vég.*, xxviii, p. 37, 1949 on *Euphorbia characias*.—France.
- Pestalotia aeruginea** Steyaert in *Bull. Jard. bot. Brux.*, xix, p. 186, 1948 on *Camellia thea*.—Belgian Congo.
- **carbonacea** Steyaert in *Bull. Jard. bot. Brux.*, xix, p. 183, 1948 on *Euphorbia dawei*.—Belgian Congo.
- **mayumbensis** Steyaert in *Bull. Jard. bot. Brux.*, xix, p. 176, 1948 on *Elaeis guineensis*.—Belgian Congo.
- PHAEODOTHORA** Petrak in *Sydowia*, ii, p. 82, 1948.—Dothioraceae.
- *— **sinensis** Petrak in *Sydowia*, ii, p. 82, 1948 on *Jasminum mesnyi*.—China.
- Phaeomarasmius carpophilus** (Fr.) Sing. in *Sydowia*, ii, p. 37, 1948. (Syn. *Naucoria carpophila* (Fr.) Quél.).
- Phakopsora burserae** (Sydow) Thirumalachar & Kern in *Mycologia*, xli, p. 287, 1949. (Syn. *Physopella burserae* Sydow).
- Phleospora ulmea** Politis in *Mém. Soc. Hist. nat. Afr. Nord*, Hors-sér., ii, p. 269, 1949 on *Ulmus campestris*.—Greece.
- Phlyctochytrium magnum** Linder in *Bull. nat. Mus. Can.*, 97, p. 243, 1947 on *Zygnema*.—Canada.
- Pholiota praticola** Möller in *Fungi of the Faröes*, Part I, p. 231, 1945.—Faröe Islands.
- **spumosa** (Fr.) Sing. in *Sydowia*, ii, p. 37, 1948. (Syn. *Flammula spumosa* (Fr.) Karst.).
- Phoma carlinae** Politis in *Mém. Soc. Hist. nat. Afr. Nord*, Hors-sér., ii, p. 267, 1949 on dead *Carlina graeca*.—Greece.
- **chenopodii** Ahmad in *Sydowia*, ii, p. 79, 1948 on dead *Chenopodium album*.—Pakistan.
- **graminis** Ahmad in *Sydowia*, ii, p. 77, 1948 on dead *Eleusine flagellifera*.—Pakistan.
- **mangiferae** Ahmad in *Sydowia*, ii, p. 78, 1948 on dead *Mangifera indica*.—Pakistan.
- **nyctaginea** F. Tassi var. **boerhaaviae** Ahmad in *Sydowia*, ii, p. 78, 1948 on dead *Boerhaavia diffusa*.—Pakistan.
- **polygoni-avicularis** Politis in *Mém. Soc. Hist. nat. Afr. Nord*, Hors-sér., ii, p. 267, 1949 on dead *Polygonum aviculare*.—Greece.
- **psidii** Ahmad in *Sydowia*, ii, p. 78, 1948 on dead *Psidium guajava*.—Pakistan.
- **salicis-albae** Politis in *Mém. Soc. Hist. nat. Afr. Nord*, Hors-sér., ii, p. 267, 1949 on dead *Salix alba*.—Greece.
- **sambuci-ebuli** Politis in *Mém. Soc. Hist. nat. Afr. Nord*, Hors-sér., ii, p. 267, 1949 on dead *Sambucus ebulus*.—Greece.
- **sibthorpii** Politis in *Mém. Soc. Hist. nat. Afr. Nord*, Hors-sér., ii, p. 267, 1949 on dead *Euphorbia sibthorpii*.—Greece.
- **zizyphina** Ahmad in *Sydowia*, ii, p. 78, 1948 on dead *Zizyphus jujuba*.—Pakistan.
- Phomatopora salvadorina** Ahmad in *Sydowia*, ii, p. 74, 1948 on dead *Salvadora oleoides*.—Pakistan.
- Phomopsis diospyri** Bongini (1948). [This *Index*, p. 230]. Cf. *P. diospyri* Zerova (1940). [This *Index*, p. 28].
- **mindensis** Petrak in *Sydowia*, ii, p. 369, 1948 on *Palmeae*.—Ecuador.
- Phragmopeltis chrysochlamydis** Petrak in *Sydowia*, ii, p. 371, 1948 on *Chrysochlamys*.—Ecuador.
- Phyllachora clusiae** Petrak in *Sydowia*, ii, p. 350, 1948 on *Clusia*.—Ecuador.
- **detecta** Petrak in *Sydowia*, ii, p. 351, 1948 on ?*Nectandra*.—Ecuador.
- **emarginata** Petrak in *Sydowia*, ii, p. 354, 1948 on ?*Eugenia*.—Ecuador.
- **henningsii** Hendrickx nom. nov. in *Publ. Inst. nat. Étude agron. Congo belge*, Sér. sci., xxxv, p. 8, 1948. (Syn. *P. eleusines* P. Henn., non Speg.).
- **pichinchae** Petrak in *Sydowia*, ii, p. 357, 1948 on *Acalypha*.—Ecuador.
- **piptocarphae** Petrak in *Sydowia*, ii, p. 359, 1948 on *Piptocarpha*.—Ecuador.
- **teneriffae** Petrak in *Sydowia*, ii, p. 233, 1948 on *Festuca agustini*.—Teneriffe.
- Phyllachorella cestri** (Pat.) Petr. in *Sydowia*, ii, p. 360, 1948. (Syn. *Stigmataea cestri* Pat.).
- Phyllosticta cycadis** Ahmad in *Sydowia*, ii, p. 77, 1948 on *Cycas circinalis*.—Pakistan.
- **ficina** Ahmad in *Sydowia*, ii, p. 77, 1948 on *Ficus elastica*.—Pakistan.
- *— **magnoliae-pumilae** Sawada in *Trans. nat. Hist. Soc. Formosa*, xxxii, 227, p. 290, 1942 on *Magnolia pumila*.—Formosa. [In Japanese].
- Phytophthora himalayensis** Dastur in *Indian Phytopathology*, i, p. 24, 1948 on *Solanum tuberosum*.—India.
- Pistillina calyx** Heim in *Mém. Soc. Hist. nat. Afr. Nord*, Hors-sér., ii, p. 152, 1949 in woods. —Madagascar.
- Plasmopara hepaticae** (Caspary) Shaw in *Mycologia*, xli, p. 334, 1949. (Syn. *Peronospora hepaticae* Casp.).
- Platyglöea brunnea** (Martin) Martin in *Lloydia*, xi, p. 119, 1948. (Syn. *Tjibodasia brunnea* Martin).
- **decipiens** Martin in *Lloydia*, xi, p. 119, 1948.—Panama.
- Plenodomus helveticus** Petrak in *Sydowia*, ii, p. 239, 1948 on *Veronica bellidioides*.—Switzerland.
- Pluteus granulatus** Bres. var. **tenellus** Favre in *Beitr. Kryptogamenfl. Schweiz*, x, 3, p. 213, 1948.—Switzerland.

Polyporus doidgeae Wakefield apud Wakef. & Talbot in *Bothalia*, iv, p. 948, 1948 on wood of *Acacia mollissima*.—South Africa.

— **patouillardii** Rick var. **congoensis** (Patouill. & Heim) Hendrickx in *Publ. Inst. nat. Étude agron. Congo belge*, Sér. sci., xxxv, p. 8, 1948. (Syn. *Xanthochrous patouillardii* (Rick) Theiss. var. *congoensis* Patouill. & Heim).

*— **stewartae** Coker in *J. Elisha Mitchell Sci. Soc.*, lxiv, p. 295, 1948.—North Carolina, U.S.A.

— **stramineus** (Patouill.) Hendrickx in *Publ. Inst. nat. Étude agron. Congo belge*, Sér. sci., xxxv, p. 8, 1948. (Syn. *Spongipellis stramineus* Patouill.).

— var. **africanus** (Patouill. & Heim) Hendrickx in *Publ. Inst. nat. Étude agron. Congo belge*, Sér. sci., xxxv, p. 8, 1948. (Syn. *Spongipellis stramineus* var. *africanus* Patouill. & Heim).

Poria xantha (Fr.) Cooke f. **pachymeres** J. Eriksson nom. nov. in *Svensk bot. Tidskr.*, xliii, p. 22, 1949. (Syn. *Trametes cinereosulfurea* Ferd. & Winge, &c.).

***Protomyces ixeridis-oldhami** Sawada in *Trans. nat. Hist. Soc. Formosa*, xxxii, 222, p. 130, 1942 on *Ixeris oldhami*.—Formosa. [In Japanese].

Protuberabrunnea (Zeller) Zeller in *Mycologia*, xl, p. 644, 1948. (Syn. *Protophallus brunneus* Zeller).

— **jamaicensis** (Murrill) Zeller in *Mycologia*, xl, p. 644, 1948. (Syn. *Protophallus jamaicensis* Murrill).

Psathyrella acutilamella Favre nom. nov. in *Beitr. Kryptogamenfl. Schweiz*, x, 3, p. 150, 1948. (Syn. *Psathyra gordonii* Lange, non B. & Br.).

— **saponacea** Möller in *Fungi of the Faröes*, Part I, p. 179, 1945.—Faröe Islands.

— **typhae** (Kalchbr.) Kühn var. **sulcatotuberculosa** Favre in *Beitr. Kryptogamenfl. Schweiz*, x, 3, p. 215, 1948.—Switzerland.

Pseudoplectania nigrella var. **episphagnum** Favre in *Beitr. Kryptogamenfl. Schweiz*, x, 3, p. 212, 1948.—Switzerland.

Psilocybe bulbosa (Peck) Smith in *Mycologia*, xl, p. 694, 1948. (Syn. *Deconica bulbosa* Peck).

— **cubensis** (Earle) Sing. in *Sydowia*, ii, p. 37, 1948. (Syn. *Stropharia cubensis* Earle).

— **fuliginosa** (Murrill) Smith in *Mycologia*, xl, p. 697, 1948. (Syn. *Atylospora fuliginosa* Murrill).

— **lateritia** (Murrill) Smith in *Mycologia*, xl, p. 698, 1948. (Syn. *Psathyra lateritia* Murrill).

— **mammillata** (Murr.) Smith in *Mycologia*, xl, p. 700, 1948. (Syn. *Psathyra mammillata* Murrill).

— **modesta** (Peck) Smith in *Mycologia*, xl, p. 700, 1948. [Syn. not cited].

— **pallidisporea** (Murrill) Smith in *Mycologia*, xl, p. 701, 1948. [Syn. not cited].

— **pyrispora** (Murrill) Smith in *Mycologia*, xl, p. 703, 1948. (Syn. *Deconica pyrispora* Murrill).

— **tomentosa** (Murrill) Smith in *Mycologia*, xl, p. 705, 1948. [Syn. not cited].

Puccinia aequitatis Cummins in *Bull. Torrey bot. Cl.*, lxxvi, p. 35, 1949 on *Benzoin*.—Kwangsi, China.

— **allii-cepulae** Mundkur & Thirumalachar in *Mycol. Pap. C.M.I.*, 16, p. 15, 1946 on *Allium cepa*.—India.

— **cara** Cummins in *Bull. Torrey bot. Cl.*, lxxvi, p. 35, 1949 on *Benzoin*.—Kwangsi, China.

— **cinnamomicola** Cummins in *Bull. Torrey bot. Cl.*, lxxvi, p. 32, 1949 on *Cinnamomum*.—Kwangsi, China.

— **clematidis-secalis** Dupias in *Bull. Soc. mycol. Fr.*, lxiv, p. 182, 1948 on *Clematis vitalba* and *Secale cereale*.—France.

— **coronopsora** Cummins in *Bull. Torrey bot. Cl.*, lxxvi, p. 36, 1949 on *Lindera*.—Kweichow, China.

*— **ixeridis-oldhami** Sawada in *Trans. nat. Hist. Soc. Formosa*, xxxii, 222, p. 131, 1942 on *Ixeris oldhami*.—Formosa. [In Japanese].

— **jasminicola** T. S. & K. Ramakrishnan in *Proc. Indian Acad. Sci.*, Sect. B, xxix, p. 53, 1949 on *Jasminum flexile*.—Madras, India.

— **lauricola** Cummins in *Bull. Torrey bot. Cl.*, lxxvi, p. 38, 1949 on *Lindera strychnifolia*.—Kwangsi, China.

— **machili** Cummins in *Bull. Torrey bot. Cl.*, lxxvi, p. 36, 1949 on *Machilus*.—Kwangsi, China.

— **machilicola** Cummins in *Bull. Torrey bot. Cl.*, lxxvi, p. 36, 1949 on *Machilus*.—Kweichow, China.

— **morata** Cummins in *Bull. Torrey bot. Cl.*, lxxvi, p. 33, 1949 on *Litsea*.—Kwangsi, China.

— **operta** Mundkur & Thirumalachar in *Mycol. Pap. C.M.I.*, 16, p. 10, 1946 on *Coix lachryma-jobi*.—India.

— **scimitriformis** Cummins in *Bull. Torrey bot. Cl.*, lxxvi, p. 33, 1949 on *Persea*.—Kwangsi, China.

— **seposita** Cummins in *Bull. Torrey bot. Cl.*, lxxvi, p. 33, 1949 on *Benzoin*.—Kwangsi, China.

— **stapfiolae** Mundkur & Thirumalachar in *Mycol. Pap. C.M.I.*, 16, p. 14, 1946 on *Stapfiola bipinnata*.—India.

— **tatrensis** Urban in *Studia bot. Českoslov.*, ix, p. 57, 1948 on *Geum reptans*.—Czechoslovakia.

— **ustalis** Berk. var. **pulsatillae** (Kalchbr.) Linder in *Bull. nat. Mus. Can.* 97, p. 266, 1947. (Syn. *Puccinia pulsatillae* Kalchbr.).

Pyrrhoglossum stipitatum Singer in *Sydowia*, ii, p. 37, 1948 on wood.—British Guiana.

Pythium multisporum Poitras in *Mycologia*, xli, p. 171, 1949 from soil.—Illinois, U.S.A.

Radiigera cinnamomea Zeller in *Mycologia*, xl, p. 652, 1948.—Pennsylvania, U.S.A.

Ramularia acroptili Bremer apud Bremer & Petrak in *Sydowia*, ii, p. 315, 1948 on *Acroptilon picris*.—Turkey.

Ravenelia acaciae-arabicae Mundkur & Thirumalachar in *Mycol. Pap. C.M.I.*, 16, p. 17, 1946 on *Acacia arabica*.—India.

— **acaciae-concinnae** Mundkur & Thirumalachar in *Mycol. Pap. C.M.I.*, 16, p. 18, 1946 on *Acacia concinna*.—India.

— **acaciae-sumae** Mundkur & Thirumalachar in *Mycol. Pap. C.M.I.*, 16, p. 18, 1946 on *Acacia suma*.—India.

— **berkeleyi** Mundkur & Thirumalachar in *Mycol. Pap. C.M.I.*, 16, p. 19, 1946 on *Cassia abus*.—India.

— **breyniae-patensis** Mundkur & Thirumalachar in *Mycol. Pap. C.M.I.*, 16, p. 21, 1946 on *Breynia patens*.—India.

- *kirganelliae* Mundkur & Thirumalachar in *Mycol. Pap. C.M.I.*, 16, p. 22, 1946 on *Phyllanthus reticulatus*.—India.
- *phyllanthi* Mundkur & Thirumalachar in *Mycol. Pap. C.M.I.*, 16, p. 24, 1946 on *Phyllanthus polyphyllus*.—India.
- Rhabdospora arctii* Politis in *Mém. Soc. Hist. nat. Afr. Nord*, Hors-sér., ii, p. 268, 1949 on dead *Arctium*.—Greece.
- Rhodopaxillus densifolius* Favre in *Beitr. Kryptogamenfl. Schweiz*, x, 3, p. 212, 1948.—Switzerland.
- Rhodophyllus (Eccilia) undatus* (Fr.) Quél. var. *odorus* Favre in *Beitr. Kryptogamenfl. Schweiz*, x, 3, p. 212, 1948.—Switzerland.
- (*Leptonia*) *tenellus* Favre in *Beitr. Kryptogamenfl. Schweiz*, x, 3, p. 212, 1948.—Switzerland.
- **Rhodotorula mucilaginosus* (Jörg.) Harrison var. *kentuckyi* Giovannozzi in *Mycopathologia*, iv, p. 264, 1948 on fermenting tobacco.—Italy.
- * — var. *scafati* Giovannozzi in *Mycopathologia*, iv, p. 264, 1948 on fermenting tobacco.—Italy.
- * — *polymorpha* Giovannozzi in *Mycopathologia*, iv, p. 264, 1948 on fermenting tobacco.—Italy.
- Rostrupia ammophilae* (Syd.) Wilson in *Proc. bot. Soc. Edinburgh*, xxxiii, p. iv, 1940. (Syn. *Uredo ammophilae* Syd.).
- Russula appalachiensis* Singer in *Sydowia*, ii, p. 39, 1948.—Virginia, U.S.A.
- *dadmunii* Singer in *Sydowia*, ii, p. 39, 1948.—Massachusetts, U.S.A.
- Saccobolus kerverni* (Crouan) Boud. f. *minor* Rayss in *Palest. J. Bot.*, J. Ser., iv, p. 73, 1947.—Palestine.
- Schiffnerula cassiae* Hansford in *Proc. Linn. Soc. Lond.*, clx, p. 151, 1949 on *Cassia kirkii*.—Sierra Leone.
- *costaricensis* Hansford in *Proc. Linn. Soc. Lond.*, clx, p. 150, 1949 on *Solanum laurifolium*.—Costa Rica.
- *crotonis* Hansford in *Proc. Linn. Soc. Lond.*, clx, p. 149, 1949 on *Croton gossypifolius*.—Costa Rica.
- *hippocrateae* Hansford in *Proc. Linn. Soc. Lond.*, clx, p. 116, 1949 on *Hippocratea velutina*.—Sierra Leone.
- *periplocae* Hansford in *Proc. Linn. Soc. Lond.*, clx, p. 150, 1949 on *Periploca nigrescens*.—Sierra Leone.
- *ricini* Hansford in *Proc. Linn. Soc. Lond.*, clx, p. 117, 1949 on *Ricinus communis*.—Sierra Leone.
- *scopariae* Hansford in *Proc. Linn. Soc. Lond.*, clx, p. 117, 1949 on *Scoparia dulcis*.—Sierra Leone.
- *solani* Hansford in *Proc. Linn. Soc. Lond.*, clx, p. 118, 1949 on *Solanum melongena*.—Sierra Leone.
- *spigeliae* Hansford in *Proc. Linn. Soc. Lond.*, clx, p. 117, 1949 on *Spigelia anthelmia*.—Sierra Leone.
- Scopella fici* Mundkur & Thirumalachar in *Mycol. Pap. C.M.I.*, 16, p. 9, 1946 on *Ficus*.—India.
- Secotium albipes* Zeller in *Mycologia*, xl, p. 657, 1948.—California, U.S.A.
- Septoria blumeri* Petrak in *Sydowia*, ii, p. 241, 1948 on *Lathyrus luteus*.—Switzerland.
- *calystegiae* Losa España in *An. Jard. bot. Madr.*, vi, p. 465, 1945 on *Calystegia soldanella*.—Spain.
- *coriariae* Petrak in *Sydowia*, ii, p. 373, 1948 on *Coriaria*.—Ecuador.
- *gynoxidina* Petrak in *Sydowia*, ii, p. 375, 1948 on *Gynoxis*.—Ecuador.
- *maireana* Politis in *Mém. Soc. Hist. nat. Afr. Nord*, Hors-sér., ii, p. 268, 1949 on *Rubia tinctorum*.—Greece.
- *obclavata* Petrak in *Sydowia*, ii, p. 237, 1948 on *Festuca filiformis*.—Teneriffe.
- *pichinchica* Petrak in *Sydowia*, ii, p. 376, 1948 on ?*Eugenia*.—Ecuador.
- Serpula domestica* (Falck) Bondartzev in *Přiroda*, 1948, p. 41, 1948. (Syn. *Merulius domestica* Falck).
- *minor* (Falck) Bondartzev in *Přiroda*, 1948, p. 41, 1948. (Syn. *Merulius minor* Falck).
- Sorosporium beelii* Zundel var. *kinshasaensis* (Beeli) Hendrickx in *Publ. Inst. nat. Étude agron. Congo belge*, Sér. sci., xxxv, p. 8, 1948. (Syn. *S. panici* Beeli var. *kinshasaensis* Beeli).
- *digitariae* (Kunze) Padwick in *Mycol. Pap. C.M.I.*, 17, p. 8, 1946. (Syn. *Uredo digitariae* Kunze).
- Sphacelotheca bursa* (Berk.) Mundkur & Thirumalachar in *Mycol. Pap. C.M.I.*, 16, p. 6, 1946. (Syn. *Ustilago bursa* Berk.).
- *isachnes* (Syd.) Ling in *Mycologia*, xli, p. 262, 1949. (Syn. *Ustilago isachnes* Syd.).
- Sphaerella broteriana* Alcalde in *An. Jard. bot. Madr.*, vi, p. 402, 1945 on *Potentilla rupestris*.—Spain.
- Sphaeropsis cycadis* Mundkur & Sultan Ahmad in *Mycol. Pap. C.M.I.*, 18, p. 9, 1946 on *Cycas circinalis*.—India.
- Sphaerulina quitensis* Petrak in *Sydowia*, ii, p. 364, 1948 on *Psammisia*.—Ecuador.
- Stachybotryella bisporea* Hansford in *Proc. Linn. Soc. Lond.*, clx, p. 149, 1949 on *Memecylon subfurfuraceum*.—Philippines.
- STELLIGERA* Heim in *Mém. Soc. Hist. nat. Afr. Nord*, Hors-sér., ii, p. 148, 1949.—Clavariaceae.
- *membranacea* Heim in *Mém. Soc. Hist. nat. Afr. Nord*, Hors-sér., ii, p. 149, 1949 in woods.—Madagascar. (Nom. nud. in *C.R. Acad. Sci., Paris*, ccvi, p. 1, 1920, 1938).
- Stereum rimosum* Berk. var. *africanum* Talbot apud Wakefield & Talbot in *Bothalia*, iv, p. 945, 1948 on wood.—South Africa.
- **Stropharia laceriannula* Sawada in *Trans. nat. Hist. Soc. Formosa*, xxxii, 220, p. 26, 1942.—Formosa. [In Japanese].
- *merdaria* Fr. f. *macrospora* Möller in *Fungi of the Farões*, Part I, p. 195, 1945.—Farõe Islands.
- — var. *exigua* Möller in *Fungi of the Farões*, Part I, p. 196, 1945.—Farõe Islands.
- Stropharia stercoraria* (Schum.) Fr. var. *minor* Möller in *Fungi of the Farões*, Part I, p. 202, 1945.—Farõe Islands.
- f. *sterilis* Möller in *Fungi of the Farões*, Part I, p. 202, 1945.—Farõe Islands.
- Synchytrium fragariae* Zeller & Campbell in *Phytopathology*, xxxix, p. 150, 1949 on *Fragaria*.—U.S.A.
- *phaseoli* Patel, Kulkarni, & Dhande in *Curr. Sci.*, xviii, p. 171, 1949 on *Phaseolus mungo*.—India.
- *sambuci* Cook in *Mycologia*, xli, p. 27, 1949 on *Sambucus canadensis*.—Louisiana, U.S.A.

- Taphrina americana* Mix in *Trans. Kans. Acad. Sci.*, 1, p. 80, 1947 on *Betula* spp.—U.S.A.
- bartholomaei* Mix nom. nov. in *Univ. Kansas Sci. Bull.*, xxxiii, p. 149, 1949. (Syn. *Eoascus aceris* Dearn. & Barth., non Linhart).
- blechni* Bresadola apud Mix in *Trans. Kans. Acad. Sci.*, 1, p. 77, 1947 on *Blechnum* sp.—Brazil.
- darkeri* Mix in *Trans. Kans. Acad. Sci.*, 1, p. 82, 1947 on *Acer circinatum*.—Oregon, U.S.A.
- orientalis* Mix in *Trans. Kans. Acad. Sci.*, 1, p. 80, 1947 on *Pyrus lindleyi*.—Japan.
- padi* Mix (as '(Jacq.) sp. nov.') in *Trans. Kans. Acad. Sci.*, 1, p. 81, 1947 on *Prunus padus*.—Sweden.
- populi-salicis* Mix in *Trans. Kans. Acad. Sci.*, 1, p. 78, 1947 on *Populus fremontii*, *P. trichocarpa*, and *Salix laevigata*.—California and Oregon, U.S.A.
- thomasii* Mix in *Trans. Kans. Acad. Sci.*, 1, p. 81, 1947 on *Prunus ilicifolia*.—California, U.S.A.
- TELLIGIA** Hendrickx nom. nov. in *Publ. Inst. nat. Étude agron. Congo belge*, Sér. sci., xxxv, p. 8, 1948. Moniliaceae, based on *Gilletia* Torrend, non Penz. & Sacc.
- cinnabarina* (Torrend) Hendrickx in *Publ. Inst. nat. Étude agron. Congo belge*, Sér. sci., xxxv, p. 8, 1948. (Syn. *Gilletia cinnabarina* Torrend apud de Wildeman).
- Thecaphora fimbriatylidis** Mundkur & Thirumalachar in *Mycol. Pap. C.M.I.*, 16, p. 4, 1946 on *Fimbristylis monostachya*.—India.
- THRINACOSPORA** Petrak in *Sydowia*, ii, p. 49, 1948.—Sphaeropsidales.
- insignis* Petrak in *Sydowia*, ii, p. 49, 1948 on *Coriaria thymifolia*.—Ecuador.
- Tilletia alopecuri** (Saw.) Ling in *Mycologia*, xli, p. 252, 1949. (Syn. *Entyloma alopecuri* Saw.).
- Tolyposporella brachiariae** Mundkur & Thirumalachar in *Mycol. Pap. C.M.I.*, 16, p. 5, 1946 on *Brachiaris distachya*.—India.
- Torrubiella confragosa** Mains in *Mycologia*, xli, p. 305, 1949 on scale-insects.—Brazil.
- liberiana* Mains in *Mycologia*, xli, p. 306, 1949 on an ant.—Liberia.
- pulvinata* Mains in *Mycologia*, xli, p. 303, 1949 on Opilionoidea.—Hawaii.
- Torsellia sydwii** Petrak in *Sydowia*, ii, p. 377, 1948 on dead *Sapium*.—Ecuador.
- Torulopsis aggregata** (Anderson) Mackinnon in *Zimologia Médica*, p. 106, 1946. [Syn. not cited].
- mucorugosa* (Benham) Mackinnon in *Zimologia Médica*, p. 107, 1946. [Syn. not cited].
- oleifabricae* Ciferri, Verona, & Luparini in *Mycopathologia*, iv, p. 254, 1948 on olives and in olive oil.—Italy.
- ovoidea* (Anderson) Mackinnon in *Zimologia Médica*, p. 105, 1946. (Syn. *Cryptococcus ovoideus* Anderson).
- Trametes cingulata** Berk. f. *obscurata* (Bres.) Hendrickx in *Publ. Inst. nat. Étude agron. Congo belge*, Sér. sci., xxxv, p. 8, 1948. (Syn. *Trametes picta* Berk. f. *obscurata* Bres.).
- tawa* Cunningham in *Bull. Dep. sci. industr. Res. N.Z.* 80, p. 9, 1948 on bark.—New Zealand.
- Tricholoma glaucoalbum** Singer in *Sydowia*, ii, p. 28, 1948.—Virginia, U.S.A.
- Tubercularia aequatoriensis** Petrak in *Sydowia*, ii, p. 385, 1948 on wood.—Ecuador.
- Tylophilus appalachiensis** Singer nom. nov. in *Sydowia*, ii, p. 38, 1948. (Syn. *Boletus felleus* var. *minor* Coker & Beers).
- UNISETA** Ciccarone in *Nuovo G. bot. ital.*, N.S., liv, p. 15, 1947.—Melanconiales.
- flagellifera* (Ell. & Everh.) Cicc. in *Nuovo G. bot. ital.*, N.S., liv, p. 15, 1947. (Syn. *Pestalozzia flagellifera* Ell. & Everh.).
- Uredo aristidae-acutiflorae** Maire in *Botaniste*, xxxiv, p. 308, 1949 on *Aristida acutiflora*.—Sahara, Africa.
- malabarica* T. S. & K. Ramakrishnan in *Proc. Indian Acad. Sci.*, Sect. B, xxix, p. 55, 1949 on *Bridelia retusa*.—Madras, India.
- terminaliae-paniculatae* T. S. & K. Ramakrishnan in *Proc. Indian Acad. Sci.*, Sect. B, xxix, p. 56, 1949 on *Terminalia paniculata*.—Madras, India.
- Uromyces gaeumanni** Mayor & Viennot-Bourgin in *Rev. Path. Vég.*, xxviii, p. 33, 1949 on *Hippocrepis unisiliquosa*.—France.
- gaussenii* Mayor & Viennot-Bourgin in *Rev. Path. Vég.*, xxviii, p. 38, 1949 on *Dorycnopsis gerardi*.—France.
- heimi* Mayor & Viennot-Bourgin in *Rev. Path. Vég.*, xxviii, p. 47, 1949 on *Medicago arborea*.—France.
- mangenoti* Mayor & Viennot-Bourgin in *Rev. Path. Vég.*, xxviii, p. 51, 1949 on *Vicia pubescens*.—France.
- *—*vulpiae* Losa España in *An. Jard. bot. Madr.*, vi, p. 422, 1945 on *Vulpia myurus*.—Spain.
- Ustilago bothriochloae-intermediae** Padwick in *Mycol. Pap. C.M.I.*, 17, p. 5, 1946 on *Bothriochloa intermedia*.—India.
- vetiveriae* Padwick in *Mycol. Pap. C.M.I.*, 17, p. 5, 1946 on *Vetiveria zizanioides*.—India.
- Valsaria salvadorina** Mundkur & Sultan Ahmad in *Mycol. Pap. C.M.I.*, 18, p. 6, 1946 on *Salvadora oleoides*.—India.
- tamaricis* Mundkur & Sultan Ahmad in *Mycol. Pap. C.M.I.*, 18, p. 7, 1946 on dead *Tamarix articulata*.—India.
- Valsella moricola** Ahmad in *Sydowia*, ii, p. 72, 1948 on dead *Morus alba*.—Pakistan.
- Venenarius agglutinatus** (Berk. & Curt.) Murr. in *Lloydia*, xi, p. 101, 1948. (Syn. *Agaricus agglutinatus* Berk. & Curt.).
- cylindrisporus* (Beards.) Murr. in *Lloydia*, xi, p. 101, 1948. (Syn. *Amanita cylindrospora* Beardslee).
- excelsus* (Fr. sec. Coker) Murr. in *Lloydia*, xi, p. 101, 1948. (Syn. *Agaricus excelsus* Fr.).
- flavoconius* (Atk.) Murr. in *Lloydia*, xi, p. 101, 1948. (Syn. *Amanita flavoconius* Atk.).
- gemmatus* (Fr.) Murr. in *Lloydia*, xi, p. 102, 1948. (Syn. *Agaricus gemmatus* Fr.).
- mappa* (Fr.) Murr. var. *tenuipes* Murr. in *Lloydia*, xi, p. 104, 1948.—Florida, U.S.A.
- roanokensis* (Coker) Murr. in *Lloydia*, xi, p. 103, 1948. (Syn. *Amanita roanokensis* Coker).
- spretellus* Murrill in *Lloydia*, xi, p. 105, 1948.—Florida, U.S.A.
- vernus* (Bull.) Murr. in *Lloydia*, xi, p. 104, 1948. (Syn. *Agaricus vernus* Bull.).

Volutella lohlagii Petrak in *Sydowia*, ii, p. 308, 1948 on a bone.—Austria.

XENOCHORA Petrak in *Sydowia*, ii, p. 52, 1948.—Sphaeropsidales.

—*sydowii* Petrak in *Sydowia*, ii, p. 52, 1948 on *Inga*.—Ecuador.

Xenostele indica Thirumalachar nom. nov. in *Curr. Sci.*, xvii, p. 27, 1948. (Syn. *X. neolitiseae* Ramakr., non Teng; this *Index*, pp. 48 and 197).

Xylaria candelabrum Batista & Vital in *Bol.*

Agric., Pernambuco, xv, p. 176, 1948 on dead wood.—Brazil.

—**cupressiformis** Becc. f. *brachipodia* da Camara in *Agron. lusit.*, viii, p. 25, 1946 on *Bignonia tweldiana*.—Portugal.

—**frustrulata** Batista & Vital in *Bol. Agric.*, Pernambuco, xv, p. 177, 1948 on decayed wood.—Brazil.

—**opulenta** Batista & Vital in *Bol. Agric.*, Pernambuco, xv, p. 176, 1948 on decayed wood.—Brazil.

HOST INDEX

For Phanerogams see under families; for Algae, Fungi, and Pteridophyta see under those names; for animal hosts see under Insecta and Invertebrata.

ACANTHACEAE

Brillantaisia nitens

Meliola brilliantaisiae

Justicia betonica

Chrysocelis indica

Thunbergia chrysopidis

Irenina thunbergiae-chrysops

Thunbergia cynanchifolia

Meliola thunbergicola

ACERACEAE

Acer circinatum

Taphrina darkeri

AGAVACEAE

Dracaena mannii

Meliola interrupta

Sansevieria liberica

Meliola subdentata var. *microspora*

ALGAE

Closterium

Micromycopsis mirabilis

Cylindrocystis brebissonii

Endodesmidium formosum

Cylindrocystis crassa

Endodesmidium formosum

Mougeotia

Micromyces echinocystis

Micromyces laevis

Netrium oblongum

Endodesmidium formosum

Zygnema

Micromyces echinocystis

Micromyces minimus

Micromyces wheldenii

Micromycopsis intermedia

Phyctocytium magnum

AMARYLLIDACEAE

Agave americana

Cylindrocolla longispora

ANACARDIACEAE

Anacardium occidentale

Meliola anacardii var. *minor*

Mangifera indica

Phoma mangiferae

Pseudospondias microcarpa

Meliola pseudospondiadis

Sorindeia juglandifolia

Meliola sorindeiae

ANONACEAE

Uvaria afzelii

Meliola popowiae var. *tenuis*

APOCYNACEAE

Carpodinus dulcis

Meliola voacangae var. *carpodini*

APOCYNACEAE (continued)

Conopharyngia longiflora

Meliola voacangae var. *conopharyngiae*

Funtumia africana

Meliola voacangae var. *funtumicola*

Malouetia heudelotii

Meliola malouetiae

Plumeria rubra

Irenina plumeriae

AQUIFOLIACEAE

Ilex aquifolium

Ascochyta ilicicola

Ilex montana

Meliola ilicicola

ASCLEPIADACEAE

Marsdenia volubilis

Aecidium marsdeniae

Periploca nigrescens

Schiffnerula periplocae

BALSAMINACEAE

Impatiens irvingi

Aecidium le-testuanum

BETULACEAE

Betula

Taphrina americana

Carpinus duinensis

Diplodia carpinicola

BIGNONIACEAE

Bignonia tweldiana

Xylaria cupressiformis f. *brachipodia*

Distictis lactiflora

Meliola distictidis

Newbouldia laevis

Meliola newbouldiae

Stereospermum tetragonum

Melampsora stereospermi

Tabebuia berterii

Meliola bignoniacearum var. *tabebuiae*

CAESALPINIACEAE

Berlinia heudelotiana

Meliola berliniae

Caesalpinia sappan

Meliola aethiops var. *caesalpiniae*

Cassia absus

Ravenelia berkeleyi

Cassia kirkii

Schiffnerula cassiae

Cassia siamea

Meliola aethiops var. *minor*

Copaifera copallifera

Meliola copaiferae

CAESALPINIACEAE (continued)

- Daniellia thurifera*
- Meliola danielliae*
- Delonix regia*
- Meliola aethiops* var. *flexuosa*
- Erythrophleum guineense*
- Meliola erythrophlei*
- Mezoneurum benthamiani*
- Meliola mezoneuri*

CAPPARIDACEAE

- Capparis aphylla*
- Bagnisiopsis capparidis*
- Leptosphaeria capparidicola*
- Capparis erythrocarpa*
- Irenina capparidis*

CAPRIFOLIACEAE

- Linociera cumingiana*
- Meliola linociericola*
- Sambucus canadensis*
- Synchytrium sambuci*
- Sambucus ebulus*
- Phoma sambuci-ebuli*
- Viburnum tinoides*

- Meliola aequatoriensis*

CARYOPHYLLACEAE

- Dianthus brachyanthus*
- Coniothyrium dianthicola*
- Gloeosporium pachybasioideis*

CHENOPODIACEAE

- Chenopodium album*
- Phoma chenopodii*

CISTACEAE

- Cistus*
- Camarosporium cisti*

COMBRETACEAE

- Combretum mooreani*
- Irenina combreti* var. *major*
- Terminalia ivorensis*
- Irenina terminaliae*
- Terminalia paniculata*
- Uredo terminaliae-paniculatae*

COMPOSITAE

- Acroptilon picias*
- Ramularia acroptili*
- Arctium*
- Asteroma arctii*
- Rhabdospora arctii*
- Carlina graeca*
- Phoma carlinae*
- Gynoxis*
- Cladosporium gynoxidicola*
- Septoria gynoxidina*
- Ixeris oldhami*
- Protomyces ixeridis-oldhami*
- Puccinia ixeridis-oldhami*

Liabum

- Dimerium liabinum*

Liabum pellalangense

- Mycosphaerella liabi*

Mikania

- Cladosporium aequatoriense*

Mikania scandens

- Irenopsis mikaniae*

Piptocarpha

- Phyllachora piptocarphae*

CONIFERAE

- Juniperus nana*
- Micropelitis juniperi*
- Larix europea*
- Lachnea mariae*
- Picea abies*
- Corticium lundellii*
- Picea excelsa*
- Aleuria pectinospora*
- Helotium taborense*

CONIFERAE (continued)

- Pinus mugo*
- Mycocacia pinicola*

CONNARACEAE

- Connarus africanus*
- Meliola roureae* var. *major*
- Manotes longiflora*
- Meliola manotis*

CONVOLVULACEAE

- Bonamia cymosa*
- Meliola bonamiae*
- Calystegia soldanella*
- Septoria calystegiae*

CORIARIACEAE

- Coriaria*
- Septoria coriariicola*
- Coriaria thymifolia*
- Thrinacospora insignis*

CRUCIFERAE

- Cardamine pratensis*
- Cercospora cardamines*
- Raphanus sativus* var. *longipinnatus*
- Fusarium oxysporum* f. *raphani*

CYCADACEAE

- Cycas circinalis*
- Phyllosticta cycadis*
- Sphaeropsis cycadis*

CYPERACEAE

- Eleocharis dulcis*
- Dermatosorus eleocharidis*
- Fimbristylis monostachya*
- Thecaphora fimbristylidis*
- Scirpus articulatus*
- Entyloma scirpicola*
- Scirpus holoschoenus*
- Metasphaeria cavanillesiana*
- Scleria*
- Meliola apiculata*
- Scleria centralis*
- Cintractia sclericola*

DILLENIACEAE

- Tetracera potatoria*
- Irenina tetracerae*

DIOSCOREACEAE

- Dioscorea*
- Meliola dioscoreae*
- Meliola dioscoreicola*

DIPTEROCARPACEAE

- Anisoptera thurifera*
- Asterina anisopterocola*
- Asterina rizalensis*

EBENACEAE

- Diospyros heudelotii*
- Irenina diospyricola*
- Meliola hirsuta*

ERICACEAE

- Arbutus unedo*
- Elsinoë mattirolanum*
- Arctostaphylos alpina*
- Exobasidium angustisporum*

Cavendishia

- Coccomyces consociatus*
- Ophiodothella sydowii*

Disterigma

- Dimerium tungurahuenae*

Psammisia

- Sphaerulina quitensis*
- Vaccinium leschnaultii*
- Exobasidium triseptatum*

EUPHORBIACEAE

- Acalypha*
- Phyllachora pichinchae*

EUPHORBIACEAE (continued)

- Alchornea cordifolia
Irenina hansfordii var. *densa*
 Breynia patens
Ravenelia breyniae-patentis
 Bridelia retusa
Uredo malabarica
 Croton
Meliola janeirensis
 Croton gossypifolius
Schiffnerula crotonis
 Euphorbia characias
Peronospora embergeri
 Euphorbia dawei
Pestalotia carbonacea
 Euphorbia sibthorpii
Phoma sibthorpii
 Hevea brasiliensis
Asteronectrioides heveicola
Didymosphaeria polyspora
 Hymenocardia lyrata
Meliola hymenocardiae
 Maesobotrya sparsiflora
Meliola maesobotryae
 Omphalea
Asterina omphaleae
 Phyllanthus polyphyllus
Ravenelia phyllanthi
 Phyllanthus reticulatus
Ravenelia kirganelliae
 Ricinus communis
Schiffnerula ricini
 Sapium
Torsellia sydowii
 Tetrorchidium didymostemon
Amazonia tetrorchidii

FAGACEAE

- Nothofagus
Inonotus nothofagi
 Quercus
Cercoseptoria quercina
Cerinomyces pallidus
 Quercus lanuginosa
Monochetia quercina

FLACOURTIACEAE

- Caloncoba echinata
Irenina deightonii

FUNGI

- Discomycete
Acanthostigma glabrescens
 Karlingia rosea
Olpidiopsis karlingiae
Olpidiopsis schenkiana
Ectrogella besseyi
 Phyllachora disseminata
Leptosphaeria phyllachoricola
 Phyllachora piptocarphae
Coniothyrium tungurahuae
 Phyllachora tungurahuae
Leptosphaeria tungurahuae
 Polystomellaceae
Nectria tungurahuae
 Robledia eupatorii
Hendersonia roblediae
 Schiffnerula
Domingoella deightoni

GRAMINEAE

- Aristida acutiflora
Uredo aristidae-acutiflorae
 Bambuseae
Calonectria mindoensis
Hypocrella chusqueae

GRAMINEAE (continued)

- Bothriochloa intermedia
Ustilago bothriochloae-intermediae
 Brachiaria distachya
Tolyposporella brachiariae
 Buchloë dactyloides
Helminthosporium buchloë
 Chusquea serrulata
Dimeriella pumila
Nematostigma arachnoideum
 Coix lachryma-jobi
Puccinia operta
 Eleusine flagellifera
Massarina graminicola
Phoma graminis
 Festuca agustini
Phyllachora teneriffae
 Festuca filiformis
Camarosporium mirabile
Diplodina canariensis
Metasphaeria didymelloidea
Septoria obclavata
 Ischurochloa stenostachya
Chaetosphaeria stenostachyae
 Phragmites
Meliola arundinis var. *angulosa*
 Saccharum munja
Clypeothecium sacchari
 Saccharum spontaneum
Ophiobolus spirosporus
 Secale cereale
Puccinia clematidis-secalis
 Setaria chevalieri
Meliola setariae
 Sorghum vulgare var. *sudanense*
Helminthosporium sorghicola
 Stapfiola bipinnata
Puccinia stapfiolae
 Triticum
Macrophoma trititica
 Vetiveria zizanioides
Ustilago vetiveriae
 Vulpia myurus
Uromyces vulpiae

GUTTIFERAE

- Chrysoschlamys
Phragmopeltis chrysoschlamydis
 Clusia
Phyllachora clusiae
 Symphonia gabunensis
Irenina symphoniae

HIPPOCRATEACEAE

- Hippocratea clematoides
Irenina hippocrateae
 Hippocratea richardiana
Meliola hippocrateicola
 Hippocratea velutina
Schiffnerula hippocrateae

HYPERICACEAE

- Harungana madagascariensis
Meliola leonensis

INSECTA

- Ants
Gibellula formicarum
Hirsutella liberiana
Torrubiella liberiana
 Lepidoptera
Hirsutella ramosa
 Scale insects
Torrubiella confragosa

INVERTEBRATA (other than Insecta)

Amoeba papyracea
Endocochlus binarius
 Opilionoidea (Arachnida)
Torrubiella pulvinata

LABIATAE

Achyrospermum oblongifolium
Meliola achyrospermi

LAURACEAE

Asteroscutula sydownii
Echidnodes sydownii
Beilschmiedia roxburghiana
Goplane indica

Benzoin

Puccinia aequitatis
Puccinia cara
Puccinia seposita

Cinnamomum

Puccinia cinnamomicola

Lindera

Puccinia coronopsora
Lindera strychnifolia
Puccinia lauricola

Litsea

Puccinia morata

Machilus

Puccinia machili
Puccinia machilicola

Nectandra

Phyllachora detecta

Neolitsea

Armatella yatesii

Persea

Puccinia scimitriformis

Phoebe costaricana

Meliola phoebes

LECYTHIDACEAE

Napoleona heudelotii
Meliola napoleonae

LEGUMINOSAE

Meliola franciscana
Meliola sydownii

Acacia arabica

Ravenelia acaciae-arabicae

Acacia concinna

Ravenelia acaciae-concinnae

Acacia mollissima

Polyporus doidegeae

Acacia suma

Ravenelia acaciae-sumae

Astragalus frigidus

Ophiobolus lapponicus

Astragalus purpureus

Peronospora astragali-purpurei

Baphia nitida

Meliola baphiae-nitidae

Baphia polygalacea

Meliola baphiae-polygalaceae

Calycotome villosa

Diplodia calycotomes-villosae

Dalbergia

Meliola scabriseta

Desmodium salicifolium

Meliola stizolobii var. *desmodii-salicifolii*

Dorycnopsis gerardi

Uromyces gaussoni

Entada gigans

Meliola entadae

Eriosema glomeratum

Meliola stizolobii var. *eriosematis*

Hippocrepis unisiliquosa

Uromyces gaeumanni

Inga

Xenochora sydownii

LEGUMINOSAE (continued)

Lathyrus luteus

Septoria blumeri

Leptoderris fasciculata

Meliola ostryderridis var. *leptoderridis*

Lupinus polyphyllus

Helotium suzai

Medicago arborea

Uromyces heimi

Millettia rhodantha

Meliola millettiae-rhodanthae

Millettia sanagana

Meliola millettiae-sanaganae

Mucuna atterima

Meliola stizolobii

Mucuna urens

Meliola mucunae

Onobrychis cornuta

Ascochyta orobi f. *macrocarpa*

Ormocarpum verrucosum

Meliola ormocarpi

Ostryderris leucobotrya

Meliola ostryderridis

Phaseolus mungo

Synchytrium phaseoli

Physostigma venenosum

Meliola physostigmatis

Platysepalum

Meliola platysepalii

Prosopis spicigera

Botryosphaeria prosopidis

Pterocarpus santalinoides

Meliola pterocarpicola

Vicia pubescens

Uromyces mangenoti

Vigna gracilis

Meliola vignae-gracilis

LILIACEAE

Allium cepa

Puccinia allii-cepulae

Aphyllanthes monspeliensis

Macrophoma aphyllantis

Asphodelus tenuifolius

Macrophoma asphodeli

Urginea maritima

Asteromella urginiae

LINACEAE

Hugonia planchonii

Meliola hugoniae

Ochthocosmus africanus

Meliola linacearum

Meliola ochthocosmi

Meliola ochthocosmicola

LOGANIACEAE

Anthocleista frezoulsii

Irenina anthocleistae

Gaertnera paniculata

Meliola vicina var. *gaertnerae*

Spigelia anthelmia

Schiffnerula spigeliae

Usteria guineensis

Meliola usteriae

LORANTHACEAE

Loranthus bangwensis

Meliola loranthi var. *bangwensis*

LYTHRACEAE

Adenaria

Antimanopsis aequatoriensis

MAGNOLIACEAE

Magnolia pumila

Phyllosticta magnoliae-pumilae

MALPIGHIACEAE

Asterolibertia ulei

MALPIGHIACEAE (continued)

- Acridocarpus plagiopterus*
Irenopsis acridocarpicola
Malpighia glabra
Irenopsis malpighiae

MALVACEAE

- Althea rosea*
Itersonilia perplexans
Gossypium
Didymosphaeria verrucispora

MELASTOMACEAE

- Dissotis paucistellata*
Meliola dissotidis
Memecylon subfurfuraceum
Stachybotryella bispora

MELIACEAE

- Carapa procera*
Meliola carapae
Khaya grandifoliola
Meliola khayae var. *minor*

MENISPERMACEAE

- Tiliacora*
Meliola cissampeli var. *tiliacorae*

MIMOSACEAE

- Albizzia gummifera*
Meliola albizziae
Albizzia zygia
Meliola albizziae var. *zygiae*
Cathormion altissimum
Irenopsis cathormionis
Piptadenia elliotii
Meliola pipitadeniae

MORACEAE

- Antiaris africana*
Irenina ugandensis var. *antiaridis*
Dorstenia walleri
Aecidium dorsteniae-walleri

FICUS

- Cronartium fici*
Scopella fici
Ficus elastica
Phyllosticta ficina

MORUS ALBA

- Valsella moricola*
Morus nigra
Cercospora bremeri

MYRTACEAE

- ?*Eugenia*
Corynelia sydownii
Mycosphaerella aequatoriensis
Phyllachora emarginata
Septoria pichinchica
Psidium guajava
Phoma psidii

NYCTAGINACEAE

- Boerhaavia diffusa*
Phoma nyctaginea var. *boerhaaviae*

OCHNACEAE

- Ouratea flava*
Meliola ourateae

OLEACEAE

- Jasminum flexile*
Puccinia jasminicola
Jasminum mesnyi
Phaeodothiora sinensis
Phillyrea latifolia
Glypeosphaeria phillyreae

OPILIACEAE

- Champereia cumingiana*
Asterina champereiae

ORCHIDACEAE

- Satyrium nepalense*
Coleosporium satyrii

PALMAE

- Anthostomella lodhii*
Phomopsis mindoensis
Ancistrophyllum secundiflorum
Meliola mauritiae var. *ancistrophylli*
Calamus deerati
Meliola calami
Cocos nucifera
Catacauma torrendiella
Elaeis guineensis
Pestalotia mayumbensis
Raphia gracilis
Meliola mauritiae var. *raphiae*

PANDANACEAE

- Pandanus candelabrum*
Meliola pandanicola

PASSIFLORACEAE

- Smeathmannia laevigata*
Meliola smeathmanniae

PEDALIACEAE

- Ceratotheca sesamoides*
Meliola microspora var. *ceratothecae*

PIPERACEAE

- Piper betle*
Colletotrichum dasturii

PLATANACEAE

- Platanus orientalis*
Camarsporium platanii

PLUMBAGINACEAE

- Armeria pungens*
Didymosphaeria armeriae

POLYGALACEAE

- Carpolobia lutea*
Meliola carpolobiicola

POLYGONACEAE

- Polygonum aviculare*
Phoma polygoni-aviculare
Polygonum convulvulus
Macrosporium convolvuli

POLYPODIACEAE

- Blechnum* sp.
Taphrina blechni

PONTEDERIACEAE

- Eichhornia crassipes*
Cephalosporium eichhorniae

PTERIDOPHYTA

- Trismeria*
Cercospora trismeriae

RANUNCULACEAE

- Clematis vitalba*
Puccinia clematidis-secalis

RHAMNACEAE

- Zizyphus jujuba*
Humarina zizyphi
Phoma zizyphina

RHIZOPHORACEAE

- Anisophyllea laurina*
Meliola anisophylleae

ROSACEAE

- Crataegus*
Achlya intricata
Fragaria
Synchytrium fragariae

GEUM REPTANS

- Puccinia tatrensis*

LICANIA

- Asterolibertia licanicola*

POTENTILLA RUPESTRIS

- Sphaerella broteriana*

PRUNUS ILICIFOLIA

- Taphrina thomasi*

PRUNUS PADUS

- Taphrina padi*

ROSACEAE (continued)

- Prunus persica*
Melanconium majusculum
Pyrus lindleyi
Taphrina orientalis
Rubus
Clypeoceriospora rubi

RUBIACEAE

- Amaralia heinsioides*
Meliola amaraliae
Mitragyna stipulosa
Meliola canthii var. *leonensis*
Morinda lucida
Meliola psychotriae var. *densa*
Randia genipiflora
Meliola randiae
Meliola tunkiaensis
Randia hispida
Meliola kibirae var. *leonensis*
Randia maculata
Meliola kibirae var. *randiae*
Rubia tinctorum
Septoria maireana
Sarcocephalus esculentus
Irenina sarcocephali
Virecta multiflora
Meliola vicina var. *minor*

RUTACEAE

- Meliola koniaensis*
Citrus
Guignardia citricarpa
Fagara martinicensis
Meliola fagarae-martinicensis

SALICACEAE

- Populus fremontii*
Taphrina populi-salicis
Populus trichocarpa
Taphrina populi-salicis
Salix alba
Phoma salicis-albae
Salix laevigata
Taphrina populi-salicis

SALVADORACEAE

- Salvadora oleoides*
Phomatospora salvadorina
Valsaria salvadorina
Salvadora persica
Cercospora salvadorae

SAMYDACEAE

- Homalium dolichophyllum*
Meliola homalii-dolichophylli

SAPINDACEAE

- Allophylus africanus*
Meliola capensis var. *allophyllicola*
Blighia sapida
Meliola capensis var. *blighiae*
Lecaniodiscus cupanioides
Meliola capensis var. *lecaniodisci*

SAPOTACEAE

- Butyrospermum parkii*
Meliola butyrospermi
Sideroxylon
Amazonia sideroxyli

SCROPHULARIACEAE

- Meliola ulei*
Antirrhinum majus
Macrophoma antirrhini

SCROPHULARIACEAE (continued)

- Scoparia dulcis*
Schiffnerula scopariae
Veronica bellidoides
Plenodomus helveticus

SCYTOPETALACEAE

- Scytopetalum tieghemii*
Meliola scytopetali

SOLANACEAE

- Saracha jultomata*
Phoma oleracea f. *sarachae*
Solanum laurifolium
Schiffnerula costaricensis
Solanum melongena
Schiffnerula solani
Solanum tuberosum
Phytophthora himalayensis

STERCULIACEAE

- Cola nitida*
Irenopsis collicola
Irenopsis njalaensis
Dombeya buetneri
Irene dombeyae
Sterculia tragacantha
Meliola sterculiae
Tarrietia utilis
Irenopsis tarrietiae

TAMARICACEAE

- Tamarix articulata*
Valsaria tamaricis

THEACEAE

- Camellia thea*
Pestalotia aeruginosa
Gordonia obtusa
Exobasidium nilagiricum

ULMACEAE

- Celtis tetrandra*
Exobasidium celtidis
Ulmus campestris
Phleospora ulmea

UMBELLIFERAE

- Anthriscus silvestris*
Ophiobolus nigromaculatus

URTICACEAE

- Pilea parietaria*
Irenina pileae
Pipturus arborescens
Irenina pipturi

VELLOZIACEAE

- Barbacennia purpurea*
Irenina barbacenniae

VERBENACEAE

- Aegiphila alata*
Irenina aegiphilae
Premna hispida
Irenina premnae
Premna odorata
Meliola premnae

VITACEAE

- Cissus*
Aecidium cissicola
Mycosyrinx microspora
Cissus caesia
Meliola cissi-caesiae

PRINTED IN GREAT BRITAIN

AT THE UNIVERSITY PRESS, OXFORD

BY CHARLES BATEY, PRINTER TO THE UNIVERSITY

INDEX OF FUNGI

PUBLISHED SINCE THE BEGINNING OF 1940

Formerly issued as Supplements to the Review of Applied Mycology

VOL. I

PART 20

1950

- ACROCLADIUM** Petrak in *Sydowia*, iii, p. 263, 1949.—Hyphomycetes.
- andinum** Petrak in *Sydowia*, iii, p. 263, 1949 on ? *Hippocratea*.—Ecuador.
- Amanitopsis floridana** Murrill in *Mycologia*, xli, p. 490, 1949.—Florida, U.S.A.
- Ancylistes netrii** Couch in *J. Elisha Mitchell sci. Soc.*, lxxv, p. 132, 1949 on *Netrium digitus*.—North Carolina, U.S.A.
- Anthopeziza protracta** (Fr.) Nannfeldt in *Svensk bot. Tidskr.*, xliii, p. 477, 1949. (Syn. *Peziza protracta* Fries).
- Ascochyta hydrophylli-virginiani** Greene in *Amer. Midl. Nat.*, xli, p. 720, 1949 on *Hydrophyllum virginianum*.—Wisconsin, U.S.A.
- rudbeckiae** (Ell. & Ev.) Greene in *Amer. Midl. Nat.*, xli, p. 753, 1949. (Syn. *Phyllosticta rudbeckiae* Ell. & Ev.).
- Asteromella delphinii** Petrak in *Sydowia*, iii, p. 315, 1949 on *Delphinium*.—Persia.
- digitalis-ambiguae** Arx in *Sydowia*, iii, p. 94, 1949 on *Digitalis ambigua*.—Switzerland.
- BARBARIELLA** Middelhoek in *Ned. kruidk. Arch.*, lvi, p. 260, 1949.—Laboulbeniaceae.
- tubantica** Middelhoek in *Ned. kruidk. Arch.*, lvi, p. 260, 1949 on *Catops nigricans*.—Holland.
- BIMERIS** Petrak in *Sydowia*, iii, p. 251, 1949.—Sphaeropsidales.
- aperta** Petrak in *Sydowia*, iii, p. 251, 1949 on *Oreopanax mucronulatus*.—Ecuador.
- Boletus flocculosipes** Murrill in *Mycologia*, xli, p. 491, 1949.—Florida, U.S.A.
- BOTRYOCREA** Petrak in *Sydowia*, iii, p. 140, 1949.—Nectrioidaceae.
- sclerotoides** (v. Höhn.) Petrak in *Sydowia*, p. 141, 1949. (Syn. *Stagonopsis sclerotoides* v. Höhn.).
- Botryotinia narcissicola** (Gregory) Buchwald in *K. VetHøjsk. Aarsskr.*, no. 32, p. 137, 1949. (Syn. *Sclerotinia narcissicola* Gregory).
- polyblastis** (Gregory) Buchwald in *K. VetHøjsk. Aarsskr.*, no. 32, p. 137, 1949. (Syn. *Sclerotinia polyblastis* Gregory).
- ricini** (Godfrey) Buchwald in *K. VetHøjsk. Aarsskr.*, no. 32, p. 137, 1949. (Syn. *Sclerotinia ricini* Godfrey).
- sphaerosperma** (Gregory) Buchwald in *K. VetHøjsk. Aarsskr.*, no. 32, p. 137, 1949. (Syn. *Sclerotinia sphaerosperma* Gregory).
- Botrytis fuckeliana** Buchwald nom. nov. in *K. VetHøjsk. Aarsskr.*, no. 32, p. 147, 1949, state of *Botryotinia fuckeliana*.
- geranii** Buchwald nom. nov. in *K. VetHøjsk. Aarsskr.*, no. 32, p. 148, 1949. [Cf. *B. geranii* Seaver 1947, this *Index* p. 178].
- porri** Buchwald nom. nov. in *K. VetHøjsk. Aarsskr.*, no. 32, p. 147, 1949, state of *Botryotinia porri*.
- ricini** Buchwald nom. nov. in *K. VetHøjsk. Aarsskr.*, no. 32, p. 148, 1949, state of *Botryotinia ricini*.
- sphaerosperma** Buchwald nom. nov. in *K. VetHøjsk. Aarsskr.*, no. 32, p. 148, 1949, state of *Botryotinia sphaerosperma*.
- Bovista concinna** Ahmad in *Sydowia*, iii, p. 335, 1949.—Pakistan.
- Bremia graminicola** Naoumoff var. **indica** Patel in *Indian Phytopathology*, i, p. 106, 1949 on *Arthraxon lancifolius*.—India.
- Camarosporium shahvaricum** Petrak in *Sydowia*, iii, p. 316, 1949 on *Astragalus* sp.—Persia.
- Candida truncata** Vanbreuseghem in *Arch. belg. Derm. Syph.*, iv, p. 3, 1948 on infants [*Homo sapiens*] from Belgian Congo.
- Cercospora lithospermi** Chupp & Greene apud Greene in *Amer. Midl. Nat.*, xli, p. 724, 1949 on *Lithospermum croceum*.—Wisconsin, U.S.A.
- salicis** Chupp & Greene apud Greene in *Amer. Midl. Nat.*, xli, p. 757, 1949 on *Salix alba*.—Wisconsin, U.S.A.
- trifidae** Chupp nom. nov. apud Greene in *Amer. Midl. Nat.*, xli, p. 725, 1949. (Syn. *C. racemosa* var. *ambrosiae* Seym. & Earle, non *C. ambrosiae* Auct.).
- triostei** Chupp & Greene apud Greene in *Trans. Wis. Acad. Sci. Arts Lett.*, xxxviii, p. 247, 1947 on *Triosteum perfoliatum*.—Wisconsin, U.S.A.
- Chytriumyces closterii** Karling in *Bull. Torrey bot. Cl.*, lxxvi, p. 352, 1949 on *Closterium rostratum*.—Maryland, U.S.A.
- fruticosus** Karling in *Bull. Torrey bot. Cl.*, lxxvi, p. 353, 1949 in soil.—Maryland, U.S.A.
- lucidus** Karling in *Bull. Torrey bot. Cl.*, lxxvi, p. 353, 1949 in soil.—Maryland, U.S.A.
- Ciboria granigena** (Quél.) Buchwald in *K. VetHøjsk. Aarsskr.*, no. 32, p. 165, 1949. (Syn. *Phialea granigena* Quél.).
- ploettneriana** (Kirschst.) Buchwald in *K. VetHøjsk. Aarsskr.*, no. 32, p. 165, 1949. (Syn. *Sclerotinia ploettneriana* Kirschst.).
- polygoni** (Rehm) Buchwald in *K. VetHøjsk. Aarsskr.*, no. 32, p. 165, 1949. (Syn. *Sclerotinia polygoni* Rehm).
- tillae** (Reade) Buchwald in *K. VetHøjsk. Aarsskr.*, no. 32, p. 165, 1949. (Syn. *Sclerotinia tillae* Reade).
- Cintractia fimbristylicola** Pavgi & Mundkur in *Indian Phytopathology*, i, p. 108, 1949 on *Fimbristylis complanata*.—India.
- peribebuyensis** Spegazzini var. **major** Pavgi & Mundkur in *Indian Phytopathology*, i, p. 109, 1949 on *Cyperus* sp.—India.
- Cistella stereicola** (Cooke) Dennis in *Mycol. Pap., C.M.I.*, 32, p. 60, 1949. (Syn. *Peziza stereicola* Cooke).

- Cladosporium americanum* Greene in *Amer. Midl. Nat.*, xli, p. 723, 1949 on *Prunus americana*.—Wisconsin, U.S.A.
- Clavaria microspora* Jossierand in *Bull. Soc. mycol. Fr.*, lxiv, p. 31, 1948.—France.
- **Clitopilus arwidssonii* Pilát in *Atlas des Champignons de l'Europe*—vol. vi, Monographie des espèces européennes du genre *Crepidotus* Fr., p. 58, 1948.—Sweden.
- Coltricia placodes* (Kalchbr.) Cunningham in *Bull. Dep. sci. industr. Res. N.Z.* 81, p. 15, 1949. (Syn. *Polyporus placodes* Kalchbr.).
- Coniothyrium pallidospermum* Greene in *Amer. Midl. Nat.*, xli, p. 752, 1949 on *Carya cordiformis*.—Wisconsin, U.S.A.
- Coprinus lagopus* Fr. f. *macrosporus* Romagnesi in *Rev. de Mycologie*, x, p. 76, 1945.—France.
- *utrifer* Jossierand in *Bull. Soc. mycol. Fr.*, lxiv, p. 27, 1948 on dung.—France.
- Cordyceps aurea* Moureau in *Mém. Inst. roy. colon. belg.*, vii, p. 21, 1949 on insects.—Belgian Congo.
- *carinata* Moureau in *Mém. Inst. roy. colon. belg.*, vii, p. 10, 1949 on *Paltothyreus tarsatus*.—Belgian Congo.
- *filiformis* Moureau in *Mém. Inst. roy. colon. belg.*, vii, p. 14, 1949 on insects.—Belgian Congo.
- *furcata* Moureau in *Mém. Inst. roy. colon. belg.*, vii, p. 24, 1949 on Coleoptera.—Belgian Congo.
- *lilacina* Moureau in *Mém. Inst. roy. colon. belg.*, vii, p. 52, 1949 on insects.—Belgian Congo.
- *lutea* Moureau in *Mém. Inst. roy. colon. belg.*, vii, p. 41, 1949 on Hemiptera.—Belgian Congo.
- *pseudoinsignis* Moureau in *Mém. Inst. roy. colon. belg.*, vii, p. 34, 1949 on insects.—Belgian Congo.
- *rubri-punctata* Moureau in *Mém. Inst. roy. colon. belg.*, vii, p. 26, 1949 on Coleoptera.—Belgian Congo.
- *truncata* Moureau in *Mém. Inst. roy. colon. belg.*, vii, p. 19, 1949 on insects.—Belgian Congo.
- *variegata* Moureau in *Mém. Inst. roy. colon. belg.*, vii, p. 30, 1949 on insects.—Belgian Congo.
- Coriolus conchifer* (Schw.) Cunningham in *Bull. Dep. sci. industr. Res. N.Z.* 81, p. 5, 1949. (Syn. *Polyporus conchifer* Schw.).
- *sanguineus* (Fr.) Cunningham in *Bull. Dep. sci. industr. Res. N.Z.* 81, p. 17, 1949. (Syn. *Polyporus sanguineus* Fr.).
- Cortinarius biveloides* Henry in *Bull. Soc. mycol. Fr.*, lxiv, p. 34, 1948.—France.
- *privigno-fulvus* Henry in *Bull. Soc. mycol. Fr.*, lxiv, p. 43, 1948.—France.
- *privignoides* Henry nom. nov. in *Bull. Soc. mycol. Fr.*, lxiv, p. 40, 1948. (Syn. *Cortinarius privignus* sensu Ricken, non Fries).
- *privignorum* Henry nom. nov. in *Bull. Soc. mycol. Fr.*, lxiv, p. 42, 1948. (Syn. *Cortinarius privignus* sensu Britzelmayer, non Fr.).
- *pseudo-crassus* Jossierand nom. nov. in *Bull. Soc. mycol. Fr.*, lxiv, p. 18, 1948. (For *Hebeloma crassum* sensu Ricken, non Fr.).
- *pseudo-privignus* Henry in *Bull. Soc. mycol. Fr.*, lxiv, p. 41, 1948.—France.
- Cortinellus quercicola* Murrill in *Lloydia*, xii, p. 66, 1949 on diseased base of *Quercus laurifolia*.—Florida, U.S.A.
- CREONECTE** Petrak in *Sydowia*, iii, p. 256, 1949.—Sphaeropsidales.
- *biparasitica* Petrak in *Sydowia*, iii, p. 256, 1949 on *Uromyces costaricensis*.—Ecuador.
- Crepidotus appianatus** (Pers. ex Fr.) Karsten var. *fulvifibrillosus* (Murrill) Pilát in *Atlas des Champignons de l'Europe*—vol. vi, Monographie des espèces européennes du genre *Crepidotus* Fr., p. 35, 1948. (Syn. *Crepidotus fulvifibrillosus* Murrill).
- *bresadolae* Pilát nom. nov. in *Atlas des Champignons de l'Europe*—vol. vi, Monographie des espèces européennes du genre *Crepidotus* Fr., p. 46, 1948. (Syn. *C. pubescens* Bres., non Fl. Dan.).
- * — *carpatorrossicus* Pilát in *Atlas des Champignons de l'Europe*—vol. vi, Monographie des espèces européennes du genre *Crepidotus* Fr., p. 70, 1948 on *Hypnum*.—Ukraine.
- *cesatii* Rab. var. *gothoburgensis* Pilát in *Atlas des Champignons de l'Europe*—vol. vi, Monographie des espèces européennes du genre *Crepidotus* Fr., p. 63, 1948 on *Lonicera tatarica*.—Sweden.
- *larseni* Pilát nom. nov. in *Atlas des Champignons de l'Europe*—vol. vi, Monographie des espèces européennes du genre *Crepidotus* Fr., p. 74, 1948. (Syn. *Crepidotus citrinus* Larsen, non Petch).
- * — *macedonicus* Pilát in *Atlas des Champignons de l'Europe*—vol. vi, Monographie des espèces européennes du genre *Crepidotus* Fr., p. 22, 1948 on dead *Fagus sylvatica*.—Yugoslavia.
- *microsporus* (Karsten sensu Romell) Pilát in *Atlas des Champignons de l'Europe*—vol. vi, Monographie des espèces européennes du genre *Crepidotus* Fr., p. 56, 1948. (Syn. *Claudopus variabilis* var. *microsporus* Karsten).
- * — *mollis* var. *pseudoapplanatus* Pilát in *Atlas des Champignons de l'Europe*—vol. vi, Monographie des espèces européennes du genre *Crepidotus* Fr., p. 30, 1948.—Germany.
- * — *subepibryus* Pilát in *Atlas des Champignons de l'Europe*—vol. vi, Monographie des espèces européennes du genre *Crepidotus* Fr., p. 68, 1948 on mosses.
- *subverrucisporus* Pilát in *Atlas des Champignons de l'Europe*—vol. vi, Monographie des espèces européennes du genre *Crepidotus* Fr., p. 51, 1948 on dead *Robinia pseud-acacia*.—Czechoslovakia.
- *versutus* var. *subglobisporus* Pilát in *Acta Mus. nat. Pragae*, ii, B, p. 74, 1940.—Carpathians.
- * — *wakefieldiae* Pilát in *Atlas des Champignons de l'Europe*—vol. vi, Monographie des espèces européennes du genre *Crepidotus* Fr., p. 65, 1948 on wood.—England.
- Curvularia subulata** (Nees ex Fr.) Boedijn ex Gilman in *A Manual of Soil Fungi*, p. 303, 1945. (Syn. *Helminthosporium subulatum* Nees ex Fr.).
- CYANOPATELLA** Petrak in *Sydowia*, iii, p. 143, 1949.—Excipulaceae.
- *iranica* Petrak in *Sydowia*, iii, p. 143, 1949 on *Zygophyllum* sp.—Persia.
- Dasyscypha acuta** (Vel.) Dennis in *Mycol. Pap.*, C.M.I., 32, p. 50, 1949. (Syn. *Lachnum acutum* Vel.).
- *albidorosea* (Rehm) Dennis in *Mycol. Pap.*, C.M.I., 32, p. 30, 1949. (Syn. *Pezizella albidorosea* Rehm).
- *apala* (Berk. & Br.) Dennis in *Mycol. Pap.*,

- C.M.I.*, 32, p. 25, 1949. (Syn. *Peziza apala* Berk. & Br.).
- *bicolor* (Bull. ex Fr.) Fuckel var. *rubi* (Bres.) Dennis in *Mycol. Pap.*, *C.M.I.*, 32, p. 36, 1949. (Syn. *Lachnum bicolor* var. *rubi* Bres.).
- *carneola* (Sacc.) Sacc. var. *longispora* Dennis in *Mycol. Pap.*, *C.M.I.*, 32, p. 90, 1949 on dead *Bromus erectus*.—England.
- *fuscescens* (Pers. ex Fr.) Rehm var. *fagicola* (Phill.) Dennis in *Mycol. Pap.*, *C.M.I.*, 32, p. 38, 1949. (Syn. *Lachnella brunneola* var. *fagicola* Phill.).
- *granulosella* (v. Höhn.) Dennis in *Mycol. Pap.*, *C.M.I.*, 32, p. 30, 1949. (Syn. *Psilachnum granulosellum* v. Höhn.).
- *helotioides* (Rehm) Dennis in *Mycol. Pap.*, *C.M.I.*, 32, p. 49, 1949. (Syn. *Lachnum helotioides* Rehm).
- *nudipes* (Fuckel) Sacc. var. *minor* Dennis in *Mycol. Pap.*, *C.M.I.*, 32, p. 90, 1949 on *Epilobium hirsutum*.—England.
- *sydowii* Dennis in *Mycol. Pap.*, *C.M.I.*, 32, p. 90, 1949 on *Eriophorum angustifolium*.—England.
- Didymella cousiniae* Petrak in *Sydowia*, iii, p. 277, 1949 on *Cousinia*.—Persia.
- Diplodia diversispora* Robak in *Svensk bot. Tidskr.*, xliii, p. 539, 1949 on dead spruce.—Norway.
- *ribis* Sacc. f. *ribis-aurei* (Brun.) Moreau in *Bull. Soc. Linn. Normandie*, v, p. 14, 1947. (Syn. *Diplodia ribis* Sacc. var. *ribis-aurei* Brun.).
- Diplodina berberidina* (Sacc.) Allesch. f. *decaisneae* C. Moreau in *Bull. Soc. Linn. Normandie*, v, p. 23, 1947 on *Decaisnea insignis*.—France.
- **Dothidella eriosemae* Moreau in *Rev. de Mycologie*, xiv, Supp. Col. No. 1, p. 18, 1949 on *Eriosema spicatum*.—French Guinea, Africa.
- ENDOPLACODIUM** Petrak in *Sydowia*, iii, p. 146, 1949.—Leptostromaceae.
- *nigrescens* Petrak in *Sydowia*, iii, p. 146, 1949 on *Astragalus* sp.—Persia.
- Erysiphe blumeri* Mayor in *Ber. schweiz. bot. Ges.*, lix, p. 284, 1949 on *Kentranthus angustifolius*.—Switzerland & Spain.
- Farysia orientalis* Ling in *Sydowia*, iii, p. 130, 1949 on *Carex baccans*.—India.
- Flammula gigantea* (Lange) Moser in *Sydowia*, iii, p. 372, 1949. (Syn. *Flammula carbonaria* var. *gigantea* Lange).
- Fomitopsis tasmanica* (Berk.) Cunningham in *Bull. Dep. sci. industr. Res. N.Z.*, 81, p. 20, 1949. (Syn. *Polyporus tasmanicus* Berk.).
- Fulvula bellula* (Peck) Josseland in *Bull. Soc. mycol. Fr.*, lxiv, p. 23, 1948. (Syn. *Naucoria bellula* Peck).
- Fusariella bizzozzeriana* (Sacc.) Hughes in *Mycol. Pap.*, *C.M.I.*, 28, p. 6, 1949. (Syn. *Sporidesmium bizzozzerianum* Sacc.).
- *concinna* (Sydow) Hughes in *Mycol. Pap.*, *C.M.I.*, 28, p. 8, 1949. (Syn. *Clasterosporium cincinnum* Sydow).
- *obstipa* (Pollack) Hughes in *Mycol. Pap.*, *C.M.I.*, 28, p. 9, 1949. (Syn. *Dendryphium obstipum* Pollack).
- Fusarium lateritium* Nees ex Fr. f. *pini* Hepting apud Snyder et al. in *J. agric. Res.*, lxxviii, p. 378, 1949 on *Pinus* spp.—U.S.A.
- *oxysporum* Fr. f. *delphintii* Laskaris in *Phytopathology*, xxxix, p. 916, 1949 on *Delphinium*.—Connecticut, U.S.A.
- f. *rhois* Snyder & Hepting in *J. agric. Res.*, lxxviii, p. 374, 1949 on *Rhus typhina*.—Virginia, U.S.A.
- Galerina unicolor* (Fr. ex Fl. Dan.) Moser in *Sydowia*, iii, p. 370, 1949. [Syn. not cited].
- Geoglossum fallax* Durand var. *proximum* (Imai & Minak.) Imai in *J. Fac. Agric. Hokkaido Univ.*, xlv, p. 214, 1941. (Syn. *Geoglossum proximum* Imai & Minakata).
- var. *subpumilum* (Imai) Imai in *J. Fac. Agric. Hokkaido Univ.*, xlv, p. 215, 1941. (Syn. *Geoglossum subpumilum* Imai).
- *japonicum* Imai in *J. Fac. Agric. Hokkaido Univ.*, xlv, p. 210, 1941.—Japan.
- Gloeosporium meinersii* Sprague in *Mycologia*, xli, p. 494, 1949 on *Phleum pratense*.—Washington State, U.S.A.
- var. *alpinum* Sprague in *Mycologia*, xli, p. 494, 1949 on *Poa alpina*.—Colorado, U.S.A.
- Glomerella cingulata* (Stonem.) Spauld. & Schrenk var. *brevispora* Wollenw. in *Z. Parasitenk.*, xiv, p. 260, 1949 on decayed fruits, etc.—Germany.
- var. *crassisporea* Wollenw. in *Z. Parasitenk.*, xiv, p. 260, 1949 on *Coffea arabica*.—Germany.
- var. *migrans* Wollenw. in *Z. Parasitenk.*, xiv, p. 262, 1949 on *Hypericum* spp.—Germany.
- var. *minor* Wollenw. in *Z. Parasitenk.*, xiv, p. 261, 1949 on *Ficus edulis*.—Germany.
- Gomphidius maculatus* (Scop. ex Fr.) Fr. var. *furcatus* (Peck) Sing. in *Mycologia*, xli, p. 477, 1949. (Syn. *Gomphidius furcatus* Peck).
- *ochraceus* Kauffman subsp. *musciogenus* Singer in *Mycologia*, xli, p. 472, 1949.—U.S.A.
- subsp. *superiorensis* (Kauffm. & Smith) Singer in *Mycologia*, xli, p. 472, 1949. (Syn. *Gomphidius superiorensis* Kauffman & Smith).
- GYMNOMITRULA** Imai nom. nov. in *J. Fac. Agric. Hokkaido Univ.*, xlv, p. 172, 1941. (Syn. *Mitrula* Pers., 1794, non Fr. 1821).
- *abietis* (Fr.) Imai in *J. Fac. Agric. Hokkaido Univ.*, xlv, p. 173, 1941. (Syn. *Mitrula abietis* Fr.).
- *gracilis* (Karst.) Imai in *J. Fac. Agric. Hokkaido Univ.*, xlv, p. 175, 1941. (Syn. *Mitrula gracilis* Karst.).
- Haplographium calophylli* Wiehe in *Mycol. Pap.*, *C.M.I.*, 29, p. 5, 1949 on *Calophyllum inophyllum* var. *tacamaha*.—Mauritius.
- Haplosporella iranica* Petrak in *Sydowia*, iii, p. 318, 1949 on *Euphorbia*.—Persia.
- Helicogloea alba* (Burt) Couch in *Mycologia*, xli, p. 435, 1949. (Syn. *Septobasidium album* Burt).
- Helotium lactucae* Losa in *An. Jard. bot. Madr.*, viii, p. 319, 1947 on *Lactuca ? virosa*.—Spain.
- *lappae* Losa in *An. Jard. bot. Madr.*, viii, p. 320, 1947 on *Lappa* sp.—Spain.
- Hendersonia foliicola* Berg. var. *longiospora* Zaleski, St. Domański, & Wojciechowski in *Acta Soc. bot. polon.*, xix, p. 136, 1948 on *Juniperus communis*.—Poland.
- *rumicis* Losa in *An. Jard. bot. Madr.*, viii, p. 303, 1947 on *Rumex*.—Spain.
- *shahvarica* Petrak in *Sydowia*, iii, p. 320, 1949 on *Onobrychis cornuta*.—Persia.
- *spartinae* Greene in *Amer. Midl. Nat.*, xli,

- p. 756, 1949 on *Spartina pectinata*.—Wisconsin, U.S.A.
- zygophylli* Petrak in *Sydowia*, iii, p. 321, 1949 on *Zygophyllum atriplicoides*.—Persia.
- Hendersonula agathi** Young in *Qd J. agric. Sci.*, v, p. 12, 1948 on *Agathis palmerstoni*.—Queensland, Australia.
- astragalina* Petrak in *Sydowia*, iii, p. 322, 1949 on *Astragalus* sp.—Persia.
- Heterochaete crassa** Bodman in *Mycologia*, xli, p. 531, 1949.—Florida, U.S.A.
- HETEROCONIUM** Petrak in *Sydowia*, iii, p. 264, 1949.—Hyphomycetes.
- citharexyl* Petrak in *Sydowia*, iii, p. 265, 1949 on *Citharexylum ilicifolium*.—Ecuador.
- Hyaloscypha deparcula** (Karst.) Nannfeldt apud Dennis in *Mycol. Pap., C.M.I.*, 32, p. 74, 1949. (Syn. *Peziza deparcula* Karst.).
- lachnobrachia* (Desm.) Nannf. var. *araneocincta* (Phill.) Dennis in *Mycol. Pap., C.M.I.*, 32, p. 73, 1949. (Syn. *Peziza araneocincta* Phillips).
- puberula* (Lasch) Nannfeldt apud Dennis in *Mycol. Pap., C.M.I.*, 32, p. 73, 1949. (Syn. *Peziza puberula* Lasch).
- richonis* (Boud.) Dennis in *Mycol. Pap., C.M.I.*, 32, p. 66, 1949. (Syn. *Urceolella richonis* Boud.).
- Hyalothyridium calamagrostidis** Greene in *Trans. Wis. Acad. Sci. Arts Lett.*, xxxviii, p. 230, 1947 on *Calamagrostis canadensis*.—Wisconsin, U.S.A.
- HYALOTRICHA** Dennis in *Mycol. Pap., C.M.I.*, 32, p. 90, 1949.—Hyaloscyphaceae.
- Type, *H. corticicola*.
- corticicola* Dennis in *Mycol. Pap., C.M.I.*, 32, p. 91, 1949 on *Myrica gale*.—England.
- crispula* (Karst.) Dennis in *Mycol. Pap., C.M.I.*, 32, p. 77, 1949. (Syn. *Peziza crispula* Karst.).
- trichodea* (Phill. & Plowr.) Dennis in *Mycol. Pap., C.M.I.*, 32, p. 76, 1949. (Syn. *Peziza trichodea* Phill. & Plowr.).
- Hypoderma** (as '*Hipoderma*') **asphodeli** Losa in *An. Jard. bot. Madr.*, viii, p. 316, 1947 on *Asphodelus albus*.—Spain.
- Hysterographium** (as '*Hysteriographium*') **hysterioides** (Ell. & Everh.) Wehmeyer in *Mycologia*, xli, p. 580, 1949. (Syn. *Pleospora hysterioides* Ell. & Everh.).
- IRANIELLA** Petrak in *Sydowia*, iii, p. 135, 1949.—Sphaeriaceae.
- rechingeri* Petrak in *Sydowia*, iii, p. 136, 1949 on dead branches.—Persia.
- Irenina lonicerae** Hansford, this *Index* p. 242; see also p. 208.
- Karlingia asterocysta** Karling in *Mycologia*, xli, p. 509, 1949 on chitinous substrata.—Maryland, U.S.A.
- chitinophila* Karling in *Mycologia*, xli, p. 506, 1949 on chitinous substrata.—Maryland, U.S.A.
- curvispinosa* Karling in *Mycologia*, xli, p. 511, 1949 on chitinous substrata.—Maryland, U.S.A.
- dubia* Karling in *Mycologia*, xli, p. 513, 1949 on chitinous substrata.—Maryland, U.S.A.
- lobata* Karling in *Mycologia*, xli, p. 515, 1949 on cellulosic substrata.—Maryland, U.S.A.
- marylandia* Karling in *Mycologia*, xli, p. 518, 1949 on cellulosic substrata.—Maryland, U.S.A.
- Lachnella sambucina** Losa in *An. Jard. bot. Madr.*, viii, p. 322, 1947 on *Sambucus ebulus*.—Spain.
- Lenzites unicolor** (Fr.) Cunningham in *Bull. Dep. sci. industr. Res. N.Z.* 81, p. 21, 1949. (Syn. *Daedalea unicolor* (Bull.) Fr.).
- Leotia lubrica** f. **gigantea** Imai in *J. Fac. Agric. Hokkaido Univ.*, xlv, p. 239, 1941.—Japan.
- f. *kawamurae* Imai in *J. Fac. Agric. Hokkaido Univ.*, xlv, p. 241, 1941.—Japan.
- f. *ochracea* Imai in *J. Fac. Agric. Hokkaido Univ.*, xlv, p. 239, 1941.—Japan.
- f. *parviaurantipes* Imai in *J. Fac. Agric. Hokkaido Univ.*, xlv, p. 244, 1941.—Japan.
- f. *towadensis* Imai in *J. Fac. Agric. Hokkaido Univ.*, xlv, p. 240, 1941.—Japan.
- rutilans* (Imai & Minak.) Imai in *J. Fac. Agric. Hokkaido Univ.*, xlv, p. 246, 1941. (Syn. *Cudoniella rutilans* Imai & Minakata).
- Lepiota australis** (Smith & Singer) Murr. in *Lloydia*, xii, p. 61, 1949. (Syn. *Cystoderma australe* Smith & Singer).
- igni-volvata* Bousset & Jossierand apud Jossierand in *Bull. Soc. mycol. Fr.*, lxiv, p. 7, 1948.—France.
- Leptosphaeria allorgei** Guyot in *Rev. de Mycologie*, xiv, p. 69, 1949 on *Isatis tinctoria*.—France.
- arenaria* Guyot in *Rev. de Mycologie*, xiv, p. 69, 1949 on *Festuca arenaria*.—France.
- carlinoides* Losa in *An. Jard. bot. Madr.*, viii, p. 305, 1947 on *Carduus carlinoides*.—Spain.
- cirsii-arvensis* Losa in *An. Jard. bot. Madr.*, viii, p. 306, 1947 on *Cirsium arvense*.—Spain.
- martagoni* Losa in *An. Jard. bot. Madr.*, viii, p. 309, 1947 on *Lilium martagon*.—Spain.
- shahvarica* Petrak in *Sydowia*, iii, p. 279, 1949 on *Cousinia multiloba*.—Persia.
- tolgorensis* Petrak in *Sydowia*, iii, p. 281, 1949 on *Euphorbia*.—Persia.
- Leptothyrium pinastri** Karst. var. **maiorospora** Zaleski, St. Domański, & Wojciechowski in *Acta Soc. bot. polon.*, xix, p. 137, 1948 on *Pinus strobus* and *P. silvestris*.—Poland.
- Lophodermium aconiti** Losa in *An. Jard. bot. Madr.*, viii, p. 317, 1947 on *Aconitum napellus*.—Spain.
- juniperinum* (Fr.) De Not. var. *minorospora* Zaleski, St. Domański, & Wojciechowski in *Acta Soc. bot. polon.*, xix, p. 116, 1948 on *Juniperus communis*.—Poland.
- LOPHOPHACIDIUM** Lagerberg in *Svensk bot. Tidskr.*, xliii, p. 436, 1949.—Hypodermataceae.
- hyperboreum* Lagerberg in *Svensk bot. Tidskr.*, xliii, p. 436, 1949 on spruce.—Sweden.
- ***Madurella grisea** Mackinnon, Ferrada, & Montemayor in *An. Fac. Med. Montevideo*, xxxiv, p. 290, 1949 on *Homo sapiens*.—South America.
- Maravalia pterocarpi** (Thurum.) Thurum. in *Bull. Torrey bot. Cl.*, lxxvi, p. 339, 1949. (Syn. *Mainsia pterocarpi* Thurum.).
- Marsonia gloeodes** Greene in *Trans. Wis. Acad. Sci. Arts Lett.*, xxxviii, p. 231, 1947 on *Fraxinus americana*.—Wisconsin, U.S.A.

- ***MEGACLADOSPORIUM** Viennot-Bourgin, *Les Champignons Parasites des Plantes Cultivées*, i, p. 489, 1949.—Dematiaceae. Type not given.
- carophilum** (Thüm.) Viennot-Bourgin, *Les Champignons Parasites des Plantes Cultivées*, i, p. 489, 1949. (Syn. *Cladosporium carophilum* Thüm.).
- cerasi** (Rabenh.) Viennot-Bourgin, *Les Champignons Parasites des Plantes Cultivées*, i, p. 537, 1949. (Syn. *Acrosporium cerasi* Rabenh.).
- crataegi** (Aderh.) Viennot-Bourgin, *Les Champignons Parasites des Plantes Cultivées*, i, p. 539, 1949. (Syn. *Fusicladium crataegi* Aderh.).
- depressum** (Berk. & Br.) Viennot-Bourgin, *Les Champignons Parasites des Plantes Cultivées*, ii, p. 1503, 1949. (Syn. *Cladosporium depressum* Berk. & Br.).
- pirinum** (Lib.) Viennot-Bourgin in *Les Champignons Parasites des Plantes Cultivées*, i, p. 489, 1949. (Syn. *Fusicladium pirinum* (Lib.) Fuckel).
- Melanoleuca melaleuca** (Pers.) Pat. var. **caespitosa** Murr. in *Lloydia*, xii, p. 67, 1949. —Florida, U.S.A.
- pseudosordida** (Sing.) Murr. in *Lloydia*, xii, p. 65, 1949. (Syn. *Tricholoma pseudosordidum* Sing.).
- subfulvidisca** Murrill in *Lloydia*, xii, p. 67, 1949. —Florida, U.S.A.
- subsylvatica** Murrill in *Lloydia*, xii, p. 67, 1949. —Florida, U.S.A.
- Microsphaera caulicola** Petrak in *Sydowia*, iii, p. 284, 1949 on *Astragalus*.—Persia.
- MINDOA** Petrak in *Sydowia*, iii, p. 248, 1949. —Sphaeropsidales.
- ingae** Petrak in *Sydowia*, iii, p. 248, 1949 on *Inga punctata*.—Ecuador.
- Morchella conica** Pers. var. **nigripes** Moser in *Sydowia*, iii, p. 184, 1949. —Austria.
- esculenta** (L.) var. **atrotoomentosa** Moser in *Sydowia*, iii, p. 189, 1949. —Austria.
- Mycosphaerella alpina** Arx in *Sydowia*, iii, p. 68, 1949 on *Festuca* and *Carex curvula*.—Switzerland.
- digitalis-ambiguae** Arx in *Sydowia*, iii, p. 92, 1949 on *Digitalis ambigua*.—Switzerland.
- ligulicola** Baker, Dimock, & Davis in *Phytopathology*, xxxix, p. 799, 1949 on *Chrysanthemum morifolium*.—North Carolina, U.S.A.
- limbalis** (Pers.) Arx in *Sydowia*, iii, p. 87, 1949. (Syn. *Phyllosticta limbalis* Pers.).
- longissima** (Fuckel) Arx in *Sydowia*, iii, p. 66, 1949. (Syn. *Sphaerella longissima* Fuckel).
- martagonis** Arx in *Sydowia*, iii, p. 81, 1949 on *Lilium martagon*.—Switzerland.
- primulae** (Auersw. & Heufl.) Arx in *Sydowia*, iii, p. 63, 1949. (Syn. *Stigmataea primulae* Auersw. & Heufl.).
- pyrenaica** (Speg.) Arx in *Sydowia*, iii, p. 64, 1949. (Syn. *Sphaerella pyrenaica* Speg.).
- tingens** (Niessl) Arx in *Sydowia*, iii, p. 65, 1949. (Syn. *Sphaerella tingens* Niessl.).
- Myrianginella sabaleos** (Weedon) Limber & Jenkins in *Mycologia*, xli, p. 550, 1949. (Syn. *Myriangium sabaleos* Weedon).
- Myrioconium affine** (Desm.) Buchwald in *K. VetHøjsk. Aarskr.*, no. 32, p. 154, 1949. (Syn. *Epidochium affine* Desm.).
- longisclerotiale** Buchwald nom. nov. in *K. VetHøjsk. Aarskr.*, no. 32, p. 154, 1949, state of *Sclerotinia longisclerotialis* Whetz.
- Myriosclerotinia longisclerotialis** (Whetz.) Buchwald in *K. VetHøjsk. Aarskr.*, no. 32, p. 156, 1949. (Syn. *Sclerotinia longisclerotialis* Whetz.).
- Naucoria subsphaerospora** Josserand in *Bull. Soc. mycol. Fr.*, lxiv, p. 22, 1948 on decayed stumps.—France.
- Nematoctonus concurrens** Drechsler in *Mycologia*, xli, p. 382, 1949 on *Panagrolaimus subelongatus* and *Ditylenchus*.—Oregon, U.S.A.
- Nematostoma apertum** (Pat.) Syd. & Petrak apud Petrak in *Sydowia*, iii, p. 255, 1949. (Syn. *Asteridium apertum* Pat.).
- arachnoideum** (Petrak) Petrak in *Sydowia*, iii, p. 254, 1949. (Syn. *Nematostigma arachnoideum* Petrak).
- lantanae** (Theiss.) Petrak in *Sydowia*, iii, p. 254, 1949. (Syn. *Nematostigma lantanae* (Theiss.) Petrak).
- miconiae** (Syd.) Petrak in *Sydowia*, iii, p. 255, 1949. (Syn. *Nematostigma miconiae* Syd.).
- naucinum** (Syd.) Petrak in *Sydowia*, iii, p. 255, 1949. (Syn. *Nematostigma naucinum* Syd.).
- siphocampyli** (Syd.) Petrak in *Sydowia*, iii, p. 255, 1949. (Syn. *Nematostigma siphocampyli* Syd.).
- NEOCUDONIELLA** Imai in *J. Fac. Agric. Hokkaido Univ.*, xlv, p. 233, 1941.—Geoglossaceae.
- jezoensis** (Imai) Imai in *J. Fac. Agric. Hokkaido Univ.*, xlv, p. 234, 1941. (Syn. *Cudoniella jezoensis* Imai).
- NEOPELTIS** Petrak in *Sydowia*, iii, p. 234, 1949.—Dictyopeltineae. Type *N. sydowii*.
- andina** Petrak in *Sydowia*, iii, p. 236, 1949 on *Hesperomeles glabrata*.—Ecuador.
- sydowii** Petrak in *Sydowia*, iii, p. 234, 1949 on leaves of an unknown plant.—Ecuador.
- Niptera rosae** Losa in *An. Jard. bot. Madr.*, viii, p. 331, 1947 on *Rosa* sp.—Spain.
- Ophiobolus leptosphaerioides** Losa in *An. Jard. bot. Madr.*, viii, p. 313, 1947 on *Carduus carlinoides*.—Spain.
- scrophulariae** Losa in *An. Jard. bot. Madr.*, viii, p. 314, 1947 on *Scrophularia alpestris*.—Spain.
- Oxyporus nobilissimus** W. B. Cooke in *Mycologia*, xli, p. 444, 1949 on *Tsuga heterophylla*.—Washington State, U.S.A.
- Panaeolus georgii** Szemere in *Acta mycol. hung.*, ii, p. 49, 1944.—Hungary.
- Passalora cousiniae** Petrak in *Sydowia*, iii, p. 328, 1949 on *Cousinia*.—Persia.
- Penicillium asperum** (Shear) Raper & Thom, *A Manual of the Penicillia*, p. 263, 1949. (Syn. *Carpenteles asperum* Shear).
- cyclopium** Westling var. **echinulatum** Raper & Thom, *A Manual of the Penicillia*, p. 497, 1949 from a culture.—Canada.
- fuscum** (Sopp) Raper & Thom, *A Manual of the Penicillia*, p. 226, 1949. (Syn. *Citromyces fuscus* Sopp).
- purpurrescens** (Sopp) Raper & Thom, *A Manual of the Penicillia*, p. 177, 1949. (Syn. *Citromyces purpurrescens* Sopp).
- Periconia macrospina** Lefebvre & A. G. Johnson in *Mycologia*, xli, p. 417, 1949 on *Sorghum vulgare*.—Kansas, U.S.A.

- Peronospora gaumanni* Mayor in *Ber. schweiz. bot. Ges.*, lix, p. 278, 1949 on *Mecynopsis cambrica*.—Switzerland.
- PESTALOTIOPSIS** Steyaert in *Bull. Jard. bot. Brux.*, xix, p. 300, 1949. Melanconiales. Type, *P. guepini*.
- *aeruginea* (Steyaert) Steyaert in *Bull. Jard. bot. Brux.*, xix, p. 322, 1949. (Syn. *Pestalotia aeruginea* Steyaert).
 - *annulata* (Berk. & Curt.) Steyaert in *Bull. Jard. bot. Brux.*, xix, p. 316, 1949. (Syn. *Pestalotia annulata* Berk. & Curt.).
 - *aquatica* (Ell. & Ev.) Steyaert in *Bull. Jard. bot. Brux.*, xix, p. 334, 1949. (Syn. *Pestalotia aquatica* Ell. & Ev.).
 - *baarnensis* Steyaert in *Bull. Jard. bot. Brux.*, xix, p. 342, 1949 on *Rhododendron* sp. —? Holland.
 - *breviseta* (Sacc.) Steyaert in *Bull. Jard. bot. Brux.*, xix, p. 316, 1949. (Syn. *Pestalotia breviseta* Sacc.).
 - *calabae* (West.) Steyaert in *Bull. Jard. bot. Brux.*, xix, p. 308, 1949. (Syn. *Pestalotia calabae* West.).
 - *carbonacea* (Steyaert) Steyaert in *Bull. Jard. bot. Brux.*, xix, p. 335, 1949. (Syn. *Pestalotia carbonacea* Steyaert).
 - *clavispora* (Atk.) Steyaert in *Bull. Jard. bot. Brux.*, xix, p. 335, 1949. (Syn. *Pestalotia clavispora* Atk.).
 - *crassiuscula* Steyaert in *Bull. Jard. bot. Brux.*, xix, p. 338, 1949 on *Eucalyptus globulus*.—Tanganyika Territory.
 - *cruenta* (Syd.) Steyaert in *Bull. Jard. bot. Brux.*, xix, p. 318, 1949. (Syn. *Pestalotia cruenta* Syd.).
 - *dichaeta* (Speg.) Steyaert in *Bull. Jard. bot. Brux.*, xix, p. 308, 1949. (Syn. *Pestalotia dichaeta* Speg.).
 - *disseminata* (Thuem.) Steyaert in *Bull. Jard. bot. Brux.*, xix, p. 319, 1949. (Syn. *Pestalotia disseminata* Thuem.).
 - *fici* Steyaert in *Bull. Jard. bot. Brux.*, xix, p. 324, 1949 on *Ficus* sp.—Uganda.
 - *foedans* (Sacc. & Ell.) Steyaert in *Bull. Jard. bot. Brux.*, xix, p. 329, 1949. (Syn. *Pestalotia foedans* Sacc. & Ell.).
 - *funerea* (Desm.) Steyaert in *Bull. Jard. bot. Brux.*, xix, p. 340, 1949. (Syn. *Pestalotia funerea* Desm.).
 - *funeroides* Steyaert in *Bull. Jard. bot. Brux.*, xix, p. 345, 1949 on *Cupressus* sp.—Portugal.
 - *gallica* Steyaert in *Bull. Jard. bot. Brux.*, xix, p. 308, 1949 on *Camellia* sp.—France.
 - *glandicola* (Cast.) Steyaert in *Bull. Jard. bot. Brux.*, xix, p. 330, 1949. (Syn. *Robillardia glandicola* Cast.).
 - *gracilis* (Kleb.) Steyaert in *Bull. Jard. bot. Brux.*, xix, p. 310, 1949. (Syn. *Pestalotia gracilis* Kleb.).
 - *guepini* (Desm.) Steyaert in *Bull. Jard. bot. Brux.*, xix, p. 312, 1949. (Syn. *Pestalotia guepini* Desm.).
 - *hypodermia* (Niessl) Steyaert in *Bull. Jard. bot. Brux.*, xix, p. 328, 1949. (Syn. *Sporidesmium hypodermium* Niessl).
 - *ilicis* (West.) Steyaert in *Bull. Jard. bot. Brux.*, xix, p. 340, 1949. (Syn. *Pestalotia ilicis* West.).
 - *japonica* (Syd.) Steyaert in *Bull. Jard. bot. Brux.*, xix, p. 335, 1949. (Syn. *Pestalotia japonica* Syd.).
 - *karstenii* (Sacc. & Syd.) Steyaert in *Bull. Jard. bot. Brux.*, xix, p. 305, 1949. (Syn. *Pestalotia karstenii* Sacc. & Syd.).
 - *leucothoes* (White) Steyaert in *Bull. Jard. bot. Brux.*, xix, p. 319, 1949. (Syn. *Pestalotia leucothoes* White).
 - *macrospora* (Ces.) Steyaert in *Bull. Jard. bot. Brux.*, xix, p. 344, 1949. (Syn. *Pestalotia macrospora* Ces.).
 - *maculiformans* (Guba & Zeller) Steyaert in *Bull. Jard. bot. Brux.*, xix, p. 329, 1949. (Syn. *Pestalotia maculiformans* Guba & Zeller).
 - *mangiferae* (P. Henn.) Steyaert in *Bull. Jard. bot. Brux.*, xix, p. 320, 1949. (Syn. *Pestalotia mangiferae* P. Henn.).
 - *mayumbensis* (Steyaert) Steyaert in *Bull. Jard. bot. Brux.*, xix, p. 320, 1949. (Syn. *Pestalotia mayumbensis* Steyaert).
 - *monochaetioides* (Doyer) Steyaert in *Bull. Jard. bot. Brux.*, xix, p. 309, 1949. (Syn. *Pestalotia monochaetioides* Doyer).
 - *natalensis* (Van Beyma) Steyaert in *Bull. Jard. bot. Brux.*, xix, p. 344, 1949. (Syn. *Pestalotia natalensis* Van Beyma).
 - *oxyanthi* (Thuem.) Steyaert in *Bull. Jard. bot. Brux.*, xix, p. 329, 1949. (Syn. *Pestalotia oxyanthi* Thuem.).
 - *paeoniae* (Servazzi) Steyaert in *Bull. Jard. bot. Brux.*, xix, p. 312, 1949. (Syn. *Pestalotia paeoniae* Servazzi).
 - *palmarum* (Cooke) Steyaert in *Bull. Jard. bot. Brux.*, xix, p. 322, 1949. (Syn. *Pestalotia palmarum* Cooke).
 - *papposa* Steyaert in *Bull. Jard. bot. Brux.*, xix, p. 325, 1949 on *Cocos nucifera*.—Sierra Leone.
 - *planimi* (Vize) Steyaert in *Bull. Jard. bot. Brux.*, xix, p. 325, 1949. (Syn. *Pestalotia planimi* Vize).
 - *royenae* (Guba) Steyaert in *Bull. Jard. bot. Brux.*, xix, p. 320, 1949. (Syn. *Pestalotia royenae* Guba).
 - *sonsensis* (P. Henn.) Steyaert in *Bull. Jard. bot. Brux.*, xix, p. 336, 1949. (Syn. *Pestalotia sonsensis* P. Henn.).
 - *stictica* (Berk. & Curt.) Steyaert in *Bull. Jard. bot. Brux.*, xix, p. 328, 1949. (Syn. *Pestalotia stictica* Berk. & Curt.).
 - *theae* (Saw.) Steyaert in *Bull. Jard. bot. Brux.*, xix, p. 327, 1949. (Syn. *Pestalotia theae* Saw.).
 - *theae* (Saw.) Steyaert var. *minor* (Steyaert) Steyaert in *Bull. Jard. bot. Brux.*, xix, p. 327, 1949. (Syn. *Pestalotia theae* Saw. var. *minor* Steyaert).
 - *triseta* (M. & Mme F. Moreau) Steyaert in *Bull. Jard. bot. Brux.*, xix, p. 337, 1949. (Syn. *Pestalotia funerea* Desm. var. *macrochaeta* Speg. f. *triseta* M. & Mme F. Moreau).
 - *versicolor* (Speg.) Steyaert in *Bull. Jard. bot. Brux.*, xix, p. 336, 1949. (Syn. *Pestalotia versicolor* Speg.).
 - *virgatula* (Kleb.) Steyaert in *Bull. Jard. bot. Brux.*, xix, p. 336, 1949. (Syn. *Pestalotia virgatula* Kleb.).
 - *westerdijkii* Steyaert in *Bull. Jard. bot. Brux.*, xix, p. 329, 1949 on *Cocos nucifera*.—Celebes Island, Dutch East Indies.
- Pezizellaster serrata** (Hoffm. ex Fr.) Dennis in *Mycol. Pap., C.M.I.*, 32, p. 62, 1949. (Syn. *Peziza serrata* Hoffm. ex Fr.).
- Phaeoseptoria festucae** var. **andropogonis** R. Sprague apud Greene in *Amer. Midl. Nat.*, xli, p. 722, 1949 on *Andropogon furcatus*.—Wisconsin, U.S.A.
- Phaeosphaerella rechingeri** Petrak in *Sydowia*, iii, p. 287, 1949 on *Cousinia*.—Persia.
- Phaeosphaeria acori** Greene in *Amer. Midl.*

- Nat.*, xli, p. 751, 1949 on *Acorus calamus*.—Wisconsin, U.S.A.
- Phialea scutata** Losa in *An. Jard. bot. Madr.*, viii, p. 328, 1947 on *Rumex scutatus*.—Spain.
- Phialophora compacta** (Carrion) Red. & Cif., *Le granulomatosi fungine dell'uomo nelle regioni tropicali e subtropicali*, p. 595, 1942. (Syn. *Hormodendrum compactum* Carrion).
- Phoma veratri** Losa in *An. Jard. bot. Madr.*, viii, p. 300, 1947 on *Veratrum album*.—Spain.
- Phomopsis liatridis** Greene in *Amer. Midl. Nat.*, xli, p. 752, 1949 on *Liatris ligulistylis*.—Wisconsin, U.S.A.
- PHYLLOPEZIS** Petrak in *Sydowia*, iii, p. 238, 1949.—Discomycetes.
- **andina** Petrak in *Sydowia*, iii, p. 238, 1949 on *Cavendishia*.—Ecuador.
- Phyllosticta bosensis** S. K. Bose & Mathur in *Curr. Sci.*, xviii, p. 211, 1949 on *Ricinus communis*.—India.
- **minutaspora** Sprague in *Mycologia*, xli, p. 497, 1949 on *Muhlenbergia filiformis*.—Idaho, U.S.A.
- **physocarp** Greene in *Amer. Midl. Nat.*, xli, p. 737, 1949 on *Physocarpus opulifolius*.—Wisconsin, U.S.A.
- **umbrino-fumosa** Greene in *Trans. Wis. Acad. Sci. Arts Lett.*, xxxviii, p. 243, 1947 on *Eupatorium urticaefolium*.—Wisconsin, U.S.A.
- **zanthoxyli** Greene in *Amer. Midl. Nat.*, xli, p. 720, 1949 on *Zanthoxylum americanum*.—Wisconsin, U.S.A.
- Phytophthora inflata** Caroselli & Tucker in *Phytopathology*, xxxix, p. 485, 1949 on *Ulmus americana*.—U.S.A.
- PITHOSIRA** Petrak in *Sydowia*, iii, p. 259, 1949.—Hyphomycetes.
- **sydowii** Petrak in *Sydowia*, iii, p. 259, 1949 on *Passiflora alnifolia*.—Ecuador.
- Plagiostigma clypeata** Petrak in *Sydowia*, iii, p. 243, 1949 on *Disterigma acuminata*.—Ecuador.
- PLAGIOSTIGMELLA** Petrak in *Sydowia*, iii, p. 241, 1949.—Sphaeropsidales.
- **clypeata** Petrak in *Sydowia*, iii, p. 241, 1949 on *Disterigma acuminata*.—Ecuador.
- PLATYCARPA** Couch in *Mycologia*, xli, p. 427, 1949.—Auriculariales.
- **boliviensis** Couch in *Mycologia*, xli, p. 429, 1949 on fern sporophylls.—Bolivia.
- **polypodii** (Couch) Couch in *Mycologia*, xli, p. 428, 1949. (Syn. *Septobasidium polypodii* Couch).
- Pleospora clypeata** Wehmeyer in *Mycologia*, xli, p. 584, 1949 on *Agave*.—? U.S.A.
- **gaubae** Petrak in *Sydowia*, iii, p. 293, 1949 on *Linum austriacum*.—Persia.
- **kudjurica** Petrak in *Sydowia*, iii, p. 294, 1949 on *Cousinia*.—Persia.
- Polyporus pusillus** (Fr.) Cunningham in *Bull. Dep. sci. industr. Res. N.Z.* 81, p. 16, 1949. (Syn. *Favolus pusillus* Fr.).
- Poria nathorst-windhilii** Pilát in *Bot. Notiser*, iii, p. 208, 1949 on dead wood.—Sweden.
- Protomyces buerenianus** Buhr in *Phytopath. Z.*, xv, p. 405, 1949 on *Galinsoga parviflora*.—Germany.
- Puccinia panciae** Piebauer in *Sydowia*, iii, p. 149, 1949 on *Pancicia serbica*.—Greece.
- **urticae-paniceae** Mayor in *Ber. schweiz. bot. Ges.*, lix, p. 274, 1949 on *Urtica dioica* and *Carex panicea*.—Switzerland.
- **ventanensis** Lindquist in *Notas del Museo de La Plata*, xiii, 63, p. 247, 1948 on *Pfaffia lanata*.—Argentina.
- Pyrenopeziza rubicola** Losa in *An. Jard. bot. Madr.*, viii, p. 330, 1947 on *Rubus*.—Spain.
- Pyrenophora eryngicola** Losa in *An. Jard. bot. Madr.*, viii, p. 311, 1947 on *Eryngium bourgatium*.—Spain.
- Ramularia chimaphilae** Greene in *Amer. Midl. Nat.*, xli, p. 723, 1949 on *Chimaphila umbellata*.—Wisconsin, U.S.A.
- **digitalis-ambiguae** Arx in *Sydowia*, iii, p. 93, 1949 on *Digitalis ambigua*.—Switzerland.
- **iranica** Petrak in *Sydowia*, iii, p. 330, 1949 on *Acantholimon*.—Persia.
- **ovularioides** Greene in *Trans. Wis. Acad. Sci. Arts Lett.*, xxxviii, p. 246, 1947 on *Anemone cylindrica*.—Wisconsin, U.S.A.
- Rhabdospira cardui** Losa in *An. Jard. bot. Madr.*, viii, p. 301, 1947 on *Carduus carlinoides*.—Spain.
- *Sabouraudites duboisi** Vanbreuseghem in *Ann. Parasit. hum. comp.*, xxiv, 3-4, p. 254, 1949 on man [*Homo sapiens*].—Belgian Congo.
- Saccharomyces laryngitidis** Sartory & Potier in *C.R. Acad. Sci., Paris*, cexxviii, p. 1970, 1949 on man.
- Schizothyrium carduorum** Losa in *An. Jard. bot. Madr.*, viii, p. 319, 1947 on *Carduus carlinoides*.—Spain.
- SCLEROMITRULA** Imai in *J. Fac. Agric. Hokkaido Univ.*, xlv, p. 176, 1941.—Geoglossaceae.
- **shiraiana** (P. Henn.) Imai in *J. Fac. Agric. Hokkaido Univ.*, xlv, p. 177, 1941. (Syn. *Microglossum shiraianum* P. Henn.).
- Septoria cornicola** Desm. var. **ampla** Greene in *Amer. Midl. Nat.*, xli, p. 755, 1949 on *Cornus racemosa*.—Wisconsin, U.S.A.
- **lithospermi** Davis & Greene apud Greene in *Trans. Wis. Acad. Sci. Arts Lett.*, xxxviii, p. 245, 1947 on *Lithospermum canescens*.—Wisconsin, U.S.A.
- **scrophulariae** Peck var. **agalinis** Greene in *Amer. Midl. Nat.*, xli, p. 722, 1949 on *Gerardia paupercula*.—Wisconsin, U.S.A.
- **violacea** Greene in *Amer. Midl. Nat.*, xli, p. 754, 1949 on *Oxalis violacea*.—Wisconsin, U.S.A.
- Sistotrema commune** J. Eriksson nom. nov. in *Svensk bot. Tidskr.*, xliii, p. 312, 1949. (Syn. *Corticium muscicola* Bres., non *Sistotrema muscicola* (Pers.) Lundell).
- **f. efibulatum** J. Eriksson in *Svensk bot. Tidskr.*, xliii, p. 314, 1949. Sweden.
- Sorosporium crypticum** (Cooke & Massee) Ling in *Sydowia*, iii, p. 131, 1949. (Syn. *Cintractia cryptica* Cooke & Massee).
- **cynodontis** Ling in *Sydowia*, iii, p. 131, 1949 on *Cynodon dactylon*.—Philippine Islands.
- **papuae** (Zundel) Ling in *Sydowia*, iii, p. 133, 1949. (Syn. *Sphacelotheca papuae* Zundel).
- Spermospora subulata** f. **ciliata** Sprague in *Mycologia*, xli, p. 495, 1949 on *Agrostis alba*.—Wyoming, U.S.A.
- Sphacelotheca apludae** Pavgi & Mundkur in *Indian Phytopathology*, i, p. 110, 1949 on *Apluda varia* var. **aristata**.—India.
- **aristidae-cyananthae** (Brefeld) Pavgi & Mundkur in *Indian Phytopathology*, i, p. 111, 1949. (Syn. *Ustilago aristidae-cyananthae* Brefeld).

- *cypericola* Pavgi & Mundkur in *Indian Phytopathology*, i, p. 111, 1949 on *Cyperus difformis*.—India.
- *indehiscens* Ling in *Sydowia*, iii, p. 125, 1949 on *Themeda gigantea*.—Java.
- *ischaemicola* Ling in *Sydowia*, iii, p. 126, 1949 on *Ischaemum timorense*.—Singapore, Malaya.
- *ophiuri* (P. Henn.) Ling in *Sydowia*, iii, p. 127, 1949. (Syn. *Ustilago ophiuri* P. Henn.).
- *polytriadis* (Masse) Ling in *Sydowia*, iii, p. 127, 1949. (Syn. *Ustilago polytriadis* Masse).
- *pulverulenta* (Cooke & Masse) Ling in *Sydowia*, iii, p. 127, 1949. (Syn. *Cintractia pulverulenta* Cooke & Masse).
- *rhapidis* Ling in *Sydowia*, iii, p. 128, 1949 on *Rhaphis aciculatus*.—Philippine Islands.
- Sphaerella veratri** Losa in *An. Jard. bot. Madr.*, viii, p. 304, 1947 on *Veratrum album*.—Spain.
- Sporobolomyces holsaticus** Windisch in *Arch. Mikrobiol.*, xiv, p. 289, 1949 from food yeast.—Germany.
- Sporotrichum beurmanni** var. *anglicum* (Cast.) Redaelli & Ciferri, *Le granulomatosi fungine dell'uomo nelle regioni tropicali e subtropicali*, p. 459, 1942. (Syn. *Sporotrichum anglicum* Castellani).
- var. *carougeui* (Lang.) Redaelli & Ciferri, *Le granulomatosi fungine dell'uomo nelle regioni tropicali e subtropicali*, p. 458, 1942. (Syn. *Sporotrichum carougeui* Langeron).
- var. *councilmani* (Welbach, Sisson, & Meyer) Redaelli & Ciferri, *Le granulomatosi fungine dell'uomo nelle regioni tropicali e subtropicali*, p. 456, 1942. (Syn. *Sporotrichum councilmani* Welbach, Sisson, & Meyer).
- var. *fiocci* (Dodge) Redaelli & Ciferri, *Le granulomatosi fungine dell'uomo nelle regioni tropicali e subtropicali*, p. 457, 1942. (Syn. *Sporotrichum schencki* var. *fiocci* Dodge).
- var. *janselmei* (Brumpt & Lang.) Redaelli & Ciferri, *Le granulomatosi fungine dell'uomo nelle regioni tropicali e subtropicali*, p. 458, 1942. (Syn. *Sporotrichum janselmei* Brumpt & Langeron).
- var. *schencki* (Hektoen & Perk.) Redaelli & Ciferri, *Le granulomatosi fungine dell'uomo nelle regioni tropicali e subtropicali*, p. 455, 1942. (Syn. *Sporotrichum schencki* Hektoen & Perkins).
- Stagonospora brachyelytri** Greene in *Trans. Wis. Acad. Sci. Arts Lett.*, xxxviii, p. 244, 1947 on *Brachyelytrum erectum*.—Wisconsin, U.S.A.
- *canadensis* Greene in *Amer. Midl. Nat.*, xli, p. 753, 1949 on *Anemone canadensis*.—Wisconsin, U.S.A.
- *cryptotaeniae* Greene in *Trans. Wis. Acad. Sci. Arts Lett.*, xxxviii, p. 245, 1947 on *Cryptotaenia canadensis*.—Wisconsin, U.S.A.
- *macromaculans* Greene in *Amer. Midl. Nat.*, xli, p. 721, 1949 on *Celtis occidentalis*.—Wisconsin, U.S.A.
- * *penniseti* Moreau in *Rev. de Mycologie*, xiv, Supp. Col. No. 1, p. 18, 1949 on *Pennisetum purpureum*.—French Guinea, Africa.
- *tephrosiae* Greene in *Amer. Midl. Nat.*, xli, p. 721, 1949 on *Tephrosia virginiana*.—Wisconsin, U.S.A.
- SYNOSTOMINA** Petrak in *Sydowia*, iii, p. 245, 1949.—Sphaeropsidales.
- *andina* Petrak in *Sydowia*, iii, p. 245, 1949 on *Miconia crocea*.—Ecuador.
- Teichospora iranica** Petrak in *Sydowia*, iii, p. 300, 1949 on dead branches.—Persia.
- *sarhaddensis* Petrak in *Sydowia*, iii, p. 302, 1949 on *Zygophyllum atriplicoides*.—Persia.
- Thecaphora loti** Mayor in *Ber. schweiz. bot. Ges.*, lix, p. 58, 1949 on *Lotus* sp.—Arizona, U.S.A.
- *lupini* Mayor in *Ber. schweiz. bot. Ges.*, lix, p. 57, 1949 on *Lupinus* sp. and *L. plattensis*.—Colorado and Wyoming, U.S.A.
- Thyridium concinnum** Petrak in *Sydowia*, iii, p. 303, 1949 on *Polygonum* sp.—Persia.
- *fusisporum* Petrak in *Sydowia*, iii, p. 305, 1949 on dead roots.—Persia.
- *rechingeri* Petrak in *Sydowia*, iii, p. 307, 1949 on ? *Ephedra*.—Persia.
- *semanense* Petrak in *Sydowia*, iii, p. 309, 1949 on *Stachys inflata*.—Persia.
- *speciosum* Petrak in *Sydowia*, iii, p. 311, 1949 on dead branches.—Persia.
- Tilletia ahmadiana** Pavgi & Mundkur in *Indian Phytopathology*, i, p. 113, 1949 on *Perotis latifolia*.—India.
- Tolyposporella linearis** (Berk. & Br.) Ling in *Sydowia*, iii, p. 133, 1949. (Syn. *Gymnosporium lineare* Berk. & Br.).
- *pachycarpa* (Syd.) Ling in *Sydowia*, iii, p. 133, 1949. (Syn. *Sorosporium pachycarpum* Syd.).
- Trametes protea** (Berk.) Cunningham in *Bull. Dep. sci. industr. Res. N.Z.*, 81, p. 15, 1949. (Syn. *Polyporus proteus* Berk.).
- Trichoglossum hirsutum** (Fr.) Boud. f. *capitatum* (Pers.) Imai in *J. Fac. Agric. Hokkaido Univ.*, xlv, p. 221, 1941. (Syn. *Geoglossum capitatum* Pers.).
- var. *variabile* (Durand) Imai in *J. Fac. Agric. Hokkaido Univ.*, xlv, p. 222, 1941. (Syn. *Trichoglossum hirsutum* f. *variabile* Durand).
- *walteri* (Berk.) Durand var. *helveticum* Imbach in *Schweiz. Z. Pilzk. Bern*, xxvii, p. 137, 1949.—Switzerland.
- Tricholoma favrei** R. & R. Haller in *Schweiz. Z. Pilzk. Bern*, xxvii, p. 133, 1949 as 'T. Favrei nov. spec. *Lyophyllum* ? Favrei nov. spec.'.—Switzerland.
- *melaleucum* var. *caespitosum* (Murr.) Murr. in *Lloydia*, xii, p. 67, 1949. (Syn. *Melanoleuca melaleuca* var. *caespitosa* Murr.).
- *quercicola* (Murr.) Murr. in *Lloydia*, xii, p. 67, 1949. (Syn. *Cortinellus quercicola* Murr.).
- *subfulvidiscum* (Murr.) Murr. in *Lloydia*, xii, p. 67, 1949. (Syn. *Melanoleuca subfulvidisca* Murr.).
- *subsylvaticum* (Murr.) Murr. in *Lloydia*, xii, p. 68, 1949. (Syn. *Melanoleuca subsylvatica* Murr.).
- Trichopeziza belladonnae** Losa in *An. Jard. bot. Madr.*, viii, p. 324, 1947 on *Atropa belladonna*.—Spain.
- * **Trichophyton rodhaii** Vanbreuseghem in *Ann. Parasit. hum. comp.*, xxiv, p. 244, 1949 on man [*Homo sapiens*].—Belgian Congo.
- Trichoscyphella resinaria** (Cooke & Phill.) Dennis in *Mycol. Pap., C.M.I.*, 32, p. 93, 1949. (Syn. *Peziza resinaria* Cooke & Phill.).
- TRUITTELLA** Karling in *Amer. J. Bot.*, xxxvi, p. 454, 1949.—Chytridiales.
- *setifera* Karling in *Amer. J. Bot.*, xxxvi,

p. 455, 1949 on cellulose in cultures.—Maryland, U.S.A.

TRUNCATELLA Steyaert in *Bull. Jard. bot. Brux.*, xix, p. 293, 1949. Melanconiales. Type, *T. truncata*.

— **conorum-piceae** (Tubef) Steyaert in *Bull. Jard. bot. Brux.*, xix, p. 299, 1949. (Syn. *Pestalotia conorum-piceae* Tubef).

— **hartigii** (Tubef) Steyaert in *Bull. Jard. bot. Brux.*, xix, p. 298, 1949. (Syn. *Pestalotia hartigii* Tubef).

— **lauro-cerasi** (West.) Steyaert in *Bull. Jard. bot. Brux.*, xix, p. 298, 1949. (Syn. *Pestalotia lauro-cerasi* West.).

— **ramulosa** (Van Beyma) Steyaert in *Bull. Jard. bot. Brux.*, xix, p. 296, 1949. (Syn. *Pestalotia ramulosa* Van Beyma).

— **truncata** (Lév.) Steyaert in *Bull. Jard. bot. Brux.*, xix, p. 295, 1949. (Syn. *Pestalotia truncata* Lév.).

Unguicularia costata (Boud.) Dennis in *Mycol. Pap., C.M.I.*, 32, p. 79, 1949. (Syn. *Ureolella costata* Boud.).

— **millepunctata** (Lib.) Dennis in *Mycol. Pap., C.M.I.*, 32, p. 79, 1949. (Syn. *Peziza millepunctata* Lib.).

Urnula hiemalis Nannfeldt in *Svensk bot. Tidskr.*, xliii, p. 471, 1949.—Sweden.

Uromyces poae f. sp. **repenti-pratensis** Gäumann in *Phytopath. Z.*, xiii, p. 512, 1941 on *Ranunculus repens* and *Poa pratensis*.—Germany.

— **ruiz-leali** Lindquist in *Notas del Museo de La Plata*, xiv, p. 51, 1949 on *Anarthrophyllum elegans*.—Argentina.

— **shahrudensis** Petrak in *Sydowia*, iii, p. 273, 1949 on *Onobrychis*.—Persia.

Ustilago dehiscens Ling in *Sydowia*, iii, p. 124, 1949 on *Polygonum amplexicaule*.—India.

Vermicularia dematium (Pers.) Fr. var. **minor** Wollenw. in *Z. Parasitenk.*, xiv, p. 206, 1949 on dead *Lupinus polyphyllus*.—Germany.

— var. **wallrothii** (Sacc.) Wollenw. in *Z. Parasitenk.*, xiv, p. 204, 1949. (Syn. *Vermicularia wallrothii* Saccardo).

Volvaria flaviceps Murrill in *Mycologia*, xli, p. 490, 1949 on log of *Magnolia*.—Florida, U.S.A.

XENOPLACA Petrak in *Sydowia*, iii, p. 261, 1949.—Hyphomycetes.

— **aequatoriensis** Petrak in *Sydowia*, iii, p. 261, 1949 on *Clusia*.—Ecuador.

Ypsilonia corticalis Wolf in *Mycologia*, xli, p. 563, 1949 on dead *Quercus borealis*.—North Carolina, U.S.A.

Zignoella iranica Petrak in *Sydowia*, iii, p. 312, 1949 on *Salix acmophylla*.—Persia.

HOST INDEX

For Phanerogams see under families; for Algae, Fungi, and Bryophyta see under those names; for animal hosts see under Insecta, Invertebrata, and Vertebrata.

ALGAE

Closterium rostratum
Chytriumyces closterii
Netrium digitus
Ancylistes netrii

AMARANTACEAE

Pfaffia lanata
Puccinia ventanensis

AMARYLLIDACEAE

Agave
Pleospora clypeata

ANACARDIACEAE

Rhus typhina
Fusarium oxysporum f. *rhois*

ARACEAE

Acorus calamus
Phaeosphaeria acori

ARALIACEAE

Oreopanax mucronulatus
Bimeris aperta

BORAGINACEAE

Lithospermum canescens
Septoria lithospermi
Lithospermum croceum
Cercospora lithospermi

BRYOPHYTA

Hypnum
Crepidotus carpatorossicus

CAPRIFOLIACEAE

Lonicera tatarica
Crepidotus cesatii var. *gothoburgensis*

CAPRIFOLIACEAE (continued)

Sambucus ebulus
Lachnella sambucina
Triosteum perfoliatum
Cercospora triostei

COMPOSITAE

Carduus carlinoides
Leptosphaeria carlinoides
Ophiobolus leptosphaerioides
Rhabdospora cardui
Schizothyrium carduorum
Chrysanthemum morifolium
Mycosphaerella ligulicola
Cirsium arvense
Leptosphaeria cirsii-arvensis

Cousinia

Didymella cousiniae
Passalora cousiniae
Phaeosphaerella rechingeri
Pleospora kudjurica

Cousinia multiloba

Leptosphaeria shahvarica
Eupatorium urticaefolium
Phyllosticta umbrino-fumosa

Galinsoga parviflora

Protomyces buerenianus
Lactuca virosa
Helotium lactucae

Lappa

Helotium lappae
Liatris ligulistylis
Phomopsis liatridis

CONIFERAE

- Abies procera
Oxyporus nobilissimus
 Agathis palmerstoni
Hendersonula agathi
 Cupressus
Pestalotiopsis funerioides
 Juniperus communis
Hendersonia foliicola var. *longiorospora*
Lophodermium juniperinum var. *minorospora*
 Pinus
Fusarium lateritium f. *pini*
 Pinus silvestris
Leptothyrium pinastri var. *maiorospora*
 Pinus strobus
Leptothyrium pinastri var. *maiorospora*
 Tsuga heterophylla
Oxyporus nobilissimus

CORNACEAE

- Cornus racemosa
Septoria cornicola var. *ampla*

CRUCIFERAE

- Isatis tinctoria
Leptosphaeria allorgei

CYPERACEAE

- Carex baccans
Farysia orientalis
 Carex curvula
Mycosphaerella alpina
 Carex panicea
Puccinia urticae-paniceae
 Cyperus sp.
Cintractia peribebuyensis var. *major*
 Cyperus difformis
Sphacelotheca cypericola
 Eriophorum angustifolium
Dasyascypha sydowii
 Fimbristylis complanata
Cintractia fimbriatylicola

ERICACEAE

- Cavendishia
Phyllopezis andina
 Disterigma acuminata
Plagiostigma clypeata
Plagiostigmella clypeata
 Rhododendron
Pestalotiopsis baarnensis

EUPHORBIACEAE

- Euphorbia
Haplosporella iranica
Leptosphaeria tolgoensis
 Ricinus communis
Phyllosticta bosensis

FAGACEAE

- Fagus silvatica
Crepidotus macedonicus
 Quercus borealis
Ypsilonia corticalis
 Quercus laurifolia
Cortinellus quercicola

FUNGI

- Uromyces costaricensis*
Creonecta biparasitica

GNETACEAE

- Ephedra
Thyridium rechingeri

GRAMINEAE

- Agrostis alba
Spermospora subulata f. *ciliata*
 Andropogon furcatus
Phaeoseptoria festucae var. *andropogonis*

GRAMINEAE (continued)

- Apluda varia var. *aristata*
Sphacelotheca apludae
 Arthraxon lancifolius
Bremia graminicola var. *indica*
 Brachyelytrum erectum
Stagonospora brachyelytri
 Bromus erectus
Dasyascypha carneola var. *longispora*
 Calamagrostis canadensis
Hyalothyridium calamagrostidis
 Cynodon dactylon
Sorosporium cynodontis
 Festuca
Mycosphaerella alpina
 Festuca arenaria
Leptosphaeria arenaria
 Ischaemum timorense
Sphacelotheca ischaemicola
 Muhlenbergia filiformis
Phyllosticta minutaspora
 Pennisetum purpureum
Stagonospora penniseti
 Perotis latifolia
Tilletia ahmadiana
 Phleum pratense
Gloeosporium meinersii
 Poa alpina
Gloeosporium meinersii var. *alpinum*
 Poa pratensis
Uromyces poae f. sp. *repenti-pratensis*
 Rhapis aciculatus
Sphacelotheca rhapsidis
 Sorghum vulgare
Periconia macrospinosia
 Spartina pectinata
Hendersonia spartinae
 Themeda gigantea
Sphacelotheca indehiscens

GUTTIFERAE

- Calophyllum inophyllum var. *tacamaha*
Haplographium calophylli
 Clusia
Xenoplaca aequatoriensis
 Hypericum
Glomerella cingulata var. *migrans*

HIPPOCRATEACEAE

- Hippocratea
Acrocladium andinum

HYDROPHYLLACEAE

- Hydrophyllum virginianum
Ascochyta hydrophylli-virginiani

INSECTA

- Cordyceps aurea*
Cordyceps filiformis
Cordyceps lilacina
Cordyceps pseudoinsignis
Cordyceps truncata
Cordyceps variegata
 Catops nigricans
Barbatiella tubantica

Coleoptera

- Cordyceps furcata*
Cordyceps rubri-punctata

Hemiptera

- Cordyceps lutea*
 Paltothyreus tarsatus
Cordyceps carnata

INVERTEBRATA (other than Insecta)

- Ditylenchus
Nematoctonus concurrens
 Panagrolaimus subelongatus
Nematoctonus concurrens

JUGLANDACEAE

- Carya cordiformis*
Coniothyrium pallidospermum

LABIATAE

- Stachys inflata*
Thyridium semnanense

LARDIZABALACEAE

- Decaisnea insignis*
Diplodina berberidina f. *decaisneae*

LEGUMINOSAE

- Anarthrophyllum elegans*
Uromyces ruiz-leali
Astragalus
Camarsporium shahvaricum
Endoplacodium nigrescens
Hendersonula astragalina
Microsphaera caulicola

- Eriosema spicatum*
Dothidella eriosemae

- Inga punctata*
Mindoa ingae

- Lotus*
Thecaphora loti

- Lupinus*
Thecaphora lupini

- Lupinus polyphyllus*
Vermicularia dematium var. *minor*

- Onobrychis*
Uromyces shahrudensis

- Onobrychis cornuta*
Hendersonia shahvarica

- Robinia pseud-acacia*
Crepidotus subverrucisporus

- Tephrosia virginiana*
Stagonospora tephrosiae

LILIACEAE

- Asphodelus albus*
Hypoderma asphodeli
Lilium martagon
Leptosphaeria martagoni
Mycosphaerella martagonis

- Veratrum album*
Phoma veratri
Sphaerella veratri

LINACEAE

- Linum austriacum*
Pleospora gaubae

MAGNOLIACEAE

- Magnolia*
Volvaria flaviceps

MELASTOMACEAE

- Miconia crocea*
Synostomina andina

MORACEAE

- Ficus*
Pestalotiopsis fici
Ficus edulis
Glomerella cingulata var. *minor*

MYRICACEAE

- Myrica gale*
Hyalotricha corticicola

MYRTACEAE

- Eucalyptus globulus*
Pestalotiopsis crassiuscula

OLEACEAE

- Fraxinus americana*
Marsonia gloeodes

ONAGRACEAE

- Epilobium hirsutum*
Dasyscypha nudipes var. *minor*

OXALIDACEAE

- Oxalis violacea*
Septoria violacea

PALMAE

- Cocos nucifera*
Pestalotiopsis papposa
Pestalotiopsis westerdijkii

PAPAVERACEAE

- Meconopsis cambrica*
Peronospora gaeumanni

PASSIFLORACEAE

- Passiflora alnifolia*
Pithosira sydownii

PLUMBAGINACEAE

- Acantholimon*
Ramularia iranica

POLYGONACEAE

- Polygonum*
Thyridium concinnum
Polygonum amplexicaule
Ustilago dehiscentis

RUMEX

- Hendersonia rumicis*
Phialea scutata

PYROLACEAE

- Chimaphila umbellata*
Ramularia chimaphilae

RANUNCULACEAE

- Aconitum napellus*
Lophodermium aconiti
Anemone canadensis
Stagonospora canadensis
Anemone cylindrica
Ramularia ovularioides
Delphinium
Asteromella delphinii
Fusarium oxysporum f. *delphinii*

RANUNCULUS repens

- Uromyces poae* f. *sp. repenti-pratensis*

ROSACEAE

- Hesperomeles glabrata*
Neopeltis andina
Physocarpus opulifolius
Phyllosticta physocarpis
Prunus americana
Cladosporium americanum

ROSA

- Niptera rosae*
Rubus
Pyrenopeziza rubicola

RUBIACEAE

- Coffea arabica*
Glomerella cingulata var. *crassisporea*

RUTACEAE

- Zanthoxylum americanum*
Phyllosticta zanthoxyli

SALICACEAE

- Salix acmophylla*
Zignoella iranica
Salix alba
Cercospora salicis

SCROPHULARIACEAE

- Digitalis ambigua*
Asteromella digitalis-ambiguae
Mycosphaerella digitalis-ambiguae
Ramularia digitalis-ambiguae
Gerardia paupercula
Septoria scrophulariae var. *agalinis*
Scrophularia alpestris
Ophiobolus scrophulariae

SOLANACEAE
Atropa belladonna
Trichopeziza belladonnae

THEACEAE
Camellia
Pestalotiopsis gallica

ULMACEAE
Celtis occidentalis
Stagonospora macromaculans
Ulmus americana
Phytophthora inflata

UMBELLIFERAE
Cryptotaenia canadensis
Stagonospora cryptotaeniae
Eryngium bourgatium
Pyrenophora eryngicola
Pancicia serbica
Puccinia panciciae

URTICACEAE
Urtica dioica
Puccinia urticae-paniccae

VALERIANACEAE
Kentranthus angustifolius
Erysiphe blumeri
VERBENACEAE
Citharexylum ilicifolium
Heteroconium citharexyli
VERTEBRATA
Homo sapiens
Candida truncata
Madurella grisea
Sabouraudites duboisi
Saccharomyces laryngitidis
Trichophyton rodhaii

ZYGOPHYLLACEAE
Zygophyllum
Cyanopatella iranica
Zygophyllum atriplicoides
Hendersonia zygophylli
Teichospora sarhaddensis

The Editor again gratefully acknowledges the assistance of Dr. J. A. Stevenson and Miss Edith Cash for supplying details of certain citations.

PRINTED IN GREAT BRITAIN
AT THE UNIVERSITY PRESS, OXFORD
BY CHARLES BATEY, PRINTER TO THE UNIVERSITY

2244/m (for)
(1940)

INDEX OF FUNGI

PUBLISHED SINCE THE BEGINNING OF 1940

Formerly issued as Supplements to the Review of Applied Mycology

VOL. 2

PART 1

1950

- **Absidia spinosa* Lendner var. *madecassensis* Moreau in *Bull. Soc. mycol. Fr.*, 65, p. 144, 1949 from dead *Cinchona*.—Madagascar.
- Achlya michiganensis* Johnson in *Mycologia*, 42, p. 393, 1950 from soil.—Michigan, U.S.A.
- spiracaulis* Johnson in *Mycologia*, 41, p. 678, 1949 from soil.—Michigan, U.S.A.
- turfosa* Johannes in *Arch. Mikrobiol.*, 14, 4, p. 597, 1950 from soil.—Germany.
- **Acremonia lutzii* Arêa Leão & Lobo in *Acta med. Rio de Janeiro*, 4, p. 8, 1939 on *Homo sapiens*.—Brazil.
- Aecidium astrochlaenae* Wakef. & Hansford in *Proc. Linn. Soc. London*, 161, p. 188, 1949 on *Astrochlaena*.—Uganda.
- barleriae* Doidge in *Bothalia*, 4, p. 895, 1948 on *Barleria crassa*.—Southern Rhodesia.
- crassocephali* Wakef. & Hansford in *Proc. Linn. Soc. London*, 161, p. 189, 1949 on *Crassocephalum crepidioides*.—Uganda.
- dipcadi-viridis* Doidge in *Bothalia*, 4, p. 896, 1948 on *Dipcadi viridis*.—South Africa.
- geniosporii* Wakef. & Hansford in *Proc. Linn. Soc. London*, 161, p. 190, 1949 on *Geniosporium paludosum*.—Uganda.
- heliotropicola* [as '*heliotropicolum*'] Talbot apud Doidge in *Bothalia*, 4, p. 896, 1948 on *Heliotropium nelsoni*.—South Africa.
- marsdeniae* T. S. & K. Ramakrishnan, this *Index*, i, p. 257. See *A. marsdeniae* Syd., 1937.
- nestlerae* Doidge in *Bothalia*, 4, p. 897, 1948 on *Nestlera conferta*.—South Africa.
- pentziae-globosae* Doidge in *Bothalia*, 4, p. 897, 1948 on *Pentzia globosa*.—South Africa.
- scopariae* Wakef. & Hansford in *Proc. Linn. Soc. London*, 161, p. 191, 1949 on *Scoparia dulcis*.—Uganda.
- spinicola* [as '*spinicolum*'] Doidge in *Bothalia*, 4, p. 897, 1948 on *Acacia*.—South Africa.
- Amanita agglutinata* (B. & C.) Murr., this *Index*, i, p. 257. See *A. agglutinata* Lloyd, 1898.
- rubens* (Scop.) Murr., this *Index*, i, p. 257. See *A. rubens* (Scop.) Quéf. & Bataille, 1933.
- Amphichaeta grevilleae* Loos in *Trans. Brit. mycol. Soc.*, 33, p. 41, 1950 on *Grevillea robusta*.—Ceylon.
- Angiopsora hansfordii* (Cumm.) Thirum. & Kern (this *Index*, i, p. 257) is a later homonym of *A. hansfordii* Cumm. (p. 131).
- Anguillospora flagellifera* Ingold in *Trans. Brit. mycol. Soc.*, 32, p. 345, 1950 on leaves in water.—Switzerland.
- Anthostomella capensis* Doidge in *Bothalia*, 4, p. 863, 1948 on *Phoenix dactylifera*.—South Africa.
- ratibidae* Solheim in *Mycologia*, 41, p. 623, 1949 on *Ratibida tagetes*.—New Mexico, U.S.A.
- salaciae* Doidge in *Bothalia*, 4, p. 864, 1948 on *Salacia gerrardi*.—South Africa.
- Aphanomycopsis desmidiella* Canter in *Trans. Brit. mycol. Soc.*, 32, p. 166, 1949 on *Netrium digitus*.—England.
- Ascobolus cuniculorum* Batista & Pontual in *Bol. Agric., Pernambuco*, 15, p. 30, 1948 on dung.—Brazil.
- infestans* Batista & Pontual in *Bol. Agric., Pernambuco*, 15, p. 31, 1948 on dung.—Brazil.
- Balsania trachypogonis* Doidge in *Bothalia*, 4, p. 854, 1948 on *Trachypogon plumosus*.—South Africa.
- Belonidium josserandi* Grelet in *Rev. de Mycologie*, 15, p. 38, 1950 on rotted wood.—France.
- BLASTOCLADIOPSIS* Sparrow in *J. Wash. Acad. Sci.*, 40, p. 52, 1950.—Blastocladias.
- parva* (Whiffen) Sparrow in *J. Wash. Acad. Sci.*, 40, p. 53, 1950. (Syn. *Blastocladia parva* Whiffen).
- Bovista macrospora* Perdeck in *Blumea*, 6, p. 512, 1950.—Holland.
- Brevilegnia longicaulis* Johnson in *Mycologia*, 42, p. 244, 1950 from soil.—New Caledonia.
- Bulgariastrum bullatum* Doidge in *Bothalia*, 4, p. 877, 1948 on *Capparis citrifolia*.—South Africa.
- Bulliardella capensis* Doidge in *Bothalia*, 4, p. 875, 1948 on *Gymnosporia procumbens*.—South Africa.
- Calonectria theae* Loos in *Trans. Brit. mycol. Soc.*, 33, p. 17, 1950 on *Camellia theae*.—Ceylon.
- var. *crotalariae* Loos in *Trans. Brit. mycol. Soc.*, 33, p. 17, 1950 on *Crotalaria anagyroides* & *Tephrosia vogelii*.—Ceylon.
- Calvatia excipuliformis* (Pers.) Perdeck in *Blumea*, 6, p. 490, 1950. (Syn. *Lycoperdon excipuliforme* Pers.).
- Candida olea* Van Rij & Verona in *Atti Accad. Naz. Lincei*, Ser. 8, 7, 5, p. 251, 1949 on *Olea europea*.—Italy.
- parapsilosis* (Ashf.) Lang. & Tal. var. *intermedia* Van Rij & Verona in *Atti Accad. Naz. Lincei*, Ser. 8, 7, 5, p. 252, 1949 on *Olea europea*.—Italy.
- Cephalosporium deformans* Crandall in *Phytopathology*, 40, p. 39, 1950 on *Lonchocarpus utilis*.—Peru.
- Ceratocystis ambrosia* Bakshi in *Trans. Brit. mycol. Soc.*, 33, p. 116, 1950 in beetle tunnels in wood.—Scotland.
- piceae* (Münch) Bakshi in *Trans. Brit. mycol. Soc.*, 33, p. 113, 1950. (Syn. *Ceratostomella piceae* Münch).
- Ceratostoma asininum* Batista & Pontual in

- Bol. Agric., Pernambuco*, 15, p. 42, 1948 on dung.—Brazil.
- Cercospora argyrolobii** Chupp & Doidge in *Bothalia*, 4, p. 881, 1948 on *Argyrolobium wilmsii*.—South Africa.
- **caryae** Chupp & Doidge in *Bothalia*, 4, p. 882, 1948 on *Carya pecan*.—South Africa.
- **curtisiae** Chupp & Doidge in *Bothalia*, 4, p. 884, 1948 on *Curtisia faginea*.—South Africa.
- **dissotidis** Chupp & Doidge in *Bothalia*, 4, p. 884, 1948 on *Dissotis incana*.—South Africa.
- **dovyalidis** Chupp & Doidge in *Bothalia*, 4, p. 885, 1948 on *Dovyalis zeyheri*.—South Africa.
- **egenula** (H. Syd.) Chupp & Doidge in *Bothalia*, 4, p. 885, 1948. (Syn. *Cercoseptoria egenula* H. Sydow).
- **faureae** Chupp & Doidge in *Bothalia*, 4, p. 885, 1948 on *Faurea speciosa*.—Southern Rhodesia.
- **halleriae** Chupp & Doidge in *Bothalia*, 4, p. 886, 1948 on *Halleria lucida*.—South Africa.
- **insulana** (Sacc.) Chupp in *Bothalia*, 4, p. 886, 1948. (Syn. *Cercosporina insulana* Sacc.).
- **pachycarpi** Chupp & Doidge in *Bothalia*, 4, p. 889, 1948 on *Pachycarpus schinzianus*.—South Africa.
- **pretoriensis** Chupp & Doidge in *Bothalia*, 4, p. 890, 1948 on *Gomphrena decumbens* var. *genuina*.—South Africa.
- **psychotriaecola** Chupp & Doidge in *Bothalia*, 4, p. 891, 1948 on *Psychotria capensis*.—South Africa.
- **solani-melongenae** Chupp in *Bothalia*, 4, p. 892, 1948 on *Solanum melongena*.—Japan.
- **tremae** (Stev. & Solh.) Chupp in *Bothalia*, 4, p. 893, 1948. (Syn. *Ragnhildiana tremae* Stev. & Solh.). [See *C. tremae* Hansf., 1944; *C. tremae* Sawada, 1944.]
- Chaconia tectonae** T. S. & K. Ramakrishnan in *Indian Phytopathology*, 2, p. 19, 1949 on *Tectona grandis*.—India.
- Chaetomium atrobrunneum** Ames in *Mycologia*, 41, p. 641, 1949 from cloth.—Guadalcanal.
- **brasiliense** Batista & Pontual in *Bol. Agric., Pernambuco*, 15, p. 70, 1948 on dung.—Brazil.
- **causiaeforme** Ames in *Mycologia*, 41, p. 644, 1949.—Pacific areas.
- **cristatum** Ames in *Mycologia*, 41, p. 639, 1949 from paper.—Virginia, U.S.A.
- **cupreum** Ames in *Mycologia*, 41, p. 642, 1949.—Panama Canal Zone.
- **deustum** Batista & Pontual in *Bol. Agric., Pernambuco*, 15, p. 72, 1948 on leaves.—Brazil.
- **gangligerum** Ames in *Mycologia*, 41, p. 640, 1949 from wood.—Virginia, U.S.A.
- **hamatum** Batista & Pontual in *Bol. Agric., Pernambuco*, 15, p. 71, 1948 on old cotton lint.—Brazil.
- **repandum** Batista & Pontual in *Bol. Agric., Pernambuco*, 15, p. 72, 1948 on old cotton lint.—Brazil.
- **seminudum** Ames in *Mycologia*, 41, p. 642, 1949.—U.S.A.?
- **succineum** Ames in *Mycologia*, 41, p. 645, 1949.—U.S.A.?
- **thermophile** La Touche in *Trans. Brit. mycol. Soc.*, 33, p. 95, 1950 on fermenting straw.—England.
- **turgidopilosum** Ames in *Mycologia*, 41, p. 639, 1949 from cloth.—Pacific areas.
- **velutinum** Ames in *Mycologia*, 41, p. 641, 1949 from cloth.—Pacific areas.
- Ciboria ramealis** Vacek in *Studia bot. Českoslov.*, 10, p. 133, 1949 on wood.—Czechoslovakia.
- Cintractia eremochloae** Langdon in *Pap. Dep. Biol. Univ. Qd.*, 2, p. 3, 1948 on *Eremochloa bimaculata*.—Queensland, Australia.
- Cladochytrium aureum** Karling in *Bull. Torrey bot. Cl.*, 76, p. 298, 1949 from debris in water.—Maryland, U.S.A.
- Cladosporium lysimachiae** Green in *Trans. Wis. Acad. Sci. Arts Lett.*, 38, p. 232, 1946 on *Lysimachia terrestris*.—Wisconsin, U.S.A.
- Clathrus crispus** Turp. var. **americanus** (Lloyd) Wright in *Commun. Inst. nac. Invest. Cienc. nat.*, B. Aires, 1, No. 2, p. 6, 1949. (Syn. *Clathrus americanus* Lloyd).
- Clitocybe subvelosa** Smith & Stuntz in *Mycologia*, 42, p. 82, 1950.—Washington State, U.S.A.
- COKEROMYCES** Shanor in *Mycologia*, 42, p. 272, 1950.—Choanephoraceae.
- **recurvatus** Poitras apud Shanor et al. in *Mycologia*, 42, p. 272, 1950 on rabbit dung.—Illinois, U.S.A.
- Colletotrichum derridis** Tokunaga & Kumamoto in *Ann. phytopath. Soc. Japan*, 13, 3-4, p. 8, 1949 on *Derris elliptica*.—Formosa.
- **derridis** Van Hoof in *Bull. Bot. Gard. Buitenzorg*, Ser. III, 18, p. 473, 1950 on *Derris elliptica*.—Java. [cf. preceding entry.]
- **iridis** Kuhnoltz-Lordat & Barry in *Bull. Soc. mycol. Fr.*, 65, p. 125, 1949 on *Iris spuria* subsp. *maritima*.—France.
- Coniochaeta elaeicola** (Hennings) C. & M. Moreau in *Rev. de Mycologie*, 14, Suppl. Col. No. 2, p. 60, 1949. (Syn. *Rosellinia elaeicola* Hennings).
- Coniothyria ponceana** Toro in *J. Agric. Univ. Puerto Rico*, 30, p. 98, 1946 from air.—Puerto Rico.
- Coniothyrium chimonanthi** Kuhnoltz-Lordat & Barry in *Bull. Soc. mycol. Fr.*, 65, p. 129, 1949 on *Chimonanthus fragrans*.—France.
- Conocybe subpubescens** Kühner nom. nov. in *Le Botaniste*, 34, p. 275, 1949. (Syn. *C. pubescens* sensu Kühner, non auct.).
- Cordyceps aphodii** Mathieson in *Trans. Brit. mycol. Soc.*, 32, p. 134, 1949 on *Aphodius howitti*.—Victoria, Australia.
- **aurantiaca** (Plowr. & Wilson) Imai in *Acta Phytotaxonom.*, Kyoto, 13, p. 82, 1943. (Syn. *Barya aurantiaca* Plowr. & Wilson).
- **sinclairii** Y. Kobayasi in *J. Jap. Bot.*, 24, p. 176, 1949 on *Meimuna opalifera*.—Japan.
- Cornularia magnoliae** de Camara in *Agron. Lusit.*, 9, p. 115, 1947 on *Magnolia*.—Portugal.
- CORRUGARIA** Métrod in *Les Mycènes de Madagascar*, p. 127, 1949.—Agaricaceae.
- **viridi-flava** Métrod in *Les Mycènes de Madagascar*, p. 127, 1949.—Madagascar.
- Cortinarius leochrous** J. Schäffer in *Z. Pilzk.*, 27, p. 15, 1949.—Germany.
- **melliolens** J. Schäffer nom. nov. in *Z. Pilzk.*, 27, p. 20, 1949. (For *C. multiformis* sensu Auct.).
- **multiformis** Fr. subsp. **gracilior** J. Schäffer (as 'n. comb.') in *Z. Pilzk.*, 27, p. 20, 1949.—?Germany

- *prasinus* var. *odoratus* Joguet in *Bull. Soc. mycol. Fr.*, **65**, p. 180, 1949.—France.
- *pusillus* (Murr.) Murr., 1947 (this *Index*, i, p. 180) is a later homonym of *C. pusillus* Möller, 1945 (i, p. 259).
- *rainierensis* Smith & Stuntz in *Mycologia*, **42**, p. 83, 1950.—Washington State, U.S.A.
- *speciosus* Favre, this *Index*, i, p. 259. But see *C. speciosus* Earle, 1904.
- Crepidotus acerinus* Vacek in *Studia bot. Českoslov.*, **10**, p. 132, 1949 on dead *Acer pseudoplatanus*.—Czechoslovakia.
- *carpatorossicus* Pilát. (This *Index*, i, p. 278). [Latin diagnosis in *Studia bot. Českoslov.*, **10**, p. 153, 1949.]
- *hibernianus* Pearson & Dennis in *Trans. Brit. mycol. Soc.*, **32**, p. 268, 1950 on log of *Tilia europaea*.—Éire.
- *kubickae* Vacek in *Studia bot. Českoslov.*, **10**, p. 150, 1949.—Czechoslovakia.
- *macedonicus* Pilát. (This *Index*, i, p. 278). [Latin diagnosis in *Studia bot. Českoslov.*, **10**, p. 150, 1949.]
- *mollis* var. *pseudoapplanatus* Pilát. (This *Index*, i, p. 278). [Latin diagnosis in *Studia bot. Českoslov.*, **10**, p. 151, 1949.]
- *subepibryus* Pilát. (This *Index*, i, p. 278). [Latin diagnosis in *Studia bot. Českoslov.*, **10**, p. 153, 1949.]
- *subverrucisporus* Pilát. (This *Index*, i, p. 278). [Latin diagnosis in *Studia bot. Českoslov.*, **10**, p. 151, 1949.]
- *velenovskii* Pilát in *Studia bot. Českoslov.*, **10**, p. 152, 1949 on dead *Juniperus communis*.—Czechoslovakia.
- *wakefieldiae* Pilát. (This *Index*, i, p. 278). [Latin diagnosis in *Studia bot. Českoslov.*, **10**, p. 152, 1949.]
- Cryptococcus albidus* (Saito) Skinner in *Amer. Midl. Nat.*, **43**, p. 249, 1950. (Syn. *Torula albidus* Saito).
- *bacillaris* (Kroemer & Krumholz) Skinner in *Amer. Midl. Nat.*, **43**, p. 249, 1950. (Syn. *Saccharomyces bacillaris* Kroem. & Krum.).
- *candidus* (Saito) Skinner in *Amer. Midl. Nat.*, **43**, p. 249, 1950. (Syn. *Torula candida* Saito).
- *colliculosus* (Hartmann) Skinner in *Amer. Midl. Nat.*, **43**, p. 248, 1950. (Syn. *Torula colliculosa* Hartmann).
- *dattilus* (Kluyver) Skinner in *Amer. Midl. Nat.*, **43**, p. 248, 1950. (Syn. *Torula dattila* Kluy.).
- *flavescens* (Saito) Skinner in *Amer. Midl. Nat.*, **43**, p. 249, 1950. (Syn. *Torula flavescens* Saito).
- *gropengiersseri* (Harrison) Skinner in *Amer. Midl. Nat.*, **43**, p. 248, 1950. (Syn. *Torula gropengiersseri* Harrison).
- *holmii* (Jørgensen) Skinner in *Amer. Midl. Nat.*, **43**, p. 248, 1950. (Syn. *Torula holmii* Jørg.).
- *kefyr* (Beij.) Skinner in *Amer. Midl. Nat.*, **43**, p. 248, 1950. (Syn. *Saccharomyces kefyr* Beijerinck).
- *laurentii* (Kufferath) Skinner in *Amer. Midl. Nat.*, **43**, p. 249, 1950. (Syn. *Torula laurentii* Kuf.).
- *lipoferus* (den Dooren de Jong) Skinner in *Amer. Midl. Nat.*, **43**, p. 249, 1950. (Syn. *Torula lipofera* den Dooren de Jong).
- *luteolus* (Saito) Skinner in *Amer. Midl. Nat.*, **43**, p. 249, 1950. (Syn. *Torula luteola* Saito).
- *molischianus* (Zikes) Skinner in *Amer.*

- Midl. Nat.*, **43**, p. 248, 1950. (Syn. *Torula molischiana* Zikes).
- *stellatus* (Kroemer & Krumholz) Skinner in *Amer. Midl. Nat.*, **43**, p. 249, 1950. (Syn. *Saccharomyces stellatus* Kroem. & Krum.).
- Cryptosporella acerina* L. E. Wehmeyer apud W. B. Cooke in *Mycologia*, **41**, p. 610, 1949 on *Acer glabrum*.—California, U.S.A.
- Curvularia pilae* Toro in *J. Agric. Univ. Puerto Rico*, **30**, p. 100, 1946 from air.—Puerto Rico.
- Cylindrosporium aceris* Kuhnoltz-Lordat & Barry in *Bull. Soc. mycol. Fr.*, **65**, p. 125, 1949 on *Acer opalus*.—France.
- *asphodeli* Kuhnoltz-Lordat & Barry in *Bull. Soc. mycol. Fr.*, **65**, p. 126, 1949 on *Asphodelus cerasifer*.—France.
- *corni* Solheim in *Mycologia*, **41**, p. 630, 1949 on *Cornus stolonifera*.—Wyoming, U.S.A.
- *salviifolii* Bernaux in *Rev. Path. Vég.*, **28**, p. 147, 1949 on *Cistus salviifolius*.—France.
- *saximontanense* Solheim in *Mycologia*, **41**, p. 630, 1949 on *Populus angustifolia*.—Colorado, U.S.A.
- Dactylaria eudermata* Drechsler in *Mycologia*, **42**, p. 40, 1950 on nematodes.—Virginia, U.S.A.
- *haptotyla* Drechsler in *Mycologia*, **42**, p. 48, 1950 on nematodes.—Maryland, U.S.A.
- *sclerohypha* Drechsler in *Mycologia*, **42**, p. 57, 1950 on nematodes.—Virginia, U.S.A.
- Dactylella aphrobrocha* Drechsler in *Mycologia*, **42**, p. 20, 1950 on nematodes.—North Carolina, U.S.A.
- *cionopaga* Drechsler in *Mycologia*, **42**, p. 30, 1950 on nematodes.—Oregon, U.S.A.
- *reticulata* Peach in *Trans. Brit. mycol. Soc.*, **33**, p. 148, 1950 on nematodes.—England.
- *stenobrocha* Drechsler in *Mycologia*, **42**, p. 10, 1950 on nematodes.—Wyoming, U.S.A.
- *strobilodes* Drechsler in *Mycologia*, **42**, p. 371, 1950 on leaf mould.—Virginia, U.S.A.
- Dictyopanus luminescens* Corner in *Mycologia*, **42**, p. 423, 1950.—Malaya.
- Didymella zuluensis* Doidge in *Bothalia*, **4**, p. 859, 1948 on *Eugenia zuluensis*.—South Africa.
- Didymosphaeria cephalariae* Guyot in *Bull. Soc. mycol. Fr.*, **65**, p. 103, 1949 on *Cephalaria leucantha*.—France.
- *verdoni* Guyot in *Bull. Soc. mycol. Fr.*, **65**, p. 104, 1949 on *Melica ciliata*.—France.
- Dimerium alpinum* W. B. Cooke in *Mycologia*, **41**, p. 609, 1949 on *Pentstemon menziesii* var. *davidsonii*.—California, U.S.A.
- Diorchidium brachiariae* Wakef. & Hansford in *Proc. Linn. Soc. Lond.*, **161**, p. 167, 1949 on *Brachiaria*.—Uganda.
- Diplodina alchemillae* Kuhnoltz-Lordat & Barry in *Bull. Soc. mycol. Fr.*, **65**, p. 130, 1949 on *Alchemilla vulgaris*.—France.
- Echidnodes curtisiae* Doidge in *Bothalia*, **4**, p. 872, 1948 on *Curtisia faginea*.—South Africa.
- *transvaalensis* Doidge in *Bothalia*, **4**, p. 873, 1948 on *Eugenia natalitia*.—South Africa.
- Elsinoë corni* Jenkins & Bitancourt in *J. Wash. Acad. Sci.*, **38**, p. 362, 1948 on *Cornus florida*.—North Carolina, U.S.A.
- Endophyllum heliotropii* Thirumalachar & Narasimhan in *Nev. Phytol.*, **49**, p. 119, 1950 on *Heliotropium indicum*.—India.

- Endophyllum** (?) *striatosporum* Wakef. apud Wakef. & Hansford in *Proc. Linn. Soc. Lond.*, 161, p. 188, 1949 on *Rhamnus prinoides*.—Uganda.
- Entoloma abortivum** (Berk. & Curt) Donk in *Bull. Bot. Gard. Buitenzorg*, Ser. III, 18, p. 157, 1949. (Syn. *Agaricus abortivus* Berk. & Curt.).
- *anatinum* (Lasch) Donk in *Bull. Bot. Gard. Buitenzorg*, Ser. III, 18, p. 158, 1949. (Syn. *Agaricus anatinus* Lasch.).
- *byssisedum* (Pers. ex Fr.) Donk in *Bull. Bot. Gard. Buitenzorg*, Ser. III, 18, p. 158, 1949. (Syn. *Agaricus byssisedus* Pers. ex Fr.).
- *euchroum* (Pers. ex Fr.) Donk in *Bull. Bot. Gard. Buitenzorg*, Ser. III, 18, p. 157, 1949. (Syn. *Agaricus euchroum* Pers. ex Fr.).
- *pascuum* (Pers. ex Fr.) Donk in *Bull. Bot. Gard. Buitenzorg*, Ser. III, 18, p. 158, 1949. (Syn. *Agaricus pascuus* Pers. ex Fr.).
- *politum* (Pers. ex Fr.) Donk in *Bull. Bot. Gard. Buitenzorg*, Ser. III, 18, p. 158, 1949. (Syn. *Agaricus politus* Pers. ex Fr.).
- Eriksonia carissae** Doidge in *Bothalia*, 4, p. 837, 1948 on *Carissa bispinosa*.—South Africa.
- Erysiphe brachystegiae** Doidge in *Bothalia*, 4, p. 838, 1948 on *Brachystegia randii*.—Southern Rhodesia.
- *jatrophae* Doidge in *Bothalia*, 4, p. 839, 1948 on *Jatropha zeyheri*.—South Africa.
- Exosporium pedunculatum** (Ell. & Ev.) W. B. Cooke in *Mycologia*, 41, p. 617, 1949. (Syn. *Brachysporium pedunculatum* Ell. & Ev.).
- Galeropsis besseyi** (Peck) Heim in *Rev. de Mycologie*, 15, p. 11, 1950. (Syn. *Galera besseyi* Peck).
- *liberata* (Kalchbrenner) Heim in *Rev. de Mycologie*, 15, p. 10, 1950. (Syn. *Bolbitius liberatus* Kalchbr.).
- *mitraeformis* (Berkeley) Heim in *Rev. de Mycologie*, 15, p. 23, 1950. (Syn. *Bolbitius mitraeformis* Berk.).
- Gelasinospora calospora** (Mouton) C. & M. Moreau in *Rev. de Mycologie*, 14, Suppl. Col. No. 2, p. 53, 1949. (Syn. *Rosellinia calospora* Mouton).
- Gibellula leiopus** (Vuill.) Mains in *Mycologia*, 42, p. 313, 1950. (Syn. *Gibellula arachnophila* f. *leiopus* Vuillemin).
- Gloeosporium helosciadii** Kuhnoltz-Lordat & Barry in *Bull. Soc. mycol. Fr.*, 65, p. 127, 1949 on *Apium* (*Helosciadium*) *nodiflorum*.—France.
- Gorgoniceps barbilophoziae** A. Racovitza in *Rev. de Mycologie*, 14, p. 137, 1949 on *Barbilophozia barbata*.—France.
- Guignardia gloiopeltidis** Miyabe & Tokida in *Bot. Mag., Tokyo*, 61, p. 118, 1948 on *Gloiopeltis furcata*.—Japan.
- Gymnoglossum radiatum** (Lloyd) Bottomley (this *Index*, i, p. 228) dates from March, 1948; Zeller's comb. (p. 261) is Dec., 1948.
- HAPALOPHRAGMIOPSIS** Thirumalachar in *Mycologia*, 42, p. 227, 1950.—Uredinales.
- *ponderosa* (Syd. & Butler) Thirumalachar in *Mycologia*, 42, p. 227, 1950. (Syn. *Hapalophragmium ponderosum* Syd. & Butler).
- Hapalophragmium mysorense** Thirumalachar in *Mycologia*, 42, p. 224, 1950 on *Derris benthamii*.—India.
- Hemileia secamones** Wakef. & Hansford in *Proc. Linn. Soc. Lond.*, 161, p. 166, 1949 on *Secamone*.—Uganda.
- *smallii* Wakef. & Hansford in *Proc. Linn. Soc. Lond.*, 161, p. 166, 1949 on *Strophanthus courmontii*.—Uganda.
- Hendersonia coletiae** da Camara in *Agron. Lusit.*, 9, p. 114, 1947 on *Coletia* [*Coletia*] *cruciata*.—Portugal.
- *lathyri-latifolii* Guyot in *Bull. Soc. mycol. Fr.*, 65, p. 100, 1949 on *Lathyrus latifolius*.—France.
- *lippiae* Syd. var. *macrospora* da Camara in *Agron. Lusit.*, 9, p. 114, 1947 on *Lippia citriodora*.—Portugal.
- Herpotrichia ephedrae** Kuhnoltz-Lordat & Barry in *Bull. Soc. mycol. Fr.*, 65, p. 121, 1949 on *Ephedra distachya*.—France.
- Hirneola auricularis** (S. F. Gray) Donk in *Bull. Bot. Gard. Buitenzorg*, Ser. III, 18, p. 89, 1949. (Syn. *Gyraria auricularis* S. F. Gray).
- Hirsutella besseyi** F. E. Fisher in *Mycologia*, 42, p. 291, 1950 on *Lepidosaphes beckii*.—Florida, U.S.A.
- *nutans* Y. Kobayasi in *J. Jap. Bot.*, 24, p. 177, 1949 on *Erthesina fullo*.—Japan.
- *thompsonii* F. E. Fisher in *Mycologia*, 42, p. 293, 1950 on *Phyllocotruta oleivora*.—Florida, U.S.A.
- Hydnellum caeruleum** (Fl. Dan.) Wehmeyer in 'Fungi of Maritime Provinces', p. 68, 1950. (Syn. *Calodon caeruleum* (Fl. Dan.) Quel.).
- *mirabile* (Fr.) Wehmeyer in 'Fungi of Maritime Provinces', p. 68, 1950. [Syn. *Hydnum mirabile* Fr.].
- Hysterostomella bosciae** (Doidge) Doidge in *Bothalia*, 4, p. 869, 1948. (Syn. *Cyclothea bosciae* Doidge).
- *opaca* (Syd.) Doidge in *Bothalia*, 4, p. 870, 1948. (Syn. *Hysterostomina opaca* Syd.).
- *oxyanthae* (Doidge) Doidge in *Bothalia*, 4, p. 870, 1948. (Syn. *Hysterostomina oxyanthae* Doidge).
- Inocybe laetior** Stuntz apud Smith & Stuntz in *Mycologia*, 42, p. 95, 1950.—Washington State, U.S.A.
- *leiocephala* Stuntz apud Smith & Stuntz in *Mycologia*, 42, p. 98, 1950.—Washington State, U.S.A.
- *picrosma* Stuntz apud Smith & Stuntz in *Mycologia*, 42, p. 102, 1950.—Washington State, U.S.A.
- *pyrotricha* Stuntz apud Smith & Stuntz in *Mycologia*, 42, p. 106, 1950.—Washington State, U.S.A.
- *rainierensis* Stuntz apud Smith & Stuntz in *Mycologia*, 42, p. 109, 1950.—Washington State, U.S.A.
- *suaveolens* Stuntz apud Smith & Stuntz in *Mycologia*, 42, p. 110, 1950.—Washington State, U.S.A.
- Irenina lonicerae** Hansf. 1948 (this *Index*, i, p. 242). See *I. lonicerae* Yamamoto, 1941 (p. 208).
- Itajahya galericulata** Moll. f. *typica* Wright in *Commun. Inst. nac. Invest. Cienc. nat., B. Aires*, 1, p. 13, 1949.—Argentina.
- Itersonilia pyriformis** Nyland in *Mycologia*, 41, p. 689, 1949 on dead leaf of *Acer macrophyllum*.—Washington, U.S.A.
- Kabatia fragariae** Solheim in *Mycologia*, 41, p. 628, 1949 on *Fragaria ovalis*.—Wyoming, U.S.A.

- Lachnea fimetaria* (Seav.) Wehmeyer in 'Fungi of Maritime Provinces', p. 18, 1950. (Syn. *Patella fimetaria* Seav.).
- **Lactarius gymnocarpus* Heim in *Boissiera*, Supplément de *Candollea*, Fasc. 7, p. 273, 1943.—Ivory Coast.
- *—*melanogalus* Heim in *Boissiera*, Supplément de *Candollea*, Fasc. 7, p. 268, 1943.—Ivory Coast.
- Lagenidium destruens* Sparrow in *J. Wash. Acad. Sci.*, 40, p. 54, 1950 on *Achlya*.—Cuba.
- nodosum* (Dang.) Ingold in *Ann. Bot. Lond.*, N.S., 13, p. 442, 1949. (Syn. *Resticularia nodosa* Dang.).
- Lamprospora jetelae* Vacek in *Studia bot. Českoslov.*, 10, p. 133, 1949.—Czechoslovakia.
- Leptosphaeria cisticola* da Camara in *Agron. Lusit.*, 9, p. 93, 1947 on *Cistus monspeliensis*.—Portugal.
- pterocelastri* Doidge in *Bothalia*, 4, p. 859, 1948 on *Pterocelastri tricuspidatus*.—South Africa.
- Leucocoprinus limnophora* (Rea) Locquin, this *Index*, i, p. 242. But see *L. limnophorus* (B. & Br.) Pat., 1913.
- Lophionema apoclastosporum* [as 'apoclastospora'] Solheim in *Mycologia*, 41, p. 624, 1949 on *Salix*.—Wyoming, U.S.A.
- Lycoperdon echinellum* (Pat.) Perdeck in *Blumea*, 6, p. 494, 1950. (Syn. *Bovista echinella* Pat.).
- ericetorum* Pers. var. *oblongisporum* (Berk. & Curt.) Perdeck in *Blumea*, 6, p. 496, 1950. (Syn. *Lycoperdon oblongisporum* Berk. & Curt.).
- perlatum* Pers. var. *bonordeni* (Masse) Perdeck in *Blumea*, 6, p. 505, 1950. (Syn. *Lycoperdon bonordeni* Masse).
- Lyophyllum favrei* Haller & Haller in *Schweiz. Z. Pilzk. Bern*, 28, 4, p. 52, 1950.—Switzerland.
- Macrophoma bignoniæ* da Camara in *Agron. Lusit.*, 9, p. 99, 1947 on *Bignonia (Tecoma) unguis-cati*.—Portugal.
- Madurella grisea* Mackinnon, Ferrada, & Montemayor in *Mycopathologia*, 4, p. 389, 1949 on man [*Homo sapiens*].—South America.
- Marssonina ochroleuca* (Berk. & Curt. ex Peck) Lentz in *Mycologia*, 42, p. 263, 1950. (Syn. *Septoria ochroleuca* Berk. & Curt. ex Peck).
- quercina* (Wint.) Lentz in *Mycologia*, 42, p. 263, 1950. (Syn. *Marsonia quercina* Wint.).
- Massarinula lignorum* L. E. Wehmeyer apud W. B. Cooke in *Mycologia*, 41, p. 611, 1949 on *Acer glabrum*.—California, U.S.A.
- Melanospora phaseoli* Finn Roll-Hansen in *Blyttia*, 6, p. 73, 1948 on seeds of *Phaseolus vulgaris*.—Norway.
- Meliola atalayae* Doidge in *Bothalia*, 4, p. 846, 1948 on *Atalaya natalensis*.—South Africa.
- hippocrateæ* Doidge in *Bothalia*, 4, p. 849, 1948 on *Hippocratea schlechteri*.—South Africa.
- hypostis* Hansf., this *Index*, i, p. 188, was published 30 Jan. 1947; *M. hypostes* E. Castellani (p. 210) on 24 May 1947.
- ichnocarpi* Hansf. & Thirum., this *Index*, i, p. 243. But see *M. ichnocarpi* F. L. Stevens & Roldan, 1935.
- ilicicola* Hansf., 1949, this *Index*, i, p. 264. But see *M. ilicicola* Yamamoto, 1940 (p. 26).
- knysnae* Doidge in *Bothalia*, 4, p. 850, 1948 on *Ilex mitis*.—South Africa.
- oncinotidis* Doidge in *Bothalia*, 4, p. 851, 1948 on *Oncinotis inandensis*.—South Africa.
- Microcyclus kentaniensis* Doidge in *Bothalia*, 4, p. 837, 1948 on *Asparagus plumosus*.—South Africa.
- Micromphale perforans* (Hoffm. ex Fr.) Singer, this *Index*, i, p. 266. But see *M. perforans* (Hoffm.) S. F. Gray, 1821.
- Mitrula lateritio-rosea* Vacek in *Studia bot. Českoslov.*, 10, p. 135, 1949.—Czechoslovakia.
- Morenoina dracaenæ* Doidge in *Bothalia*, 4, p. 874, 1948 on *Dracaena hookeriana*.—South Africa.
- Mycena acuminata* Métrod in *Les Mycènes de Madagascar*, p. 112, 1949.—Madagascar.
- acuta* Métrod in *Les Mycènes de Madagascar*, p. 39, 1949.—Madagascar.
- acutifera* Métrod in *Les Mycènes de Madagascar*, p. 70, 1949.—Madagascar.
- agglutinatispora* Métrod in *Les Mycènes de Madagascar*, p. 95, 1949.—Madagascar.
- albicans* Métrod in *Les Mycènes de Madagascar*, p. 116, 1949.—Madagascar.
- albolateritia* Métrod in *Les Mycènes de Madagascar*, p. 50, 1949.—Madagascar.
- aquila* Métrod in *Les Mycènes de Madagascar*, p. 73, 1949.—Madagascar.
- aurantio-rubra* Métrod in *Les Mycènes de Madagascar*, p. 88, 1949.—Madagascar.
- baccatipes* Métrod in *Les Mycènes de Madagascar*, p. 62, 1949.—Madagascar.
- bellula* Métrod in *Les Mycènes de Madagascar*, p. 47, 1949.—Madagascar.
- brunneo-lilacea* Métrod in *Les Mycènes de Madagascar*, p. 82, 1949.—Madagascar.
- brunneo-rubra* Métrod in *Les Mycènes de Madagascar*, p. 51, 1949.—Madagascar.
- bullata* Métrod in *Les Mycènes de Madagascar*, p. 64, 1949.—Madagascar.
- chlorodora* Métrod in *Les Mycènes de Madagascar*, p. 52, 1949.—Madagascar.
- cineracea* Métrod in *Les Mycènes de Madagascar*, p. 100, 1949.—Madagascar.
- cineracella* Métrod in *Les Mycènes de Madagascar*, p. 101, 1949.—Madagascar.
- coffearum* Métrod in *Les Mycènes de Madagascar*, p. 36, 1949.—Madagascar.
- crispatula* Métrod in *Les Mycènes de Madagascar*, p. 108, 1949.—Madagascar.
- curtipes* Métrod in *Les Mycènes de Madagascar*, p. 107, 1949.—Madagascar.
- decipiens* (van Overeem) Métrod [? comb. nov.] in *Les Mycènes de Madagascar*, p. 85, 1949. (Syn. *Poromylena decipiens* van Overeem).
- depressa* Métrod in *Les Mycènes de Madagascar*, p. 42, 1949.—Madagascar.
- diluta* Métrod in *Les Mycènes de Madagascar*, p. 36, 1949.—Madagascar.
- discobasis* Métrod in *Les Mycènes de Madagascar*, p. 22, 1949.—Madagascar.
- dissimulata* Métrod in *Les Mycènes de Madagascar*, p. 93, 1949.—Madagascar.
- exalbida* Métrod in *Les Mycènes de Madagascar*, p. 114, 1949.—Madagascar.
- excedens* Métrod in *Les Mycènes de Madagascar*, p. 74, 1949.—Madagascar.
- excentralis* Métrod in *Les Mycènes de Madagascar*, p. 105, 1949.—Madagascar.
- excentrica* Métrod in *Les Mycènes de Madagascar*, p. 106, 1949.—Madagascar.
- fallax* A. H. Smith in *Mycologia*, 42, p. 113, 1950 on *Rubus*.—Oregon, U.S.A.

- *fissilis* Métrod in *Les Mycènes de Madagascar*, p. 121, 1949.—Madagascar.
- *foliicola* Métrod in *Les Mycènes de Madagascar*, p. 31, 1949.—Madagascar.
- *foliorum* Métrod in *Les Mycènes de Madagascar*, p. 111, 1949.—Madagascar.
- *frondaria* Métrod in *Les Mycènes de Madagascar*, p. 103, 1949.—Madagascar.
- *gelatinosa* Métrod in *Les Mycènes de Madagascar*, p. 59, 1949.—Madagascar.
- *glaucophylla* Métrod in *Les Mycènes de Madagascar*, p. 37, 1949.—Madagascar.
- *gregalis* Métrod in *Les Mycènes de Madagascar*, p. 46, 1949.—Madagascar.
- *griseo-violacea* Métrod in *Les Mycènes de Madagascar*, p. 81, 1949.—Madagascar.
- *hamata* Métrod in *Les Mycènes de Madagascar*, p. 45, 1949.—Madagascar.
- *hemispherico-papillata* Métrod in *Les Mycènes de Madagascar*, p. 125, 1949.—Madagascar.
- *horrida* Métrod in *Les Mycènes de Madagascar*, p. 90, 1949.—Madagascar.
- *incurvipes* Métrod in *Les Mycènes de Madagascar*, p. 102, 1949.—Madagascar.
- *intervenosa* Métrod in *Les Mycènes de Madagascar*, p. 49, 1949.—Madagascar.
- *lanosipes* Métrod in *Les Mycènes de Madagascar*, p. 117, 1949.—Madagascar.
- *lanuginosipes* Métrod in *Les Mycènes de Madagascar*, p. 118, 1949.—Madagascar.
- *madecassensis* (R. Heim) Métrod [? comb. nov.] in *Les Mycènes de Madagascar*, p. 84, 1949. (Syn. *Phlebomyces madecassensis* R. Heim).
- *manipularis* (Berkeley) Métrod [? comb. nov.] in *Les Mycènes de Madagascar*, p. 87, 1949. (Syn. *Favolus manipularis* Berk.).
- *metata* var. *microspora* Métrod in *Les Mycènes de Madagascar*, p. 34, 1949.—Madagascar.
- *murinacea* Métrod in *Les Mycènes de Madagascar*, p. 48, 1949.—Madagascar.
- *myriophylla* Métrod in *Les Mycènes de Madagascar*, p. 97, 1949.—Madagascar.
- *nigropuncta* Métrod in *Les Mycènes de Madagascar*, p. 92, 1949.—Madagascar.
- *nodosocystis* Métrod in *Les Mycènes de Madagascar*, p. 53, 1949.—Madagascar.
- *omnicola* Métrod in *Les Mycènes de Madagascar*, p. 44, 1949.—Madagascar.
- *osmundicola* Lange var. *flava* Métrod in *Les Mycènes de Madagascar*, p. 30, 1949.—Madagascar.
- *pilifera* Métrod in *Les Mycènes de Madagascar*, p. 68, 1949.—Madagascar.
- *pilosa* Métrod in *Les Mycènes de Madagascar*, p. 122, 1949.—Madagascar.
- *piricystis* Métrod in *Les Mycènes de Madagascar*, p. 124, 1949.—Madagascar.
- *punctipes* Métrod in *Les Mycènes de Madagascar*, p. 77, 1949.—Madagascar.
- *quadratis* Métrod in *Les Mycènes de Madagascar*, p. 25, 1949.—Madagascar.
- *rainierensis* A. H. Smith in *Mycologia*, 42, p. 115, 1950.—Washington State, U.S.A.
- *ramulicola* Métrod in *Les Mycènes de Madagascar*, p. 40, 1949.—Madagascar.
- *rorida* (Fr.) Quel. var. *lamprospora* Corner in *Mycologia*, 42, p. 427, 1950.—Malaya.
- *roseo-grisea* Métrod in *Les Mycènes de Madagascar*, p. 76, 1949.—Madagascar.
- *setigera* Métrod in *Les Mycènes de Madagascar*, p. 66, 1949.—Madagascar.
- *setulipes* Métrod in *Les Mycènes de Madagascar*, p. 67, 1949.—Madagascar.
- *sociabilis* Métrod in *Les Mycènes de Madagascar*, p. 43, 1949.—Madagascar.
- *sphaerocystis* Métrod in *Les Mycènes de Madagascar*, p. 96, 1949.—Madagascar.
- *spinosa* Métrod in *Les Mycènes de Madagascar*, p. 24, 1949.—Madagascar.
- *splendida* Métrod in *Les Mycènes de Madagascar*, p. 120, 1949.—Madagascar.
- *subalbida* Métrod in *Les Mycènes de Madagascar*, p. 115, 1949.—Madagascar.
- *subgracilis* Métrod in *Les Mycènes de Madagascar*, p. 109, 1949.—Madagascar.
- *subpterigena* Métrod in *Les Mycènes de Madagascar*, p. 32, 1949.—Madagascar.
- *subtilipes* Métrod in *Les Mycènes de Madagascar*, p. 35, 1949.—Madagascar.
- *tenerella* Métrod in *Les Mycènes de Madagascar*, p. 27, 1949.—Madagascar.
- *torquata* Métrod in *Les Mycènes de Madagascar*, p. 26, 1949.—Madagascar.
- *translucidipes* Métrod in *Les Mycènes de Madagascar*, p. 94, 1949.—Madagascar.
- *umbilicata* Métrod in *Les Mycènes de Madagascar*, p. 41, 1949.—Madagascar.
- *umbrino-violacea* Métrod in *Les Mycènes de Madagascar*, p. 80, 1949.—Madagascar.
- *villosa* Métrod in *Les Mycènes de Madagascar*, p. 113, 1949.—Madagascar.
- *villosipes* Métrod in *Les Mycènes de Madagascar*, p. 72, 1949.—Madagascar.
- *viscata* Métrod in *Les Mycènes de Madagascar*, p. 60, 1949.—Madagascar.
- Mycoderma cerevisiae* Desm. var. *alcoholica* Ruiz Oronoz in *An. Inst. Biol. Univ. Méc.*, 20, p. 55, 1949 in tomato infusion.—Mexico.
- MYCOGLOEA** Olive in *Mycologia*, 42, p. 385, 1950.—Tremellales.
- *carnosa* Olive in *Mycologia*, 42, p. 385, 1950 on wood.—Louisiana, U.S.A.
- Mycosphaerella aphyllanthis* Bernaux in *Rev. Path. Vég.*, 28, p. 144, 1949 on *Aphyllanthus monspeliensis*.—France.
- *plectranthi* Doidge in *Bothalia*, 4, p. 862, 1948 on *Plectranthus fruticosus*.—South Africa.
- Naematoloma myosotis* (Fr.) A. H. Smith in *Mycologia*, 42, p. 323, 1950. (Syn. *Agaricus myosotis* Fr.).
- Neopeckia caesalpiniae* Doidge in *Bothalia*, 4, p. 857, 1948 on *Caesalpinia sepiaria*.—South Africa.
- Nowakowskiella atkinsii* Sparrow in *J. Wash. Acad. Sci.*, 40, p. 52, 1950 from soil.—Cuba.
- *crassa* Karling in *Bull. Torrey bot. Cl.*, 76, p. 294, 1949 from debris in water.—Maryland, U.S.A.
- Oedocephalum lineatum* Bakshi in *Trans. Brit. mycol. Soc.*, 33, p. 114, 1950 on wood.—Scotland.
- Oidiopsis gossypii* (Wakef.) Raychaudhuri in *Trans. Brit. mycol. Soc.*, 32, p. 289, 1950. (Syn. *Ovulariopsis gossypii* Wakef.).
- *f. indica* Raychaudhuri in *Trans. Brit. mycol. Soc.*, 32, p. 289, 1950 on *Gossypium barbadense*.—India.
- Omphalina isabellina* A. H. Smith & Stuntz in *Mycologia*, 42, p. 117, 1950.—Washington State, U.S.A.
- Ophiostoma narcissi* Limber in *Phytopathology*, 40, p. 494, 1950 on *Narcissus*.—Holland.

- Otidea alutacea* var. *microspora* Kanouse in *Mycologia*, 41, p. 668, 1949.—California, U.S.A.
- *kauffmanii* Kanouse in *Mycologia*, 41, p. 673, 1949.—Michigan, U.S.A.
- *rainierensis* Kanouse in *Mycologia*, 41, p. 674, 1949.—Washington State, U.S.A.
- Palawania halleriae* (Dipp.) Doidge in *Bothalia*, 4, p. 871, 1948. (Syn. *Byliana halleriae* Dippenaar).
- Pestalotia burchelliae* Laughton in *Bothalia*, 4, p. 821, 1948 on *Burchellia bubalina*.—South Africa.
- *cassinis* Laughton in *Bothalia*, 4, p. 822, 1948 on *Cassine sphaerophylla*.—South Africa.
- *encephalartos* Laughton in *Bothalia*, 4, p. 823, 1948 on *Encephalartos villosus*.—South Africa.
- *laughtonae* Doidge apud Laughton in *Bothalia*, 4, p. 824, 1948 on *Cassine sphaerophylla*.—South Africa.
- *laurophylli* Laughton in *Bothalia*, 4, p. 824, 1948 on *Laurophyllus capensis*.—South Africa.
- *milletiae* Laughton in *Bothalia*, 4, p. 825, 1948 on *Milletia*.—South Africa.
- *ocoteae* Laughton in *Bothalia*, 4, p. 826, 1948 on *Ocotea bullata*.—South Africa.
- *pelargonii* Laughton in *Bothalia*, 4, p. 827, 1948 on *Pelargonium cordatum*.—South Africa.
- *podocarpi* Laughton in *Bothalia*, 4, p. 827, 1948 on *Podocarpus latifolius*.—South Africa. [But see *P. podocarpi* Dennis, 1934.]
- *pterocelastri* Laughton in *Bothalia*, 4, p. 828, 1948 on *Pterocelastrius tricuspidatus*.—South Africa.
- *rapanae* Laughton in *Bothalia*, 4, p. 829, 1948 on *Rapanea melanophleas*.—South Africa. [See also *P. rapanae* Viégas 1946, this *Index*, i, p. 192.]
- *trichocladii* Laughton in *Bothalia*, 4, p. 829, 1948 on *Trichocladus crinitus*.—South Africa.
- Pestalozzia quercicola* Kuhnoltz-Lordat & Barry in *Bull. Soc. mycol. Fr.*, 65, p. 128, 1949 on *Quercus coccifera*.—France.
- Pezicula pruinosa* Farlow var. *pruni* Johansen in *Dansk bot. Ark.*, 13, p. 21, 1949 on *Prunus cerasifera*.—Denmark.
- *rostrupii* Johansen in *Dansk bot. Ark.*, 13, p. 9, 1949 on *Fraxinus excelsior*.—Denmark.
- *stipitata* Johansen in *Dansk bot. Ark.*, 13, p. 7, 1949 on *Acer pseudoplatanus*.—Denmark.
- Phaeophragmeriella ugandensis* Hansford var. *etoumbii* C. & M. Moreau in *Rev. de Mycologie*, 14, Suppl. Col. No. 2, p. 63, 1949 on *Meliola elaeis*.—Congo.
- Philocopra coprophila* Batista & Pontual in *Bol. Agric., Pernambuco*, 15, p. 41, 1948 on dung.—Brazil.
- Phleospora muhlenbergiae* Sprague & Solheim apud Solheim in *Mycologia*, 41, p. 628, 1949 on *Muhlenbergia arizonica*.—Arizona, U.S.A.
- Phlyctochytrium mucronatum* Canter in *Trans. Brit. mycol. Soc.*, 32, p. 240, 1950 on *Closterium pritchardianum*.—England.
- Phlyctothiza peltata* Sparrow in *J. Wash. Acad. Sci.*, 40, p. 50, 1950 on snakeskin in water.—Cuba.
- Phoma psidii* Ahmad, this *Index*, i, p. 267. But see *P. psidii* P. Henn., 1908.
- *zizyphina* Ahmad, this *Index*, i, p. 267. But see *P. zizyphina* Pat., 1931.
- Phomopsis diospyri* Bongini, this *Index*, i, p. 230. But see *P. diospyri* (Sacc.) Trav. & Spess, 1910; *P. diospyri* Grove, 1919; *P. diospyri* Zerova, 1940.
- Phragmothryites hibernica* T. Johnson in *Irish Nat. J.*, 9, p. 255, 1949 on fossil *Fagus deucalionis*.—Eire.
- Phyllachora eragrostidicola* Doidge nom. nov. in *Bothalia*, 4, p. 865, 1948. (Syn. *Phyllachora eragrostidis* Doidge, 1942, [this *Index*, i, p. 70], non Viégas, 1944 [p. 123] nec Chardon, 1939).
- *jacarandae* Batista in *Bol. Agric., Pernambuco*, 16, p. 2, 1949 on *Jacaranda*.—Brazil.
- Phyllactinia combreti* Doidge in *Bothalia*, 4, p. 841, 1948 on *Combretum zeyheri*.—South Africa.
- *erythrinae* Doidge in *Bothalia*, 4, p. 841, 1948 on *Erythrina caffra*.—South Africa.
- *evansii* Doidge in *Bothalia*, 4, p. 842, 1948 on *Burkea africana*.—South Africa.
- *rhoina* Doidge in *Bothalia*, 4, p. 842, 1948 on *Rhus pyroides* var. *transvaalensis*.—South Africa.
- *sphenostylidis* Doidge in *Bothalia*, 4, p. 843, 1948 on *Sphenostylis angustifolia*.—South Africa.
- Phyllosticta alpinicola* Solheim in *Mycologia*, 41, p. 625, 1949 on *Trifolium parryi*.—Wyoming, U.S.A.
- *bougainvilleae* da Camara in *Agron. Lusit.*, 9, p. 106, 1947 on *Bougainvillea*.—Portugal.
- *crustosa* Lee Bonar & W. B. Cooke apud Cooke in *Mycologia*, 41, p. 607, 1949 on *Kelloggella galioideis*.—California, U.S.A.
- *cycadis* Ahmad, this *Index*, i, p. 267. But see *P. cycadis* da Camara & Gomes da Luz, 1939.
- *ragnhildae* Solheim in *Mycologia*, 41, p. 626, 1949 on *Antennaria pulcherrima*.—Wyoming, U.S.A.
- *smilacinae* Solheim in *Mycologia*, 41, p. 627, 1949 on *Smilacina amplexicaulis*.—Colorado, U.S.A.
- Physalospora sapii* Doidge in *Bothalia*, 4, p. 862, 1948 on *Sapium reticulatum*.—South Africa.
- Pleospora dyeri* Doidge in *Bothalia*, 4, p. 863, 1948 on *Euphorbia triangularis*.—South Africa.
- *echinophorae* Kuhnoltz-Lordat & Barry in *Bull. Soc. mycol. Fr.*, 65, p. 122, 1949 on *Echinophora spinosa*.—France.
- Plicaria muralis* Sow. f. *calceolata* Neuwirth in *Studia bot. Českoslov.*, 10, p. 118, 1949.—Czechoslovakia.
- *succosa* (Berk.) non Rehm, Ricken, Vel.' var. *obscurum-olivacea* (Vacek) Vacek in *Studia bot. Českoslov.*, 10, p. 130, 1949. (Syn. *Plicaria obscurum-olivacea* Vacek).
- *tiliacea* Vacek in *Studia bot. Českoslov.*, 10, p. 131, 1949 on *Tilia*.—Czechoslovakia.
- Polyrhizon pterocelastri* Doidge in *Bothalia*, 4, p. 871, 1948 on *Pterocelastrius galpini*.—South Africa.
- Poria atrorubens* Baxter in *Pap. Mich. Acad. Sci.*, 34, p. 42, 1948 on log of *Liquidambar styraciflua*.—Arkansas, U.S.A.
- *crustulina* var. *xerophytica* Baxter in *Pap. Mich. Acad. Sci.*, 33, p. 11, 1947 on *Torreya californica*.—California, U.S.A.
- *quercuum* Baxter in *Pap. Mich. Acad. Sci.*, 33, p. 10, 1947 on *Quercus stellata*.—Missouri, U.S.A.
- Protothyrium tricalysiae* Doidge in *Bothalia*,

- 4, p. 868, 1948 on *Tricalysia lanceolata*.—South Africa.
- Psalliota aestivalis** Møller in *Friesia*, 4, p. 50, 1949–50.—Denmark.
- var. **flavotacta** Møller in *Friesia*, 4, p. 51, 1949–50.—Denmark.
- **altipes** Møller in *Friesia*, 4, p. 46, 1949–50.—Denmark.
- **campestris** (L.) Fr. var. **equestris** Møller in *Friesia*, 4, p. 57, 1949–50.—Denmark.
- var. **floccipes** Møller in *Friesia*, 4, p. 57, 1949–50.—Denmark.
- var. **fusco-pilosella** Møller in *Friesia*, 4, p. 58, 1949–50.—Denmark.
- var. **isabellina** Møller in *Friesia*, 4, p. 60, 1949–50.—Denmark.
- f. **substerilis** Møller in *Friesia*, 4, p. 56, 1949–50.—Denmark.
- **cupreo-brunnea** (Schaff. & Steer) Møller in *Friesia*, 4, p. 54, 1949–50. (Syn. *Psalliota campestris* var. *cupreo-brunnea* Schaff. & Steer).
- **decorata** Møller in *Friesia*, 4, p. 48, 1949–50.—Denmark.
- **depauperata** Møller in *Friesia*, 4, p. 24, 1949–50.—Denmark.
- **edulis** (Vitt.) Buchw. var. **valida** Møller in *Friesia*, 4, p. 14, 1949–50.—Denmark.
- **fusco-fibrillosa** Møller in *Friesia*, 4, p. 27, 1949–50.—Denmark.
- **ingrata** Møller in *Friesia*, 4, p. 17, 1949–50.—Denmark.
- **langei** Møller nom. nov. in *Friesia*, 4, p. 28, 1949–50. (Syn. *Psalliota haemorrhoidaria* (Kalchbr. & Schulz.) Fr. sensu Lange).
- **lanipes** Møll. & Schaff. var. **verecunda** Møller in *Friesia*, 4, p. 26, 1949–50.—Denmark.
- **livido-nitida** Møller in *Friesia*, 4, p. 51, 1949–50.—Denmark.
- **mediofusca** Møller in *Friesia*, 4, p. 30, 1949–50.—Denmark.
- **porphyrea** Møller in *Friesia*, 4, p. 53, 1949–50.—Denmark.
- **silvatica** (Schaeff.) Fr. var. **fusco-squamata** Møller in *Friesia*, 4, p. 39, 1949–50.—Denmark.
- var. **pallida** Møller in *Friesia*, 4, p. 38, 1949–50.—Denmark.
- var. **saturata** Møller in *Friesia*, 4, p. 38, 1949–50.—Denmark.
- **spissa** Møller in *Friesia*, 4, p. 43, 1949–50.—Denmark.
- **squamulifera** Møller in *Friesia*, 4, p. 21, 1949–50.—Denmark.
- **variegata** Møller in *Friesia*, 4, p. 31, 1949–50.—Denmark.
- Psathyrella alboalutacea** Smith in *Mycologia*, 42, p. 118, 1950 on dead *Alnus*.—Washington State, U.S.A.
- **camptopoda** (Peck) A. H. Smith in *Mycologia*, 42, p. 127, 1950. (Syn. *Agaricus camptopus* Peck).
- **candidissima** A. H. Smith in *Mycologia*, 42, p. 122, 1950.—Washington State, U.S.A.
- **caput-medusae** (Fr.) A. H. Smith & Stuntz in *Mycologia*, 42, p. 123, 1950. (Syn. *Agaricus caput-medusae* Fries).
- **naucoria** A. H. Smith in *Mycologia*, 42, p. 126, 1950.—Washington State, U.S.A.
- **rubicola** A. H. Smith in *Mycologia*, 42, p. 127, 1950 on dead *Rubus*.—Washington State, U.S.A.
- **subalpina** A. H. Smith & Stuntz in *Mycologia*, 42, p. 130, 1950.—Washington State, U.S.A.
- **subtenacipes** A. H. Smith in *Mycologia*, 42, p. 132, 1950.—Washington State, U.S.A.
- Pseudotrachia mutabilis** (Pers.) Wehm. in 'Fungi of Maritime Provinces', p. 35, 1950. (Syn. *Sphaeria mutabilis* Pers.).
- Psilopezia rivicola** Vacek in *Studia bot. Czechoslov.*, 10, p. 129, 1949 on *Prunus spinosa*.—Czechoslovakia.
- PTEROSPORA** Métrod in *Les Mycènes de Madagascar*, p. 129, 1949.—Agaricaceae.
- **atrocyanea** Métrod in *Les Mycènes de Madagascar*, p. 129, 1949.—Madagascar.
- Puccinia aframomi** Hansford apud Wakef. & Hansf. in *Proc. Linn. Soc. Lond.*, 161, p. 176, 1949 on *Aframomum*.—Uganda.
- **canaliculata** (Schw.) Lagerh. var. **tenuis** Doidge in *Bothalia*, 4, p. 900, 1948 on *Cyperus esculentus*.—South Africa.
- **dummeri** Wakef. apud Wakef. & Hansford in *Proc. Linn. Soc. Lond.*, 161, p. 178, 1949 on *Echinops amplexicaulis*.—Uganda.
- **elgonensis** Wakef. apud Wakef. & Hansford in *Proc. Linn. Soc. Lond.*, 161, p. 178, 1949 on *Setaria orthosticha*.—Uganda.
- **hansfordii** Wakef. apud Wakef. & Hansford in *Proc. Linn. Soc. Lond.*, 161, p. 180, 1949 on *Vernonia*.—Uganda.
- **kakamariensis** Wakef. & Hansford in *Proc. Linn. Soc. Lond.*, 161, p. 181, 1949 on *Sporobolus*.—Uganda.
- **kigeziensis** Wakef. & Hansford in *Proc. Linn. Soc. Lond.*, 161, p. 182, 1949 on *Setaria sphacelata*.—Uganda.
- **loudetiae** Wakef. & Hansford in *Proc. Linn. Soc. Lond.*, 161, p. 183, 1949 on *Loudetia phragmitoides*.—Uganda.
- **rivalis** Gäum. nom. nov. in *Phytopath. Z.*, 12, p. 231, 1940. (Syn. *P. asperulae-aparines* Gäum., non Pichauer).
- **setariae-longisetae** Wakef. & Hansford in *Proc. Linn. Soc. Lond.*, 161, p. 186, 1949 on *Setaria longiseta*.—Uganda.
- **tetragoniae** McAlp. var. **austro-africana** Doidge in *Bothalia*, 4, p. 904, 1948 on *Tetragonia expansa*.—South Africa.
- Ramularia claytoniae** W. B. Cooke in *Mycologia*, 41, p. 604, 1949 on *Claytonia siberica*.—California, U.S.A.
- **deusta** (Fekl.) Baker, Snyder, & Davis in *Mycologia*, 42, p. 416, 1950. (Syn. *Scolio-trichum deustum* Fuckel).
- **pentstemonis** W. B. Cooke in *Mycologia*, 41, p. 604, 1949 on *Pentstemon shastensis*.—California, U.S.A.
- RETICULOMYXA** Nauss in *Bull. Torrey bot. Cl.*, 76, p. 161, 1949.—?Myxomycetes.
- **filosa** Nauss in *Bull. Torrey bot. Cl.*, 76, p. 162, 1949 from decaying leaves.—New York City, U.S.A.
- Rhabdospora arctii** J. Politis, this *Index*, i, p. 269. But see *R. arctii* Kauffman ap. Dearness, 1936.
- **geminata** da Camara in *Agron. Lusit.*, 9, p. 116, 1947 on *Fragaria*.—Portugal.
- Rhizidium elongatum** Karling in *Amer. J. Bot.*, 36, p. 683, 1949 on chitonous substrata.—Maryland, U.S.A.
- **varians** Karling in *Amer. J. Bot.*, 36, p. 681, 1949 on cellulosic substrata.—Maryland, U.S.A.
- **windermerense** Canter in *Ann. Bot.*, N.S.,

- 14, p. 268, 1950 on *Gemelliscystis neglecta*.—England.
- Rhizophidium anomalum** Canter in *New Phytol.*, 49, p. 102, 1950 on *Apiocystis braunii*.—England.
- **ephippium** Canter in *Ann. Bot.*, N.S., 14, p. 273, 1950 on *Stylosphaeridium stipitatum*.—England.
- **fragilariae** Canter in *Ann. Bot.*, N.S., 14, p. 275, 1950 on *Fragilaria crotonensis*.—England.
- **sphaerocystidis** Canter in *Ann. Bot.*, N.S., 14, p. 280, 1950 on *Sphaerocystis schroeteri*.—England.
- Russula fragilissima** Heim in *Boissiera*, Supplément de *Candollea*, Fasc. 7, p. 277, 1943. — French Guinea.
- Saccobolus exiguus** Batista & Pontual in *Bol. Agric., Pernambuco*, 15, p. 33, 1948 on dung. — Brazil.
- ***SALIASTRUM** Kujala in *Memor. Soc. Fauna Flor. fenn.*, 22, p. 137, 1946. — Melanconiales.
- **myrtilli** (Allesch.) Kujala in *Memor. Soc. Fauna Flor. fenn.*, 22, p. 137, 1946. (Syn. *Gloeosporium myrtilli* Allesch.).
- Saprolegnia uliginosa** Johannes in *Arch. Mikrobiol.*, 14, p. 596, 1950 in water. — Germany.
- Sclerospora iseilematis** Thirumalachar & Narasimhan in *Indian Phytopathology*, 2, p. 49, 1949 on *Iseilema laxum*. — India.
- Scopella aulica** (Syd.) Thirum. & Mundkur apud Cummins in *Bull. Torrey bot. Cl.*, 77, p. 208, 1950. (Syn. *Uromyces aulicus* Syd.).
- **gentilis** (Syd.) Thirum. & Mundkur apud Cummins in *Bull. Torrey bot. Cl.*, 77, p. 206, 1950. (Syn. *Uromyces gentilis* Syd.).
- **kevorikianii** Cummins in *Bull. Torrey bot. Cl.*, 77, p. 206, 1950 on *Mimusops albescentis*. — Cuba.
- **mimusops** (Cooke) Cummins in *Bull. Torrey bot. Cl.*, 77, p. 209, 1950. (Syn. *Uromyces mimusops* Cooke).
- **palaquii** Cummins in *Bull. Torrey bot. Cl.*, 77, p. 211, 1950 on *Palaquium* sp. — Brazil.
- **payenae** (Racib.) Cummins in *Bull. Torrey bot. Cl.*, 77, p. 210, 1950. (Syn. *Uromyces payenae* Racib.).
- ***Septobasidium aleuritidis** Heim & Bouriquet in *Rev. Path. Vég.*, 27, p. 8, 1948 on *Aleurites fordii*. — Madagascar.
- Septogloeum nerii** Bernaux in *Rev. Path. Vég.*, 28, p. 147, 1949 on *Nerium oleander*. — France.
- Septoria anaxeoides** Kuhnoltz-Lordat & Barry in *Bull. Soc. mycol. Fr.*, 65, p. 131, 1949 on *Prunus cerasus*. — France.
- **cirsicola** Kuhnoltz-Lordat & Barry in *Bull. Soc. mycol. Fr.*, 65, p. 130, 1949 on *Cirsium arvense*. — France.
- **leguminum** Desm. f. *brachyspora* da Camara in *Agron. Lusit.*, 9, p. 117, 1947 on *Pisum sativum*. — Portugal.
- **polygoni** Sousa da Camara in *Agron. Lusit.*, 9, p. 118, 1947 on *Polygonum persicaria*. — Portugal.
- Septotinia populiperda** Waterman & Cash in *Mycologia*, 42, p. 377, 1950 on *Populus*. — Eastern U.S.A.
- Septotis populiperda** (Moesz & Smarods) Waterman & Cash in *Mycologia*, 42, p. 377, 1950. (Syn. *Septogloeum populiperdum* Moesz & Smarods).
- Serpula incrassata** (Berk. & Curt.) Donk in *Bull. Bot. Gard. Buitenzorg*, Ser. III, 17, p. 474, 1948. (Syn. *Merulius incrassatus* Berk. & Curt.).
- Sordaria longispora** Batista & Pontual in *Bol. Agric., Pernambuco*, 15, p. 39, 1948 on dung. — Brazil.
- **occidentalis** Batista & Pontual in *Bol. Agric., Pernambuco*, 15, p. 38, 1948 on dung. — Brazil.
- Sphaerosoma violaceum** Svrček in *Studia bot. Českoslov.*, 10, p. 155, 1949. — Czechoslovakia.
- SPORIDILOBOLUS** Nyland in *Mycologia*, 41, p. 686, 1949. — Heterobasidiomycetes.
- **johnsonii** Nyland in *Mycologia*, 41, p. 687, 1949 on *Phragmidium rubi-idaei*. — Washington State, U.S.A.
- Sporoschisma saccardoi** Mason & Hughes apud Hughes in *Mycol. Pap. C.M.I.*, 31, p. 20, 1949 on dead willow. — Italy.
- ***Syncephalastrum racemosum** (Cohn) Schroter var. *paucisporum* Moreau in *Bull. Soc. mycol. Fr.*, 65, p. 146, 1949 from dead *Cinchona*. — Madagascar.
- Synchytrium phaseoli** Patel, Kulkarni, & Dhande, this *Index*, i, p. 269. But see *S. phaseoli* Weston, 1930.
- Tapesia badia** Vacek in *Studia bot. Českoslov.*, 10, p. 134, 1949 on dead *Rubus*. — Czechoslovakia.
- Tolyposporium paspali** Langdon in *Pap. Dep. Biol. Univ. Qd.*, 2, p. 4, 1948 on *Paspalum distichum*. — Queensland, Australia.
- Torrubiella arachnophila** (Johnston) Mains in *Mycologia*, 42, p. 316, 1950. (Syn. *Cordyceps arachnophila* Johnston).
- var. **pleiopus** Mains in *Mycologia*, 42, p. 318, 1950 on spiders. — U.S.A.
- var. **pulchra** Mains in *Mycologia*, 42, p. 316, 1950 on spiders. — U.S.A.
- Trichosporon pullulans** (Lindner) Verona & Poli in *Riv. ital. Igiene*, 9, p. 10, 1949. (Syn. *Oidium pullulans* Lindner).
- **sericeum** (Stautz) Verona & Poli in *Riv. ital. Igiene*, 9, p. 10, 1949. (Syn. *Oospora sericea* Stautz).
- Trichothecium flagrans** Duddington in *Trans. Brit. mycol. Soc.*, 32, p. 287, 1950 on nematodes. — England.
- Tritirachium heimii** (Saccas) Langeron in *Rev. de Mycologie*, 14, p. 135, 1949. (Syn. *Beauveria heimii* Saccas).
- Uncinula combreticola** Doidge in *Bothalia*, 4, p. 844, 1948 on *Combretum zeyheri*. — South Africa.
- **eylesii** Doidge in *Bothalia*, 4, p. 844, 1948 on *Acalypha ciliata*. — Southern Rhodesia.
- Uraecium argomullerae** Wakef. apud Wakef. & Hansford in *Proc. Linn. Soc. Lond.*, 161, p. 192, 1949 on *Argomullera macrophylla*. — Uganda.
- Uredo carissae** Thirumalachar in *Mycologia*, 42, p. 230, 1950 on *Carissa*. — India.
- **dombeyae** Doidge in *Bothalia*, 4, p. 907, 1948 on *Dombeya natalensis*. — South Africa.
- **ehrhartae-calycinae** Doidge in *Bothalia*, 4, p. 907, 1948 on *Ehriharta calycina*. — South Africa.
- **tesoensis** Wakef. apud Wakef. & Hansford

- in *Proc. Linn. Soc. Lond.*, **161**, p. 194, 1949 on *Kyllinga*.—Uganda.
- Urocystis gladiolicola** Ainsworth in *Trans. Brit. mycol. Soc.*, **32**, p. 257, 1950 on *Gladiolus*.—England.
- Uromyces alysicarpi** Wakef. & Hansford in *Proc. Linn. Soc. Lond.*, **161**, p. 169, 1949 on *Alysicarpus glumaceus*.—Uganda.
- **cassiae-mimosoidis** (Doidge) Doidge in *Bothalia*, **4**, p. 908, 1948. (Syn. *Uredo cassiae-mimosoidis* Doidge).
- **cluytiae** Kalkbr. & Cooke var. **minor** Wakef. apud Wakef. & Hansf. in *Proc. Linn. Soc. Lond.*, **161**, p. 170, 1949 on *Cluytia richardiana*.—Uganda.
- **dactyloctenii** Wakef. & Hansford in *Proc. Linn. Soc. Lond.*, **161**, p. 170, 1949 on *Dactyloctenium aegyptium*.—Uganda.
- **dieramatis** Doidge in *Bothalia*, **4**, p. 929, 1948 on *Dierama pendulum*.—South Africa.
- **ferrariae** Doidge in *Bothalia*, **4**, p. 931, 1948 on *Ferraria*.—South Africa.
- **krantzbergensis** Doidge in *Bothalia*, **4**, p. 909, 1949 on *Liliaceae*.—South Africa.
- **leptochloae** Wakef. apud Wakef. & Hansf. in *Proc. Linn. Soc. Lond.*, **161**, p. 172, 1949 on *Leptochloa obtusiflora*.—Uganda.
- **notabilis** Wakef. apud Wakef. & Hansf. in *Proc. Linn. Soc. Lond.*, **161**, p. 173, 1949 on *Kyllinga*.—Uganda.
- **ocimi** Hansford apud Wakef. & Hansf. in *Proc. Linn. Soc. Lond.*, **161**, p. 173, 1949 on *Ocimum menthaefolium*.—Uganda.
- **orthosiphonis** Ramakrishnan & Srinivasan in *Curr. Sci.*, **19**, p. 26, 1950 on *Orthosiphon glabratus*.—Coimbatore, India.
- **tragi** Wakef. & Hansford in *Proc. Linn. Soc. Lond.*, **161**, p. 175, 1949 on *Tragus berteron*.—Uganda.
- **triandrae** Ramakrishnan & Srinivasan in *Curr. Sci.*, **19**, p. 26, 1950 on *Themeda triandra*.—India.
- Uropyxis gerstneri** Doidge in *Bothalia*, **4**, p. 916, 1948 on *Annonaceae*.—South Africa.
- **steudneri** (Magn.) Magn. var. **rhodesica** Doidge in *Bothalia*, **4**, p. 917, 1948 on *Ormocarpum trichocarpum*.—Southern Rhodesia.
- Valsaria batesii** Doidge in *Bothalia*, **4**, p. 866, 1948 on *Cinnamomum camphora*.—Southern Rhodesia.
- Verticillium lateritium** (Fr.) Rabenh. var. **minimum** (Sartory, Sartory, & Meyer) Valenta in *Studia bot. Cech.*, **9**, p. 170, 1948. (Syn. *Acrostalagnus cinnabarinus* var. *minimum* Sart., Sart., & Meyer).
- Zygorhizidium melosirae** Canter in *Ann. Bot.*, N.S., **14**, p. 283, 1950 on *Melosira italica*.—England.
- **parvum** Canter in *Ann. Bot.*, N.S., **14**, p. 287, 1950 on *Sphaerocystis schroeteri*.—England.

HOST INDEX

For Phanerogams see under families; for Algae, Bryophyta, and Fungi see under those names; for animal hosts see under Insecta, Invertebrata, and Vertebrata.

ACANTHACEAE

- Barleria crassa*
Aecidium barleriae

ACERACEAE

- Acer glabrum*
Cryptosporella acerina
Massarinula lignorum
Acer macrophyllum
Itersonilia pyriformis
Acer opalus
Cylindrosporium aceris
Acer pseudoplatanus
Crepidotus acerinus
Pezicula stipitata

AIZOACEAE

- Tetragonia expansa*
Puccinia tetragoniae var. *austro-africana*

ALGAE

- Apiocystis brauniana*
Rhizophidium anomalum
Closterium pritchardianum
Phlyctochytrium mucronatum
Fragilaria crotonensis
Rhizophidium fragilariae
Gemmellicystis neglecta
Rhizidium windermerense
Gloiopeltis furcata
Guignardia gloiopeltidis
Melosira italica
Zygorhizidium melosirae
Netrium digitus
Aphanomycopsis desmidiella
Sphaerocystis schroeteri
Rhizophidium sphaerocystidis
Zygorhizidium parvum

ALGAE (continued)

- Stylosphaeridium stipitatum*
Rhizophidium ephippium
- AMARANTACEAE**
Gomphrena decumbens var. *genuina*
Cercospora pretoriensis
- AMARYLLIDACEAE**
Narcissus
Ophiostoma narcissi
- ANACARDIACEAE**
Laurophyllus capensis
Pestalotia laurophylli
Rhus pyroides var. *transvaalensis*
Phyllactinia rhoina
- ANNONACEAE**
Uropyxis gerstneri
- APOCYNACEAE**
Carissa sp.
Uredo carissae
Carissa bispinosa
Erikssonia carissae
Nerium oleander
Septogloeum nerii
Oncinotis inandensis
Meliola oncinotidis
Strophanthus courmontii
Hemileia smallii
- AQUIFOLIACEAE**
Ilex mitis
Meliola knysnae
- ASCLEPIADACEAE**
Pachycarpus schinzianus
Cercospora pachycarpi
Secamone
Hemileia secamones

BETULACEAE

- Alnus*
Psathyrella alboalutacea

BIGNONIACEAE

- Bignonia* (Tecoma) *unguis-cati*
Macrophoma bignoniae

JACARANDA

- Phyllachora jacarandae*

BORAGINACEAE

- Heliotropium indicum*
Endophyllum heliotropii
Heliotropium nelsoni
Aecidium heliotropicola

BRYOPHYTA

- Barbilophozia barbata*
Gorgoniceps barbilophoziae

CALYCANTHACEAE

- Chimonanthus fragrans*
Coniothyrium chimonanthi

CAPPARIDACEAE

- Capparis citrifolia*
Bulgariastrum bullatum

CELASTRACEAE

- Cassine sphaerophylla*
Pestalotia cassinis
Pestalotia laughtoniae
Gymnosporia procumbens
Bulliardella capensis
Pterocelastrus galpini
Polyrhizon pterocelastri
Pterocelastrus tricuspidatus
Leptosphaeria pterocelastri
Pestalotia pterocelastri

CISTACEAE

- Cistus monspeliensis*
Leptosphaeria cisticola
Cistus salviifolius
Cylindrosporium salviifolii

COMBRETACEAE

- Combretum zeyheri*
Phyllactinia combreti
Uncinula combreticola

COMPOSITAE

- Antennaria pulcherrima*
Phyllosticta ragnhildae
Cirsium arvense
Septoria cirsicola
Crassocephalum crepidioides
Aecidium crassocephali
Echinops amplexicaulis
Puccinia dummeri
Nestlera conferta
Aecidium nestlerae
Pentzia globosa
Aecidium pentziae-globosae

- Ratibida tagetes*
Anthostomella ratibidae

VERNONIA

- Puccinia hansfordii*

CONIFERAE

- Juniperus communis*
Crepidotus velenovskyi
Podocarpus latifolius
Pestalotia podocarpi
Torreya californica
Poria crustulina var. *xerophytica*

CONVOLVULACEAE

- Astrochlaena*
Aecidium astrochlaenae

CORNACEAE

- Cornus florida*
Elsinoë corni
Cornus stolonifera
Cylindrosporium corni

CORNACEAE (continued)

- Curtisia faginea*
Cercospora curtisiae
Echidnodes curtisiae

CYCADACEAE

- Encephalartos villosus*
Pestalotia encephalartos

CYPERACEAE

- Cyperus esculentus*
Puccinia canaliculata var. *tenuis*
Kyllinga
Uredo tesoensis
Uromyces notabilis

DIPSACACEAE

- Cephalaria leucantha*
Didymosphaeria cephalariae

EUPHORBIACEAE

- Acalypha ciliata*
Uncinula eylesii
Aleurites fordii
Septobasidium aleuritidis
Argemollera macrophylla
Uraecium argemollerae
Cluytia richardiana
Uromyces cluytiae var. *minor*
Euphorbia triangularis
Pleospora dyeri
Jatropha zeyheri
Erysiphe jatrophae
Sapium reticulatum
Physalospora sapii

FAGACEAE

- Fagus deucalionis*
Phragmothyrtes hibernica

QUERCUS COCCIFERA

- Pestalotia quercicola*
Quercus stellata
Poria quercuum

FLACOURTIACEAE

- Dovyalis zeyheri*
Cercospora covyalidis

FUNGI

- Achlya*
Lagenidium destruens
Meliola elaeis
Phaeophragmeriella ugandensis var. *etoumbii*
Phragmidium rubi-idaei
Sporidiobolus johnsonii

GERANIACEAE

- Pelargonium cordatum*
Pestalotia pelargonii

GNETACEAE

- Ephedra distachya*
Herpotrichia ephedrae

GRAMINEAE

- Brachiaria*
Diorchidium brachiariae
Dactyloctenium aegyptium
Uromyces dactyloctenii
Ehrharta calycina
Uredo ehrhartae-calycinae
Eremochloa bimaculata
Cintractia eremochloae
Iseilema laxum
Sclerospora iseilematis
Leptochloa obtusiflora
Uromyces leptochloae
Loudetia phragmitoides
Puccinia loudetiae

GRAMINEAE (continued)

- Melica ciliata*
- Didymosphaeria verdoni*
- Muhlenbergia arizonica*
- Phleospora muhlenbergiae*
- Paspalum distichum*
- Tolyposporium paspali*
- Setaria longisetia*
- Puccinia setariae-longisetiae*
- Setaria orthosticha*
- Puccinia elgonensis*
- Setaria sphacelata*
- Puccinia kigeziensis*
- Sporobolus*
- Puccinia kakamariensis*
- Themeda triandra*
- Uromyces triandrae*
- Trachypogon plumosus*
- Balanisia trachypogonis*
- Tragus berteron*
- Uromyces tragi*

HAMAMELIDACEAE

- Liquidambar styraciflua*
- Poria atrorubens*
- Trichocladius crinitus*
- Pestalotia trichocladi*

HIPPOCRATACEAE

- Hippocratea schlechteri*
- Meliola hippocrateae*
- Salacia gerrardi*
- Anthostomella salaciae*

INSECTA

- Aphodius howitti*
- Cordyceps aphodii*
- Erthesina fullo*
- Hirsutella nutans*
- Lepidosaphes beekii*
- Hirsutella besseyi*
- Meimuna opalifera*
- Cordyceps sinclairii*

INVERTEBRATA (other than Insecta)

Nematodes

- Dactylaria eudemata*
- Dactylaria haptotyla*
- Dactylaria sclerohypha*
- Dactylella aphrobrocha*
- Dactylella cionopaga*
- Dactylella reticulata*
- Dactylella stenobrocha*
- Trichothecium flagrans*
- Phyllocopttruta oleivora*
- Hirsutella thompsonii*

Spiders

- Torrubiella arachnophila* var. *pleiopus*
- Torrubiella arachnophila* var. *pulchra*

IRIDACEAE

- Dierama pendulum*
- Uromyces dieramatis*
- Ferraria*
- Uromyces ferrariae*
- Gladiolus*
- Urocystis gladiolicola*
- Iris spuria* subsp. *maritima*
- Colletotrichum iridis*

JUGLANDACEAE

- Carya pecan*
- Cercospora caryae*

LABIATAE

- Geniosporium paludosum*
- Aecidium geniosporii*

LABIATAE (continued)

- Ocimum menthaefolium*
- Uromyces ocimi*
- Orthosiphon glabratus*
- Uromyces orthosiphonis*
- Plectranthus fructicosus*
- Mycosphaerella plectranthi*

LAURACEAE

- Cinnamomum camphora*
- Valsaria batesii*
- Ocotea bullata*
- Pestalotia ocoteae*

LEGUMINOSAE

- Acacia*
- Aecidium spinicola*
- Alysicarpus glumaceus*
- Uromyces alysicarpi*
- Argyrolobium wilmsii*
- Cercospora argyrolobii*
- Brachystegia randii*
- Erysiphe brachystegiae*
- Burkea africana*
- Phyllactinia evansii*
- Caesalpinia sepia*
- Neopeckia caesalpiniae*
- Crotalaria anagyroides*
- Calonectria theae* var. *crotalariae*
- Derris elliptica*
- Colletotrichum derridis* (twice)
- Derris benthamii*
- Hapalophragmium mysorensense*
- Erythrina caffra*
- Phyllactinia erythrinae*
- Lathyrus latifolius*
- Hendersonia lathyrifolii*
- Lonchocarpus utilis*
- Cephalosporium deformans*
- Milletia*
- Pestalotia milletiae*
- Ormocarpum trichocarpum*
- Uropyxis steudneri* var. *rhodesica*
- Phaseolus vulgaris*
- Melanospora phaseoli*
- Pisum sativum*
- Septoria leguminum* f. *brachyspora*
- Sphenostylis angustifolia*
- Phyllactinia sphenostylidis*
- Tephrosia vogelii*
- Calonectria theae* var. *crotalariae*
- Trifolium parryi*
- Phyllosticta alpinicola*

LILIACEAE

- Uromyces krantzbergensis*
- Aphyllanthes monspeliensis*
- Mycosphaerella aphyllanthidis*
- Asparagus plumosus*
- Microcyclus kentaniensis*
- Asphodelus cerasifer*
- Cylindrosporium asphodeli*
- Dipcadi viridis*
- Aecidium dipcadi-viridis*
- Dracaena hookeriana*
- Morenoina dracaenae*
- Smilacina amplexicaulis*
- Phyllosticta smilacinae*

MAGNOLIACEAE

- Magnolia*
- Cornularia magnoliae*

MALVACEAE

- Gossypium barbadense*
- Oidiopsis gossypii* f. *indica*

MELASTOMACEAE

- Dissotis incana*
- Cercospora dissotidis*

MYRTACEAE

- Eugenia natalitia*
Echidnodes transvaalensis
Eugenia zuluensis
Didymella zuluensis

NYCTAGINACEAE

- Bougainvillea*
Phyllosticta bougainvilleae

OLEACEAE

- Fraxinus*
Rhabdospora geminata
Fraxinus excelsior
Pezicula rostrupii
Olea europea
Candida olea
Candida parapsilosis var. *intermedia*

PALMACEAE

- Phoenix dactylifera*
Anthostomella capensis

POLYGONACEAE

- Polygonum persicaria*
Septoria polygoni

PORTULACACEAE

- Claytonia siberica*
Ramularia claytoniae

PRIMULACEAE

- Lysimachia terrestris*
Cladosporium lysimachiae

PROTEACEAE

- Faurea speciosa*
Cercospora faureae
Grevillea robusta
Amphichaeta grevilleae

RHAMNACEAE

- Colletia cruciata*
Hendersonia coletiae
Rhamnus prinoides
Endophyllum (?) striatosporum

ROSACEAE

- Alchemilla vulgaris*
Diplodina alchemillae
Fragaria ovalis
Kabatia fragariae
Prunus cerasifera
Pezicula pruinosa var. *pruni*
Prunus cerasus
Septoria anaxaeoides
Prunus spinosa
Psilopezia rivicola
Rubus
Mycena fallax
Psathyrella rubicola
Tapezia badia

RUBIACEAE

- Burchellia bubalina*
Pestalotia burchelliae
Kelloggia galioidis
Phyllosticta crustosa
Psychotria capensis
Cercospora psychotriaecola

RUBIACEAE (continued)

- Tricalysia lanceolata*
Protothyrium tricalysiae

SALICACEAE

- Populus*
Septotinia populiperda
Populus angustifolia
Cylindrosporium saximontanense
Salix
Lophionema apoclastospora

SAPINDACEAE

- Atalaya natalensis*
Meliola atalayae

SAPOTACEAE

- Mimusops albenscens*
Scopella kevorkianii
Palaquium
Scopella palaquii

SCROPHULARIACEAE

- Halleria lucida*
Cercospora halleriae
Pentstemon menziesii var. *davidsonii*
Dimerium alpinum
Pentstemon shastensis
Ramularia pentstemonis
Scoparia dulcis
Aecidium scopariae

SOLANACEAE

- Solanum melongena*
Cercospora solani-melongenae

STERCULIACEAE

- Dombeya natalensis*
Uredo dombeyae

THEACEAE

- Camellia theae*
Calonectria theae

TILIACEAE

- Tilia*
Plicaria tiliacea
Tilia europaea
Crepidotus hibernianus

UMBELLIFERAE

- Apium (Helosciadium) nodiflorum*
Gloeosporium helosciadii
Echinophora spinosa
Pleospora echinophorae

VERBENACEAE

- Lippia citriodora*
Hendersonia lippiae var. *macrospora*
Tectona grandis
Chaconia tectonae

VERTEBRATA

- Homo sapiens*
Acremoniella lutzi
Madurella grisea

ZINGIBERACEAE

- Aframomum*
Puccinia aframomi

The Editor again gratefully acknowledges the assistance of Dr. R. W. G. Dennis, Dr. J. A. Stevenson, and Miss Edith Cash for supplying details of certain citations.

PRINTED IN
GREAT BRITAIN
AT THE
UNIVERSITY PRESS
OXFORD
BY
CHARLES BATEY
PRINTER
TO THE
UNIVERSITY



A

B

B

B

B

B

B

B

C

C

C

C

C

C

C

C

C

C

C

C

C

C

C

C

C

C

C

C

C

C

C

C

C

C

INDEX OF FUNGI

PUBLISHED SINCE THE BEGINNING OF 1940

Formerly issued as Supplements to the Review of Applied Mycology

VOL. II

PART 2

1951

- Achyia tuberculata* Ziegler in *Mycologia*, 42, p. 658, 1950 from swamp water.—Florida, U.S.A.
- Acrocladium fragile* Petrak in *Sydowia*, 4, p. 568, 1950 on *Cavendishia compacta*.—Ecuador.
- ***ACTINOPLANES** Couch in *J. Elisha Mitchell sci. Soc.*, 66, p. 89, 1950.—Actinomycetales.
- *—*philippinensis* Couch in *J. Elisha Mitchell sci. Soc.*, 66, p. 89, 1950 in soil.—Philippine Islands.
- Akanthomyces ampullifera* (Petch) Mains in *Mycologia*, 42, p. 573, 1950. (Syn. *Hymenostilbe ampullifera* Petch).
- angustispora* Mains in *Mycologia*, 42, p. 573, 1950 from coleopterous larva.—Tennessee, U.S.A.
- araneorum* (Petch) Mains in *Mycologia*, 42, p. 574, 1950. (Syn. *Hymenostilbe araneorum* Petch).
- ALLONECTELLA** Petrak in *Sydowia*, 4, p. 345, 1950.—Sphaeriales.
- rubescens* Petrak in *Sydowia*, 4, p. 345, 1950 on *Phyllachora*.—Ecuador.
- Alnicola devia* Singer in *Sydowia*, 4, p. 150, 1950.—Argentina.
- diplocystis* Singer in *Sydowia*, 4, p. 151, 1950.—Argentina.
- Amauroderma pullatum* (Berk.) Cunningham in *Proc. Linn. Soc. N.S.W.*, 75, p. 238, 1950. (Syn. *Polyporus pullatus* Berk.).
- rude* (Berk.) Cunningham in *Proc. Linn. Soc. N.S.W.*, 75, p. 239, 1950. (Syn. *Polyporus rudis* Berk.).
- rugosum* (Fr.) Cunningham in *Proc. Linn. Soc. N.S.W.*, 75, p. 240, 1950. (Syn. *Polyporus rugosus* Fr.).
- Aphanomyces apophysii* Lacy in *Indian Phytopathology*, 2, p. 136, 1949 [1950] on *Spirogyra* sp.—India.
- Aphanopeltis andina* Petrak in *Sydowia*, 4, p. 452, 1950 on *Vismia*.—Ecuador.
- APHELARIA** Corner, *A Monograph of Clavaria and Allied Genera*, p. 690, 1950.—Clavariaceae. Type *A. dendroides*.
- aurantiaca* (P. Henn.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 181, 1950. (Syn. *Pterula aurantiaca* P. Henn.).
- brunneola* (B. & C.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 181, 1950. (Syn. *Clavaria brunneola* B. & C.).
- deflectens* (Bres.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 182, 1950. (Syn. *Lachnocladium deflectens* Bres.).
- dendroides* (Jung.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 182, 1950. (Syn. *Clavaria dendroides* Jung.).
- flabellata* (Wakef.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 186, 1950. (Syn. *Clavaria flabellata* Wakef.).
- incarnata* Corner, *A Monograph of Clavaria and Allied Genera*, p. 690, 1950 on the ground.—Singapore.
- pusio* (Berk.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 188, 1950. (Syn. *Clavaria pusio* Berk.).
- spiculosa* Corner, *A Monograph of Clavaria and Allied Genera*, p. 690, 1950 on the ground.—Malaya, Ins. Philippine.
- tasmanica* (Lloyd) Corner, *A Monograph of Clavaria and Allied Genera*, p. 191, 1950. (Syn. *Pterula tasmanica* Lloyd).
- trachodes* (Berk.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 191, 1950. (Syn. *Thelephora trachodes* Berk.).
- tropica* (Mont.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 191, 1950. (Syn. *Pterula tropica* Mont.).
- tuberosa* (Grev.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 192, 1950. (Syn. *Merisma tuberosum* Grev.).
- ARAEOCORYNE** Corner, *A Monograph of Clavaria and Allied Genera*, p. 690, 1950.—Clavariaceae.
- elegans* Corner, *A Monograph of Clavaria and Allied Genera*, p. 690, 1950 on dead leaves and twigs.—Malaya.
- Ascochyta brachypodii* (Syd.) Sprague & Johnson in *Mycologia*, 42, p. 537, 1950. (Syn. *Diplodina brachypodii* Syd.).
- graminea* (Sacc.) Sprague & Johnson in *Mycologia*, 42, p. 539, 1950. (Syn. *Diplodia graminea* Sacc.).
- missouriensis* Sprague & Johnson in *Mycologia*, 42, p. 547, 1950 on *Panicum virgatum*.—N. Dakota, U.S.A.
- santali* Thirumalachar & Narasimhan in *Sydowia*, 4, p. 72, 1950 on *Santalum album*.—India.
- subalpina* Sprague & Johnson in *Mycologia*, 42, p. 541, 1950 on dead *Distichlis stricta*.—Montana, U.S.A.
- Ascochyella davatchii* Esfandiari in *Sydowia*, 4, p. 23, 1950 on *Capparis spinosa*.—Iran.
- Ascomycetella symploci* T. S. & K. Ramakrishnan in *Proc. Indian Acad. Sci.*, Sect. B, 32, p. 69, 1950 on *Symplocos spicata*.—Madras.
- Asterina centroniae* Petrak in *Sydowia*, 4, p. 454, 1950 on *Centronia excelsa*.—Ecuador.
- grisea* Petrak in *Sydowia*, 4, p. 455, 1950 on *Solanum*.—Ecuador.
- Asterinella puyana* Petrak in *Sydowia*, 4, p. 458, 1950 on leaves of ?*Euphorbiaceae*.—Ecuador.
- Asteromella ambiens* (Syd.) Petrak in *Sydowia*, 4, p. 25, 1950. (Syn. *Phoma ambiens* Syd.).
- artemisiae* Müller in *Sydowia*, 4, p. 288, 1950 in culture from *Leptosphaeria artemisiae*.—Switzerland.

- Asterostomula patula** Petrak in *Sydowia*, 4, p. 549, 1950 on *Buettneria*.—Ecuador.
- puyana** Petrak in *Sydowia*, 4, p. 450, 1950 on leaves of ?*Euphorbiaceae*.—Ecuador.
- Bagnisiopsis andicola** Petrak in *Sydowia*, 4, p. 461, 1950 on *Verbesina*.—Ecuador.
- BIOSTICTIS** Petrak in *Sydowia*, 4, p. 357, 1950.—Discomycetes.
- rubiacearum** (Pat.) Petrak in *Sydowia*, 4, p. 358, 1950. (Syn. *Stictis rubiacearum* Pat.).
- Botryobasidium koleroga** (Cooke) Venkatarayan in *Indian Phytopathology*, 2, p. 188, 1949 [1950]. (Syn. *Pellicularia koleroga* Cooke).
- Botryodiplodia evonymella** (Trav. & Migl.) Petrak in *Sydowia*, 4, p. 25, 1950. (Syn. *Sphacropsis evonymella* Trav. & Migl.).
- Bovista flavobrunnea** Petch nom. nov. in *Peradeniya Manual* 6, p. 65, 1950. (Syn. *Bovista cervina* sensu Berk. & Br., non Berk.).
- Bubakia indica** T. S. & K. Ramakrishnan in *Proc. Indian Acad. Sci.*, Sect. B, 32, p. 75, 1950 on *Glochidion neilgherrense*.—Madras.
- Buergenerula thalictri** (Wint.) Müller in *Sydowia*, 4, p. 307, 1950. (Syn. *Leptosphaeria thalictri* Wint.).
- Calonectria ecuadorica** Petrak in *Sydowia*, 4, p. 463, 1950 on wood.—Ecuador.
- Calopeltis iochromatis** (Rehm) Petrak in *Sydowia*, 4, p. 465, 1950. (Syn. *Microthyrium iochromatis* Rehm).
- Camarosporium insuetum** Petrak in *Sydowia*, 4, p. 551, 1950 on *Piptocarpha sodiroi*.—Ecuador.
- Camarotella symploci** T. S. & K. Ramakrishnan in *Proc. Indian Acad. Sci.*, Sect. B, 32, p. 71, 1950 on *Symplocos foliosa*.—Madras.
- Catacauma elettariae** T. S. & K. Ramakrishnan in *Proc. Indian Acad. Sci.*, Sect. B, 32, p. 99, 1950 on *Elettaria cardamomum*.—Madras.
- Ceratellopsis aciculata** (Dur. & Lév.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 200, 1950. (Syn. *Pistillaria aciculata* Dur. & Lév.).
- aculeata** (Pat.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 200, 1950. (Syn. *Pistillaria aculeata* Pat.).
- acuminata** (Fekl.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 202, 1950. (Syn. *Pistillaria acuminata* Fekl.).
- asphodeli** Corner nom. nov., *A Monograph of Clavaria and Allied Genera*, p. 203, 1950. (Syn. *Clavaria microscopica* var. *asphodeli* Pat.).
- brondaei** (Quél.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 203, 1950. (Syn. *Clavaria brondaei* Quél.).
- caespitulosae** (Sacc.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 203, 1950. (Syn. *Pistillaria caespitulosae* Sacc.).
- caestiae** (Sacc.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 203, 1950. (Syn. *Pistillaria caestiae* Sacc.).
- dryopteridis** (Imai) Corner, *A Monograph of Clavaria and Allied Genera*, p. 203, 1950. (Syn. *Pistillaria dryopteridis* Imai).
- equiseticola** (Boud.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 204, 1950. (Syn. *Pistillaria equiseticola* Boud.).
- graminicola** (Bourd. & Galz.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 204, 1950. (Syn. *Pistillaria graminicola* Bourd. & Galz.).
- helenae** (Pat.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 204, 1950. (Syn. *Pistillaria helenae* Pat.).
- mucedinea** (Boud.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 204, 1950. (Syn. *Pistillaria mucedinea* Boud.).
- mucosa** (Berk. & Curt.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 205, 1950. (Syn. *Typhula mucosa* B. & C.).
- rickii** (Oud.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 205, 1950. (Syn. *Mucronella rickii* Oud.).
- rosella** (Fr.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 206, 1950. (Syn. *Pistillaria rosella* Fr.).
- sagittiformis** (Pat.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 206, 1950. (Syn. *Pistillaria sagittaeformis* Pat.).
- sydowii** (Bres.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 206, 1950. (Syn. *Clavaria sydowii* Bres.).
- thujicola** (Kauffm.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 206, 1950. (Syn. *Pistillaria thujicola* Kauffm.).
- tremula** (Sacc.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 207, 1950. (Syn. *Pistillaria tremula* Sacc.).
- Cercospora caloloma** Petrak in *Sydowia*, 4, p. 569, 1950 on *Eurya nervosa*.—Ecuador.
- careyae** T. S. & K. Ramakrishnan in *Proc. Indian Acad. Sci.*, Sect. B, 32, p. 105, 1950 on *Careya arborea*.—Madras.
- dalbergicola** T. S. & K. Ramakrishnan in *Proc. Indian Acad. Sci.*, Sect. B, 32, p. 106, 1950 on *Dalbergia volubilis*.—Madras.
- hedysmi** Petrak in *Sydowia*, 4, p. 571, 1950 on *Hedysmum pavonii*.—Ecuador.
- inopina** Petrak in *Sydowia*, 4, p. 570, 1950 on *Gynozis hallii*.—Ecuador.
- psoraleae** Petrak in *Sydowia*, 4, p. 572, 1950 on *Psoralea glandulosa*.—Ecuador.
- sapindi-emarginati** T. S. & K. Ramakrishnan in *Proc. Indian Acad. Sci.*, Sect. B, 32, p. 107, 1950 on *Sapindus emarginatus*.—Madras.
- tungurahensis** Petrak in *Sydowia*, 4, p. 574, 1950 on *Pennisetum ?bambusiforme*.—Ecuador.
- tylophorae** T. S. & K. Ramakrishnan in *Proc. Indian Acad. Sci.*, Sect. B, 32, p. 108, 1950 on *Tylophora asthmatica*.—Madras.
- Cercospora azimae** Thirumalachar & Narasimhan in *Sydowia*, 4, p. 66, 1950 on *Azima tetraacantha*.—India.
- barnadesiae** Petrak in *Sydowia*, 4, p. 575, 1950 on *Barnadesia parviflora*.—Ecuador.
- leucadis** Uppal, Patel, & Bhide in *Indian Phytopathology*, 2, p. 177, 1949 [1950] on *Leucas stelligera*.—India.
- thespesiae** Thirumalachar & Narasimhan in *Sydowia*, 4, p. 66, 1950 on *Thespesia populnea*.—India.
- triumfettae** Thirumalachar & Narasimhan in *Sydowia*, 4, p. 67, 1950 on *Triumfetta rhomboides*.—India.
- ?**Ceuthospora gloriosa** Malan in *Ann. Accad. Agric. Torino*, 89, p. 25, ?1947 on *Yucca gloriosa*; state of *Diaporthe gloriosa* Sacc. & Speg.—Italy.
- Chaetomium fibripilum** Ames in *Mycologia*, 42, p. 642, 1950 from *Saccharum officinarum*.—Hawaii.

- *mollipilium* Ames in *Mycologia*, 42, p. 644, 1950 from a Japanese raincoat.
- *nigricolor* Ames in *Mycologia*, 42, p. 645, 1950.—India.
- Chaetothyria molliuscula* Petrak in *Sydowia*, 4, p. 467, 1950 on ? *Hippocratea*.—Ecuador.
- CHAETOTYPHULA** Corner, *A Monograph of Clavaria and Allied Genera*, p. 690, 1950.—Clavariaceae. Type *C. hyalina*.
- *actiniceps* (Petch) Corner, *A Monograph of Clavaria and Allied Genera*, p. 209, 1950. (Syn. *Pistillaria actiniceps* Petch).
- *hyalina* (Jungb.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 210, 1950. (Syn. *Typhula hyalina* Jungb.).
- var. *microcystis* Corner, *A Monograph of Clavaria and Allied Genera*, p. 690, 1950 on dead leaves.—Malaya.
- Chrysomyxa ledi* (Alb. & Schw.) de Bary var. *cassandrae* (Peck & Clinton) Savile in *Canad. J. Res.*, Sect. C, 28, p. 324, 1950. (Syn. *C. cassandrae* Peck & Clinton) Tranz.).
- var. *ledi* Savile in *Canad. J. Res.*, Sect. C, 28, p. 342, 1950. [The type variety of the species].
- var. *rhododendri* (DC.) Savile in *Canad. J. Res.*, Sect. C, 28, p. 325, 1950. (Syn. *C. rhododendri* (DC.) de Bary).
- Cicinobella andicola* Petrak in *Sydowia*, 4, p. 553, 1950 on *Meliola ambigua*.—Ecuador.
- *ecuadorica* Petrak in *Sydowia*, 4, p. 554, 1950 on *Meliola*, etc.—Ecuador.
- *stromaticola* Petrak in *Sydowia*, 4, p. 555, 1950 on *Polystomellaceae*.—Ecuador.
- Cintractia montagnei* (Tul.) Magn. var. *minor* Ling in *Mycologia*, 42, p. 508, 1950 on *Rhynchospora alba*.—Russia.
- Cladaria amethystina* (Fr.) Doty in *Lloydia*, 13, p. 14, 1950. (Syn. *Clavaria amethystina* Fr.).
- Cladosporium ladinum* Müller in *Sydowia*, 4, p. 294, 1950 on *Laserpitium halleri*.—Switzerland.
- **Clavaria alliacea* Corner, *A Monograph of Clavaria and Allied Genera*, p. 224, 1950.—Malaya.
- *argillacea* Fr. var. *brevispora* Corner, *A Monograph of Clavaria and Allied Genera*, p. 690, 1950.—France.
- var. *gracillima* Corner, *A Monograph of Clavaria and Allied Genera*, p. 691, 1950 among moss.—New York, U.S.A.
- var. *sphagnicola* Corner, *A Monograph of Clavaria and Allied Genera*, p. 691, 1950 among *Sphagnum*.—France.
- *atrobadia* Corner nom. nov., *A Monograph of Clavaria and Allied Genera*, p. 228, 1950. (Syn. *C. nigrita* Bres., non Fr.).
- *atroumbrina* Corner nom. nov., *A Monograph of Clavaria and Allied Genera*, p. 229, 1950. (Syn. *C. nigrita* sensu Coker, non Fr.).
- *filiola* Corner, *A Monograph of Clavaria and Allied Genera*, p. 691, 1950 on bare soil.—Malaya.
- *fossicola* Corner, *A Monograph of Clavaria and Allied Genera*, p. 691, 1950 on soil.—Malaya.
- *gibbseae* Ramsb. var. *tenuis* Corner, *A Monograph of Clavaria and Allied Genera*, p. 691, 1950 on burnt ground.—Malaya.
- f. *microspora* Corner, *A Monograph of Clavaria and Allied Genera*, p. 691, 1950 on the ground.—Malaya.
- var. *megasporea* Corner, *A Monograph of Clavaria and Allied Genera*, p. 691, 1950 on the ground.—Malaya.
- *rosea* Fr. var. *subglobosa* Corner, *A Monograph of Clavaria and Allied Genera*, p. 691, 1950 on the ground.—Germany, England.
- *vermicularis* Fr. var. *singaporensis* Corner, *A Monograph of Clavaria and Allied Genera*, p. 691, 1950 among grass.—Singapore.
- CLAVARIACHAETE** Corner, *A Monograph of Clavaria and Allied Genera*, p. 691, 1950.—Clavariaceae. Type, *C. rubiginosum*.
- *peckoltii* (Lloyd) Corner, *A Monograph of Clavaria and Allied Genera*, p. 269, 1950. (Syn. *Dendrocladium peckoltii* Lloyd).
- *rubiginosum* (Cooke) Corner, *A Monograph of Clavaria and Allied Genera*, p. 269, 1950. (Syn. *Lachnocladium rubiginosum* Cooke).
- Clavariadelphus fistulosus* (Fr.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 272, 1950. (Syn. *Clavaria fistulosa* Fr.).
- *— var. *contortus* Corner, *A Monograph of Clavaria and Allied Genera*, p. 273, 1950 on dead twigs of *Alnus*.—Europe, N. America.
- *junceus* (Fr.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 275, 1950. (Syn. *Clavaria juncea* Fr.).
- *maricola* (Kauffm.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 279, 1950. (Syn. *Clavaria maricola* Kauffm.).
- *mirus* (Pat.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 279, 1950. (Syn. *Clavaria mira* Pat.).
- *pistillaris* (Fr.) Donk var. *americanus* Corner, *A Monograph of Clavaria and Allied Genera*, p. 692, 1950 in woods.—U.S.A., Canada.
- *sachalinensis* (Imai) Corner, *A Monograph of Clavaria and Allied Genera*, p. 282, 1950. (Syn. *Clavaria sachalinensis* Imai).
- *truncatus* (Quél.) Donk var. *atrobrunneus* Corner, *A Monograph of Clavaria and Allied Genera*, p. 692, 1950 in coniferous woods.—China.
- *unicolor* (B. & Rav.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 284, 1950. (Syn. *Craterellus unicolor* B. & Rav.).
- Clavicornia candelabrum* (Massee) Corner, *A Monograph of Clavaria and Allied Genera*, p. 286, 1950. (Syn. *Clavaria candelabrum* Massee).
- *colensoi* (Berk.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 287, 1950. (Syn. *Clavaria colensoi* Berk.).
- *javanica* (Sacc. & Syd.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 289, 1950. (Syn. *Clavaria javanica* Sacc. & Syd.).
- *mairei* (Battetta) Corner, *A Monograph of Clavaria and Allied Genera*, p. 291, 1950. (Syn. *Clavaria mairei* Battetta).
- *tuba* (Heim) Corner, *A Monograph of Clavaria and Allied Genera*, p. 293, 1950. (Syn. *Physalacria tuba* Heim).
- Clavulina amethystinoides* (Peck) Corner, *A Monograph of Clavaria and Allied Genera*, p. 298, 1950. (Syn. *Clavaria amethystinoides* Peck).
- *bessonii* (Pat.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 299, 1950. (Syn. *Clavaria bessonii* Pat.).
- *cartilaginea* (Berk. & Curt.) Corner, *A Monograph of Clavaria and Allied Genera*,

- p. 299, 1950. (Syn. *Lachnocladium cartilagineum* Berk. & Curt.).
- *castaneipes* (Atk.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 306, 1950. (Syn. *Typhula castaneipes* Atk.).
 - *cavipes* Corner, *A Monograph of Clavaria and Allied Genera*, p. 692, 1950 in woods.—Malaya.
 - *chondroides* (Berk.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 308, 1950. (Syn. *Clavaria chondroides* Berk.).
 - *cirrhata* (Berk.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 311, 1950. (Syn. *Clavaria cirrhata* Berk.).
 - *complanata* Corner nom. nov., *A Monograph of Clavaria and Allied Genera*, p. 311, 1950. (Syn. *Clavaria complanata* Clel. non de Bary).
 - *connata* (Berk.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 311, 1950. (Syn. *Clavaria connata* Berk.).
 - *cristata* (Fr.) Schroet. subsp. *cinerascens* Corner, *A Monograph of Clavaria and Allied Genera*, p. 693, 1950.
 - subsp. *coralloides* Corner, *A Monograph of Clavaria and Allied Genera*, p. 692, 1950.
 - subsp. *eucristata* Corner, *A Monograph of Clavaria and Allied Genera*, p. 692, 1950.
 - var. *coralloides* Corner, *A Monograph of Clavaria and Allied Genera*, p. 693, 1950.—Europe.
 - var. *incarnata* Corner, *A Monograph of Clavaria and Allied Genera*, p. 692, 1950 on the ground and rotting grasses.—England.
 - var. *subrugosa* Corner, *A Monograph of Clavaria and Allied Genera*, p. 693, 1950.—Europe.
 - *decipiens* Corner, *A Monograph of Clavaria and Allied Genera*, p. 693, 1950 in woods.—Malaya.
 - *delicia* (Berk.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 323, 1950. (Syn. *Clavaria delicia* Berk.).
 - *floridana* (Singer) Corner, *A Monograph of Clavaria and Allied Genera*, p. 323, 1950. (Syn. *Clavaria floridana* Singer).
 - *gallica* Corner nom. nov., *A Monograph of Clavaria and Allied Genera*, p. 324, 1950. (Syn. *Clavaria alba* sensu Bourd. et Galz., non Pers.).
 - *gigartinoides* Corner, *A Monograph of Clavaria and Allied Genera*, p. 693, 1950 in woods.—Malaya.
 - *gracilis* Corner, *A Monograph of Clavaria and Allied Genera*, p. 693, 1950 in woods.—Malaya.
 - *humilis* (Cooke) Corner, *A Monograph of Clavaria and Allied Genera*, p. 327, 1950. (Syn. *Clavaria humilis* Cooke).
 - *ingrata* Corner, *A Monograph of Clavaria and Allied Genera*, p. 693, 1950 in woods.—Malaya.
 - *leveillei* (Sacc.) v. Ov. var. *atricha* Corner, *A Monograph of Clavaria and Allied Genera*, p. 693, 1950 in woods.—Malaya.
 - *ornatipes* (Peck) Corner, *A Monograph of Clavaria and Allied Genera*, p. 333, 1950. (Syn. *Clavaria ornatipes* Peck).
 - *pampaeana* (Speg.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 335, 1950. (Syn. *Clavaria pampaeana* Speg.).
 - *panurensis* (Berk.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 336, 1950. (Syn. *Clavaria panurensis* Berk.).
 - *pilosa* Corner nom. nov., *A Monograph of Clavaria and Allied Genera*, p. 336, 1950. (Syn. *Clavaria pilosa* Burt, non Pers.).
 - *rugosa* (Fr.) Schroet. var. *alcyonaria* Corner, *A Monograph of Clavaria and Allied Genera*, p. 693, 1950.—Europe.
 - var. *canaliculata* Corner, *A Monograph of Clavaria and Allied Genera*, p. 693, 1950.—Europe.
 - var. *macrospora* Corner, *A Monograph of Clavaria and Allied Genera*, p. 693, 1950.—Europe.
 - *sprucei* (Berk.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 341, 1950. (Syn. *Clavaria sprucei* Berk.).
 - *subrugosa* (Cleb.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 341, 1950. (Syn. *Clavaria subrugosa* Cleb.).
 - *tasmanica* (Berk.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 341, 1950. (Syn. *Clavaria tasmanica* Berk.).
 - *vanderystii* (Bres.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 341, 1950. (Syn. *Lachnocladium vanderystii* Bres.).
 - *vinaceo-cervina* (Cleb.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 341, 1950. (Syn. *Clavaria vinaceo-cervina* Cleb.).
 - Clavulinopsis alpicornis* (Zoll. & Mor.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 351, 1950. (Syn. *Clavaria alpicornis* Zoll. & Mor.).
 - *amoena* (Zoll. & Mor.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 352, 1950. (Syn. *Clavaria amoena* Zoll. & Mor.).
 - *appalachiensis* (Coker) Corner, *A Monograph of Clavaria and Allied Genera*, p. 355, 1950. (Syn. *Clavaria appalachiensis* Coker).
 - *archeri* (Berk.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 355, 1950. (Syn. *Clavaria archeri* Berk.).
 - *arenicola* Corner, *A Monograph of Clavaria and Allied Genera*, p. 694, 1950 on sandy soil.—Malaya.
 - *asterospora* (Pat.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 357, 1950. (Syn. *Clavaria asterospora* Pat.).
 - *aurantio-cinnabarina* (Schw.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 358, 1950. (Syn. *Clavaria aurantio-cinnabarina* Schw.).
 - *biformis* (Atk.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 358, 1950. (Syn. *Clavaria biformis* Atk.).
 - *boninensis* (Ito & Imai) Corner, *A Monograph of Clavaria and Allied Genera*, p. 359, 1950. (Syn. *Clavaria boninensis* Ito & Imai).
 - *brevipes* Corner, *A Monograph of Clavaria and Allied Genera*, p. 694, 1950 in woods.—Malaya.
 - *calocera* (Martin) Corner, *A Monograph of Clavaria and Allied Genera*, p. 360, 1950. (Syn. *Clavaria calocera* Martin).
 - *candida* (Weinm.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 360, 1950. (Syn. *Clavaria candida* Weinm.).
 - *cineroides* (Atk.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 360, 1950. (Syn. *Clavaria cineroides* Atk.).
 - *cinnamomea* (Fawcett) Corner, *A Monograph of Clavaria and Allied Genera*, p. 361, 1950. (Syn. *Clavaria cinnamomea* Fawcett).
 - *citrino-alba* (Möhl.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 361, 1950. (Syn. *Clavaria citrino-alba* Möhl.).

- *coliformis* (Boud.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 361, 1950. (Syn. *Clavaria coliformis* Boud.).
- *constans* (Coker) Corner, *A Monograph of Clavaria and Allied Genera*, p. 362, 1950. (Syn. *Clavaria constans* Coker).
- *corallino-rosacea* (Cleb.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 364, 1950. (Syn. *Clavaria corallino-rosacea* Cleb.).
- *corniculata* (Fr.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 362, 1950. (Syn. *Clavaria corniculata* Fr.).
- *daigremontiana* (Boud.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 364, 1950. (Syn. *Clavaria daigremontiana* Boud.).
- *depokensis* (v. Ov.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 364, 1950. (Syn. *Clavaria depokensis* v. Ov.).
- *dichotoma* (God.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 365, 1950. (Syn. *Clavaria dichotoma* God.).
- *filipes* Corner nom. nov., *A Monograph of Clavaria and Allied Genera*, p. 365, 1950. (Syn. *Clavaria filipes* sensu Coker, non B. & Rav.).
- *flavella* (Berk. & Curt.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 365, 1950. (Syn. *Clavaria flavella* Berk. & Curt.).
- *fleischneriana* (P. Henn.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 366, 1950. (Syn. *Clavaria fleischneriana* P. Henn.).
- *fruticula* Corner, *A Monograph of Clavaria and Allied Genera*, p. 694, 1950 on bare earth. —Malaya.
- *fusiformis* (Fr.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 367, 1950. (Syn. *Clavaria fusiformis* Fr.).
- *griseola* (Rea) Corner, *A Monograph of Clavaria and Allied Genera*, p. 370, 1950. (Syn. *Clavaria griseola* Rea).
- *hastula* Corner, *A Monograph of Clavaria and Allied Genera*, p. 694, 1950 in the forest. —Malaya.
- *helvola* (Fr.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 372, 1950. (Syn. *Clavaria helvola* Fr.).
- var. *geoglossoides* Corner, *A Monograph of Clavaria and Allied Genera*, p. 694, 1950 on lawns. —France.
- *holmskjoldii* (Oud.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 373, 1950. (Syn. *Clavaria holmskjoldii* Oud.).
- *ledermanni* (Bres.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 374, 1950. (Syn. *Clavaria ledermanni* Bres.).
- *liguloides* (P. Henn. & Nym.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 374, 1950. (Syn. *Clavaria liguloides* P. Henn. & Nym.).
- *luteo-alba* (Rea) Corner, *A Monograph of Clavaria and Allied Genera*, p. 374, 1950. (Syn. *Clavaria luteo-alba* Rea).
- var. *latispora* Corner, *A Monograph of Clavaria and Allied Genera*, p. 694, 1950. —Europe.
- var. *longispora* Corner, *A Monograph of Clavaria and Allied Genera*, p. 694, 1950. —Germany, Italy.
- *luteo-ochracea* (Cavara) Corner, *A Monograph of Clavaria and Allied Genera*, p. 376, 1950. (Syn. *Clavaria luteo-ochracea* Cavara).
- *luteostirpata* (Fawcett) Corner, *A Monograph of Clavaria and Allied Genera*, p. 377, 1950. (Syn. *Clavaria luteostirpata* Fawcett).
- *luteo-tenerrima* (v. Ov.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 377, 1950. (Syn. *Clavaria luteo-tenerrima* v. Ov.).
- *lenticola* (Fr.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 378, 1950. (Syn. *Clavaria lenticola* Fr.).
- *macouni* (Peck) Corner, *A Monograph of Clavaria and Allied Genera*, p. 378, 1950. (Syn. *Clavaria macouni* Peck).
- *micheelii* (Rea) Corner, *A Monograph of Clavaria and Allied Genera*, p. 378, 1950. (Syn. *Clavaria micheelii* Rea).
- *miniata* (Berk.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 378, 1950. (Syn. *Clavaria miniata* Berk.).
- var. *rosacea* Corner, *A Monograph of Clavaria and Allied Genera*, p. 694, 1950. —Asia trop.
- var. *sanguinea* Corner, *A Monograph of Clavaria and Allied Genera*, p. 694, 1950. —Asia & Australasia trop.
- *minutula* (Bourd. & Galz.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 383, 1950. (Syn. *Clavaria minutula* Bourd. & Galz.).
- *ochracea* Corner nom. nov., *A Monograph of Clavaria and Allied Genera*, p. 383, 1950. (Syn. *Clavaria pulchra* sensu v. d. Bijl).
- *patagonica* (Speg.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 383, 1950. (Syn. *Clavaria patagonica* Speg.).
- *pogonati* (Coker) Corner, *A Monograph of Clavaria and Allied Genera*, p. 384, 1950. (Syn. *Clavaria pogonati* Coker).
- *propera* (Bourd.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 384, 1950. (Syn. *Clavaria propera* Bourd.).
- *puiggarii* (Speg.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 384, 1950. (Syn. *Clavaria puiggarii* Speg.).
- *pulchra* (Peck) Corner, *A Monograph of Clavaria and Allied Genera*, p. 384, 1950. (Syn. *Clavaria pulchra* Peck).
- *pusilla* (Coker) Corner, *A Monograph of Clavaria and Allied Genera*, p. 386, 1950. (Syn. *Lachnocladium pusillum* Coker).
- *rufipes* (Atk.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 386, 1950. (Syn. *Clavaria rufipes* Atk.).
- *semivestita* (Berk. & Br.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 387, 1950. (Syn. *Clavaria semivestita* Berk. & Br.).
- *similis* Corner, *A Monograph of Clavaria and Allied Genera*, p. 695, 1950 in woods. —Malaya.
- *spathuliformis* (Bres.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 388, 1950. (Syn. *Clavaria spathuliformis* Bres.).
- *spiralis* (Jungh.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 388, 1950. (Syn. *Clavaria spiralis* Jungh.).
- *subfastigiata* (Britzm.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 390, 1950. (Syn. *Clavaria subfastigiata* Britzm.).
- *subflava* (Britzm.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 391, 1950. (Syn. *Clavaria subflava* Britzm.).
- *subtilis* (Fr.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 391, 1950. (Syn. *Clavaria subtilis* Fr.).
- *subumbrinella* (Imai) Corner, *A Monograph of Clavaria and Allied Genera*, p. 392, 1950. (Syn. *Clavaria subumbrinella* Imai).
- *sulphurascens* (Schw.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 392, 1950. (Syn. *Clavaria sulphurascens* Schw.).

- *tenella* (Boud.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 392, 1950. (Syn. *Clavaria tenella* Boud.).
- *tenerrima* (Mass. & Crossl.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 392, 1950. (Syn. *Clavaria tenerrima* Mass. & Crossl.).
- *tenuicula* (Bourd. & Galz.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 392, 1950. (Syn. *Clavaria tenuicula* Bourd. & Galz.).
- *tetragona* (Schw.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 393, 1950. (Syn. *Clavaria tetragona* Schw.).
- *umbrina* (Lév.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 393, 1950. (Syn. *Clavaria umbrina* Lév.).
- *umbrinella* (Sacc.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 393, 1950. (Syn. *Clavaria umbrinella* Sacc.).
- *vernalis* (Schw.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 394, 1950. (Syn. *Clavaria vernalis* Schw.).
- Clitocybe rosella* (Lange) Moser in *Sydowia*, 4, p. 100, 1950. (Syn. *Omphalia rosella* Lange).
- Colletotrichum godetiae* Neergaard. (This Index, i, p. 205) Latin diagnosis provided in *Friesia*, 4, p. 72, 1950.
- Collybia pudens* (Pers.) Lundell in *Fungi Esziccati Suecici Praesertim Upsalienses*, 35-36, p. 9, 1949. (Syn. *Agaricus pudens* Pers.).
- Coltricia acupunctata* (Berk.) Cunningham in *Proc. Linn. Soc. N.S.W.*, 75, p. 216, 1950. (Syn. *Trametes acupunctata* Berk.).
- *brunneo-leuca* (Berk.) Cunningham in *Proc. Linn. Soc. N.S.W.*, 75, p. 220, 1950. (Syn. *Polyporus brunneo-leucus* Berk.).
- *fruticum* (Berk. & Curt.) Cunningham in *Proc. Linn. Soc. N.S.W.*, 75, p. 226, 1950. (Syn. *Polyporus fruticum* Berk. & Curt.).
- *haskarlil* (Lév.) Cunningham in *Proc. Linn. Soc. N.S.W.*, 75, p. 228, 1950. (Syn. *Polyporus haskarlil* Lév.).
- *placodes* (Kalch.) Cunningham in *Proc. Linn. Soc. N.S.W.*, 75, p. 236, 1950. (Syn. *Polyporus placodes* Kalch.).
- *weberiana* (Bres. & P. Henn. ex Sacc.) Cunningham in *Proc. Linn. Soc. N.S.W.*, 75, p. 247, 1950. (Syn. *Fomes weberianus* Bres. & P. Henn. ex Sacc.).
- Comatricha mirabilis* Benjamin & Poitras in *Mycologia*, 42, p. 515, 1950 on goat dung.—Illinois, U.S.A.
- Coniophyrium atraphaxidis* Esfandiari in *Sydowia*, 4, p. 26, 1950 on *Atraphaxis spinosa*.—Iran.
- Conocybe albocinerea* Singer in *Sydowia*, 4, p. 130, 1950.—Asia.
- *antipoda* (Lasch) Kühner f. *floridana* (Murr.) Singer in *Sydowia*, 4, p. 131, 1950. (Syn. *Galerula floridana* Murr.).
- *crispella* (Murr.) Singer in *Sydowia*, 4, p. 132, 1950. (Syn. *Galerula crispella* Murr.).
- *intrusa* (Peck) Singer in *Sydowia*, 4, p. 133, 1950. (Syn. *Cortinarius intrusus* Peck).
- *lentispora* Singer in *Sydowia*, 4, p. 134, 1950.—Argentina.
- *magnispora* (Murr.) Singer in *Sydowia*, 4, p. 135, 1950. (Syn. *Galerula magnispora* Murr.).
- *plumbetincta* (Atk.) Singer in *Sydowia*, 4, p. 137, 1950. (Syn. *Galerula plumbetincta* Atk.).
- *f. ocracea* (Kühner) Singer in *Sydowia*, 4, p. 137, 1950. (Syn. *C. siliginea* var. *ocracea* Kühner).
- *subcrispa* (Murr.) Singer in *Sydowia*, 4, p. 139, 1950. (Syn. *Galerula subcrispa* Murr.).
- *subvelata* Singer in *Sydowia*, 4, p. 139, 1950.—Argentina.
- * *tenera* (Fr.) Fayod f. *excentrica* Singer in *Sydowia*, 4, p. 140, 1950.—Argentina.
- Coriolus albo-vestidus* (Lloyd) Cunningham in *Proc. Linn. Soc. N.S.W.*, 75, p. 216, 1950. (Syn. *Polystictus albo-vestidus* Lloyd).
- *ambiguus* (Berk.) Cunningham in *Proc. Linn. Soc. N.S.W.*, 75, p. 216, 1950. (Syn. *Daedalea ambigua* Berk.).
- *beckleri* (Berk.) Cunningham in *Proc. Linn. Soc. N.S.W.*, 75, p. 218, 1950. (Syn. *Polyporus beckleri* Berk.).
- *blumei* (Lév.) Cunningham in *Proc. Linn. Soc. N.S.W.*, 75, p. 219, 1950. (Syn. *Polyporus blumei* Lév.).
- *bowmani* (Berk.) Cunningham in *Proc. Linn. Soc. N.S.W.*, 75, p. 219, 1950. (Syn. *Daedalea bowmani* Berk.).
- *carneo-niger* (Berk.) Cunningham in *Proc. Linn. Soc. N.S.W.*, 75, p. 221, 1950. (Syn. *Polyporus carneo-niger* Berk.).
- *cingulatus* (Fr.) Cunningham in *Proc. Linn. Soc. N.S.W.*, 75, p. 221, 1950. (Syn. *Polyporus cingulatus* Fr.).
- *corrugatus* (Pers.) Cunningham in *Proc. Linn. Soc. N.S.W.*, 75, p. 222, 1950. (Syn. *Polyporus corrugatus* Pers.).
- *epitaphrus* (Berk.) Cunningham in *Proc. Linn. Soc. N.S.W.*, 75, p. 225, 1950. (Syn. *Trametes epitaphrus* Berk.).
- *flabelliformis* (Kl.) Cunningham in *Proc. Linn. Soc. N.S.W.*, 75, p. 226, 1950. (Syn. *Polyporus flabelliformis* Kl.).
- *lactineus* (Berk.) Cunningham in *Proc. Linn. Soc. N.S.W.*, 75, p. 229, 1950. (Syn. *Polyporus lactineus* Berk.).
- *leoninus* (Kl.) Cunningham in *Proc. Linn. Soc. N.S.W.*, 75, p. 230, 1950. (Syn. *Polyporus leoninus* Kl.).
- *meyenii* (Kl.) Cunningham in *Proc. Linn. Soc. N.S.W.*, 75, p. 232, 1950. (Syn. *Polyporus meyenii* Kl.).
- *occidentalis* (Kl.) Cunningham in *Proc. Linn. Soc. N.S.W.*, 75, p. 233, 1950. (Syn. *Polyporus occidentalis* Kl.).
- *paleaceus* (Fr.) Cunningham in *Proc. Linn. Soc. N.S.W.*, 75, p. 234, 1950. (Syn. *Trametes paleacea* Fr.).
- *pargamensis* (Fr.) Cunningham in *Proc. Linn. Soc. N.S.W.*, 75, p. 235, 1950. (Syn. *Polyporus pargamensis* Fr.).
- *peradeniae* (Berk. & Br.) Cunningham in *Proc. Linn. Soc. N.S.W.*, 75, p. 236, 1950. (Syn. *Polyporus peradeniae* Berk. & Br.).
- *sanguineus* (Fr.) Cunningham in *Proc. Linn. Soc. N.S.W.*, 75, p. 240, 1950. (Syn. *Polyporus sanguineus* Fr.).
- *sinulosus* (Kl.) Cunningham in *Proc. Linn. Soc. N.S.W.*, 75, p. 242, 1950. (Syn. *Daedalea sinulosa* Kl.).
- *sprucei* (Berk.) Cunningham in *Proc. Linn. Soc. N.S.W.*, 75, p. 243, 1950. (Syn. *Trametes sprucei* Berk.).
- *subcaperatus* (Lloyd) Cunningham in *Proc. Linn. Soc. N.S.W.*, 75, p. 243, 1950. (Syn. *Polystictus subcaperatus* Lloyd.).
- *xanthopus* (Fr.) Cunningham in *Proc. Linn. Soc. N.S.W.*, 75, p. 247, 1950. (Syn. *Polyporus xanthopus* Fr.).

- Corticium aerugineo-lividum* Romell ex Lundell in *Fungi Eexsiccati Suecici Praesertim Upsalienses*, 37-38, p. 19, 1950 on wood.—Sweden.
- Corynespora hibisci* Goto in *Ann. phytopath. Soc. Japan*, 12, p. 21, 1942 on *Hibiscus syriacus*.—Japan.
- CREANGIUM* Petrak in *Sydowia*, 4, p. 361, 1950.—Myriangiales.
- sydowii* Petrak in *Sydowia*, 4, p. 361, 1950 on *Gynoxis*.—Ecuador.
- Cryptocline andina* Petrak in *Sydowia*, 4, p. 557, 1950 on *Miconia ? theaezans*.—Ecuador.
- CRYPTOPARODIA* Petrak in *Sydowia*, 4, p. 365, 1950.—Pyrenomycetes.
- bispora* Petrak in *Sydowia*, 4, p. 366, 1950 on *Solanum crinitipes*.—Ecuador.
- Cryptosporella belts-villensis* Petrak in *Sydowia*, 4, p. 406, 1950 on *Liquidambar styraciflua*.—Maryland, U.S.A.
- Cryptosporiopsis balsameae* Robak in *Svensk bot. Tidskr.*, 44, p. 472, 1950 on *Abies balsamea* and *Abies grandis*.—Norway.
- diversispora* Robak in *Svensk bot. Tidskr.*, 44, p. 471, 1950 on *Abies grandis* and *Picea abies*.—Norway. (In place of *Diplodia diversispora* Robak, this Index, i, p. 279).
- Cumminsia mirabilissima* (Peck) Nannf. in *Fungi Eexsiccati Suecici Praesertim Upsalienses*, 31-32, p. 3, 1947. (Syn. *Puccinia mirabilissima* Peck).
- Cylindrosporium dichanthii* T. S. & K. Ramakrishnan in *Proc. Indian Acad. Sci.*, Sect. B, 32, p. 77, 1950 on *Dichanthium annulatum*.—Madras.
- mappiae* Thirumalachar & Narasimhan in *Sydowia*, 4, p. 69, 1950 on *Mappia foetida*.—India.
- Cystopus molluginicola* T. S. & K. Ramakrishnan in *Proc. Indian Acad. Sci.*, Sect. B, 32, p. 97, 1950 on *Mollugo nudicaulis*.—Madras.
- Daedalea subferruginea* (Berk.) Cunningham in *Proc. Linn. Soc. N.S.W.*, 75, p. 243, 1950. (Syn. *Lenzites subferruginea* Berk.).
- DEFLEXULA* Corner, *A Monograph of Clavaria and Allied Genera*, p. 695, 1950.—Clavariaceae. Type, *D. fascicularis*.
- fascicularis* (Bres. & Pat.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 395, 1950. (Syn. *Pterula fascicularis* Bres. & Pat.).
- ilaceo-brunnea* Corner, *A Monograph of Clavaria and Allied Genera*, p. 695, 1950 on dead branches.—Malaya, Sumatra.
- nivea* (Pat.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 398, 1950. (Syn. *Pterula nivea* Pat.).
- pacifica* (Kobayashi) Corner, *A Monograph of Clavaria and Allied Genera*, p. 399, 1950. (Syn. *Mucronella pacifica* Kobayashi).
- ulmi* (Peck) Corner, *A Monograph of Clavaria and Allied Genera*, p. 400, 1950. (Syn. *Mucronella ulmi* Peck).
- Dermatea padi* Velen. (1947) (this Index, i, p. 182) is a later homonym of *D. padi* (Fr.) Fr. (1849).
- Diachora barnadesiae* (Syd.) Petrak in *Sydowia*, 4, p. 468, 1950. (Syn. *Phyllachora barnadesiae* Syd.).
- Didymella pedicularidis* von Arx in *Sydowia*, 4, p. 389, 1950 on *Pedicularis foliosa*.—Switzerland.
- Dimerium andicola* Petrak in *Sydowia*, 4, p. 471, 1950 on *Meliola ambigua*.—Ecuador.
- detectum* Petrak in *Sydowia*, 4, p. 473, 1950 on *Xenostigmella*, etc.—Ecuador.
- ecuadoricum* Petrak in *Sydowia*, 4, p. 474, 1950 on *Meliola*, etc.—Ecuador.
- nobile* Petrak in *Sydowia*, 4, p. 476, 1950 on *Meliola*, etc.—Ecuador.
- stromaticola* Petrak in *Sydowia*, 4, p. 477, 1950 on *Polystomellaceae*.—Ecuador.
- DIMORPHOCYSTIS* Corner, *A Monograph of Clavaria and Allied Genera*, p. 695, 1950.—Clavariaceae. Type, *D. laevis*.
- capitatus* Corner, *A Monograph of Clavaria and Allied Genera*, p. 695, 1950 on dead leaves.—Malaya.
- laevis* Corner, *A Monograph of Clavaria and Allied Genera*, p. 695, 1950 on dead leaves of *Eugenia cerina*.—Malaya.
- subcapitatus* Corner, *A Monograph of Clavaria and Allied Genera*, p. 695, 1950 on dead leaves of *Eugenia cerina*.—Malaya.
- Diplodia longipedicellata* T. S. & K. Ramakrishnan in *Proc. Indian Acad. Sci.*, Sect. B, 32, p. 78, 1950 on *Syzgium montanum*.—Madras.
- Diplodina delphinii* Laskaris in *Phytopathology*, 40, p. 620, 1950 on *Delphinium* hybrids.—Connecticut, U.S.A.
- Discella cedrelae* T. S. & K. Ramakrishnan in *Proc. Indian Acad. Sci.*, Sect. B, 32, p. 110, 1950 on *Cedrela toona*.—Madras.
- DONKELLA* Doty in *Lloydia*, 13, p. 14, 1950.—Clavariaceae.
- corniculata* (Fr.) Doty in *Lloydia*, 13, p. 14, 1950. (Syn. *Clavaria corniculata* Fr.).
- Dothichloe insidiosa* Batista in *Bol. Agric., Pernambuco*, 16, p. 204, 1950 on *Scleria bracteata*.—Brazil.
- Echidnodes patula* Petrak in *Sydowia*, 4, p. 480, 1950 on *Buettneria*.—Ecuador.
- Ectosticta mindoensis* Petrak in *Sydowia*, 4, p. 559, 1950 on *Meliola capsicola*.—Ecuador.
- Elachopeltis andina* Petrak in *Sydowia*, 4, p. 560, 1950 on *Vismia*.—Ecuador.
- Elsinoe mezoneuri* T. S. & K. Ramakrishnan in *Proc. Indian Acad. Sci.*, Sect. B, 32, p. 70, 1950 on *Mezoneurum cucullatum*.—Madras.
- EPICREA* Petrak in *Sydowia*, 4, p. 325, 1950.—Hypocreaceae.
- insignis* Petrak in *Sydowia*, 4, p. 325, 1950 on *Hypocrella chusqueae*.—Ecuador.
- Farriola flava* Batista in *Bol. Agric., Pernambuco*, 16, p. 205, 1950 on alga.—Brazil. [Farriola is usually considered to be a lichen].
- Fomes durus* (Jungh.) Cunningham in *Proc. Linn. Soc. N.S.W.*, 75, p. 224, 1950. (Syn. *Polyporus durus* Jungh.).
- ohiensis* (Berk.) Murrill var. *macrosporus* Teixeira n. var. in *Bragantia*, 8, p. 79, 1948 on wood.—Brazil.
- Fomitopsis concava* (Cooke) Cunningham in *Proc. Linn. Soc. N.S.W.*, 75, p. 222, 1950. (Syn. *Fomes concavus* Cooke).
- connata* (Fr.) Cunningham in *Proc. Linn. Soc. N.S.W.*, 75, p. 222, 1950. (Syn. *Polyporus connatus* Fr.).
- tasmanica* (Berk.) Cunningham in *Proc. Linn. Soc. N.S.W.*, 75, p. 244, 1950. (Syn. *Polyporus tasmanicus* Berk.).
- Fusarium mindoanum* Petrak in *Sydowia*, 4, p. 576, 1950 on *Dryopteris diplazoides*.—Ecuador.

- UMANNIA** Petrak in *Sydowia*, 4, p. 337, 50.—Sphaerales.
- Ulospora** (Speg.) Petrak in *Sydowia*, 4, 338, 1950. (Syn. *Eriosphaeria calospora* Speg.).
- Uromyces** **panjabense** Ahmad in *Sydowia*, p. 127, 1950 in deserts.—Pakistan.
- Uromyces** **sinospora adjuncta** Cain in *Canad. J. Bot.*, Sect. C, 28, p. 568, 1950 on dog dung.—many.
- Uromyces** **dispora** Cain in *Canad. J. Res.*, Sect. C, p. 573, 1950 from seed of *Beta vulgaris* L.—Holland.
- Uromyces** **andina** Petrak in *Sydowia*, 4, p. 488, 0 on *Liabum pallatongense*.—Ecuador.
- Uromyces** **conspicua** Petrak in *Sydowia*, 4, p. 486, 0 on *Liabum hastatum*.—Ecuador.
- Uromyces** **adrians** (Pat.) Petrak in *Sydowia*, 4, 82, 1950 (Syn. *Asterina irradians* Pat.).
- Uromyces** **bi** (Syd.) Petrak in *Sydowia*, 4, p. 491, 0. (Syn. *Antennularia hibi* Syd.).
- Uromyces** **itensis** Petrak in *Sydowia*, 4, p. 485, 0 on *Liabum*.—Ecuador.
- Uromyces** **osa** Petrak in *Sydowia*, 4, p. 489, 1950 on *Liabum eggersii*.—Ecuador.
- Uromyces** **cystidium friesii** Lundell n. nom. in *Gi. Essiccati Suecici Praesertim Upsalenses*, 37–38, p. 26, 1950. (Syn. *G. ochra* Litsch., non Bres.).
- Uromyces** **genium** (Bres.) Lundell in *Fungi Exsiccati Suecici Praesertim Upsalenses*, 37–38, 4, 1950. (Syn. *Corticium geogenium* J.).
- Uromyces** **ctulatum** (Cooke) Lundell in *Fungi Exsiccati Suecici Praesertim Upsalenses*, 38, p. 25, 1950. (Syn. *Corticium punctatum* Cooke).
- Uromyces** **le** Litsch. & Lundell var. **deviatum** Lundell in *Fungi Exsiccati Suecici Praesertim Upsalenses*, 37–38, p. 27, 1950 on wood.—an.
- Uromyces** **porium zonatum** T. S. & K. Ramani in *Proc. Indian Acad. Sci.*, Sect. B, 108, 1950 on *Coelogyne* sp.—Madras.
- Uromyces** **um irradians** Petrak in *Sydowia*, 4, 1950 on *Bagnisiopsis*.—Ecuador.
- Uromyces** **HYRIUM** von Arx in *Sydowia*, 4, 1950.—Microthyriaceae.
- Uromyces** **erdijkiae** von Arx in *Sydowia*, 4, 1950 on *Polygonum sachalinense*.—id.
- Uromyces** **porium insuetum** Petrak in *Sydowia*, 4, 579, 1950 on *Alsophila hirta*.—Ecuador.
- Uromyces** **NEO** **hosporium albizzicola** Thirumal & Narasimhan in *Sydowia*, 4, p. 67, 1950 on *Albizzia lebbek*.—India.
- Uromyces** **NEO** **ueae** Petrak in *Sydowia*, 4, p. 580, 1950 on *Chusquea serrulata*.—Ecuador.
- Uromyces** **NEO** **cinnae** Thirumalachar & Narasimhan in *Sydowia*, 4, p. 68, 1950 on *Erythrina suberosa*.—India.
- Uromyces** **NEO** **um** Petrak in *Sydowia*, 4, p. 581, 1950 on *Miconia pichinchensis*.—Ecuador.
- Uromyces** **NEO** **aeae** Thirumalachar & Narasimhan in *Sydowia*, 4, p. 69, 1950 on *Wagataea*.—India.
- Uromyces** **OSPORIOPSIS** Petrak in *Sydowia*, 4, 1950.—Fungi Imperfecti.
- Uromyces** **fera** (Pat.) Petrak in *Sydowia*, 4, 1950. (Syn. *Dimerosporium moniliat.*).
- Uromyces** **a dorcadidea** (Berk. & Br.) Cunningham in *Proc. Linn. Soc. N.S.W.*, 75, p. 224, 1950. (Syn. *Polyporus dorcadidea* Berk. & Br.).
- Uromyces** **Hormiscium aequatoriense** Petrak in *Sydowia*, 4, p. 582, 1950 on *Tessaria integrifolia*.—Ecuador.
- Uromyces** **HORMOMITARIA** Corner, *A Monograph of Clavaria and Allied Genera*, p. 696, 1950.—Clavariaceae.
- Uromyces** **sulphurea** Corner, *A Monograph of Clavaria and Allied Genera*, p. 696, 1950 on rotten wood.—Malaya.
- Uromyces** **Humarina luteola** (Torrend) Cash apud Ahmad in *Sydowia*, 4, p. 83, 1950. (Syn. *Humaria luteola* Torrend).
- Uromyces** **Hymenostilbe camponoti** Mains in *Mycologia*, 42, p. 586, 1950 on *Camponotus* sp.—Florida, U.S.A.
- Uromyces** **lecanicola** (Jaap) Mains in *Mycologia*, 42, p. 582, 1950. (Syn. *Isaria lecanicola* Jaap).
- Uromyces** **verrucosa** Mains in *Mycologia*, 42, p. 587, 1950 on spiders.—Maine, U.S.A.
- Uromyces** **Hypoderma allicina** von Arx in *Sydowia*, 4, p. 392, 1950 on *Allium victorale*.—Switzerland.
- Uromyces** **Hysteroglyphium dalbergiae** Ahmad in *Sydowia*, 4, p. 82, 1950 on *Dalbergia sissoo*.—Pakistan.
- Uromyces** **Inonotus setiporus** (Berk.) Cunningham in *Proc. Linn. Soc. N.S.W.*, 75, p. 242, 1950. (Syn. *Polyporus setiporus* Berk.).
- Uromyces** **INSECTICOLA** Mains in *Mycologia*, 42, p. 577, 1950.—Moniliales. Type, *I. clavata*.
- Uromyces** **clavata** Mains in *Mycologia*, 42, p. 577, 1950 on *Hapithus agitator quadratus*.—Florida, U.S.A.
- Uromyces** **fragilis** (Petch) Mains in *Mycologia*, 42, p. 578, 1950. (Syn. *Hymenostilbe fragilis* Petch).
- Uromyces** **pistillariaeformis** (Pat.) Mains in *Mycologia*, 42, p. 579, 1950. (Syn. *Isaria pistillariaeformis* Pat.).
- Uromyces** **Lacellina sacchari** Batista in *Bol. Agric., Pernambuco*, 16, p. 203, 1950 on *Saccharum spontaneum* var.—Brazil.
- Uromyces** **Lachnella confluens** Batista in *Bol. Agric., Pernambuco*, 16, p. 206, 1950 on rotten wood.—Brazil.
- Uromyces** **Lachnocladium divaricatum** Pat. var. **cinnamomeum** Corner, *A Monograph of Clavaria and Allied Genera*, p. 696, 1950 in woods.—Malaya.
- Uromyces** **var. sordidum** Corner, *A Monograph of Clavaria and Allied Genera*, p. 696, 1950 on fallen trunks.—Malaya.
- Uromyces** **flavidum** Corner, *A Monograph of Clavaria and Allied Genera*, p. 696, 1950 on rotten wood.—Malaya.
- Uromyces** **fulvum** Corner, *A Monograph of Clavaria and Allied Genera*, p. 696, 1950 in woods.—Malaya.
- Uromyces** **hisingeri** (Karst.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 425, 1950. (Syn. *Polyozus hisingeri* Karst.).
- Uromyces** **molle** Corner, *A Monograph of Clavaria and Allied Genera*, p. 696, 1950 on humus.—Malaya.
- Uromyces** **zonatum** Corner, *A Monograph of Clavaria and Allied Genera*, p. 696, 1950 in woods.—Malaya.
- Uromyces** **Lachnun tungurahense** Petrak in *Sydowia*, 4, p. 544, 1950 on *Pteridium*.—Ecuador.
- Uromyces** **Lactarius salmoneus** Heim & Leclair in *Rev. Mycologie*, N.S., 15, p. 79, 1950.—France.

- *semisanguifluus* Heim & Leclair in *Rev. Mycologie*, N.S., 15, p. 79, 1950.—France.
- LASIOSTEMMELLA** Petrak in *Sydowia*, 4, p. 376, 1950.—Dimerieae.
- *sydowii* Petrak in *Sydowia*, 4, p. 376, 1950 on *Miconia ?theaezans*.—Ecuador.
- LENTARIA** Corner, *A Monograph of Clavaria and Allied Genera*, p. 696, 1950.—Clavariaceae. Type, *L. surculus*.
- *afflata* (Lagger.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 438, 1950. (Syn. *Clavaria afflata* Lagger.).
- *byssiseda* Corner nom. nov., *A Monograph of Clavaria and Allied Genera*, p. 439, 1950. (Syn. *Clavaria byssiseda* sensu auctt.).
- *coronilla* (Martin) Corner, *A Monograph of Clavaria and Allied Genera*, p. 440, 1950. (Syn. *Clavaria coronilla* Martin).
- *corticola* (Quél.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 440, 1950. (Syn. *Clavaria corticola* Quél.).
- *delicata* (Fr.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 441, 1950. (Syn. *Clavaria delicata* Fr.).
- *epichnoa* (Fr.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 441, 1950. (Syn. *Clavaria epichnoa* Fr.).
- *micheneri* (Berk. & Curt.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 441, 1950. (Syn. *Lachnocladium micheneri* Berk. & Curt.).
- *mucida* (Fr.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 442, 1950. (Syn. *Clavaria mucida* Fr.).
- *patouillardii* (Bres.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 444, 1950. (Syn. *Clavaria patouillardii* Bres.).
- *surculus* (Berk.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 444, 1950. (Syn. *Clavaria surculus* Berk.).
- *tjibodensis* (P. Henn.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 450, 1950. (Syn. *Clavaria tjibodensis* P. Henn.).
- *virgata* (Fr.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 450, 1950. (Syn. *Clavaria virgata* Fr.).
- Lenzites glabrescens** (Berk.) Cunningham in *Proc. Linn. Soc. N.S.W.*, 75, p. 227, 1950. (Syn. *Daedalea glabrescens* Berk.).
- *scalaris* (Berk. & Br.) Cunningham in *Proc. Linn. Soc. N.S.W.*, 75, p. 241, 1950. (Syn. *Daedalea scalaris* Berk. & Br.).
- *tenuis* (Berk.) Cunningham in *Proc. Linn. Soc. N.S.W.*, 75, p. 244, 1950. (Syn. *Daedalea tenuis* Berk.).
- *unicolor* (Fr.) Cunningham in *Proc. Linn. Soc. N.S.W.*, 75, p. 246, 1950. (Syn. *Daedalea unicolor* Fr.).
- Leptosphaeria albulae** Müller in *Sydowia*, 4, p. 281, 1950 on *Lonicera alpigena*.—Switzerland.
- *blumeri* Müller in *Sydowia*, 4, p. 275, 1950 on *Medicago falcata*.—Switzerland.
- *bomareae* Petrak in *Sydowia*, 4, p. 494, 1950 on *Bomarea caldasii*.—Ecuador.
- *brauni* Müller in *Sydowia*, 4, p. 246, 1950 on *Hieracium murorum*.—Switzerland.
- *centaureae* Müller in *Sydowia*, 4, p. 299, 1950 on *Centaurea scabiosa*.—Switzerland.
- *compositarum* Müller in *Sydowia*, 4, p. 213, 1950 on *Compositae*.—Switzerland.
- *crucheti* Müller nom. nov. in *Sydowia*, 4, p. 255, 1950. (Syn. *Metasphaeria cladii* Cruchet, non *L. cladii* Cruchet).
- *epilobii* Müller nom. nov. in *Sydowia*, 4, p. 303, 1950. (Syn. *Leptosphaeria multiseptata* var. *alpina* Rehm, non *L. alpina* Maubl.).
- *franconica* (Petrak) Müller in *Sydowia*, 4, p. 298, 1950. (Syn. *Leptosphaeria derasa* var. *franconica* Petrak).
- *johansonii* Müller nom. nov. in *Sydowia*, 4, p. 238, 1950. (Syn. *Metasphaeria arabisidis* Johanson, non *L. arabisidis* Allesch.).
- *ladina* Müller in *Sydowia*, 4, p. 293, 1950 on *Laserpitium halleri*.—Switzerland.
- *linearis* (Sacc.) Müller in *Sydowia*, 4, p. 258, 1950. (Syn. *Leptosphaeria culmifraga* var. *linearis* Sacc.).
- *napelli* Müller in *Sydowia*, 4, p. 245, 1950 on *Aconitum napellus*.—Switzerland.
- *palustris* Müller in *Sydowia*, 4, p. 207, 1950 on *Typha latifolia*.—Switzerland.
- *phaeospora* Müller in *Sydowia*, 4, p. 208, 1950 on *Artemisia campestris*.—Switzerland.
- *pini* (Cruchet) Müller in *Sydowia*, 4, p. 277, 1950. (Syn. *Metasphaeria pini* Cruchet).
- *plantaginicola* (Pat.) Petrak in *Sydowia*, 4, p. 496, 1950. (Syn. *Sphaerella plantaginicola* Pat.).
- *recutita* (Fuck.) Müller in *Sydowia*, 4, p. 269, 1950. (Syn. *Sphaeria recutita* Fuck.).
- *robusta* (Strasser) Müller in *Sydowia*, 4, p. 298, 1950. (Syn. *Leptosphaeria derasa* f. *robusta* Strasser).
- *septemcellulata* Müller in *Sydowia*, 4, p. 300, 1950 on *Bupthalmum salicifolium*.—Switzerland.
- *tenuis* Müller in *Sydowia*, 4, p. 221, 1950 on *Thalictrum aquilegifolium*.—Switzerland.
- *thurgoviensis* Müller in *Sydowia*, 4, p. 280, 1950 on dead grasses. —Switzerland.
- *trollii* (Karst.) Müller in *Sydowia*, 4, p. 249, 1950. (Syn. *Metasphaeria trollii* Karst.).
- *viciae* Müller in *Sydowia*, 4, p. 268, 1950 on *Vicia cracca*.—Switzerland.
- *volkartiana* Müller in *Sydowia*, 4, p. 210, 1950 on *Trisetum distichophyllum*.—Switzerland.
- Leucocoprinus licmophorus** (Berk. & Br.) Petch apud Petch & Bisby in *Peradeniya Manual* 6, p. 59, 1950. (Syn. *Agaricus licmophorus* Berk. & Br.).
- Ligniella sharifii** Esfandiari in *Sydowia*, 4, p. 27, 1950 on *Juniperus polycarpa*.—Iran.
- Lophodermium violae** von Arx in *Sydowia*, 4, p. 393, 1950 on *Viola biflora*.—Switzerland.
- Macrophoma rotalae** Thirumalachar & Narasimhan in *Sydowia*, 4, p. 71, 1950 on *Rotala aquatica*.—India.
- Marasmius campanella** Holterm. var. *rufescens* (Berk. & Br.) Petch apud Petch & Bisby in *Peradeniya Manual* 6, p. 59, 1950. (Syn. *Marasmius rufescens* Berk. & Br.).
- Mastigonelectron affine** (Ell. & Ev.) Petrak in *Sydowia*, 4, p. 403, 1950. (Syn. *Harknessia affinis* Ell. & Ev.).
- MAUBLANCOMYCES** Herter in *Rev. sudamer. Bot.*, 8, p. 161, 1950.—Pezizales. Type, *M. gigas*.
- *gigas* (Krombh.) Herter in *Rev. sudamer. Bot.*, 8, p. 161, 1950. (Syn. *Helvella gigas* Krombh.).
- *inflata* (Cum.) Herter in *Rev. sudamer. Bot.*, 8, p. 161, 1950. (Syn. *Helvella inflata* Cum.).
- *pratensis* (Vel.) Herter in *Rev. sudamer. Bot.*, 8, p. 161, 1950. (Syn. *Gyromitra pratensis* Vel.).
- Melanoleuca mirabilis** (Bres.) Moser in

- Sydowia*, 4, p. 102, 1950. (Syn. *Tricholoma mirabile* Bres.).
- METAZYTHIA** Petrak in *Sydowia*, 4, p. 373, 1950.—*Sphaeropsidales*.
- *caespitosa* Petrak in *Sydowia*, 4, p. 373, 1950 on a fungus on *Chusquea serrulata*.—Ecuador.
- Microstroma** *cadabae* Thirumalachar & Narasimhan in *Sydowia*, 4, p. 70, 1950 on *Cadaba indica*.—India.
- Mollerella** *sydowiana* Petrak in *Sydowia*, 4, p. 501, 1950 on *Solanum longevirgatum*.—Ecuador.
- Mucronella** *brasiliensis* Corner nom. nov., *A Monograph of Clavaria and Allied Genera*, p. 452, 1950. (Syn. *Clavaria mucronella* Bres.).
- *pusilla* Corner, *A Monograph of Clavaria and Allied Genera*, p. 697, 1950 on rotten wood.—Malaya.
- Mycolecidia** *lilliputiana* Batista in *Bol. Agric., Pernambuco*, 16, p. 207, 1950 on rotten wood.—Brazil.
- Mycosphaerella** *agapanthi* T. S. & K. Ramakrishnan in *Proc. Indian Acad. Sci., Sect. B*, 32, p. 98, 1950 on *Agapanthus umbellatus*.—Madras.
- *barnadesiae* Petrak in *Sydowia*, 4, p. 502, 1950 on *Barnadesia parviflora*.—Ecuador.
- *sodiroides* Petrak in *Sydowia*, 4, p. 504, 1950 on *Sapium sodioides*.—Ecuador.
- *sublibera* Petrak in *Sydowia*, 4, p. 505, 1950 on *Pilea melastomoides*.—Ecuador.
- *tungurahua* Petrak in *Sydowia*, 4, p. 507, 1950 on *Eupatorium inulaefolium*.—Ecuador.
- Naucoria** *atomacea* (Murr.) Singer in *Sydowia*, 4, p. 146, 1950. (Syn. *Athylospora atomacea* Murr.).
- *melleiceps* (Murr.) Singer in *Sydowia*, 4, p. 147, 1950. (Syn. *Galerula melleiceps* Murr.).
- *praelandina* Singer in *Sydowia*, 4, p. 149, 1950 on wood.—Argentina.
- *subvelutina* Singer in *Sydowia*, 4, p. 149, 1950.—Asia.
- Nectria** *mindensis* Petrak in *Sydowia*, 4, p. 509, 1950 on rotten stems of *Bambuseae*.—Ecuador.
- *tympaniformis* Petrak in *Sydowia*, 4, p. 514, 1950 on rotten stems of *Bambuseae*.—Ecuador.
- Nematostoma** *nervisequens* Petrak in *Sydowia*, 4, p. 516, 1950 on *Eupatorium*.—Ecuador.
- NEODIMERIUM** Petrak in *Sydowia*, 4, p. 341, 1950.—*Dimerieae*.
- *sydowii* Petrak in *Sydowia*, 4, p. 341, 1950 on leaves of *Myrsinaceae*.—Ecuador.
- NEOPELLELLA** Petrak in *Sydowia*, 4, p. 329, 1950.—*Dictyopeltineae*.
- *aequatoriensis* Petrak in *Sydowia*, 4, p. 329, 1950 on leaves of *Bambuseae*.—Ecuador.
- NEOPHACIDIUM** Petrak in *Sydowia*, 4, p. 333, 1950.—*Discomycetes*.
- *macrocarpum* (Pat.) Petrak in *Sydowia*, p. 335, 1950. (Syn. *Phacidium macrocarpum* Pat.).
- Octaviana** *longiana* Ahmad in *Sydowia*, 4, p. 124, 1950 on ground.—India.
- Oidium** *nephelii* Hadiwidjaja in *Landbouw*, 22, p. 253, 1950 on *Nephelium lappaceum*.—Indonesia.
- Omphalia** *anthodia* (Pers.) Lundell in *Fungi Exsiccati Suecici Praesertim Upsalienses*, 35–36, p. 27, 1949. (Syn. *Agaricus anthodius* Pers.).
- Ovularia** *corsica* Mayor & Viennot-Bourgin in *Rev. Mycologie, N.S.*, 15, p. 86, 1950 on *Polygonum maritimum*.—Corsica.
- Popularia** *ecuadorensis* Petrak in *Sydowia*, 4, p. 583, 1950 on *Arundinaria patula*.—Ecuador.
- PARENCOELIA** Petrak in *Sydowia*, 4, p. 349, 1950.—*Encoelioidae*.
- *andina* Petrak in *Sydowia*, 4, p. 350, 1950 on *Phyllachora rulei*.—Ecuador.
- Parodiella** *smithiae* Uppal, Patel, & Bhide in *Indian Phytopathology*, 2, p. 177, 1949 [1950] on *Smithia bigemina*.—India.
- Parodiopsis** *sydowii* Petrak in *Sydowia*, 4, p. 517, 1950 on *Oryctanthus florulentus*.—Ecuador.
- Passalora** *aronici* (Fuckel) von Arx in *Sydowia*, 4, p. 323, 1950. (Syn. *Ramularia aronici* Fuckel).
- Pediliospora** *incarnata* (Martin) Damon in *Mycologia*, 42, p. 561, 1950. (Syn. *Tetracium incarnatum* Martin).
- Peniophora** *cornea* (Bourd. & Galz.) John Erikss. apud Lundell & Nannf. in *Fungi Exsiccati Suecici Praesertim Upsalienses*, 37–38, p. 28, 1950. (Syn. *Peniophora gigantea* (Fr. ex Fr.) Massee subsp. *cornea* Bourd. & Galz.).
- *pithya* (Pers.) John Erikss. apud Lundell & Nannf. in *Fungi Exsiccati Suecici Praesertim Upsalienses*, 37–38, p. 37, 1950. (Syn. *Thlephora pithya* Pers.).
- *praeterita* Jackson in *Canad. J. Res., Sect. C*, 28, p. 533, 1950 on wood.—Ontario, Canada.
- *pruinosa* (Pat.) Jackson in *Canad. J. Res., Sect. C*, 28, p. 530, 1950. (Syn. *Corticium pruinosum* Pat.).
- *pulverulenta* (Litsch.) Jackson in *Canad. J. Res., Sect. C*, 28, p. 532, 1950. (Syn. *Corticium pulverulentum* Litsch.).
- Perilina** *monilifera* (Pat.) Petrak in *Sydowia*, 4, p. 519, 1950. (Syn. *Dimerosporium moniliferum* Pat.).
- Peronospora** *convolvuli* Lindquist in *Rev. Fac. Agron. La Plata*, 26, p. 29, 1946 on *Convolvulus arvensis*.—Argentina.
- *lathyrina* Viennot-Bourgin in *Bull. Soc. mycol. Fr.*, 66, p. 64, 1950 on *Lathyrus latifolius*.—France.
- *polycarponis* Mayor & Viennot-Bourgin in *Rev. Mycologia, N.S.*, 15, p. 82, 1950 on *Polycarpon tetraphyllum*.—Corsica.
- Pestalotia** *vismiae* Petrak in *Sydowia*, 4, p. 561, 1950 on *Vismia obtusa*.—Ecuador.
- *weinmanniae* Petrak in *Sydowia*, 4, p. 563, 1950 on *Weinmannia spruceana*.—Ecuador.
- Pezicula** *bambusina* Petrak in *Sydowia*, 4, p. 545, 1950 on stems of *Bambuseae*.—Ecuador.
- Pezolepis** *naucleae* Dennis in *Kew Bull.*, 1950, p. 170, 1950 on *Nauclea* sp.—Sierra Leone.
- Phaeocollybia** *jennyae* (Karst.) Moser in *Sydowia*, 4, p. 119, 1950. (Syn. *Naucoria jennyae* Karst.).
- Phaeodimeriella** *sydowii* Petrak in *Sydowia*, 4, p. 523, 1950 on *Solanum*.—Ecuador.
- Phakopsora** *kirganeliae* T. S. & K. Ramakrishnan in *Proc. Indian Acad. Sci., Sect. B*, 32, p. 76, 1950 *Kirganelia reticulata*.—Madras.

- Phialea tomentophila* Petrak in *Sydowia*, 4, p. 548, 1950 on *Gynoxis chimborazensis*.—Ecuador.
- Phleospora cassiae* T. S. & K. Ramakrishnan in *Proc. Indian Acad. Sci.*, Sect. B, 32, p. 110, Sept., 1950 on *Cassia fistula*.—Madras.
- cassiae* Thirumalachar & Narasimhan in *Sydowia*, 4, p. 70, 30 Sept., 1950 on *Cassia fistula*.—India.
- Pholiotina altaica* Singer in *Sydowia*, 4, p. 140, 1950.—Asia.
- procera* Singer in *Sydowia*, 4, p. 142, 1950.—Asia.
- septentrionalis* (A. H. Smith) Singer in *Sydowia*, 4, p. 143, 1950. (Syn. *Pholotia septentrionalis* A. H. Smith).
- Phoma* (Phyllosticta) *bellidis* Neergaard in *Friesia*, 4, p. 74, 1950 on *Bellis perennis*.—Europe.
- Phomopsis andina* Petrak in *Sydowia*, 4, p. 564, 1950 on *Cestrum*.—Ecuador.
- vismiae* Petrak in *Sydowia*, 4, p. 565, 1950 on *Vismia obtusa*.—Ecuador.
- Phyllachora actinodaphnes* Uppal, Patel, & Bhide in *Indian Phytopathology*, 2, p. 176, 1949 [1950] on *Actinodaphne hookeri*.—India.
- clibadii* Petrak in *Sydowia*, 4, p. 526, 1950 on *Clibadium rhytidophyllum*.—Ecuador.
- condigna* Petrak in *Sydowia*, 4, p. 527, 1950 on *Buettneria*.—Ecuador.
- gudalurensis* T. S. & K. Ramakrishnan in *Proc. Indian Acad. Sci.*, Sect. B, 32, p. 101, 1950 on *Croton oblongifolius*.—Madras.
- indica* Uppal, Patel, & Bhide in *Indian Phytopathology*, 2, p. 176, 1949 [1950] on *Dimeria ornithopoda*.—India.
- jacarandae* Batista (this index, 2, p. 7) is on *Swartzia*, fide *Bol. Agric., Pernambuco*, 16, p. 125, 1950.
- saurauiae* (Chard.) Petrak in *Sydowia*, 4, p. 529, 1950. (Syn. *Trabutia saurauiae* Chard.).
- sikkimensis* T. S. & K. Ramakrishnan in *Proc. Indian Acad. Sci.*, Sect. B, 32, p. 74, 1950 on *Canarium sikkimense*.—Madras.
- tessariae* Petrak in *Sydowia*, 4, p. 530, 1950 on *Tessaria integrifolia*.—Ecuador.
- Phyllosticta cearensis* Batista in *Bol. Agric., Pernambuco*, 16, p. 109, 1950 on *Copernicia cerifera*.—Brazil.
- imbe* (as 'imbé') Batista in *Bol. Agric., Pernambuco*, 16, p. 110, 1950 on *Philodendron* sp.—Brazil.
- Phyllostictina kobus* (P. Henn.) Müller in *Sydowia*, 4, p. 28, 1950. (Syn. *Phyllosticta kobus* P. Henn.).
- Physalacria australiensis* Corner, *A Monograph of Clavaria and Allied Genera*, p. 697, 1950 on dead wood.—Victoria, Australia.
- brasilensis* (Rick) Corner, *A Monograph of Clavaria and Allied Genera*, p. 462, 1950. (Syn. *Baumanniella brasiliensis* Rick).
- corticola* Corner, *A Monograph of Clavaria and Allied Genera*, p. 697, 1950 on dead bark.—Malaya.
- togoensis* (P. Henn.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 468, 1950. (Syn. *Baumanniella togoensis* P. Henn.).
- tropica* Corner, *A Monograph of Clavaria and Allied Genera*, p. 697, 1950 on wood.—Malaya.
- Physalospora anamalalensis* T. S. & K. Ramakrishnan in *Proc. Indian Acad. Sci.*, Sect. B, 32, p. 68, 1950 on *Embelia ribes*.—Madras.
- cordiae* T. S. & K. Ramakrishnan in *Proc. Indian Acad. Sci.*, Sect. B, 32, p. 99, 1950 on *Cordia obliqua*.—Madras.
- Physalosporina montserratensis* (Chard.) Petrak in *Sydowia*, 4, p. 532, 1950. (Syn. *Glypeotrabutia montserratensis* Chard.).
- Physoderma alfalfae* (Pat. & Lagerh.) Karling in *Lloydia*, 13, p. 44, 1950. (Syn. *Cladochytrium alfalfae* Pat. & Lagerh.).
- asphodeli* (Debray) Karling in *Lloydia*, 13, p. 48, 1950. (Syn. *Cladochytrium asphodeli* Debray).
- astomae* (Rayss) Karling in *Lloydia*, 13, p. 60, 1950. (Syn. *Urophlyctis astomae* Rayss).
- hemisphaericum* (Speg.) Karling in *Lloydia*, 13, p. 47, 1950. (Syn. *Uromyces hemisphaericus* Speg.).
- lathyri* (Palm) Karling in *Lloydia*, 13, p. 57, 1950. (Syn. *Urophlyctis lathyri* Palm).
- leproides* (Trabut) Karling in *Lloydia*, 13, p. 42, 1950. (Syn. *Oedomyces leproides* Trabut).
- limna[n]themii* Thirumalachar in *Indian Phytopathology*, 2, p. 131, 1949 [1950] on *Limnanthemum indicum*.—India.
- meliloti* (Maire) Karling in *Lloydia*, 13, p. 59, 1950. (Syn. *Cladochytrium meliloti* Maire).
- mouretti* (Maire) Karling in *Lloydia*, 13, p. 60, 1950. (Syn. *Urophlyctis mouretti* Maire).
- negeri* Karling nom. nov. in *Lloydia*, 13, p. 52, 1950. (Syn. *Urophlyctis magnusiana* Neger, non Krieger).
- pluriannulatum* (Berk. & Curt.) Karling in *Lloydia*, 13, p. 42, 1950. (Syn. *Uromyces pluriannulatus* Berk. & Curt.).
- punctiformis* (Speg.) Karling in *Lloydia*, 13, p. 56, 1950. (Syn. *Urophlyctis punctiformis* Speg.).
- rayssi* Karling nom. nov. in *Lloydia*, 13, p. 60, 1950. (Syn. *Urophlyctis eryngii* Rayss, non *P. eryngii* Corda).
- rubsaameni* (Magnus) Karling in *Lloydia*, 13, p. 49, 1950. (Syn. *Urophlyctis rubsaameni* Magnus).
- trifolii* (Passerini) Karling in *Lloydia*, 13, p. 50, 1950. (Syn. *Synchytrium trifolii* Passerini).
- vagabunda* (Speg.) Karling in *Lloydia*, 13, p. 54, 1950. (Syn. *Protomyces vagabundus* Speg.).
- Pirottaea helvetica* von Arx in *Sydowia*, 4, p. 397, 1950 on *Knaulia*.—Switzerland.
- Pistillaria anceps* (Karst.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 477, 1950. (Syn. *Typhula anceps* Karst.).
- bipindiensis* (P. Henn.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 478, 1950. (Syn. *Typhula bipindiensis* P. Henn.).
- cylindrospora* (Atk.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 480, 1950. (Syn. *Typhula cylindrospora* Atk.).
- elegantula* (Karst.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 480, 1950. (Syn. *Typhula elegantula* Karst.).
- epiphylla* (Qué.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 480, 1950. (Syn. *Clavaria epiphylla* Qué.).
- fuegiana* (Speg.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 481, 1950. (Syn. *Clavaria fuegiana* Speg.).
- fuscipes* (Pers.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 481, 1950. (Syn. *Clavaria fuscipes* Pers.).

- *gilva* (Lasch) Corner, *A Monograph of Clavaria and Allied Genera*, p. 482, 1950. (Syn. *Typhula gilva* Lasch.).
- *glandulosa* (Preuss) Corner, *A Monograph of Clavaria and Allied Genera*, p. 482, 1950. (Syn. *Typhula glandulosa* Preuss.).
- *lignicola* (Killerm.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 482, 1950. (Syn. *Typhula lignicola* Killerm.).
- *limicola* (Saut.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 483, 1950. (Syn. *Typhula limicola* Saut.).
- *lividula* (Roll.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 483, 1950. (Syn. *Typhula lividula* Roll.).
- *misella* (Berk. & Curt.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 484, 1950. (Syn. *Clavaria misella* Berk. & Curt.).
- *mycophila* (Fekl.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 484, 1950. (Syn. *Typhula mycophila* Fekl.).
- *oleae* (Maire) Corner, *A Monograph of Clavaria and Allied Genera*, p. 485, 1950. (Syn. *Typhula oleae* Maire).
- *paradoxa* (Karst.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 485, 1950. (Syn. *Clavaria paradoxa* Karst.).
- *peronata* (Pers.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 485, 1950. (Syn. *Clavaria peronata* Pers.).
- *phaeosperma* (P. Henn.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 485, 1950. (Syn. *Typhula phaeosperma* P. Henn.).
- *rhodocionides* Corner, *A Monograph of Clavaria and Allied Genera*, p. 697, 1950 on dead pods of *Cassia alata*.—Malaya.
- *spatulata* Corner nom. nov., *A Monograph of Clavaria and Allied Genera*, p. 492, 1950. (Syn. *Clavaria spatulata* Peck, non Chev.).
- *subfasciculata* (E. & E.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 492, 1950. (Syn. *Typhula subfasciculata* E. & E.).
- *subuncialis* Corner, *A Monograph of Clavaria and Allied Genera*, p. 698, 1950 on *Juncus*.—England.
- *tenera* Corner nom. nov., *A Monograph of Clavaria and Allied Genera*, p. 493, 1950. (Syn. *Clavaria tenuis* Schw., non Fr.).
- *tenuis* (Fr.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 493, 1950. (Syn. *Typhula tenuis* Fr.).
- *thaxteri* (Burt) Corner, *A Monograph of Clavaria and Allied Genera*, p. 501, 1950. (Syn. *Pistillaria thaxteri* Burt).
- *todei* (Fr.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 493, 1950. (Syn. *Typhula todei* Fr.).
- *trichomorpha* (Schw.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 494, 1950. (Syn. *Clavaria trichomorpha* Schw.).
- Plasmopara podagrariae** (Othth ap. Trog) Nannf. in *Fungi Esiccati Suecici Praesertim Upsalienses*, 33-34, p. 34, 1948. (Syn. *Peronospora podagrariae* Othth ap. Trog).
- Pleospora davatchii** Esfandiari in *Sydowia*, 4, p. 12, 1950 on *Capparis spinosa*.—Iran.
- *exigua* Müller nom. nov. in *Sydowia*, 4, p. 191, 1950. (Syn. *Sphaerella pulchra* Winter).
- Plowrightia indica** T. S. & K. Ramakrishnan in *Proc. Indian Acad. Sci.*, Sect. B, 32, p. 73, 1950 on *Jambosa laeta*.—Madras.
- Pluteus thomsoni** (Berk. & Br.) Dennis in *Trans. Brit. mycol. Soc.*, 31, p. 206, 1947. (Syn. *Entoloma thomsoni* Berk. & Br.).
- Polycyclis marginalis** Petrak in *Sydowia*, 4, p. 533, 1950 on *Diplazium lindbergii*.—Ecuador.
- Polyporus pusillus** (Fr.) Cunningham in *Proc. Linn. Soc. N.S.W.*, 75, p. 238, 1950. (Syn. *Favolus pusillus* Fr.).
- Prillieuxina baccharidicola** (Rehm) Petrak in *Sydowia*, 4, p. 536, 1950. (Syn. *Lembosia drymidis* var. *baccharidicola* Rehm).
- Pseudopeziza indica** T. S. & K. Ramakrishnan in *Proc. Indian Acad. Sci.*, Sect. B, 32, p. 67, 1950 on *Embelia ribes*.—Madras.
- Pterula adustipes** (Speg.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 506, 1950. (Syn. *Clavaria adustipes* Speg.).
- **brunneola** Corner, *A Monograph of Clavaria and Allied Genera*, p. 698, 1950 on humus. —Malaya.
- **debilis** Corner, *A Monograph of Clavaria and Allied Genera*, p. 698, 1950 on dead *Juncus*.—England.
- **dilatata** (Mont.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 510, 1950. (Syn. *Clavaria dilatata* Mont.).
- **epiphylla** Corner, *A Monograph of Clavaria and Allied Genera*, p. 698, 1950 on *Ixonanthes icosandra*.—Malaya.
- **falcatula** (P. Henn.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 511, 1950. (Syn. *Clavaria falcatula* P. Henn.).
- **filaris** (Kalchbr.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 511, 1950. (Syn. *Clavaria filaris* Kalchbr.).
- **gordius** (Speg.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 513, 1950. (Syn. *Clavaria gordius* Speg.).
- **gracilis** (Berk. & Desm.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 514, 1950. (Syn. *Typhula* ? *gracilis* Berk. & Desm.).
- **janseniana** (Holterm.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 518, 1950. (Syn. *Clavaria janseniana* Holterm.).
- **juruensis** (P. Henn.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 518, 1950. (Syn. *Phaeopterula juruensis* P. Henn.).
- **macrospora** (Pat.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 518, 1950. (Syn. *Ceratella macrospora* Pat.).
- **oryzae** (Remsberg) Corner, *A Monograph of Clavaria and Allied Genera*, p. 519, 1950. (Syn. *Pistillaria oryzae* Remsberg).
- **penniseti** (P. Henn.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 520, 1950. (Syn. *Pistillaria penniseti* P. Henn.).
- **phyllophila** (Mcalp.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 520, 1950. (Syn. *Clavaria phyllophila* Mcalp.).
- **rigida** Donk in Corner, *A Monograph of Clavaria and Allied Genera*, p. 698, 1950 on rotten wood. —Holland.
- **setacea** (Kalchbr.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 522, 1950. (Syn. *Clavaria setacea* Kalchbr.).
- **subtyphuloides** Corner, *A Monograph of Clavaria and Allied Genera*, p. 698, 1950 on dead *Costus*.—Malaya.
- **subuliformis** (Berk. & Curt.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 523, 1950. (Syn. *Typhula subulaeformis* Berk. & Curt.).
- **tenerrima** (P. Henn.) Corner, *A Mono-*

- graph of *Clavaria* and Allied Genera, p. 524, 1950. (Syn. *Typhula tenerima* P. Henn.).
- *tenuissima* (Curt.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 524, 1950. (Syn. *Typhula tenuissima* Curt.).
- *typhuloides* Corner, *A Monograph of Clavaria and Allied Genera*, p. 698, 1950 on dead ? *Pometia alnifolia* and *Scindapsus*.—Malaya.
- var. *minor* Corner, *A Monograph of Clavaria and Allied Genera*, p. 699, 1950 on dead grasses.—Malaya.
- *verticillata* Corner, *A Monograph of Clavaria and Allied Genera*, p. 699, 1950 in woods.—Malaya.
- *vinacea* Corner, *A Monograph of Clavaria and Allied Genera*, p. 699, 1950 on humus.—Malaya.
- *vitellina* (Pat.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 533, 1950. (Syn. *Lachnocladium vitellinum* Pat.).
- PTERULICIUM** Corner, *A Monograph of Clavaria and Allied Genera*, p. 699, 1950.—Clavariaceae.
- *xylogenum* (Berk. & Br.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 538, 1950. (Syn. *Clavaria xylogena* Berk. & Br.).
- Puccinia connersii** Savile in *Mycologia*, 42, p. 665, 1950 on *Habenaria dilatata* and *Deschampsia atropurpurea*.—Quebec, Canada.
- *corniculata* Mayor & Viennot-Bourgin in *Rev. Mycologie*, N.S., 15, p. 103, 1950 on *Vulpia membranacea*.—Corsica.
- *haynaldiae* Mayor & Viennot-Bourgin in *Rev. Mycologie*, N.S., 15, p. 96, 1950 on *Haynaldia villosa*.—Corsica.
- *— *hordei-maritimi* Guyot, Massenet, Montégut, & Saccas in *C.R. Acad. Sci., Paris*, cexxvi, p. 1922, 1948 on *Clematis vitalba* and *Hordeum maritimum*.—France.
- *tunuyanensis* Lindquist in *Notas Mus. La Plata, Bot.*, 14, p. 200, 1949 on *Perezia carduncelloides*.—Argentina.
- *vulpiae-myuri* Mayor & Viennot-Bourgin in *Rev. Mycologie*, N.S., 15, p. 104, 1950 on *Vulpia myuros*.—Corsica.
- Pustularia bronca** (Peck) Kanouse in *Mycologia*, 42, p. 497, 1950. (Syn. *Peziza bronca* Peck).
- Pyrenopeziza allicina** von Arx in *Sydowia*, 4, p. 396, 1950 on *Allium victorale*.—Switzerland.
- *phacae* von Arx in *Sydowia*, 4, p. 394, 1950 on *Phaca alpina*.—Switzerland.
- Ramaria acutissima** (Berk.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 554, 1950. (Syn. *Clavaria acutissima* Berk.).
- *albida* (Pat.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 554, 1950. (Syn. *Lachnocladium albidum* Pat.).
- *albocinerea* (Pat.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 555, 1950. (Syn. *Lachnocladium albocinereum* Pat.).
- *apiahyana* (Speg.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 555, 1950. (Syn. *Clavaria apiahyana* Speg.).
- *articulata* (P. Henn.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 557, 1950. (Syn. *Lachnocladium articulatum* P. Henn.).
- *bataillei* (Maire) Corner, *A Monograph of Clavaria and Allied Genera*, p. 558, 1950. (Syn. *Clavariella bataillei* Maire).
- *botrytoides* (Peck) Corner, *A Monograph of Clavaria and Allied Genera*, p. 562, 1950. (Syn. *Clavaria botrytoides* Peck).
- *brunnea* (Zeller) Corner, *A Monograph of Clavaria and Allied Genera*, p. 564, 1950. (Syn. *Clavaria brunnea* Zeller).
- *cacao* (Coker) Corner, *A Monograph of Clavaria and Allied Genera*, p. 564, 1950. (Syn. *Clavaria cacao* Coker).
- *capitata* (Lloyd) Corner, *A Monograph of Clavaria and Allied Genera*, p. 565, 1950. (Syn. *Clavaria capitata* Lloyd).
- *capucina* (Pat.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 565, 1950. (Syn. *Clavaria capucina* Pat.).
- *cervicornis* (A. L. Smith) Corner, *A Monograph of Clavaria and Allied Genera*, p. 565, 1950. (Syn. *Clavaria cervicornis* A. L. Smith).
- *conjuncta* (Peck) Corner, *A Monograph of Clavaria and Allied Genera*, p. 566, 1950. (Syn. *Clavaria conjuncta* Peck).
- *conjunctipes* (Coker) Corner, *A Monograph of Clavaria and Allied Genera*, p. 567, 1950. (Syn. *Clavaria conjunctipes* Coker).
- *cornicularioides* (P. Henn.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 567, 1950. (Syn. *Lachnocladium cornicularioides* P. Henn.).
- *cyanoccephala* (Berk. & Curt.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 568, 1950. (Syn. *Clavaria cyanoccephala* Berk. & Curt.).
- *cyatheae* (P. Henn.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 573, 1950. (Syn. *Clavaria cyatheae* P. Henn.).
- *cystidiophora* (Kauffm.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 573, 1950. (Syn. *Clavaria cystidiophora* Kauffm.).
- *decolorans* (Karst.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 574, 1950. (Syn. *Clavariella decolorans* Karst.).
- *divaricata* (Peck) Corner, *A Monograph of Clavaria and Allied Genera*, p. 574, 1950. (Syn. *Clavaria divaricata* Peck).
- *durbana* (van d. Bijl) Corner, *A Monograph of Clavaria and Allied Genera*, p. 575, 1950. (Syn. *Clavaria durbana* van d. Bijl).
- *eumorpha* (Karst.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 575, 1950. (Syn. *Clavariella eumorpha* Karst.).
- *filicicola* (Fawcett) Corner, *A Monograph of Clavaria and Allied Genera*, p. 576, 1950. (Syn. *Clavaria filicicola* Fawcett).
- *filicina* (Sacc. & Syd.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 576, 1950. (Syn. *Clavaria filicina* Sacc. & Syd.).
- *flavo-alba* Corner, *A Monograph of Clavaria and Allied Genera*, p. 699, 1950 in woods.—Malaya.
- *flavo-brunnesens* (Atk.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 581, 1950. (Syn. *Clavaria flavobrunnesens* Atk.).
- *fragillima* (Sacc. & Syd.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 588, 1950. (Syn. *Clavaria fragillima* Sacc. & Syd.).
- *fumigata* (Peck) Corner, *A Monograph of Clavaria and Allied Genera*, p. 591, 1950. (Syn. *Clavaria fumigata* Peck).
- *gelatinosa* (Coker) Corner, *A Monograph of Clavaria and Allied Genera*, p. 593, 1950. (Syn. *Clavaria gelatinosa* Coker).
- *grandis* (Peck) Corner, *A Monograph of Clavaria and Allied Genera*, p. 595, 1950. (Syn. *Clavaria grandis* Peck).

- *guadelupensis* (Lév.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 596, 1950. (Syn. *Merisma guadelupense* Lév.).
- *guyanensis* (Pat.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 596, 1950. (Syn. *Lachnocladium guyanense* Pat.).
- *henriquesii* (Bres. & Roum.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 596, 1950. (Syn. *Clavaria henriquesii* Bres.).
- *holorubella* (Atk.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 596, 1950. (Syn. *Clavaria holorubella* Atk.).
- *holsatica* (P. Henn.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 597, 1950. (Syn. *Clavariella holsatica* P. Henn.).
- *ignicolor* Corner, *A Monograph of Clavaria and Allied Genera*, p. 699, 1950 in coniferous woods.—Italy.
- *incurvata* (Morgan) Corner, *A Monograph of Clavaria and Allied Genera*, p. 598, 1950. (Syn. *Clavaria incurvata* Morgan).
- *intricatissima* (Speg.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 598, 1950. (Syn. *Clavaria intricatissima* Speg.).
- *karstenii* (Sacc. & Syd.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 599, 1950. (Syn. *Clavaria karstenii* Sacc. & Syd.).
- *kisantuensis* (Sacc.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 599, 1950. (Syn. *Clavaria kisantuensis* Sacc.).
- *leucoceras* (Pat.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 600, 1950. (Syn. *Lachnocladium leucoceras* Pat.).
- *longicaulis* (Peck) Corner, *A Monograph of Clavaria and Allied Genera*, p. 600, 1950. (Syn. *Clavaria longicaulis* Peck).
- *luteo-flaccida* Corner, *A Monograph of Clavaria and Allied Genera*, p. 699, 1950 in woods.—Sumatra.
- *macrospora* (Brinkm.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 603, 1950. (Syn. *Phaeoclavulina macrospora* Brinkm.).
- *madagascariensis* (P. Henn.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 603, 1950. (Syn. *Clavaria madagascariensis* P. Henn.).
- *megalorhiza* (B. & Br.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 605, 1950. (Syn. *Clavaria megalorhiza* B. & Br.).
- *moelleriana* (Bres. & Roum.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 606, 1950. (Syn. *Lachnocladium moellerianum* Bres. & Roum.).
- *murrillii* (Coker) Corner, *A Monograph of Clavaria and Allied Genera*, p. 607, 1950. (Syn. *Clavaria murrillii* Coker).
- *myceliosa* (Peck) Corner, *A Monograph of Clavaria and Allied Genera*, p. 607, 1950. (Syn. *Clavaria myceliosa* Peck).
- *nguelensis* (P. Henn.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 608, 1950. (Syn. *Clavaria nguelensis* P. Henn.).
- *nigrescens* (Brinkm.) Donk var. *americana* Corner, *A Monograph of Clavaria and Allied Genera*, p. 700, 1950 on humus.—U.S.A.
- *obtusissima* (Peck) Corner, *A Monograph of Clavaria and Allied Genera*, p. 609, 1950. (Syn. *Clavaria obtusissima* Peck).
- *ochracea* (Bres.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 610, 1950. (Syn. *Lachnocladium ochraceum* Bres.).
- *ochraceo-salmonicolor* (Ciel.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 611, 1950. (Syn. *Clavaria ochraceo-salmonicolor* Ciel.).
- *polypus* Corner, *A Monograph of Clavaria and Allied Genera*, p. 700, 1950 in woods.—Malaya, New Guinea.
- *pusilla* (Peck) Corner, *A Monograph of Clavaria and Allied Genera*, p. 617, 1950. (Syn. *Clavaria pusilla* Peck).
- *rufescens* Fr.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 618, 1950. (Syn. *Clavaria rufescens* Fr.).
- *saccardoi* (Syd.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 619, 1950. (Syn. *Clavaria saccardoi* Syd.).
- *sanguinea* (Coker) Corner, *A Monograph of Clavaria and Allied Genera*, p. 620, 1950. (Syn. *Clavaria sanguinea* Coker ex Doty).
- *secunda* (Berk) Corner, *A Monograph of Clavaria and Allied Genera*, p. 620, 1950. (Syn. *Clavaria secunda* Berk).
- *sinapicolor* (Ciel.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 621, 1950. (Syn. *Clavaria sinapicolor* Ciel.).
- *soluta* (Karst.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 621, 1950. (Syn. *Clavaria soluta* Karst.).
- *strasseri* (Bres.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 622, 1950. (Syn. *Clavaria strasseri* Bres.).
- *stricta* (Fr.) Quel. var. *concolor* Corner, *A Monograph of Clavaria and Allied Genera*, p. 700, 1950 on wood.—N. Amer., Australia.
- *subbotrytis* (Coker) Corner, *A Monograph of Clavaria and Allied Genera*, p. 625, 1950. (Syn. *Clavaria subbotrytis* Coker).
- *subdecurrens* (Coker) Corner, *A Monograph of Clavaria and Allied Genera*, p. 626, 1950. (Syn. *Clavaria subdecurrens* Coker).
- *subfennica* (Coker) Corner, *A Monograph of Clavaria and Allied Genera*, p. 627, 1950. (Syn. *Clavaria subfennica* Coker).
- *subgelatinosa* Corner, *A Monograph of Clavaria and Allied Genera*, p. 700, 1950 on humus.—Malaya.
- *subsigmoidea* (Sacc. & Syd.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 628, 1950. (Syn. *Clavaria subsigmoidea* Sacc. & Syd.).
- *subspinulosa* (Coker) Corner, *A Monograph of Clavaria and Allied Genera*, p. 629, 1950. (Syn. *Clavaria subspinulosa* Coker).
- *testaceo-flava* (Bres.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 630, 1950. (Syn. *Clavaria testaceo-flava* Bres.).
- *testaceo-violacea* (Doty) Corner, *A Monograph of Clavaria and Allied Genera*, p. 631, 1950. (Syn. *Clavaria testaceo-violacea* Doty).
- *testaceo-viridis* (Doty) Corner, *A Monograph of Clavaria and Allied Genera*, p. 631, 1950. (Syn. *Clavaria testaceo-viridis* Doty).
- *tubulosa* (Fr.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 631, 1950. (Syn. *Clavaria tubulosa* Fr.).
- *verna* (Coker) Corner, *A Monograph of Clavaria and Allied Genera*, p. 632, 1950. (Syn. *Clavaria verna* Coker).
- *xanthosperma* (Peck) Corner, *A Monograph of Clavaria and Allied Genera*, p. 632, 1950. (Syn. *Clavaria xanthosperma* Peck).
- *zippelii* (Lév.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 632, 1950. (Syn. *Clavaria zippelii* Lév.).
- var. *gracilis* Corner, *A Monograph of Clavaria and Allied Genera*, p. 700, 1950 on humus.—Malaya.

- Ramariopsis asperulospora** (Atk.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 638, 1950. (Syn. *Clavaria asperulospora* Atk.).
- **asterella** (Atk.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 638, 1950. (Syn. *Clavaria asterella* Atk.).
- **clavuligera** (Heim) Corner, *A Monograph of Clavaria and Allied Genera*, p. 638, 1950. (Syn. *Clavaria clavuligera* Heim).
- **crocea** (Fr.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 638, 1950. (Syn. *Clavaria crocea* Fr.).
- **curta** (Fr.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 638, 1950. (Syn. *Clavaria curta* Fr.).
- **kunzei** (Fr.) Donk var. **deformis** Corner, *A Monograph of Clavaria and Allied Genera*, p. 700, 1950 on the ground.—Europe.
- var. **favreae** Corner, *A Monograph of Clavaria and Allied Genera*, p. 700, 1950 in pinewoods.—France.
- var. **subasperata** Corner, *A Monograph of Clavaria and Allied Genera*, p. 700, 1950 on the ground.—France.
- **lorithamnus** (Berk.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 644, 1950. (Syn. *Clavaria lorithamnus* Berk.).
- **pulchella** (Boud.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 645, 1950. (Syn. *Clavaria pulchella* Boud.).
- **tenuiramosa** Corner, *A Monograph of Clavaria and Allied Genera*, p. 700, 1950 in pinewoods.—England.
- **vestitipes** (Peck) Corner, *A Monograph of Clavaria and Allied Genera*, p. 647, 1950. (Syn. *Clavaria vestitipes* Peck).
- Ramularia phaseolina** Petrak in *Sydowia*, 4, p. 584, 1950 on *Phaseolus vulgaris*.—Ecuador.
- Ramulisporea alloteropsidis** Thirumalachar & Narasimhan in *Sydowia*, 4, p. 72, 1950 on *Alloteropsis cimicina*.—India.
- ***Russula ruberrima** Romagnesi in *Bull. Soc. Nat. Oyonnax*, 4, p. 56, 1950.—France.
- Saccobolus punctiformis** (Ces.) Petch apud Petch & Bisby in *Peradeniya Manual* 6, p. 21, 1950. (Syn. *Sordaria punctiformis* Ces.).
- Schiffnerula concinna** Petrak in *Sydowia*, 4, p. 538, 1950 on *Gynoxis*.—Ecuador.
- **spectabilis** (Pat.) Petrak in *Sydowia*, 4, p. 539, 1950. (Syn. *Dimerosporium spectabile* Pat.).
- Scopularia halepensis** Biraghi in *Ann. Sper. agr.*, N.S. 1, p. 120, 1947 on *Pinus halepensis*.—Italy.
- Scytinopogon angulisporus** (Pat.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 648, 1950. (Syn. *Clavaria angulispora* Pat.).
- var. **curtus** Corner, *A Monograph of Clavaria and Allied Genera*, p. 701, 1950 in woods.—Malaya.
- var. **gracilis** Corner, *A Monograph of Clavaria and Allied Genera*, p. 701, 1950 in woods.—Malaya.
- var. **parvus** Corner, *A Monograph of Clavaria and Allied Genera*, p. 701, 1950.—Malaya.
- **echinosporus** (Berk. & Br.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 655, 1950. (Syn. *Clavaria echinospora* Berk. & Br.).
- Septogloeum feroniae** T. S. & K. Ramakrishnan in *Proc. Indian Acad. Sci.*, Sect. B, 32, p. 78, 1950 on *Feronia elephantum*.—Madras.
- **scutiae** T. S. & K. Ramakrishnan in *Proc. Indian Acad. Sci.*, Sect. B, 32, p. 109, 1950 on *Scutia myrtina*.—Madras.
- Septoria davatchii** Esfandiari in *Sydowia*, 4, p. 29, 1950 on *Populus hybrida*.—Iran.
- **lepyrodiclidis** Petrak in *Sydowia*, 4, p. 30, 1950 on *Lepyrodiclis holosteoides*.—Iran.
- Sorosporium holci-sorghii** (Rivolta) Moesz in *A Kárpát-Medence Úszöggombái*, p. 147, 1950. (Syn. *Ustilago holci-sorghii* Rivolta).
- **ischaemi** L. Ling in *Sydowia*, 4, p. 80, 1950 on *Ischaemum rugosum*.—India.
- Speira digitata** (Martin) Damon in *Mycologia*, 42, p. 555, 1950. (Syn. *Cheiromyces digitata* Martin).
- Sphacelotheca eremochloae** L. Ling in *Sydowia*, 4, p. 77, 1950 on *Eremochloa ciliaris*.—Indo-China.
- **heteropogonis-triticei** L. Ling in *Sydowia*, 4, p. 77, 1950 on *Heteropogon triticeus*.—Ins. Philippine.
- **manilensis** (Syd.) L. Ling in *Sydowia*, 4, p. 78, 1950. (Syn. *Ustilago manilensis* Syd.).
- Sphaerodothis borassi** T. S. & K. Ramakrishnan in *Proc. Indian Acad. Sci.*, Sect. B, 32, p. 74, 1950 on *Borassus flabellifer*.—Madras.
- Stagonospora brideliae** Thirumalachar & Narasimhan in *Sydowia*, 4, p. 71, 1950 on *Bridelia roxburghiana*.—India.
- **procerula** Petrak in *Sydowia*, 4, p. 566, 1950 on *Axonopus matthewsii*.—Ecuador.
- Stemphylium callistephi** Baker & Davis in *Mycologia*, 42, p. 482, 1950 on *Callistephus chinensis*.—California, U.S.A.
- **dichroum** Petrak in *Sydowia*, 4, p. 585, 1950 on *Miconia theaezans*.—Ecuador.
- **iranicum** Esfandiari in *Sydowia*, 4, p. 34, 1950 on *Populus euphratica*.—Iran.
- Stigmata esfandiarii** Petrak in *Sydowia*, 4, p. 35, 1950 on *Vitis vinifera*.—Iran.
- Synchytrium crotalariae** T. S. & K. Ramakrishnan in *Proc. Indian Acad. Sci.*, Sect. B, 32, p. 67, 1950 on *Crotalaria semperflorens*.—Madras.
- Synostomella nervicola** Petrak in *Sydowia*, 4, p. 540, 1950 on *Centronia excelsa*.—Ecuador.
- Teichospora ephedrae** Esfandiari in *Sydowia*, 4, p. 14, 1950 on *Ephedra*.—Iran.
- TELIMENOPSIS** Petrak in *Sydowia*, *Ann. mycol.*, Ser. II, 4, p. 543, 1950.—Pyrenomycetes.
- **caudata** (Syd.) Petrak in *Sydowia*, 4, p. 542, 1950. (Syn. *Telimena caudata* Syd.).
- Thecaphora mauritiana** (Syd.) L. Ling in *Sydowia*, 4, p. 80, 1950. (Syn. *Tolyposporium mauritianum* Syd.).
- **seminis-convolvuli** (Duby) Liro apud Moesz in *A Kárpát-Medence Úszöggombái*, p. 156, 1950. (Syn. *Uredo seminis-convolvuli* Duby).
- Thyrostroma speciosum** Petrak in *Sydowia*, 4, p. 37, 1950 on *Echinops*.—Iran.
- Tilletia elyrophori** Dennis in *Kew Bull.*, 1950, p. 170, 1950 on *Elytrophorus africanus*.—S. Rhodesia.
- Tilletiopsis minor** Nyland in *Mycologia*, 42, p. 489, 1950 on leaves.—Washington, U.S.A.
- **washingtonensis** Nyland in *Mycologia*,

- 42, p. 488, 1950 on leaves.—Washington, U.S.A.
- Trametes drummondii** Cunningham nom. nov. in *Proc. Linn. Soc. N.S.W.*, 75, p. 224, 1950. (Syn. *Hexagona decipiens* Berk, non *T. decipiens* Bres.).
- **ferrea** (Berk.) Cunningham in *Proc. Linn. Soc. N.S.W.*, 75, p. 225, 1950. (Syn. *Polyporus ferreus* Berk.).
- **floccosa** (Jungh.) Cunningham in *Proc. Linn. Soc. N.S.W.*, 75, p. 226, 1950. (Syn. *Polyporus floccosus* Jungh.).
- **foedata** (Berk.) Cunningham in *Proc. Linn. Soc. N.S.W.*, 75, p. 226, 1950. (Syn. *Polyporus foedatus* Berk.).
- **protea** (Berk.) Cunningham in *Proc. Linn. Soc. N.S.W.*, 75, p. 237, 1950. (Syn. *Polyporus proteus* Berk.).
- **proteiformis** (Cooke) Cunningham in *Proc. Linn. Soc. N.S.W.*, 75, p. 238, 1950. (Syn. *Polyporus proteiformis* Cooke).
- Tricholoma fucatum** Fr. var. **lutescens** Moser in *Sydowia*, 4, p. 104, 1950.—Austria.
- TRICHOHYRINA** (Petrak) Petrak in *Sydowia*, 4, p. 167, 1950. (Syn. *Trichothyrium* subgen. *Trichothyrina* Petrak).
- **alpestris** (Sacc.) Petrak in *Sydowia*, 4, p. 168, 1950. (Syn. *Mycothyrium alpestre* Sacc.).
- **elegans** (Doidge) Petrak in *Sydowia*, 4, p. 168, 1950. (Syn. *Trichothyrium austriacum* Doidge).
- **pinophylla** (v. Höhn.) Petrak in *Sydowia*, 4, p. 168, 1950. (Syn. *Leptopeltella pinophylla* v. Höhn.).
- TRICHOHYRINULA** Petrak in *Sydowia*, 4, p. 171, 1950.—Trichothyriaceae.
- **sydowii** Petrak in *Sydowia*, 4, p. 171, 1950 on stroma of Polystomellaceae.—Ecuador.
- Tryblidaria esfandiarii** Petrak in *Sydowia*, 4, p. 22, 1950 on *Berberis integerrima*.—Iran.
- Tubercinia bebboudii** Esfandiari in *Sydowia*, 4, p. 11, 1950 on *Arrhenatherum kotschyi*.—Iran.
- Typhula abietina** (Fekl.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 664, 1950. (Syn. *Pistillaria abietina* Fekl.).
- **bulbosa** (Pat.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 666, 1950. (Syn. *Pistillaria bulbosa* Pat.).
- **elegans** (Berk. & Curt.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 668, 1950. (Syn. *Pistillaria elegans* Berk. & Curt.).
- **hedericola** (Ces.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 673, 1950. (Syn. *Pistillaria hederacola* Ces.).
- **muelleri** (Saut.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 676, 1950. (Syn. *Pistillaria muelleri* Saut.).
- **patouillardii** (Qué.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 677, 1950. (Syn. *Pistillaria patouillardii* Qué.).
- **quisquiliaris** (Fr.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 679, 1950. (Syn. *Pistillaria quisquiliaris* Fr.).
- **scleroticola** (Allesch.) Corner, *A Monograph of Clavaria and Allied Genera*, p. 681, 1950. (Syn. *Clavaria scleroticola* Allesch.).
- **tochiniana** (Imai) Corner, *A Monograph of Clavaria and Allied Genera*, p. 685, 1950. (Syn. *Clavaria tochiniana* Imai).
- Unguiculella caespitosa** Dennis in *Kew Bull.*, 1950, p. 170, 1950 on dead *Theobroma cacao*.—Sierra Leone.
- Urocystis ficariae** (Unger) Moesz [? comb. nov.] in *A Kárpát-Medence Űszöggombái*, p. 147, 1950. (Syn. *Caeoma ficariae* Unger).
- **hellebori-viridis** (De Cand.) Moesz in *A Kárpát-Medence Űszöggombái*, p. 209, 1950. (Syn. *Uredo ranunculacearum* var. *hellebori-viridis* De Cand.).
- **hepaticae-trilobae** (De Cand.) Moesz in *A Kárpát-Medence Űszöggombái*, p. 208, 1950. (Syn. *Uredo ranunculacearum* var. *hepaticae-trilobae* De Cand.).
- **pulsatillae** (Bubák) Moesz in *A Kárpát-Medence Űszöggombái*, p. 211, 1950. (Syn. *Urocystis anemones* var. *pulsatillae* Bubák).
- **ranunculi** (Libert) Moesz in *A Kárpát-Medence Űszöggombái*, p. 213, 1950. (Syn. *Sporisorium ranunculi* Libert).
- Uromyces nilagiricus** T. S. & K. Ramakrishnan in *Proc. Indian Acad. Sci., Sect. B*, 32, p. 104, 1950 on *Loranthus* sp.—Madras.
- Ustilago panjabensis** (Syd.) L. Ling in *Sydowia*, 4, p. 76, 1950. (Syn. *Sphacelotheca panjabensis* Syd.).
- **phragmitis** L. Ling in *Sydowia*, 4, p. 76, 1950 on *Phragmites karka*.—N. Borneo.
- **tumeformis** L. Ling in *Sydowia*, 4, p. 77, 1950 on *Polygonum chinense*.—India.
- Venturia centaureae** von Arx in *Sydowia*, 4, p. 390, 1950 on *Centaurea rhaetica*.—Switzerland.
- **polygoni-vivipari** von Arx in *Sydowia*, 4, p. 391, 1950 on *Polygonum viviparum*.—Switzerland.
- Wettsteinina engadinensis** Müller in *Sydowia*, 4, p. 202, 1950 on *Aster alpinus*.—Switzerland.
- **niesslii** Müller nom. nov. in *Sydowia*, 4, p. 204, 1950. (Syn. *Leptosphaeria gigaspora* Niessl., non *W. gigaspora* Höhn.).
- **winteri** (Niessl.) Müller in *Sydowia*, 4, p. 203, 1950. (Syn. *Leptosphaeria winteri* Niessl.).
- Xenochora ingae** (Stevens) Petrak in *Sydowia*, 4, p. 567, 1950. (Syn. *Melasmia ingae* Stevens).
- XENOSTIGMELLA** Petrak in *Sydowia*, 4, p. 369, 1950.—Pyrenomycetes.
- **paradoxa** Petrak in *Sydowia*, 4, p. 370, 1950 on leaves of ? *Rubiaceae*.—Ecuador.
- Xylosphaeria adeana** (Rehm) Petrak in *Sydowia*, 4, p. 18, 1950. (Syn. *Thyridium adeanum* Rehm).
- **americana** (Ell. & Ev.) Petrak in *Sydowia*, 4, p. 18, 1950. (Syn. *Thyridium americanum* Ell. & Ev.).
- **andicola** (Speg.) Petrak in *Sydowia*, 4, p. 18, 1950. (Syn. *Thyridium andicola* Speg.).
- **antiqua** (Ell. & Ev.) Petrak in *Sydowia*, 4, p. 18, 1950. (Syn. *Thyridium antiquum* Ell. & Ev.).
- **argentinensis** (Speg.) Petrak in *Sydowia*, 4, p. 18, 1950. (Syn. *Thyridium argentinense* Speg.).
- **boehmeriae** (Speg.) Petrak in *Sydowia*, 4, p. 18, 1950. (Syn. *Thyridium boehmeriae* Speg.).
- **cacheutensis** (Speg.) Petrak in *Sydowia*, 4, p. 18, 1950. (Syn. *Thyridium cacheutense* Speg.).
- **ceanothi** (Dearn. & House) Petrak in *Sydowia*, 4, p. 18, 1950. (Syn. *Thyridium ceanothi* Dearn. & House).

- *cingulata* (Mont.) Petrak in *Sydowia*, 4, p. 18, 1950. (Syn. *Thyridium cingulatum* (Mont.) Sacc.).
- *coffeicola* (Speg.) Petrak in *Sydowia*, 4, p. 19, 1950. (Syn. *Thyridium coffeicola* Speg.).
- *concinna* (Petrak) Petrak in *Sydowia*, 4, p. 19, 1950. (Syn. *Thyridium concinnum* Petrak.).
- *desertorum* (Petrak) Petrak in *Sydowia*, 4, p. 19, 1950. (Syn. *Thyridium desertorum* Petrak.).
- *flava* (Petch) Petrak in *Sydowia*, 4, p. 19, 1950. (Syn. *Thyridium flavum* Petch.).
- *fusispora* (Petrak) Petrak in *Sydowia*, 4, p. 19, 1950. (Syn. *Thyridium fusisporum* Petrak.).
- *gorganensis* Petrak in *Sydowia*, 4, p. 15, 1950 on *Prunus*.—Iran.
- *livida* (Pers.) Petrak in *Sydowia*, 4, p. 19, 1950. (Syn. *Thyridium lividum* (Pers.) Sacc.).
- *macedonica* (Petrak) Petrak in *Sydowia*, 4, p. 19, 1950. (Syn. *Thyridium macedonicum* Petrak.).
- *nobilis* (Petrak) Petrak in *Sydowia*, 4, p. 19, 1950. (Syn. *Thyridium nobile* Petrak.).
- *pallida* (Ell. & Ev.) Petrak in *Sydowia*, 4, p. 19, 1950. (Syn. *Thyridium pallidum* Ell. & Ev.).
- *personata* (Berl. & Vogl.) Petrak in *Sydowia*, 4, p. 19, 1950. (Syn. *Thyridium personatum* Berl. & Vogl.).
- *platensis* (Speg.) Petrak in *Sydowia*, 4, p. 19, 1950. (Syn. *Thyridium platense* Speg.).
- *pulchella* (Sacc. & Speg.) Petrak in *Sydowia*, 4, p. 19, 1950. (Syn. *Thyridium pulchellum* Sacc. & Speg.).
- *quimelensis* (Speg.) Petrak in *Sydowia*, 4, p. 19, 1950. (Syn. *Thyridium quimelense* Speg.).
- *rechingeri* (Petrak) Petrak in *Sydowia*, 4, p. 19, 1950. (Syn. *Thyridium rechingeri* Petrak.).
- *rousseiana* (Sacc. & Speg.) Petrak in *Sydowia*, 4, p. 19, 1950. (Syn. *Thyridium rousseianum* Sacc. & Speg.).
- *sambuci* (Earle) Petrak in *Sydowia*, 4, p. 19, 1950. (Syn. *Thyridium sambuci* Earle.).
- *semnanensis* (Petrak) Petrak in *Sydowia*, 4, p. 19, 1950. (Syn. *Thyridium semnanense* Petrak.).
- *speciosa* (Petrak) Petrak in *Sydowia*, 4, p. 19, 1950. (Syn. *Thyridium speciosum* Petrak.).
- *stilbostoma* (Ell. & Ev.) Petrak in *Sydowia*, 4, p. 19, 1950. (Syn. *Thyridium stilbostomum* Ell. & Ev.).
- *syringae* (Ell. & Ev.) Petrak in *Sydowia*, 4, p. 19, 1950. (Syn. *Thyridium syringae* Ell. & Ev.).
- *tuberculata* (Rehm) Petrak in *Sydowia*, 4, p. 20, 1950. (Syn. *Thyridium tuberculatum* Rehm.).
- *valparadisiaca* (Speg.) Petrak in *Sydowia*, 4, p. 20, 1950. (Syn. *Thyridium valparadisiacum* Speg.).
- *vitis* (Ell. & Ev.) Petrak in *Sydowia*, 4, p. 20, 1950. (Syn. *Thyridium vitis* Ell. & Ev.).
- *yerbae* (Speg.) Petrak in *Sydowia*, 4, p. 20, 1950. (Syn. *Thyridium yerbae* Speg.).
- Zignoella shariffi* Petrak in *Sydowia*, 4, p. 20, 1950 on *Zygophyllum atriplicoides*.—Iran.

HOST INDEX

For Phanerogams see under families; for Algae, Pteridophyta, and Fungi see under those names;
for animal hosts see under Insecta and Invertebrata

- AIZOACEAE
Mollugo nudicaulis
Cystopus molluginicola
- ALGAE
Chlorophyceae
Farriola flava
Spirogyra
Aphanomyces apophysii
- AMARYLLIDACEAE
Bomarea caldasii
Leptosphaeria bomareae
- ARACEAE
Philodendron
Phyllosticta imbe
Scindapsus
Pterula typhuloides
- ASCLEPIADACEAE
Tylophora asthmatica
Cercospora tylophorae
- BERBERIDACEAE
Berberis integririma
Tryblidaria esfandiarri
- BORAGINACEAE
Cordia obliqua
Physalospora cordiae
- BURSERACEAE
Canarium sikkimense
Phyllachora sikkimensis
- CAPPARIDACEAE
Cadaba indica
Microstroma cadabae
Capparis spinosa
Ascochyella davatchii
Pleospora davatchii
- CAPRIFOLIACEAE
Lonicera alpigena
Leptosphaeria albulae
- CARYOPHYLLACEAE
Lepyrodiclis holosteoides
Septoria lepyrodiclidis
Polycarpon tetraphyllum
Peronospora polycarponis
- CHLORANTHACEAE
Hedyosmum pavonii
Cercospora hedyosmi
- COMPOSITAE
Leptosphaeria compositarum
Artemisia campestris
Leptosphaeria phaeospora
Aster alpinus
Wettsteinina engadensis
Barnadesia parviflora
Cercospora barnadesiae
Mycosphaerella barnadesiae
Bellis perennis
Phoma (Phyllosticta) bellidis
Bupthalmum salicifolium
Leptosphaeria septemcellulata

COMPOSITAE (continued)
Callistephus chinensis
Stemphylium callistephi
Centaurea raphanistrum
Venturia centaureae
Centaurea scabiosa
Leptosphaeria centaureae
Clibadium rhytidophyllum
Phyllachora clibadii
Echinops
Thyrostroma speciosum
Eupatorium
Nematostoma nervisequens
Eupatorium inulaefolium
Mycosphaerella tungurahuaana
Gynoxis
Creangium sydowii
Schiffnerula concinna
Gynoxis chimborazensis
Phialea tomentophila
Gynoxis hallii
Cercospora inopina
Hieracium murorum
Leptosphaeria brauni
Liabum
Gibbera quitensis
Liabum eggersii
Gibbera setosa
Liabum hastatum
Gibbera inconspicua
Liabum pallatongense
Gibbera andina
Perezia carduncelloides
Puccinia tunyanensis
Piptocarpha sodiroi
Camarosporium insuetum
Tessaria integrifolia
Hormiscium aequatoriense
Phyllachora tessariae
Verbesina
Bagnisiopsis andicola
 CONIFERAE
Abies balsamea
Cryptosporiopsis balsameae
Abies grandis
Cryptosporiopsis balsameae
Cryptosporiopsis diversispora
Juniperus polycarpa
Lignella sharifi
Picea abies
Cryptosporiopsis diversispora
Pinus halepensis
Scopularia halepensis
 CONVULVULACEAE
Convolvulus arvensis
Peronospora convolvuli
 CUNONIACEAE
Weinmannia spruceana
Pestalotia weinmanniae
 CYPERACEAE
Scleria bracteata
Dothichloe insidiosa
 DIPSACACEAE
Knautia
Pirottaea helvetica
 ERICACEAE
Cavendishia compacta
Acrocladium fragile
 EUPHORBIACEAE
Asterinella puyana
Asterostomula puyana
Bridelia roxburghiana
Stagonospora brideliae

EUPHORBIACEAE (continued)
Croton oblongifolius
Phyllachora gudaturensis
Glochidion neilgherrense
Bubakia indica
Kirganelia reticulata
Phakospora kirganeliae
Sapium sodiroi
Mycosphaerella sodiroana
 FUNGI
Bagnisiopsis
Graphium irradians
Hypocrella chusqueae
Epicrea insignis
Meliola
Cicinnobella ecuadorica
Dimerium ecuadoricum
Dimerium nobile
Meliola ambigua
Cicinnobella andicola
Dimerium andicola
Meliola capsicola
Ectosticta mindoensis
Phyllachora
Allonectella rubescens
Phyllachora ulei
Parencoelia andina
Polystomellaceae
Cicinnobella stromaticola
Dimerium stromaticola
Trichothyridula sydowii
Xenostigmella, etc.
Dimerium detectum
 GENTIANACEAE
Limnanthemum indicum
Physoderma limnanthemii
 GNATACEAE
Ephedra
Teichospora ephedrae
 GRAMINEAE
Alloteropsis cimicina
Ramulispora alloteropsidis
Arrhenatherum kotschyi
Tubercinia behoudii
Arundinaria patula
Papularia ecuadorensis
Axonopus matthewsii
Stagonospora procerula
 Bambuseae
Nectria mindoensis
Nectria tympaniformis
Neopeltella aequatoriensis
Pezicula bambusina
Chusquea serrulata
Helminthosporium chusqueae
Metazythia caespitosa
Deschampsia atropurpurea
Puccinia conmersii
Dichanthium annulatum
Cylindrosporium dichanthii
Dimeria ornithopoda
Phyllachora indica
Distichlis stricta
Ascochyta subalpina
Elytrophorus africanus
Tilletia elytrophori
Eremochloa ciliaris
Sphacelotheca eremochloae
Haynaldia villosa
Puccinia haynaldiae
Heteropogon triticeus
Sphacelotheca heteropogonis-triticeae
Hordeum maritimum
Puccinia hordei-maritimi

GRAMINEAE (continued)

- Ischaemum rugosum*
- Sorosporium ischaemi*
- Panicum virgatum*
- Ascochyta missouriensis*
- Pennisetum bambusiforme*
- Cercospora tungurahensis*
- Phragmites karka*
- Ustilago phragmitis*
- Saccharum officinarum*
- Chaetomium fibripilum*
- Saccharum spontaneum* var.
- Lacellina sacchari*
- Trisetum distichophyllum*
- Leptosphaeria volkartiana*
- Vulpia membranacea*
- Puccinia corniculata*
- Vulpia myuros*
- Puccinia vulpiae-myuri*

GUTTIFERAE

- Vismia*
- Aphanopeltis andina*
- Elachopeltis andina*
- Vismia obtusa*
- Pestalotia vismiae*
- Phomopsis vismiae*

HAMAMELIDACEAE

- Liquidambar styraciflua*
- Cryptosporella beltsvillensis*

HIPPOCRATEACEAE

- ? *Hippocratea*
- Chaetothyrum molliuscula*

ICACINACEAE

- Mappia foetida*
- Cylindrosporium mappiae*

INSECTA

- Camponotus*
- Hymenostilbe camponoti*
- Coleopterous larva*
- Akanthomyces angustispora*
- Hapithus agitator quadratus*
- Insecticola clavata*

INVERTEBRATA (other than insecta)

- Spiders
- Hymenostilbe verrucosa*

JUNCACEAE

- Juncus*
- Pistillaria subuncialis*
- Pterula debilis*

LABIATAE

- Leucas stelligera*
- Cercospora leucadis*

LAURACEAE

- Actinodaphne hookeri*
- Phyllachora actinodaphnes*

LECYTHIDACEAE

- Careya arborea*
- Cercospora careyae*

LEGUMINOSAE

- Albizzia lebbek*
- Helminthosporium albizzicola*
- Cassia alata*
- Pistillaria rhodocionides*
- Cassia fistula*
- Phleospora cassiae*
- Crotalaria semperflorens*
- Synchytrium crotuariae*
- Dalbergia sissoo*
- Hysterographium dalbergiae*
- Dalbergia volubilis*
- Cercospora dalbergicola*

LEGUMINOSAE (continued)

- Erythrina suberosa*
- Helminthosporium erythrinae*
- Lathyrus latifolius*
- Peronospora lathyrina*
- Medicago falcata*
- Leptosphaeria blumeri*
- Mezoneurum cucullatum*
- Elsinoe mezoneuri*
- Phaca alpina*
- Pyrenopeziza phacae*
- Phaseolus vulgaris*
- Ramularia phaseolina*
- Psoralea glandulosa*
- Cercospora psoraleae*
- Smithia bigemina*
- Parodiella smithiae*
- Swartzia*
- Phyllachora jacarandae*
- Vicia cracca*
- Leptosphaeria viciae*
- Wagatea spicata*
- Helminthosporium wagateae*

LILIACEAE

- Agapanthus umbellatus*
- Mycosphaerella agapanthi*
- Allium victorale*
- Hypoderma allicina*
- Pyrenopeziza allicina*
- Yucca gloriosa*
- ? *Ceuthospora gloriosa*

LINACEAE

- Ixonanthes icosandra*
- Pterula epiphylla*

LORANTHACEAE

- Loranthus* sp.
- Uromyces nilagiricus*
- Oryctanthus florulentus*
- Parodiopsis sydownii*

LYTHRACEAE

- Rotala aquatica*
- Macrophoma rotalae*

MALVACEAE

- Hibiscus syriacus*
- Corynespora hibisci*
- Thespesia populnea*
- Cercospora thespesiae*

MELASTOMACEAE

- Centronia excelsa*
- Asterina centroniae*
- Synostomella nervicola*
- Miconia pichinchensis*
- Helminthosporium insuetum*
- Miconia* ? theaezans
- Cryptocline andina*
- Lasiostemmella sydownii*
- Stemphylium dichroum*

MELIACEAE

- Cedrela toona*
- Discella cedrelae*

MYRSINACEAE

- Neodimerium sydownii*
- Embelia ribes*
- Physalospora anamalaiensis*
- Pseudopeziza indica*

MYRTACEAE

- Eugenia cerina*
- Dimorphocystis laevis*
- Dimorphocystis subcapitatus*
- Jambosa laeta*
- Plowrightia indica*
- Syzigium montanum*
- Diplodia longipedicellatum*

ORCHIDACEAE
 Coelogyne
 Gloeosporium zonatum
 Habenaria dilatata
 Puccinia connersii

 PALMAE
 Borassus flabellifer
 Sphaerodochis borassi
 Copernicia cerifera
 Phyllosticta cearensis
 POLYGONACEAE
 Atraphaxis spinosa
 Coniothyrium atraphaxidis
 Polygonum chinense
 Ustilago tumeformis
 Polygonum maritimum
 Ovularia corsica
 Polygonum sachalinense
 Gyothyrium westerdijkiae
 Polygonum viviparum
 Venturia polygoni-vivipari
 PTERIDOPHYTA
 Alsophila hirta
 Helicosporium insuetum
 Diplazium linebergii
 Polycyclus marginalis
 Dryopteris diplazioides
 Fusarium mindoanum
 Pteridium
 Lachnum tungurahuense

 RANUNCULACEAE
 Aconitum napellus
 Leptosphaeria napelli
 Clematis vitalba
 Puccinia hordei-maritimi
 Delphinium
 Diplodina delphinii
 Thalictrum aquilegifolium
 Leptosphaeria tenuis
 RHAMNACEAE
 Scutia myrtina
 Septogloeum scutiae
 ROSACEAE
 Prunus
 Xylosphaeria gorganensis
 RUBIACEAE
 Xenostigmella paradoxa
 Nauclea
 Pezolepis naucleae
 RUTACEAE
 Feronia elephantum
 Septogloeum feroniae

 SALICACEAE
 Populus euphratica
 Stemphylium iranicum
 Populus hybrida
 Septoria davatchii
 SALVADORACEAE
 Azima tetracantha
 Cercospora azimae
 SANTALACEAE
 Santalum album
 Ascochyta santali

SAPINDACEAE
 Nephelium lappaceum
 Oidium nephelii
 ? Pometia alnifolia
 Pterula typhuloides
 Sapindus emarginatus
 Cercospora sapindi-emarginati
 SCROPHULARIACEAE
 Pedicularis foliosa
 Didymella pedicularidis
 SOLANACEAE
 Cestrum
 Phomopsis andina
 Solanum
 Asterina grisea
 Phaeodimeriella sydowii
 Solanum crinitipes
 Cryptoparodia bisporea
 Solanum longevirgatum
 Molleriella sydowiana
 STERCULIACEAE
 Buettneria
 Asterostomula patula
 Echidnodes patula
 Phyllachora condigna
 Theobroma cacao
 Unguicula caespitosa
 SYMLOCACEAE
 Symplocos foliosa
 Camarotella symploci
 Symplocos spicata
 Ascomycetella symploci

 THEACEAE
 Eurya nervosa
 Cercospora caloloma
 TILIACEAE
 Triumfetta rhomboidea
 Cercospora triumfettae
 TYPHACEAE
 Typha latifolia
 Leptosphaeria palustris

 UMBELLIFERAE
 Laserpitium halleri
 Cladosporium ladinum
 Leptosphaeria ladina
 URTICACEAE
 Pilea melastomoides
 Mycosphaerella sublibera

 VIOLACEAE
 Viola biflora
 Lophodermium violae
 VITACEAE
 Vitis vinifera
 Stigmata esfandiarii

 ZINGIBERACEAE
 Costus
 Pterula subtyphuloides
 Elettaria cardamomum
 Catacauma elettariae
 ZYGOPHYLLACEAE
 Zygophyllum atriplicoides
 Zignoella sharifii

INDEX OF FUNGI

PUBLISHED SINCE THE BEGINNING OF 1940

Formerly issued as Supplements to the Review of Applied Mycology

VOL. II

PART 3

1951

- Achrotelium hemidesmi* Mundkur & Thirumalachar in *Mycol. Pap., C.M.I.*, 40, p. 10, 1951 on *Hemidesmus indicus*.—India.
- Actinothyrium viburni* da Camara in *Agron. lusit.*, 11, p. 69, 1949 on *Viburnum*.—Portugal.
- Aecidium geniosporii* (this *Index*, ii, p. 1) should be *A. geniospori* on *Geniosporum paludosum*.
- * *hypericophylli* Viennot-Bourgin in *Rev. Mycologie*, 15, Suppl. Col. No. 2, p. 104, 1950 on *Hypericophyllum multicaule*.—French Guinea.
- *ligustricola* Cummins in *Mycologia*, 43, p. 96, 1951 on *Ligustrum*.—Kwangsi, China.
- Agaricus trinitatensis* Baker & Dale in *Mycol. Pap., C.M.I.*, 33, p. 84, 1951.—Trinidad.
- *violaceo-squamulosus* Baker & Dale in *Mycol. Pap., C.M.I.*, 33, p. 84, 1951.—Trinidad.
- Aleurodiscus minnsiae* Jackson in *Canad. J. Res.*, Sect. C, 28, p. 67, 1950 on *Tsuga canadensis*.—Ontario, Canada.
- *pini* Jackson in *Canad. J. Res.*, Sect. C, 28, p. 74, 1950 on *Pinus strobus*.—Ontario, Canada.
- Allescheriella crocea* (Mont.) Hughes apud Baker & Dale in *Mycol. Pap., C.M.I.*, 33, p. 97, 1951. (Syn. *Mucor croceus* Mont.).
- * *Amoebidium poissoni* Duboseq, Léger, & Tuzet in *Arch. Zool. exp. gén.*, 86, p. 107, 1948 on *Cloeon dipterum*.—France.
- Amphichaeta rhododendri* da Camara in *Agron. lusit.*, 11, p. 187, 1949 on *Rhododendron*.—Portugal.
- *viburni* da Camara in *Agron. lusit.*, 11, p. 187, 1949 on *Viburnum tinus*.—Portugal.
- Angiopsora elephantopodis* (Hiratsuka) Mundkur & Thirumalachar in *Mycol. Pap., C.M.I.*, 40, p. 9, 1951. (Syn. *Phakopsora elephantopodis* Hiratsuka).
- Anisoldipidium stigeoclonii* (de Wild.) Canter in *Trans. Brit. mycol. Soc.*, 33, p. 343, 1950. (Syn. *Olpidium stigeoclonii* de Wild.).
- Anthostomella appendiculosa* (Berk. & Br.) Sacc. var. *lusitanica* da Camara in *Agron. lusit.*, 11, p. 44, 1949 on *Rubus*.—Portugal.
- *clypeata* (De Not.) Sacc. var. *macrospora* da Camara in *Agron. lusit.*, 11, p. 170, 1949 on *Rubus*.—Portugal.
- *clypeatula* da Camara in *Agron. lusit.*, 11, p. 170, 1949 on *Jasminum*.—Portugal.
- APLECTOSOMA* Drechsler in *Mycologia*, 43, p. 173, 1951.—Zoopagaceae.
- *microsporum* Drechsler in *Mycologia*, 43, p. 173, 1951 on *Amoeba*.—Maryland, U.S.A.
- Ascochyta brachypodii* (Syd.) Sprague & A. G. Johnson in Sprague, *Diseases of Cereals and Grasses*, p. 153, 1950. (Syn. *Diplodina brachypodii* Syd.).
- *cyathulae* Chona & Munjal in *Curr. Sci.*, 11, p. 354, 1950 on *Cyathula tomentosa*.—India.
- *sporoboli* E. Castellani & Graniti apud Graniti in *Nuovo G. bot. ital.*, N.S., 57, p. 255, 1950 on *Sporobolus affinis*.—East Africa.
- Ascotricha guamensis* Ames in *Mycologia*, 43, p. 30, 1951 from cardboard.—Guam, Ladrones Islands.
- *xylina* Ames in *Mycologia*, 43, p. 29, 1951 from cotton cloth.—Philippine Islands.
- * *Aspergillus chevalieri* (Mangin) Thom & Church var. *ruber* Sasaki in *J. Fac. Agric. Hokkaido Univ.*, 49, p. 137, 1950 from butter.—Japan.
- * — *flavus* Link var. *asper* Sasaki in *J. Fac. Agric. Hokkaido Univ.*, 49, p. 143, 1950 from butter.—Japan.
- *thomii* G. Smith in *Trans. Brit. mycol. Soc.*, 34, p. 17, 1951.—England.
- * — *versicolor* (Vuillm.) Tiraboschi var. *mag-nus* Sasaki in *J. Fac. Agric. Hokkaido Univ.*, 49, p. 142, 1950 from butter.—Japan.
- * — *yezoensis* Sasaki in *J. Fac. Agric. Hokkaido Univ.*, 49, p. 144, 1950 from butter.—Japan.
- Asterina centropogonis* Baker & Dale in *Mycol. Pap., C.M.I.*, 33, p. 40, 1951 on *Centropogon cornutus*.—Trinidad.
- Asterolibertia sporoboli* E. Castellani & Graniti apud Graniti in *Nuovo G. bot. ital.*, N.S., 57, p. 250, 1950 on *Sporobolus ruspolianus*.—British Somaliland.
- ATKINSONELLA** Diehl in *Agric. Monogr. U.S. Dep. Agric.* 4, p. 48, 1950.—Hypocreales. Type *A. hypoxylon*.
- *hypoxylon* (Peck) Diehl in *Agric. Monogr. U.S. Dep. Agric.* 4, p. 49, 1950. (Syn. *Epichloë hypoxylon* Peck).
- var. *texensis* Diehl in *Agric. Monogr. U.S. Dep. Agric.* 4, p. 54, 1950 on *Stipa leucotricha*.—Texas, U.S.A.
- Balsania aristidae* (Atk.) Diehl in *Agric. Monogr. U.S. Dep. Agric.* 4, p. 43, 1950. (Syn. *Dothichloë aristidae* Atk.).
- *cyperacearum* (Berk. & Curt.) Diehl in *Agric. Monogr. U.S. Dep. Agric.* 4, p. 39, 1950. (Syn. *Hypocrea cyperacearum* Berk. & Curt.).
- *epichloë* (Weese) Diehl in *Agric. Monogr. U.S. Dep. Agric.* 4, p. 40, 1950. (Syn. *Dothichloë epichloë* Weese).
- *hemicrypta* Diehl in *Agric. Monogr. U.S. Dep. Agric.* 4, p. 45, 1950 on *Aristida glauca*.—Texas, U.S.A.
- *henningsiana* (Moell.) Diehl in *Agric. Monogr. U.S. Dep. Agric.* 4, p. 36, 1950. (Syn. *Ophiidothis henningsiana* Moell.).
- *linearis* (Rehm) Diehl in *Agric. Monogr. U.S. Dep. Agric.* 4, p. 47, 1950. (Syn. *Ophiidothis linearis* Rehm).

- *obtecta* Diehl in *Agric. Monogr. U.S. Dep. Agric.* 4, p. 21, 1950 on *Cenchrus echinatus*.—Florida, U.S.A.
- *strangulans* (Mont.) Diehl in *Agric. Monogr. U.S. Dep. Agric.* 4, p. 29, 1950. (Syn. *Cordyceps strangulans* Mont.).
- forma *discoidea* (P. Henn.) Diehl in *Agric. Monogr. U.S. Dep. Agric.* 4, p. 33, 1950. (Syn. *Balansia discoidea* P. Henn.).
- Balansiosis asclerotiaca** (P. Henn.) Diehl in *Agric. Monogr. U.S. Dep. Agric.* 4, p. 58, 1950. (Syn. *Balansia asclerotiaca* P. Henn.).
- *pilulaeformis* (Berk. & Curt.) Diehl in *Agric. Monogr. U.S. Dep. Agric.* 4, p. 56, 1950. (Syn. *Dothidea pilulaeformis* Berk. & Curt.).
- BALLOCEPHALA** Drechsler in *Bull. Torrey bot. Cl.*, 78, p. 199, 1951.—Entomophthorales.
- *sphaerospora* Drechsler in *Bull. Torrey bot. Cl.*, 78, p. 199, 1951 on *Macrobiotus*.—Pennsylvania, U.S.A.
- ***BANKERA** Coker & Beers, *The Stipitate Hydnum of the Eastern United States*, p. 33, 1951.—Hydnaceae.
- *fuligineo-alba* (Schmidt [ex Fr.]) Coker & Beers, *The Stipitate Hydnum of the Eastern United States*, p. 34, 1951. (Syn. *Hydnum fuligineo-album* Schmidt).
- Boletus bovinus** (L.) Fr. var. *virido-caerulescens* Pearson in *Trans. Brit. mycol. Soc.*, 33, p. 314, 1950.—South Africa.
- *subtomentosus* Fr. var. *albo-ochraceus* Pilát in *Stud. bot. čechoslov.*, 12, p. 60, 1951.—Czechoslovakia.
- Brachysporium britannicum** Hughes in *The Naturalist*, p. 48, 1951 on dead *Betula*.—England.
- *masonii* Hughes in *The Naturalist*, p. 46, 1951 on dead *Quercus*.—England.
- Brettanomyces sphaericus** Etchells & Bell in *Farlowia*, 4, p. 107, 1950 in cucumber brine.—North Carolina, U.S.A.
- *versatilis* Etchells & Bell in *Farlowia*, 4, p. 106, 1950 in cucumber brine.—North Carolina, U.S.A.
- Burrillia narasimhanii** Thirumalachar & Mundkur in *Mycol. Pap., C.M.I.*, 40, p. 8, 1951 on *Alisma reniformis*.—India.
- Caecoma cheoanum** Cummins in *Mycologia*, 43, p. 95, 1951 on *Rubus*.—Kwangsi, China.
- *torreyae* Bonar in *Mycologia*, 43, p. 62, 1951 on *Torreya californica*.—California, U.S.A.
- Calonectria ilicicola** Boedijn & Reitsma in *Reinwardtia*, 1, p. 58, 1950 in cultures from potato tubers.—Indonesia.
- Candelospora theae** (Petch) Wakefield ex Gadd in *Monographs on Tea Production in Ceylon*, No. 2, Tea Research Institute of Ceylon, p. 59, 1949. (Syn. *Cercospora theae* Petch).
- Carpenterella cannae** Mundkur & Thirumalachar in *Mycol. Pap., C.M.I.*, 40, p. 1, 1951 on *Canna indica*.—India.
- Catacaumella calamicola** T. S. & K. Ramakrishnan in *Proc. Indian Acad. Sci., Sect. B*, 32, p. 208, 1950 on *Calamus rotang*.—India.
- Catenulopsora grewiae** Mundkur & Thirumalachar in *Mycol. Pap., C.M.I.*, 40, p. 13, 1951 on *Grewia populifolia*.—India.
- Ceratobasidium anceps** (Bres. & Syd.) Jackson in *Canad. J. Res., Sect. C*, 27, p. 243, 1949. (Syn. *Tulasnella anceps* Bres. & Syd.).
- Ceratocystis autographa** Bakshi in *Ann. Bot., Lond., N.S.*, 15, p. 58, 1951 on *Larix leptolepis*.—Scotland.
- *coerulescens* (Münch) Bakshi in *Trans. Brit. mycol. Soc.*, 33, p. 114, 1950 and *Mycol. Pap., C.M.I.*, 35, p. 2, 1951. (Syn. *Endocoma diophora coerulescens* Münch).
- *galeiformis* Bakshi in *Mycol. Pap., C.M.I.*, 35, p. 13, 1951 on *Larix kaempferi*.—Scotland.
- *longirostellata* Bakshi in *Mycol. Pap., C.M.I.*, 35, p. 11, 1951 on *Quercus*.—Scotland.
- *wilsoni* Bakshi in *Mycol. Pap., C.M.I.*, 35, p. 8, 1951 on *Quercus*.—Scotland.
- Cercospora antirrhini** Muller & Chupp in *Ceiba*, 1, p. 171, 1950 on *Antirrhinum majus*.—Guatemala.
- *astilbes* Togashi in *Trans. Sapporo nat. Hist. Soc.*, 17, p. 96, 1942 on *Astilbe congesta*.—Japan.
- *bombacina* T. S. & K. Ramakrishnan in *Proc. Indian Acad. Sci., Sect. B*, 32, p. 212, 1950 on *Bombax malabaricum*.—India.
- *chloranthi* Togashi & Katsuki in *Trans. Sapporo nat. Hist. Soc.*, 17, p. 96, 1942 on *Chloranthus serratus*.—Japan.
- *cochlospermi* Baker & Dale in *Mycol. Pap., C.M.I.*, 33, p. 101, 1951 on *Cochlospermum vitifolium*.—Trinidad.
- *cotizensis* Muller & Chupp nom. nov. in *Ceiba*, 1, p. 173, 1950. (Syn. *Cercospora crotalariae* Syd. 1930, non Sacc. 1906).
- *cryptomeriicola* Sawada in *Bull. Govt. Forest Exp. Sta., Tokyo* 45, p. 53, 1950 on *Cryptomeria japonica*.—Japan.
- *dispori* Togashi & Maki in *Trans. Sapporo nat. Hist. Soc.*, 17, p. 98, 1942 on *Disporum smilacinum* var. *ramosum*.—Japan.
- *ehikomontana* Togashi & Katsuki in *Trans. Sapporo nat. Hist. Soc.*, 17, p. 99, 1942 on *Mercurialis leiocarpa*.—Japan.
- *guatemalensis* Muller & Chupp in *Ceiba*, 1, p. 173, 1950 on *Ocimum canum*.—Guatemala.
- *gymnema* Togashi & Onuma in *Trans. Sapporo nat. Hist. Soc.*, 17, p. 99, 1942 on *Gymnema affine*.—Japan.
- *jacobinicola* Muller & Chupp in *Ceiba*, 1, p. 174, 1950 on *Jacobinia spicigera*.—Guatemala.
- *kerriae* Togashi in *Trans. Sapporo nat. Hist. Soc.*, 17, p. 99, 1942 on *Kerria japonica* var. *typica*.—Japan.
- *ligustici* Togashi in *Trans. Sapporo nat. Hist. Soc.*, 17, p. 100, 1942 on *Ligusticum hultenii*.—Japan.
- *maracasensis* Baker & Dale in *Mycol. Pap., C.M.I.*, 33, p. 103, 1951 on *Commelina elegans*.—Trinidad.
- *naitoi* Togashi in *Trans. Sapporo nat. Hist. Soc.*, 17, p. 101, 1942 on *Ilex oldhami*.—Japan.
- *oliganthidis* Baker & Dale in *Mycol. Pap., C.M.I.*, 33, p. 104, 1951 on *Oliganthes condensata*.—Trinidad.
- *— *schreberae* Mahmud in *Curr. Sci.*, 19, p. 292, 1950 on *Schrebera swietenoides*.—India.
- *sebastianiae* Baker & Dale in *Mycol. Pap., C.M.I.*, 33, p. 105, 1951 on *Sebastiania corniculata*.—Trinidad.
- *solani-asperi* Baker & Dale in *Mycol. Pap., C.M.I.*, 33, p. 105, 1951 on *Solanum asperum*.—Trinidad.
- *solani-hirti* Baker & Dale in *Mycol. Pap., C.M.I.*, 33, p. 105, 1951 on *Solanum hirtum*.—Trinidad.
- *sophorae* T. S. and K. Ramakrishnan in *Proc. Indian Acad. Sci., Sect. B*, 32, p. 213, 1950 on *Sophora glauca*.—India.

- *spiraeicola* Muller & Chupp in *Ceiba*, 1, p. 177, 1950 on *Spiraea prunifolia*.—Guatemala.
- *stigmaphyllonis* Baker & Dale in *Mycol. Pap., C.M.I.*, 33, p. 106, 1951 on *Stigmaphyllon convolvulifolium*.—Trinidad.
- *tithoniae* Baker & Dale in *Mycol. Pap., C.M.I.*, 33, p. 106, 1951 on *Tithonia diversifolia*.—Trinidad.
- *vignae-vexillatae* Baker & Dale in *Mycol. Pap., C.M.I.*, 33, p. 107, 1951 on *Vigna vexillata*.—Trinidad.
- Chromocrea spinulosa** (Fuckel) Petch apud Brooks & Mathieson in *Trans. Brit. mycol. Soc.*, 33, p. 350, 1950. (Syn. *Hypocrea spinulosa* Fuckel).
- Cintractia scleriae-lithospermi** Thirumalachar in *Lloydia*, 13, p. 173, 1950 on *Scleria lithospermi* var. *roxburghii*.—India.
- Circinella rigida** G. Smith in *Trans. Brit. mycol. Soc.*, 34, p. 19, 1951 in soil.—England.
- Cladochytrium setigerum** Karling in *Bull. Torrey bot. Cl.*, 78, p. 38, 1951 in soil.—Maryland, U.S.A.
- Clasterosporium obclavatum** Bonar in *Mycologia*, 43, p. 64, 1951 on *Torreya californica*.—California, U.S.A.
- Claudopus rubro-violascens** Vacek in *Stud. bot. čechoslov.*, 11, p. 70, 1950 on roots.—Czechoslovakia.
- Clavaria (Lentaria) albo-vinacea** Pilát in *Stud. bot. čechoslov.*, 11, p. 150, 1950.—Czechoslovakia.
- (*Clavariadelphus*) *contorta* Fr. var. *orlosii* Pilát in *Stud. bot. čechoslov.*, 11, p. 153, 1950 on dead *Betula verrucosa*.—Czechoslovakia.
- Claviceps diadema** (Moell.) Diehl in *Agric. Monogr. U.S. Dep. Agric.* 4, p. 60, 1950. (Syn. *Balansia diadema* Moell.).
- *inconspicua* Langdon in *Proc. roy. Soc. Qd.*, 61, p. 31, 1950 on *Hyparrhenia filipendula*.—Queensland, Australia.
- *orthocladae* (P. Henn.) Diehl in *Agric. Monogr. U.S. Dep. Agric.* 4, p. 60, 1950. (Syn. *Claviceps pallida* Wint. var. *orthocladae* P. Henn.).
- Clitocybe microspora** Baker & Dale [now Peck, 1909] in *Mycol. Pap., C.M.I.*, 33, p. 85, 1951.—Trinidad.
- *subfellea* Murrill in *Mycologia*, 43, p. 235, 1951.—Florida, U.S.A.
- Clypeolum lusitanicum** da Camara in *Agron. lusit.*, 11, p. 49, 1949 on *Hedera helix*.—Portugal.
- Cochlonema calosperma** Drechsler in *Mycologia*, 43, p. 167, 1951 on *Amoeba*.—Maryland, U.S.A.
- Coleosporium cheoanum** Cummins in *Mycologia*, 42, p. 788, 1950 on *Coleus*.—Kweichow, China.
- *rubicola* Cummins in *Mycologia*, 42, p. 788, 1950 on *Rubia cordifolia*.—Kweichow, China.
- *violae* Cummins in *Mycologia*, 42, p. 787, 1950 on *Viola limprichtiana*.—Kweichow, China.
- Collybia chrysopepla** (Berk. & Curt.) Pearson in *Trans. Brit. mycol. Soc.*, 33, p. 297, 1950. (Syn. *Lentinus chrysopeplus* Berk. & Curt.).
- *fragrantissima* Pearson in *Trans. Brit. mycol. Soc.*, 33, p. 297, 1950.—South Africa.
- *maculatoides* Pearson in *Trans. Brit. mycol. Soc.*, 33, p. 297, 1950.—South Africa.
- *umbrinescens* Murrill in *Mycologia*, 43, p. 235, 1951.—Florida, U.S.A.
- Coniophyrium globulosum** da Camara in *Agron. lusit.*, 10, p. 305, 1948 on *Eucalyptus globulus*.—Portugal.
- Coprinus agricola** Pearson in *Trans. Brit. mycol. Soc.*, 33, p. 313, 1950.—South Africa.
- *westii* Murrill in *Mycologia*, 43, p. 236, 1951.—Florida, U.S.A.
- Corticium delicatissimum** Jackson in *Canad. J. Res., Sect. C*, 28, p. 722, 1950 on *Tsuga canadensis*.—Ontario, Canada.
- *exile* Jackson in *Canad. J. Res., Sect. C*, 28, p. 721, 1950 on a conifer.—Ontario, Canada.
- *improvisum* Jackson in *Canad. J. Res., Sect. C*, 28, p. 720, 1950 on *Quercus*.—Quebec, Canada.
- *inopinatum* Jackson in *Canad. J. Res., Sect. C*, 28, p. 718, 1950 on *Tsuga canadensis*.—Ontario, Canada.
- *insperatum* Jackson in *Canad. J. Res., Sect. C*, 28, p. 718, 1950 on bark.—Ontario, Canada.
- *pauillum* Jackson in *Canad. J. Res., Sect. C*, 28, p. 724, 1950 on *Pteris pennsylvanica*.—Ontario, Canada.
- *permodicum* Jackson in *Canad. J. Res., Sect. C*, 28, p. 721, 1950 on wood.—Ontario, Canada.
- *praeteritum* Jackson & Dearden in *Canad. J. Res., Sect. C*, 27, p. 152, 1949 on *Alnus rubra*.—British Columbia.
- *propinquum* Jackson & Dearden in *Canad. J. Res., Sect. C*, 27, p. 155, 1949 on *Thuja plicata*.—British Columbia.
- *proximum* Jackson in *Canad. J. Res., Sect. C*, 28, p. 722, 1950 on wood.—Vermont, U.S.A.
- *quaesitum* Jackson & Dearden in *Canad. J. Res., Sect. C*, 27, p. 154, 1949 on *Pseudotsuga taxifolia*.—British Columbia.
- *rallum* Jackson in *Canad. J. Res., Sect. C*, 28, p. 723, 1950 on *Tsuga canadensis*.—Ontario, Canada.
- *separatum* Jackson & Dearden in *Canad. J. Res., Sect. C*, 27, p. 154, 1949 on *Abies grandis*.—British Columbia.
- *testatum* Jackson & Dearden in *Canad. J. Res., Sect. C*, 27, p. 151, 1949 on *Pseudotsuga taxifolia*.—British Columbia.
- Cortinarius (Phlegmacium) brunneo-limosus** Pearson in *Trans. Brit. mycol. Soc.*, 33, p. 304, 1950.—South Africa.
- (*Dermocybe*) *radio-fibrillosus* Pearson in *Trans. Brit. mycol. Soc.*, 33, p. 304, 1950.—South Africa.
- Crepidotus austro-africanus** Pilát in *Trans. Brit. mycol. Soc.*, 33, p. 237, 1950.—South Africa.
- *gayi* Pilát in *Trans. Brit. mycol. Soc.*, 33, p. 237, 1950.—Chile.
- *novae-zealandiae* Pilát in *Trans. Brit. mycol. Soc.*, 33, p. 238, 1950.—New Zealand.
- *pouceensis* Pilát in *Trans. Brit. mycol. Soc.*, 33, p. 238, 1950.—Mauritius.
- *sarawakensis* Pilát in *Trans. Brit. mycol. Soc.*, 33, p. 238, 1950.—Borneo.
- *subaffinis* Pilát in *Trans. Brit. mycol. Soc.*, 33, p. 239, 1950.—Mauritius.
- *subepicrocinus* Pilát in *Trans. Brit. mycol. Soc.*, 33, p. 237, 1950.—Ceylon.
- Cryptostictis plantarum** da Camara nom. nov. in *Agron. lusit.*, 11, p. 184, 1949. (Syn. *C. arbustivarum* da Camara). [No reason is given for 'nom. nov.']
- Cucurbitaria occulta** Fck. forma *subdisticha* da Camara in *Agron. lusit.*, 11, p. 173, 1949 on *Rosa*.—Portugal.

- Cyathus sinensis* Imazeki in *Bot. Mag., Tokyo*, 63, p. 96, 1950.—Japan.
- Cyclodermis cryptomeriae* Sawada in *Bull. Govt. Forest Exp. Sta., Tokyo* 45, p. 51, 1950 on *Cryptomeria japonica*.—Japan.
- Cylindrocladium citri* (Fawcett & Klotz) Boedijn & Reitsma in *Reinwardtia*, 1, p. 57, 1950. (Syn. *Candelospora citri* Fawcett & Klotz).
- curvatum* Boedijn & Reitsma in *Reinwardtia*, 1, p. 54, 1950 on *Hibiscus subdariffa*.—Indonesia.
- ilicicola* (Hawley) Boedijn & Reitsma in *Reinwardtia*, 1, p. 57, 1950. (Syn. *Candelospora ilicicola* Hawley).
- quinqueseptatum* Boedijn & Reitsma in *Reinwardtia*, 1, p. 59, 1950 on *Syzygium aromaticum*.—Indonesia.
- Cytidia lanata* W. B. Cooke in *Mycologia*, 43, p. 205, 1951 on bark of *Betula*.—Idaho, U.S.A.
- sarcoides* (Fr.) W. B. Cooke in *Mycologia*, 43, p. 204, 1951. (Syn. *Thelephora sarcoides* Fr.).
- stereoides* W. B. Cooke in *Mycologia*, 43, p. 206, 1951 on branches.—California, U.S.A.
- Cytosporina subclypeata* da Camara in *Agron. lusit.*, 10, p. 312, 1948 on *Olea europaea*.—Portugal.
- Dasyscypha aplopappi* Cash in *Mycologia*, 43, p. 229, 1951 on dead *Aplopappus bloomeri* var. *angustatus*.—California, U.S.A.
- phlogis* Cash in *Mycologia*, 43, p. 230, 1951 on *Phlox douglasii*.—California, U.S.A.
- salmonea* Cash in *Mycologia*, 43, p. 230, 1951 on dead *Aplopappus bloomeri* var. *angustatus*.—California, U.S.A.
- **Dendryphium penicillatum* (Corda) Fries var. *sclerotiale* Meffert in *Z. Parasitenk.*, 14, p. 462, 1950.—Germany.
- Dictyolus conchatus* (Vel.) Pilát in *Stud. bot. čechoslov.*, 12, p. 64, 1951. (Syn. *Leptoglossum conchatum* Vel.).
- Dictyoploca rhyssophylla* (Mont.) Baker & Dale in *Mycol. Pap., C.M.I.*, 33, p. 86, 1951. (Syn. *Marasmius rhyssophyllus* Mont.).
- Didymosphaeria epidermidis* (Fr.) Fuckel var. *rosmarini* da Camara in *Agron. lusit.*, 11, p. 46, 1949 on *Rosmarinus officinalis*.—Portugal.
- Dimeriellopsis cryptomeriae* Sawada in *Bull. Govt. Forest Exp. Sta., Tokyo* 45, p. 48, 1950 on *Cryptomeria japonica*.—Japan.
- Diplodia deutziae* da Camara in *Agron. lusit.*, 11, p. 65, 1949 on *Deutzia*.—Portugal.
- mitylospora* da Camara in *Agron. lusit.*, 11, p. 182, 1949 on *Lavandula stoechas*.—Portugal.
- Diplophlyctis sexualis* Haskins in *Mycologia*, 42, p. 775, 1950.—Ontario, Canada; New York and Mass., U.S.A.
- Dothiorella cercidospora* (da Camara) da Camara in *Agron. lusit.*, 11, p. 52, 1949. (Syn. *Macrophoma cercidospora* da Camara).
- eucalypti* (Berk. & Br.) Sacc. forma *microspora* da Camara in *Agron. lusit.*, 11, p. 52, 1949 on *Eucalyptus globulus*.—Portugal.
- Eccilia subpusilla* Pilát in *Stud. bot. čechoslov.*, 12, p. 38, 1951.—Czechoslovakia.
- **Eidamella papyricola* Saccas in *Bull. Soc. mycol. Fr.*, 66, p. 122, 1951 on paper.—France.
- ELLISIELLINA da Camara in *Agron. lusit.*, 11, p. 72, 1949.—Dematiaceae.
- biciliata* da Camara in *Agron. lusit.*, 11, p. 72, 1949 on *Oryzopsis caerulescens*.—Portugal.
- caudata* (Peck) da Camara in *Agron. lusit.*, 11, p. 72, 1949. (Syn. *Ellisiella caudata* Peck).
- Elsinoë centrolobii* Bitancourt & Jenkins in *Arg. Inst. Biol., S. Paulo*, 19, p. 98, 1950 on *Centrobium robustum*.—Brazil.
- diospyri* Bitancourt & Jenkins in *Arg. Inst. Biol., S. Paulo*, 20, p. 7, 1951 on *Diospyros kaki*.—Brazil.
- jatrophae* Bitancourt & Jenkins in *Arg. Inst. Biol., S. Paulo*, 20, p. 13, 1951 on *Jatropha curcas*.—Guatemala.
- mulleri* Bitancourt & Jenkins in *Arg. Inst. Biol., S. Paulo*, 20, p. 17, 1951 on *Polyscias guilfoylei*.—Venezuela.
- valleae* Bitancourt & Jenkins in *Arg. Inst. Biol., S. Paulo*, 20, p. 21, 1951 on *Vallea stipularis*.—Brazil.
- **Enterobryus allobrogicus* Duboseq, Léger, & Tuzet in *Arch. Zool. exp. gén.*, 86, p. 79, 1948 on *Iulus*.—France.
- *—*broelemanni* Duboseq, Léger, & Tuzet in *Arch. Zool. exp. gén.*, 86, p. 75, 1948 on *Blaniulus hirsutus*.—France.
- *—*gracilis* Duboseq, Léger, & Tuzet in *Arch. Zool. exp. gén.*, 86, p. 78, 1948 on *Polydesmus complanatus*.—France.
- *—*inflatus* Duboseq, Léger, & Tuzet in *Arch. Zool. exp. gén.*, 86, p. 73, 1948 on *Phalloiulus distinctus*.—France.
- *—*rectus* Duboseq, Léger, & Tuzet in *Arch. Zool. exp. gén.*, 86, p. 76, 1948 on *Iulus albipes*.—France.
- *—*robini* Duboseq, Léger, & Tuzet in *Arch. Zool. exp. gén.*, 86, p. 80, 1948 on *Schizoplyllum sabulosum extinctum*.—France.
- *—*strongylosomae* Duboseq, Léger, & Tuzet in *Arch. Zool. exp. gén.*, 86, p. 76, 1948 on *Strongylosoma querini*.—France.
- *—*tumidus* Duboseq, Léger, & Tuzet in *Arch. Zool. exp. gén.*, 86, p. 78, 1948 on *Polydesmus rubromarginatus*.—France.
- Entoloma weberi* Murrill in *Mycologia*, 43, p. 236, 1951.—Florida, U.S.A.
- Entyloma calendulae* (Oudem.) de Bary f. *bellidis* (Kreiger) Ainsworth & Sampson, *The British Smut Fungi*, p. 104, 1950. (Syn. *Entyloma bellidis* Kreiger).
- mysorensis* Thirumalachar in *Lloydia*, 13, p. 177, 1950 on *Scirpus*.—India.
- sporoboli* E. Castellani & Graniti apud Graniti in *Nuovo G. bot. ital.*, N.S., 57, p. 253, 1950 on *Sporobolus indicus* var. *laxus*.—Eritrea.
- Flammula devonica* Pilát in *Stud. bot. čechoslov.*, 12, p. 14, 1951.—Czechoslovakia.
- laeti-lamellata* Pearson in *Trans. Brit. mycol. Soc.*, 33, p. 303, 1950.—South Africa.
- luxurians* Pearson in *Trans. Brit. mycol. Soc.*, 33, p. 303, 1950.—South Africa.
- papillata* Pearson in *Trans. Brit. mycol. Soc.*, 33, p. 302, 1950.—South Africa.
- Fusicoccum cryptomeriae* Sawada in *Bull. Govt. Forest Exp. Sta., Tokyo* 45, p. 51, 1950 on *Cryptomeria japonica*.—Japan.
- Gelasinospora autosteira* Alexopoulos & S. H. Sung in *Mycologia*, 42, p. 723, 1950 on *Tillandsia usneoides*.—Mississippi, U.S.A.
- Gibbera andromedae* (Rehm) Müller & von Arx in *Ber. schweiz. bot. Ges.*, 60, p. 368, 1950. (Syn. *Trichosphaeria andromedae* Rehm).
- pseudotilia* Müller & von Arx nom. nov. in *Ber. schweiz. bot. Ges.*, 60, p. 368, 1950. (Syn.

- Pseudothia vaccinii* P. Henn. & Nym., non. *G. vaccinii* (Sow.) Fr.).
- **Gibberella xylarioides* Heim & Saccas apud Heim (as '*G. Carbuncularia*) *xylarioides* (Steyaert) Heim & Saccas, syn. *Fusarium xylarioides* Steyaert') in *Rev. Mycologie*, N.S., 15, p. 97, 1950 on *Coffea excelsa*.—West Africa.
- **Glomerella manihotis* Chevaugon in *Rev. Path. Vég.*, 29, p. 8, 1950 on *Manihot*.—Ivory Coast.
- Guignardia cryptomeriae* Sawada in *Bull. Govt. Forest Exp. Sta.*, Tokyo 45, p. 48, 1950 on *Cryptomeria japonica*.—Japan.
- myopori* da Camara in *Agron. lusit.*, 10, p. 287, 1948 on *Myoporum acuminatum*.—Portugal.
- Gymnosporangium gaeumannii* Zogg in *Ber. schweiz. bot. Ges.*, 59, p. 426, 1949 on *Juniperus nana*.—Switzerland.
- Gyromitra esculenta* var. *alba* Pilát in *Stud. bot. čechoslov.*, 12, p. 71, 1951. —Czechoslovakia.
- Halbania cryptomeriae* Sawada in *Bull. Govt. Forest Exp. Sta.*, Tokyo 45, p. 48, 1950 on *Cryptomeria japonica*.—Japan.
- Hamaspora ozeensis* Hiratsuka f. in *J. Jap. Bot.*, 26, p. 76, 1951 on *Rubus pectinellus*.—Japan.
- Haplo-ravenelia brevispora* (Hiratsuka f. & Hashioka) Ito apud Ito & Murayama in *Trans. Sapporo nat. Hist. Soc.*, 17, p. 167, 1943. (Syn. *Ravenelia brevispora* Hiratsuka f. & Hashioka).
- formosana* (Syd.) Ito apud Ito & Murayama in *Trans. Sapporo nat. Hist. Soc.*, 17, p. 166, 1943. (Syn. *Ravenelia formosana* Syd.).
- hobsoni* (Cooke) Ito apud Ito & Murayama in *Trans. Sapporo nat. Hist. Soc.*, 17, p. 166, 1943. (Syn. *Ravenelia hobsoni* Cooke).
- millettiae* (Hiratsuka f. & Hashioka) Ito apud Ito & Murayama in *Trans. Sapporo nat. Hist. Soc.*, 17, p. 166, 1943. (Syn. *Ravenelia millettiae* Hiratsuka f. & Hashioka).
- tephrosiicola* (Hiratsuka f.) Ito apud Ito & Murayama in *Trans. Sapporo nat. Hist. Soc.*, 17, p. 166, 1943. (Syn. *Ravenelia tephrosiicola* Hiratsuka f.).
- Haplosporella hydrangeae* da Camara in *Agron. lusit.*, 11, p. 180, 1949 on *Hydrangea hortensis*.—Portugal.
- Harposporium subuliforme* Drechsler in *J. Wash. Acad. Sci.*, 40, p. 408, 1950 on *Rhabditis*.—Maryland, U.S.A.
- Hebeloma angustispermum* Pearson in *Trans. Brit. mycol. Soc.*, 33, p. 302, 1950. —South Africa.
- Helminthosporium lusitanicum* da Camara in *Agron. lusit.*, 11, p. 73, 1949 on *Alnus glutinosa*.—Portugal.
- Helotium georginae* Vacek in *Stud. bot. čechoslov.*, 11, p. 74, 1950 on roots of *Juncus*.—Czechoslovakia.
- Hydnellum alachuanum* (Murr.) Coker & Beers, *The Stipitate Hydnums of the Eastern United States*, p. 66, 1951. (Syn. *Sarcodon alachuanum* Murr.).
- fasciatum* (Peck) Coker & Beers, *The Stipitate Hydnums of the Eastern United States*, p. 77, 1951. (Syn. *Hydnum fasciatum* Peck).
- zonatum* (Batsch) Karst. forma *vespertilio* (Berk.) Coker & Beers, *The Stipitate Hydnums of the Eastern United States*, p. 80, 1951. (Syn. *Hydnum vespertilio* Berk.).
- Hydnum bambusinum* Baker & Dale in *Mycol. Pap.*, C.M.I., 33, p. 76, 1951. —Trinidad.
- Hygrophorus piceae* Kühner in *Bull. mens. Soc. linn. Lyon*, 18, p. 181, 1949. —France.
- HYSTEROCARINA** Zogg in *Ber. schweiz. bot. Ges.*, 59, p. 42, 1949. —Hysteriales.
- paulistae* Zogg in *Ber. schweiz. bot. Ges.*, 59, p. 42, 1949 on *Eucalyptus*. —Brazil.
- Inocybe congregata* Pearson in *Trans. Brit. mycol. Soc.*, 33, p. 305, 1950. —South Africa.
- Irenopsis melothriae* Baker & Dale in *Mycol. Pap.*, C.M.I., 33, p. 11, 1951 on *Melothria trilobata*. —Trinidad.
- Kellermannia malabarica* T. S. & K. Ramakrishnan in *Proc. Indian Acad. Sci.*, Sect. B, 32, p. 211, 1950 on *Anogeissus latifolia*. —India.
- Laccaria trullisata* (Ellis) Peck subsp. *maritima* (Teod.) Andersson in *Bot. Notiser*, Suppl. vol. 2, pt. 2, p. 23, 1950. (Syn. *Hygrophorus maritimus* Teod.).
- Laetinaevia veratri* Cash in *Mycologia*, 43, p. 231, 1951 on *Veratrum californicum*. —California, U.S.A.
- ***LANGERONIA** Vanbreuseghem in *Ann. Soc. belge Méd. trop.*, 30, p. 888, 1950. —Dermatophytes.
- soudanensis* (Joyeux) Vanbreuseghem in *Ann. Soc. belge Méd. trop.*, 30, p. 888, 1950. (Syn. *Trichophyton soudanense* Joyeux).
- Lentinus omphalodes* Fr. var. *africanus* Pearson in *Trans. Brit. mycol. Soc.*, 33, p. 299, 1950. —South Africa.
- Lepiota aspericeps* Murrill in *Mycologia*, 43, p. 236, 1951. —Florida, U.S.A.
- canescens* Pearson in *Trans. Brit. mycol. Soc.*, 33, p. 292, 1950. —South Africa.
- cristato-cystidiata* Pearson in *Trans. Brit. mycol. Soc.*, 33, p. 291, 1950. —South Africa.
- cutifracta* Pearson in *Trans. Brit. mycol. Soc.*, 33, p. 289, 1950. —South Africa.
- fustiformis* Pearson in *Trans. Brit. mycol. Soc.*, 33, p. 291, 1950. —South Africa.
- murinidisca* Murrill in *Mycologia*, 43, p. 237, 1951. —Florida, U.S.A.
- neglecta* Murrill in *Mycologia*, 43, p. 237, 1951. —Florida, U.S.A.
- praeclara* Pearson in *Trans. Brit. mycol. Soc.*, 33, p. 288, 1950. —South Africa.
- roseolens* Pearson in *Trans. Brit. mycol. Soc.*, 33, p. 289, 1950. —South Africa.
- truncata* Pearson in *Trans. Brit. mycol. Soc.*, 33, p. 292, 1950. —South Africa.
- umbrino-zonata* Pearson in *Trans. Brit. mycol. Soc.*, 33, p. 290, 1950. —South Africa.
- Leptonia domestica* Murrill in *Mycologia*, 43, p. 238, 1951. —Florida, U.S.A.
- subfloridana* Murrill in *Mycologia*, 43, p. 238, 1951. —Florida, U.S.A.
- Leptoniella domestica* (Murrill) Murrill in *Mycologia*, 43, p. 238, 1951. (Syn. *Leptonia domestica* Murrill).
- subfloridana* (Murrill) Murrill in *Mycologia*, 43, p. 238, 1951. (Syn. *Leptonia subfloridana* Murrill).
- Leptosphaerulina cryptomeriae* Sawada in *Bull. Govt. Forest Exp. Sta.*, Tokyo 45, p. 49, 1950 on *Cryptomeria japonica*. —Japan.
- Macrophoma aloetica* da Camara in *Agron. lusit.*, 10, p. 296, 1948 on *Pistacia*. —Portugal.
- phormii* (Alm. & da Camara) da Camara in *Agron. lusit.*, 11, p. 54, 1949. (Syn. *Sclerotopsis phormii* Alm. & da Camara).
- pistaciaecola* da Camara in *Agron. lusit.*, 10, p. 297, 1948 on *Pistacia*. —Portugal.

- Macrophylosticta tiliae* da Camara in *Agron. lusit.*, 10, p. 298, 1948 on *Tilia argentea*.—Portugal.
- Massalongiella cryptomeriae* Sawada in *Bull. Govt. Forest Exp. Sta.*, Tokyo 45, p. 49, 1950 on *Cryptomeria japonica*.—Japan.
- Mastigosporium rubricosum* (Dearn. & Barth.) Sprague var. *agrostidis* Bollard in *Trans. Brit. mycol. Soc.*, 33, p. 262, 1950 on *Agrostis stolonifera*.—Great Britain.
- Melampsora abietis-populi* Imai apud Ito & Murayama in *Trans. Sapporo nat. Hist. Soc.*, 17, p. 164, 1943 on *Abies mayriana* and *Populus nigra* var. *italica*.—Japan.
- aleuritidis* Cummins in *Mycologia*, 42, p. 782, 1950 on *Aleurites*.—Kweichow, China.
- salicis-cupularis* Y. C. Wang in *Contr. Inst. bot. Nat. Acad. Peiping*, 6, p. 225, 1949 on *Salix cupularis*.—Shensi, China.
- Melanoleuca stepposa* Vacek in *Stud. bot. tchecoslov.*, 11, p. 70, 1950. —Czechoslovakia.
- Melanotus phaeophyllus* (Berk.) Pilát in *Trans. Brit. mycol. Soc.*, 33, p. 240, 1950. (Syn. *Agaricus phaeophyllus* Berk.).
- Meliola macrospora* Baker & Dale in *Mycol. Pap.*, C.M.I., 33, p. 17, 1951 on *Heliconia bihai*.—Trinidad.
- Microthyrium cryptomeriae* Sawada in *Bull. Govt. Forest Exp. Sta.*, Tokyo 45, p. 49, 1950 on *Cryptomeria japonica*.—Japan.
- Mollisia cryptomeriae* Sawada in *Bull. Govt. Forest Exp. Sta.*, Tokyo 45, p. 50, 1950 on *Cryptomeria japonica*.—Japan.
- hysteroides* Cash in *Mycologia*, 43, p. 233, 1951 on *Allopappus bloomeri* var. *angustatus*.—California, U.S.A.
- shastensis* Cash in *Mycologia*, 43, p. 232, 1951 on dead roots of *Eriogonum pyrolifolium*.—California, U.S.A.
- Mycena alcalinoides* Pearson in *Trans. Brit. mycol. Soc.*, 33, p. 295, 1950. —South Africa.
- hyalina* Pearson in *Trans. Brit. mycol. Soc.*, 33, p. 296, 1950. —South Africa.
- vibecina* Pearson in *Trans. Brit. mycol. Soc.*, 33, p. 296, 1950. —South Africa.
- Mycosphaerella exaci* T. S. & K. Ramakrishnan in *Proc. Indian Acad. Sci.*, Sect. C, 32, p. 205, 1950 on *Ezacus wightianum*.—India.
- gleicheniae* T. S. & K. Ramakrishnan in *Proc. Indian Acad. Sci.*, Sect. B, 32, p. 205, 1950 on *Gleichenia linearis*.—India.
- rauwolfiae* T. S. & K. Ramakrishnan in *Proc. Indian Acad. Sci.*, Sect. B, 32, p. 206, 1950 on *Rauwolfia serpentina*.—India.
- Myriogenospora atramentosa* (Berk. & Curt.) Diehl in *Agric. Monogr. U.S. Dep. Agric.* 4, p. 59, 1950. (Syn. *Hypocrea atramentosa* Berk. & Curt.).
- Myxosporella schini* Carranza in *Rev. Fac. Agron., La Plata*, 27, p. 277, 1950 on *Schinus molle*.—Argentina.
- Neovossia brachypodii* (Mundkur) Mundkur & Thirumalachar in *Mycol. Pap.*, C.M.I., 40, p. 7, 1951. (Syn. *Tilletia brachypodii* Mundkur).
- Nodulisporium africanum* G. Smith in *Trans. Brit. mycol. Soc.*, 34, p. 18, 1951 from cellulose acetate film. —England.
- thelenum* (Sacc.) G. Smith in *Trans. Brit. mycol. Soc.*, 34, p. 19, 1951. (Syn. *Stachyridium thelenum* Sacc.).
- Nolanea fragilis* Baker & Dale in *Mycol. Pap.*, C.M.I., 33, p. 90, 1951. —Trinidad.
- mammillata* Murrill in *Mycologia*, 43, p. 239, 1951. —Florida, U.S.A.
- Oidiopsis lini* Mundkur & Thirumalachar in *Mycol. Pap.*, C.M.I., 40, p. 14, 1951 on *Linum usitatissimum*. —India.
- macrospora* (Uppal, Patel, & Kamat) Mundkur & Thirumalachar in *Mycol. Pap.*, C.M.I., 40, p. 15, 1951. (Syn. *O. taurica* var. *macrospora* Uppal, Patel, & Kamat).
- Omphalia bicolor* Baker & Dale [now Murr.] in *Mycol. Pap.*, C.M.I., 33, p. 91, 1951. —Trinidad.
- pyxidatoides* Pearson in *Trans. Brit. mycol. Soc.*, 33, p. 298, 1950. —South Africa.
- Panaeolus fimicoloides* Pearson in *Trans. Brit. mycol. Soc.*, 33, p. 309, 1950. —South Africa.
- semi-ovatus* (Sow. ex Fr.) Lundell forma *exannulatus* Pearson in *Trans. Brit. mycol. Soc.*, 33, p. 309, 1950. —South Africa.
- *—*teutonicus* Bride & Métrod. in *Bull. Soc. mycol. Fr.*, 66, p. 106, 1950. —France.
- **Paramoebidium fuscum* Duboseq, Léger, & Tuzet in *Arch. Zool. exp. gén.*, 86, p. 111, 1948 on *Nephelopteryx nebulosa*. —France.
- *—*geniculatum* Duboseq, Léger, & Tuzet in *Arch. Zool. exp. gén.*, 86, p. 111, 1948 on *Ecdyonurus*. —France.
- *—*giganteum* Duboseq, Léger, & Tuzet in *Arch. Zool. exp. gén.*, 86, p. 111, 1948 on *Chloroperla*. —France.
- Parodiopsis rubra* (Arn.) Baker & Dale in *Mycol. Pap.*, C.M.I., 33, p. 8, 1951. (Syn. *Parodiopsis ingarum* (P. Henn.) Arn. var. *rubra* Arn.).
- urae* (Arn.) Baker & Dale in *Mycol. Pap.*, C.M.I., 33, p. 9, 1951. (Syn. *Parodiopsis perae* var. *urae* Arn.).
- Passalora aronici* (Fuckel) Arx (this Index, ii, p. 10) is a nomen nudum and a later homonym of *P. aronici* (Sacc.) Petrak (1937).
- Paxillus atrotomentosus* (Fr.) Fr. var. *bambusinus* Baker & Dale in *Mycol. Pap.*, C.M.I., 33, p. 92, 1951. —Trinidad.
- **Penicillium crustosum* Thom var. *spinulosporum* Sasaki in *J. Fac. Agric. Hokkaido Univ.*, 49, p. 158, 1950 from butter. —Japan.
- cyclopium* West. var. *album* G. Smith in *Trans. Brit. mycol. Soc.*, 34, p. 18, 1951 from a banana (*Musa*). —England.
- *—*ellipticum* Sasaki in *J. Fac. Agric. Hokkaido Univ.*, 49, p. 151, 1950 from butter. —Japan.
- *—*parallel sporum* Sasaki in *J. Fac. Agric. Hokkaido Univ.*, 49, p. 147, 1950 from butter. —Japan.
- *—*spinulo-ramigenum* Sasaki in *J. Fac. Agric. Hokkaido Univ.*, 49, p. 153, 1950 from butter. —Japan.
- Peniophora assimilis* Jackson & Dearden in *Mycologia*, 43, p. 55, 1951 on *Purshia tridentata*. —California, U.S.A.
- exima* Jackson & Dearden in *Mycologia*, 43, p. 60, 1951 on wood of *Abies magnifica* var. *shastensis*. —California, U.S.A.
- inusitata* Jackson & Dearden in *Canad. J. Res.*, Sect. C, 27, p. 150, 1949 on *Populus tri-chocarpa*. —British Columbia.
- involuta* Jackson & Dearden in *Mycologia*, 43, p. 54, 1951 on coniferous wood. —Wyoming, U.S.A.
- junipericola* J. Eriksson in *Symb. bot. upsaliens.*, 10, 5, p. 52, 1950 on *Juniperus communis*. —Sweden.

- *munda* Jackson & Dearden in *Mycologia*, 43, p. 58, 1951 on *Picea engelmannii*.—Wyoming, U.S.A.
- *phlebioides* Jackson & Dearden in *Canad. J. Res.*, Sect. C, 27, p. 150, 1949 on *Pseudotsuga taxifolia*.—British Columbia.
- *piceae* (Pers.) J. Eriksson in *Symb. bot. upsaliensis*, 10, 5, p. 49, 1950. (Syn. *Thelephora piceae* Pers.).
- *pithya* (Pers.) J. Eriksson in *Symb. bot. upsaliensis*, 10, 5, p. 45, 1950. (Syn. *Thelephora pithya* Pers.).
- *prominens* Jackson & Dearden in *Mycologia*, 43, p. 57, 1951 on *Pinus monticola*.—Idaho, U.S.A.
- *regifica* Jackson & Dearden in *Mycologia*, 43, p. 57, 1951 on coniferous wood. —Oregon, U.S.A.
- *resinosa* Jackson & Dearden in *Canad. J. Res.*, Sect. C, 27, p. 147, 1949 on *Picea sitchensis*.—British Columbia.
- *unica* Jackson & Dearden in *Canad. J. Res.*, Sect. C, 27, p. 148, 1949 on *Abies lasiocarpa*.—British Columbia.
- Pericladium tiliacearum** Mundkur & Thirumalachar apud Thirumalachar in *Lloydia*, 13, p. 176, 1950 on *Grewia rotundifolia*.—India.
- Peronospora akatsukae** Ito & Murayama in *Trans. Sapporo nat. Hist. Soc.*, 17, p. 163, 1943 on *Plantago major* var. *asiatica*.—Japan.
- *ibarakii* Ito & Murayama in *Trans. Sapporo nat. Hist. Soc.*, 17, p. 163, 1943 on *Filipendula kamtschatica*.—Japan.
- *iwatensis* Ito & Murayama in *Trans. Sapporo nat. Hist. Soc.*, 17, p. 162, 1943 on *Trautvetteria japonica*.—Japan.
- *takahashii* Ito apud Ito & Murayama in *Trans. Sapporo nat. Hist. Soc.*, 17, p. 162, 1943 on *Cochlearia oblongifolia*.—Japan.
- Pestalozzia aomoriensis** Sawada in *Bull. Govt. Forest Exp. Sta.*, Tokyo 45, p. 52, 1950 on *Cryptomeria japonica*.—Japan.
- *cryptomericola* Sawada in *Bull. Govt. Forest Exp. Sta.*, Tokyo 45, p. 52, 1950 on *Cryptomeria japonica*.—Japan.
- Phaeodimeriella appendiculata** (Earle) Baker in *Mycol. Pap.*, C.M.I., 33, p. 44, 1951. (Syn. *Dimerosporium appendiculatum* Earle).
- *trinitensis* Baker & Dale in *Mycol. Pap.*, C.M.I., 33, p. 44, 1951 on *Asterina diplopoda*.—Trinidad.
- Phaeodomus rauwolfiae** Zambettakis in *Bull. Soc. mycol. Fr.*, 66, p. 232, 1951 on *Rauwolfia vomitoria*.—Ivory Coast.
- Phaeophacidium viburni** T. S. & K. Ramakrishnan in *Proc. Indian Acad. Sci.*, Sect. B, 32, p. 207, 1950 on *Viburnum hebanthum*.—India.
- Phakopsora cheoana** Cummins in *Mycologia*, 42, p. 784, 1950 on *Cedrela sinensis*.—Kweichow, China.
- *incompleta* (Syd.) Cummins in *Mycologia*, 42, p. 786, 1950. (Syn. *Puccinia incompleta* Syd.).
- *malloti* Cummins in *Mycologia*, 42, p. 783, 1950 on *Mallotus*.—Kweichow, China.
- ***Phellodon brunneo-olivaceus** Coker & Beers, *The Stipitate Hydnum of the Eastern United States*, p. 28, 1951.—N. Carolina, U.S.A.
- Pholiota marginata** (Batsch) Quel. var. *tremulae* Pilát in *Stud. bot. čechoslov.*, 11, p. 166, 1950 on dead *Populus tremula*.—Czechoslovakia.
- *parva* Pearson in *Trans. Brit. mycol. Soc.*, 33, p. 301, 1950.—South Africa.
- *pseudo-erebia* Pearson in *Trans. Brit. mycol. Soc.*, 33, p. 301, 1950.—South Africa.
- Phoma asplenii** da Camara in *Agron. lusit.*, 11, p. 175, 1949 on *Asplenium adiantum-nigrum*.—Portugal.
- Phomopsis alpiniae** da Camara in *Agron. lusit.*, 11, p. 57, 1949 on *Alpinia nutans*.—Portugal.
- *cynanchi* (da Camara) da Camara in *Agron. lusit.*, 11, p. 57, 1949. (Syn. *Phoma cynanchi* da Camara).
- *lepidii* (Sacc.) da Camara in *Agron. lusit.*, 11, p. 58, 1949. (Syn. *Phoma phaseoli* Desm. forma *lepidii* Sacc.).
- *lusitanica* da Camara in *Agron. lusit.*, 11, p. 58, 1949 on *Deutzia*.—Portugal.
- *nepetae* (da Camara) da Camara in *Agron. lusit.*, 11, p. 59, 1949. (Syn. *Phoma nepetae* da Camara).
- *olisipponensis* (da Camara) da Camara in *Agron. lusit.*, 11, p. 59, 1949. (Syn. *Phoma olisipponensis* da Camara).
- *phytolaccae* da Camara in *Agron. lusit.*, 10, p. 302, 1948 on *Phytolacca dioica*.—Portugal.
- *ribatejana* da Camara in *Agron. lusit.*, 10, p. 303, 1948 on *Prunus persica*.—Portugal.
- *salicina* Died. forma *longipes* da Camara in *Agron. lusit.*, 11, p. 60, 1949 on *Salix atrocinerea*.—Portugal.
- Phragmidium taipaisanense** Y. C. Wang in *Contr. Inst. bot. Nat. Acad. Peiping*, 6, p. 226, 1949 on *Rubus parvifolius*.—Shensi, China.
- Phyllosticta helenae** Sprague in *Northwest Science*, 24, p. 132, 1950 on *Glyceria occidentalis*.—Idaho, U.S.A.
- *japonica* Sawada in *Bull. Govt. Forest Exp. Sta.*, Tokyo 45, p. 52, 1950 on *Cryptomeria japonica*.—Japan.
- Physalospora eleocharidis** Baker & Chardon in *Mycol. Pap.*, C.M.I., 33, p. 26, 1951 on *Eleocharis interstincta*.—Trinidad.
- *rhynchosporae* Baker & Chardon in *Mycol. Pap.*, C.M.I., 33, p. 27, 1951 on *Rhynchospora corymbosa*.—Trinidad.
- Placostroma bambusae** (Turc.) Sprague, *Diseases of Cereals and Grasses in North America*, p. 121, 1950. (Syn. *Scirrhia bambusae* Turc.).
- *sporoboli* (Atk.) Sprague, *Diseases of Cereals and Grasses in North America*, p. 121, 1950. (Syn. *Scirrhia sporoboli* Atk.).
- Plasmopara (Rhysiotheca) harae** Ito & Murayama in *Trans. Sapporo nat. Hist. Soc.*, 17, p. 161, 1943 on *Cardiandra alternifolia*.—Japan.
- (*Euplasmopara*) *nakanoi* Ito & Murayama in *Trans. Sapporo nat. Hist. Soc.*, 17, p. 161, 1943 on *Corydalis incisa*.—Japan.
- (*Rhysiotheca*) *phrymae* Ito & Hara apud Ito & Murayama in *Trans. Sapporo nat. Hist. Soc.*, 17, p. 162, 1943 on *Phryma leptostachya*.—Japan.
- Pleospora alternariae** Gibelli & Griffini forma *fusca* Pettinari in *Ann. Sper. agr.*, N.S., 5, p. 563, 1951 on *Malus pumila*.—Italy.
- *ambigua* (Berl. & Bres.) Wehmeyer in *Mycologia*, 43, p. 42, 1951. (Syn. *Pyrenophora ambigua* Berl. & Bres.).
- var. *ambigua* Wehmeyer in *Mycologia*, 43, p. 43, 1951.—Austria and California.
- var. *crandallii* (Ellis & Everh.) Wehmeyer in *Mycologia*, 43, p. 43, 1951. (Syn. *Pleospora crandallii* Ellis & Everh.).
- *angustata* Wehmeyer nom. nov. in *Mycologia*, 43, p. 39, 1951. (Syn. *Sphaeria*

- abscondita* Karst., non *P. abscondita* Sacc. & Roum.).
- *pileata* (Volkart) Müller & von Arx in *Ber. Schweiz. bot. Ges.*, 60, p. 346, 1950. (Syn. *Pyrenophora pileata* Volkart).
- Plicaria vladimirii* Vacek in *Stud. bot. Českoslov.*, 11, p. 72, 1950.—Czechoslovakia.
- Plowrightia atlantiae* T. S. & K. Ramakrishnan in *Proc. Indian Acad. Sci.*, Sect. B, 32, p. 208, 1950 on *Atlantia monophylla*.—India.
- Pluteus caeruleo-virescens* Pilát in *Stud. bot. Českoslov.*, 12, p. 1, 1951.—Czechoslovakia.
- *cervinus* (Schaeff ex Fr.) Quél. var. *bambusinus* Baker & Dale in *Mycol. Pap., C.M.I.*, 33, p. 93, 1951.—Trinidad.
- *salicinus* (Fr. ex Pers.) Quél. var. *obscurior* Pilát in *Stud. bot. Českoslov.*, 12, p. 3, 1951.—Czechoslovakia.
- Polioma robusta* Baxter & Cummins in *Bull. Torrey bot. Cl.*, 78, p. 53, 1951 on *Salvia compacta*.—Mexico.
- *unilateralis* (Cummins) Baxter & Cummins in *Bull. Torrey bot. Cl.*, 78, p. 54, 1951. (Syn. *Uredo unilateralis* Cummins).
- Psalliota albo-argillascens* Pearson in *Trans. Brit. mycol. Soc.*, 33, p. 311, 1950.—South Africa.
- *mixta* Pearson in *Trans. Brit. mycol. Soc.*, 33, p. 312, 1950.—South Africa.
- *nobilis* Pearson in *Trans. Brit. mycol. Soc.*, 33, p. 311, 1950.—South Africa.
- *volvata* Pearson in *Trans. Brit. mycol. Soc.*, 33, p. 313, 1950.—South Africa.
- *xanthoderma* Genev. var. *meleagrioides* Pearson in *Trans. Brit. mycol. Soc.*, 33, p. 310, 1950.—South Africa.
- Psathyrella griseola* Pearson in *Trans. Brit. mycol. Soc.*, 33, p. 307, 1950.—South Africa.
- *praelonga* Pearson in *Trans. Brit. mycol. Soc.*, 33, p. 308, 1950.—South Africa.
- *trinitatis* Baker & Dale in *Mycol. Pap., C.M.I.*, 33, p. 93, 1951.—Trinidad.
- *varicosa* Pearson in *Trans. Brit. mycol. Soc.*, 33, p. 308, 1950.—South Africa.
- Pseudosphaerella cryptomeriae* Sawada in *Bull. Govt. Forest Exp. Sta., Tokyo* 45, p. 50, 1950 on *Cryptomeria japonica*.—Japan.
- Psilocybe cylindrispora* Pearson in *Trans. Brit. mycol. Soc.*, 33, p. 306, 1950.—South Africa.
- (Deconica) *scocholmica* Parker-Rhodes in *New Phytologist*, 49, p. 341, 1950 from dung of horse and rabbit.—Skokholm Island, Wales.
- Puccinia anhweiiana* Cummins in *Mycologia*, 43, p. 88, 1951 on *Orchis*.—Anhwei, China.
- *arnoseridis* da Camara in *Agron. lusit.*, 11, p. 41, 1949 on *Arnoseris minima*.—Portugal.
- *baldensis* Gaumann in *Ber. Schweiz. bot. Ges.*, 61, p. 48, 1951 on *Senecio brachychaetus* and *Poa pratensis*.—Italy.
- *betae-bengalensis* Mundkur & Thirumalachar in *Mycol. Pap., C.M.I.*, 40, p. 14, 1951 on *Beta bengalensis*.—India.
- *calogynes* Dennis in *Kew Bull.*, 1950, p. 26, 1950 on *Calogyne berardiana*.—Australia.
- *caricis-blepharicarpae* Hiratsuka apud Ito & Murayama in *Trans. Sapporo nat. Hist. Soc.*, 18, p. 87, 1949 on *Smilax china* and *Carex blepharicarpa*.—Japan.
- *corylopsidis* Cummins in *Mycologia*, 43, p. 83, 1951 on *Corylopsis*.—Kwangsi, China.
- *heitoensis* Ito & Murayama in *Trans. Sapporo nat. Hist. Soc.*, 18, p. 88, 1949 on *Ipomoea*.—Formosa.
- *kiusiana* Hiratsuka f. apud Ito & Murayama in *Trans. Sapporo nat. Hist. Soc.*, 17, p. 167, 1943 on *Asperella japonica*.—Japan.
- *kwangsiana* Cummins in *Mycologia*, 43, p. 86, 1951 on *Saussurea*.—Kwangsi, China.
- *kweichowana* Cummins in *Mycologia*, 43, p. 83, 1951 on *Polygonum campanulatum* var. *likiangensis*.—Kweichow, China.
- *longinqua* Cummins in *Mycologia*, 43, p. 91, 1951 on *Phragmites*.—Kwangsi, China.
- *moliniicola* Cummins in *Mycologia*, 43, p. 92, 1951 on *Molinia*.—Anhwei, China.
- *morigera* Cummins in *Mycologia*, 43, p. 91, 1951 on *Eragrostis*.—Kweichow, China.
- *saussureae-acrophyllae* Y. C. Wang in *Contr. Inst. bot. Nat. Acad. Peiping*, 6, p. 231, 1949 on *Saussurea acrophylla*.—Shensi, China.
- *shikotsuensis* Ito apud Ito & Murayama in *Trans. Sapporo nat. Hist. Soc.*, 17, p. 168, 1943 on *Polygonum weyrichii*.—Japan.
- *sinicensis* Cummins in *Mycologia*, 43, p. 88, 1951 on *Orchidaceae*.—Kwangsi, China.
- *stellariicola* Cummins nom. nov. in *Mycologia*, 43, p. 81, 1951. (Syn. *Puccinia stellariae* Liou & Wang, non Duby).
- *tokubuchii* Ito apud Ito & Murayama in *Trans. Sapporo nat. Hist. Soc.*, 17, p. 169, 1943 on *Patrinia gibbosa*.—Japan.
- Pucciniostele hashikoi* (Hirats. f.) Cummins in *Mycologia*, 42, p. 790, 1950. (*Cerotelium hashikoi* Hirats. f.).
- Pythium cucurbitacearum* Takimoto in *Ann. phytopath. Soc., Japan*, 11, p. 91, 1941 on *Cucumis sativa*.—Japan.
- *helicandrum* Drechsler in *Bull. Torrey bot. Cl.*, 77, p. 455, 1950 on *Rumex acetosella*.—Maryland, U.S.A.
- RAMARIOPSIS** (Donk) Corner, *A Monograph of Clavaria and Allied Genera*, p. 636, 1950. (Syn. *Clavaria* subgen. *Ramariopsis*).
- Ramulispora bromi** (Sprague) Sprague, *Diseases of Cereals and Grasses in North America*, p. 418, 1950. (Syn. *Cercospora bromi* Sprague).
- Russula capensis* Pearson in *Trans. Brit. mycol. Soc.*, 33, p. 300, 1950.—South Africa.
- *emetica* (Schaeffer ex Fr.) Pers. ex S. F. Grey subsp. *alnijorullensis* Singer in *Rev. Mycologie, N.S.*, 15, p. 133, 1950.—Argentina.
- subsp. *lacustris* Singer in *Rev. Mycologie, N.S.*, 15, p. 133, 1950.—Argentina.
- *fuegiana* Singer in *Rev. Mycologie, N.S.*, 15, p. 125, 1950.—Argentina.
- *mallophora* Singer in *Rev. Mycologie, N.S.*, 15, p. 130, 1950.—Argentina.
- *montivaga* Singer in *Rev. Mycologie, N.S.*, 15, p. 131, 1950.—Argentina.
- *nothofaginea* Singer in *Rev. Mycologie, N.S.*, 15, p. 127, 1950.—Argentina.
- **Sabouraudites langeroni* Vanbreuseghem in *Ann. Parasit. hum. comp.*, 25, p. 516, 1950 on man.—Belgian Congo.
- **Sarcodon excentricus* Coker & Beers, *The Stipitate Hydnums of the Eastern United States*, p. 51, 1951.—Tennessee.
- Sclerotinia corni* Vacek [now Reade, 1908] in *Stud. bot. Českoslov.*, 11, p. 72, 1950 on *Cornus mas*.—Czechoslovakia.
- Septochytrium marilandicum* Karling in *Bull. Torrey bot. Cl.*, 78, p. 39, 1951 in soil.—Maryland, U.S.A.
- Septoria phalaridis* Cocc. & Mor. var. *platyspora* da Camara in *Agron. lusit.*, 11, p. 68, 1949 on *Phalaris brachystachys*.—Portugal.

- Sirolegniella ? cryptomeriae* Sawada in *Bull. Govt. Forest Exp. Sta., Tokyo* 45, p. 53, 1950 on *Cryptomeria japonica*.—Japan.
- Skierka nephelii* (Sawada) Ito & Murayama in *Trans. Sapporo nat. Hist. Soc.*, 17, p. 165, 1943. (Syn. *Uredo nephelii* Sawada).
- toddaliae* (Syd.) Hiratsuka apud Ito & Murayama in *Trans. Sapporo nat. Hist. Soc.*, 17, p. 165, 1943. (Syn. *Ctenoderma toddaliae* Syd.).
- Sorosporium heteropogonicola* Mundkur & Thirumalachar in *Mycol. Pap., C.M.I.*, 40, p. 5, 1951 on *Heteropogon contortus*.—India.
- iseilematis* Thirumalachar in *Lloydia*, 13, p. 175, 1950 on *Iseilema laxum*.—India.
- Spermosporea avenae* (Sprague & A. G. Johnson) Sprague, *Diseases of Cereals and Grasses of North America*, p. 430, 1950. (Syn. *Pseudodiscosia avenae* Sprague & A. G. Johnson).
- Sphaceloma abutilonis* Bitancourt & Jenkins in *Arg. Inst. Biol., S. Paulo*, 20, p. 2, 1951 on *Abutilon striatum*.—Brazil.
- aegiphilae* Bitancourt & Jenkins in *Arg. Inst. Biol., S. Paulo*, 20, p. 3, 1951 on *Aegiphila ? sellowiana*.—Brazil.
- allamandae* Bitancourt & Jenkins in *Arg. Inst. Biol., S. Paulo*, 19, p. 94, 1950 on *Allamanda schottii*.—Brazil.
- amazonense* Bitancourt & Jenkins in *Arg. Inst. Biol., S. Paulo*, 20, p. 4, 1951 on *Bignoniaceae* indet. —Brazil.
- asclepiadis* Bitancourt & Jenkins in *Arg. Inst. Biol., S. Paulo*, 19, p. 95, 1950 on *Asclepias curassavica*.—Brazil.
- bidentis* Bitancourt & Jenkins in *Arg. Inst. Biol., S. Paulo*, 20, p. 5, 1951 on *Bidens pilosa*.—Brazil.
- cassiae* Bitancourt & Jenkins in *Arg. Inst. Biol., S. Paulo*, 19, p. 97, 1950 on *Cassia splendida*.—Brazil.
- cupaniae* Bitancourt & Jenkins in *Arg. Inst. Biol., S. Paulo*, 19, p. 99, 1950 on *Cupania oblongifolia*.—Brazil.
- ditremexae* Bitancourt & Jenkins in *Arg. Inst. Biol., S. Paulo*, 20, p. 8, 1951 on *Ditre-mexa hirsuta*.—Venezuela.
- erythrinae* Bitancourt & Jenkins in *Arg. Inst. Biol., S. Paulo*, 20, p. 9, 1951 on *Erythrina reticulata*.—Brazil.
- fagarae* Bitancourt & Jenkins in *Arg. Inst. Biol., S. Paulo*, 20, p. 10, 1951 on *Fagara riedelianum*.—Brazil.
- guatemalense* Bitancourt & Jenkins in *Arg. Inst. Biol., S. Paulo*, 20, p. 12, 1951 on *Centropogon cordifolius*.—Guatemala.
- gustaviae* Bitancourt & Jenkins in *Arg. Inst. Biol., S. Paulo*, 19, p. 100, 1950 on *Gustavia augusta*.—Brazil.
- heliotropii* Bitancourt & Jenkins in *Arg. Inst. Biol., S. Paulo*, 19, p. 101, 1950 on *Heliotropium transalpinum*.—Brazil.
- hoveniae* Bitancourt & Jenkins in *Arg. Inst. Biol., S. Paulo*, 20, p. 12, 1951 on *Hovenia dulcis*.—Argentina.
- krugii* Bitancourt & Jenkins in *Arg. Inst. Biol., S. Paulo*, 19, p. 103, 1950 on *Euphorbia prunifolia* var. *repanda*.—Brazil.
- lobeliae* Bitancourt & Jenkins in *Arg. Inst. Biol., S. Paulo*, 20, p. 14, 1951 on *Lobelia hassleri*.—Brazil.
- manihoticola* Bitancourt & Jenkins in *Arg. Inst. Biol., S. Paulo*, 20, p. 15, 1951 on *Manihot glaziovii*.—Brazil.
- meliae* Bitancourt & Jenkins in *Arg. Inst. Biol., S. Paulo*, 20, p. 31, 1951 on *Melia azedarach*.—Brazil.
- phyllocalycis* Bitancourt & Jenkins in *Arg. Inst. Biol., S. Paulo*, 20, p. 17, 1951 on *Phyllocalyx laevigatus*.—Brazil.
- psidii* Bitancourt & Jenkins in *Arg. Inst. Biol., S. Paulo*, 19, p. 105, 1950 on *Psidium guajava*.—Brazil.
- sapii* Bitancourt & Jenkins in *Arg. Inst. Biol., S. Paulo*, 19, p. 106, 1950 on *Sapium*.—Brazil.
- sesseae* Bitancourt & Jenkins in *Arg. Inst. Biol., S. Paulo*, 20, p. 18, 1951 on *Sessea brasiliensis*.—Brazil.
- siphocampyli* Bitancourt & Jenkins in *Arg. Inst. Biol., S. Paulo*, 20, p. 20, 1951 on *Siphocampylus macropodus*.—Brazil.
- uberabense* Bitancourt & Jenkins in *Arg. Inst. Biol., S. Paulo*, 20, p. 20, 1951 on a Dicotyledon. —Brazil.
- viticis* Bitancourt & Jenkins in *Arg. Inst. Biol., S. Paulo*, 20, p. 22, 1951 on *Vitex poly-gama*.—Brazil.
- Sphacelotheca chrysopogonicola* Mundkur & Thirumalachar in *Mycol. Pap., C.M.I.*, 40, p. 2, 1951 on *Chrysopogon*.—India.
- cymbopogonis-colorati* Mundkur & Thirumalachar in *Mycol. Pap., C.M.I.*, 40, p. 3, 1951 on *Cymbopogon coloratus*.—India.
- dichanthicola* Mundkur & Thirumalachar in *Mycol. Pap., C.M.I.*, 40, p. 3, 1951 on *Dichanthium caricosum*.—India.
- inayati* (Syd. & Butler) Mundkur & Thirum. apud Thirum. in *Lloydia*, 13, p. 172, 1950. (Syn. *Ustilago inayati* Syd. & Butler).
- iseilematis* (Syd. & Butler) Mundkur & Thirum. apud Thirum. in *Lloydia*, 13, p. 172, 1950. (Syn. *Ustilago iseilematis* Syd. & Butler).
- mnesitheae* Mundkur & Thirumalachar in *Mycol. Pap., C.M.I.*, 40, p. 3, 1951 on *Mnesithea laevis*.—India.
- mutila* Mundkur & Thirumalachar in *Mycol. Pap., C.M.I.*, 40, p. 4, 1951 on *Cymbopogon caesus*.—India.
- saccollepidis* Thirumalachar in *Lloydia*, 13, p. 173, 1950 on *Saccollepis indica*.—India.
- Sphaerodopsis acrocomiae* Chardon & Baker in *Mycol. Pap., C.M.I.*, 33, p. 39, 1951 on *Acrocomia ierensis*.—Trinidad.
- Sphaeropsis cryptomeriae* Sawada in *Bull. Govt. Forest Exp. Sta., Tokyo* 45, p. 52, 1950 on *Cryptomeria japonica*.—Japan.
- Sphaerulina iwatensis* Sawada in *Bull. Govt. Forest Exp. Sta., Tokyo* 45, p. 50, 1950 on *Cryptomeria japonica*.—Japan.
- Stagonospora cryptomeriae* Sawada in *Bull. Govt. Forest Exp. Sta., Tokyo* 45, p. 53, 1950 on *Cryptomeria japonica*.—Japan.
- macrospora* (Dur. & Mont.) Sacc. var. *yuccae* da Camara nom. nov. in *Agron. lusit.*, 11, p. 184, 1949. (Syn. *Septoria macrospora* Alm. & da Camara).
- spartinicola* Sprague in *Mycologia*, 42, p. 759, 1950 on *Spartina pectinata*.—N. Dakota, U.S.A.
- STELLIGERA* Heim (this *Index*, i, p. 269) was published apud Doty in *Lloydia*, 11, p. 134, 1948.
- membranacea* Heim apud Doty in *Lloydia*, 11, p. 134, 1948. —Madagascar.
- Strasseria corynocarpi* da Camara in *Agron. lusit.*, 11, p. 62, 1949 on *Corynocarpus laevigata*.—Portugal.
- Stropharia depilata* (Pers.) Karsten var.

- microspora* Pilát in *Stud. bot. čechoslov.*, 11, p. 170, 1950.—Czechoslovakia.
- Synchytrium ajrekari* Payak & Thirumalachar apud Payak in *Curr. Sci.*, 20, p. 103, 1951 on *Phaseolus mungo*.—India.
- graminicola* Sprague, *Diseases of Cereals and Grasses of North America*, p. 51, 1950 on *Agrostis palustris*.—Oregon, U.S.A.
- impatiens* Cook in *Mycologia*, 43, p. 105, 1951 on *Impatiens pallida* and *I. biflora*.—Louisiana, U.S.A.
- smilacis* Cook in *Mycologia*, 43, p. 107, 1951 on *Smilax*.—Louisiana, U.S.A.
- Tapesia quercina* Vacek in *Stud. bot. čechoslov.*, 11, p. 69, 1950 on *Quercus*.—Czechoslovakia.
- THAXTEROGASTER** Singer in *Mycologia*, 43, p. 216, 1951.—Hymenogastrales. Type, *T. magellanicus*.
- magellanicus* Singer in *Mycologia*, 43, p. 219, 1951.—Argentina.
- violaceus* Singer in *Mycologia*, 43, p. 216, 1951.—Argentina.
- Tilletia narayanaraoana* Mundkur & Thirumalachar in *Mycol. Pap., C.M.I.*, 40, p. 6, 1951 on *Panicum trypheron*.—India.
- Torulopsis caroliniana* Etchells & Bell in *Farlowia*, 4, p. 105, 1950 in cucumber brine. —North Carolina, U.S.A.
- Tricholoma eucalypticum* Pearson in *Trans. Brit. mycol. Soc.*, 33, p. 293, 1950.—South Africa.
- melaleucum* (Pers.) Fr. forma *acystidium* Pearson in *Trans. Brit. mycol. Soc.*, 33, p. 294, 1950.—South Africa.
- meridianum* Pearson in *Trans. Brit. mycol. Soc.*, 33, p. 293, 1950.—South Africa.
- orlosii* Pilát in *Stud. bot. čechoslov.*, 11, p. 161, 1950.—Czechoslovakia.
- robustum* (Fr. ex Alb. & Schw.) Ricken forma *focale* (Fr.) Pilát in *Stud. bot. čechoslov.*, 12, p. 53, 1951. (Syn. *Agaricus focalis* Fr.).
- **Trichophyton ferrugineum* (Ota) Langeron & Milochevitch var. *album* Vanbreuseghem in *Ann. Parasit. hum. comp.*, 25, p. 489, 1950. —Belgian Congo.
- Uleodothis coonoorensis* T. S. & K. Ramakrishnan in *Proc. Indian Acad. Sci., Sect. B*, 32, p. 209, 1950 on *Phoenix*.—India.
- Uredo caricis-incisae* (Syd.) Ito apud Ito & Murayama in *Trans. Sapporo nat. Hist. Soc.*, 17, p. 170, 1943. (Syn. *Puccinia caricis-incisae* Sydow).
- cyperi-rotundi* Ito apud Ito & Murayama in *Trans. Sapporo nat. Hist. Soc.*, 17, p. 170, 1943 on *Cyperus rotundus*.—Japan.
- sawadae* Ito apud Ito & Murayama in *Trans. Sapporo nat. Hist. Soc.*, 17, p. 171, 1943 on *Fiscus carica*.—Japan.
- tholopsora* Cummins in *Mycologia*, 43, p. 97, 1951 on *Populus nigra*.—Kweichow, China.
- Urocystis eranthidis* (Passerini) Ainsworth & Sampson, *The British Smut Fungi*, p. 96, 1950. (Syn. *Polycystis anemones* var. *eranthidis* Passerini).
- hepaticae-trilobae* (DC.) Ainsworth & Sampson, *The British Smut Fungi*, p. 98, 1950. (Syn. *Uredo ranunculacearum* var. *hepaticae-trilobae* DC.).
- Uromyces armeriae* (Schl.) Lévy. subsp. *armeriae* Savile & Connors nom. nov. in *Mycologia*, 43, p. 189, 1951. (Type subsp. of the species).
- subsp. *hudsonicus* Savile & Connors in *Mycologia*, 43, p. 190, 1951 on *Armeria maritima* var. *labradorica*.—Quebec, Canada.
- subsp. *pacificus* Savile & Connors in *Mycologia*, 43, p. 191, 1951 on *Armeria maritima*.—British Columbia, Canada.
- calycotomes* Gäumann & Terrier in *Ber. schweiz. bot. Ges.*, 60, p. 613, 1950 on *Calycotome spinosa*.—France.
- coronillae* Viennot-Bourgin in *Rev. Path. Vég.*, 29, p. 164, 1950 on *Coronilla varia*.—North Africa.
- dispersus* Hiratsuka f. apud Ito & Murayama in *Trans. Sapporo nat. Hist. Soc.*, 17, p. 167, 1943 on *Apios fortunei*.—Japan.
- kwangsiensis* Cummins in *Mycologia*, 43, p. 80, 1951 on *Fimbristylis*.—Kwangsi, China.
- limonii-caroliniani* Savile & Connors in *Mycologia*, 43, p. 193, 1951 on *Limonium carolinianum*.—Quebec, Canada.
- physanthyllidis* Viennot-Bourgin in *Rev. Path. Vég.*, 29, p. 162, 1950 on *Physanthyllis tetraphylla*.—North Africa.
- seselis* da Camara in *Agron. lusit.*, 11, p. 40, 1949 on *Seseli tortuosum*.—Portugal.
- vulpiae* da Camara in *Agron. lusit.*, 11, p. 166, 1949 on *Vulpia broteri*.—Portugal. [See also *U. vulpiae* Losa España, this Index, i, 270].
- Uropyxis arisanensis* (Hiratsuka f. & Hashioka) Ito & Murayama in *Trans. Sapporo nat. Hist. Soc.*, 17, p. 166, 1951. (Syn. *Puccinia arisanensis* Hiratsuka f. & Hashioka).
- Ustilaginodea burkillii* (Syd. & Butler) Thirum. & Mundkur apud Thirum. in *Lloydia*, 13, p. 170, 1950. (Syn. *Ustilago burkillii* Syd. & Butler).
- Ustilago asparagi-pygmaei* Ito & Murayama in *Trans. Sapporo nat. Hist. Soc.*, 18, p. 84, 1949 on *Asparagus pygmaeus*.—Japan.
- longiflora* Mundkur & Thirumalachar in *Mycol. Pap., C.M.I.*, 40, p. 2, 1951 on *Digitalis longiflora*.—India.
- lupini* da Camara in *Agron. lusit.*, 11, p. 169, 1949 on *Lupinus luteus*.—Portugal.
- moenchiae-manticae* Lindtner in *Bull. Mus. Hist. nat. Serbe, Ser. B*, 3-4, p. 33, 1950 on *Moenchia mantica*.—Serbia.
- Venturia macularis* (Fr.) Müller & von Arx in *Ber. schweiz. bot. Ges.*, 60, p. 365, 1950. (Syn. *Sphaeria macularis* Fries).
- Vermicularia chaetoplexa* da Camara in *Agron. lusit.*, 11, p. 179, 1949 on *Ficus elastica*.—Portugal.
- kystosa* da Camara in *Agron. lusit.*, 11, p. 180, 1949 on *Ilex aquifolium*.—Portugal.
- VISCOMACULA** Sprague in *Mycologia*, 42, p. 758, 1950.—Moniliaceae.
- aenea* Sprague in *Mycologia*, 42, p. 758, 1950 on *Poa ampla*.—Colorado, U.S.A.
- Wegelia cryptomeriae* (Sawada) Sawada in *Bull. Govt. Forest Exp. Sta., Tokyo* 45, p. 51, 1950. (Syn. *Pleuroaema cryptomeriae* Sawada).
- Wettsteinina eucarpa* (Karsten) Müller & von Arx in *Ber. schweiz. bot. Ges.*, 60, p. 335, 1950. (Syn. *Sphaerella eucarpa* Karsten).
- Xenostele sakamotoi* (Hiratsuka f. & Yoshinaga) Ito & Murayama in *Trans. Sapporo nat. Hist. Soc.*, 17, p. 170, 1943. (Syn. *Puccinia sakamotoi* Hiratsuka f.).

HOST INDEX

For Phanerogams see under families; for Pteridophyta and Fungi see under those names; for animal hosts see under Invertebrata and Vertebrata

ACANTHACEAE

- Jacobinia spicigera*
Cercospora jacobinicola

ALISMACEAE

- Alisma reniformis*
Burrielia narasimhanii

AMARANTHACEAE

- Cyathula tomentosa*
Ascochyta cyathulae

ANACARDIACEAE

- Pistacia*
Macrophoma aloetica
Macrophoma pistaciaecola

Schinus mollis

- Myzosporella schini*

APOCYNACEAE

- Allamanda schottii*
Sphaceloma allamandae
Rauwolfia serpentina
Mycosphaerella rauwolfiae
Rauwolfia vomitoria
Phaeodorus rauwolfiae

AQUIFOLIACEAE

- Ilex aquifolium*
Vermicularia kystosa
Ilex oldhami
Cercospora naitoi

ARALIACEAE

- Hedera helix*
Clypeolum lusitanicum
Polyscias guilfoylei
Elsinoë mulleri

ASCLEPIADACEAE

- Asclepias curassavica*
Sphaceloma asclepiadis
Gymnema affine
Cercospora gymnemae
Hemidesmus indicus
Achroetium hemidesmi

BALSAMINACEAE

- Impatiens biflora*
Synchytrium impatiens
Impatiens pallida
Synchytrium impatiens

BETULACEAE

- Alnus glutinosa*
Helminthosporium lusitanicum
Alnus rubra
Corticium praeteritum
Betula
Brachysporium britannicum
Cytidia lanata
Betula verrucosa
Clavaria contorta var. *ortosii*

BIGNONIACEAE

- Sphaceloma amazonensis*

BOMBACACEAE

- Bombax malabaricum*
Cercospora bombacina

BORAGINACEAE

- Heliotropium transalpinum*
Sphaceloma heliotropii

BROMELIACEAE

- Tillandsia usneoides*
Gelasinospora autosteira

CAMPANULACEAE

- Centropogon cordifolius*
Sphaceloma guatemalensis

COMPANULACEAE (continued)

- Centropogon cornutus*
Asterina centropogonis
Siphocampylus macropodus
Sphaceloma siphocampyli

CANNACEAE

- Canna indica*
Carpenterella cannae

CAPRIFOLIACEAE

- Viburnum*
Actinothyrium viburni
Viburnum hebanthum
Phaeopacidium viburni
Viburnum tinus
Amphichaeta viburni

CARYOPHYLLACEAE

- Moenchia mantica*
Ustilago moenchiae-manticae

CHENOPODIACEAE

- Beta bengalensis*
Puccinia betae-bengalensis

CHLORANTHACEAE

- Chloranthus serratus*
Cercospora chloranthi

COCHLOSPERMACEAE

- Cochlospermum vitifolium*
Cercospora cochlospermi

COMBRETACEAE

- Anogeissus latifolia*
Kellermannia malabarica

COMMELINACEAE

- Commelina elegans*
Cercospora maracasensis

COMPOSITAE

- Aplopappus bloomeri* var. *augustus*
Dasyscypha aplopappi
Dasyscypha salmonea
Mollisia hysteroidea
Arnosoria minima
Puccinia arnosoridis
Bidens pilosa
Sphaceloma bidentis
Hypericophyllum multicaule
Aecidium hypericophylli
Oliganthes condensata
Cercospora oliganthidis
Saussurea
Puccinia kwangsiana
Saussurea acrophylla
Puccinia saussureae-acrophyllae
Senecio brachychaetus
Puccinia baldensis
Tithonia diversifolia
Cercospora tithoniae

CONIFERAE

- Abies grandis*
Corticium separatum
Abies lasiocarpa
Peniophora unica
Abies magnifica var. *shastensis*
Peniophora exima
Abies mayriana
Melampsora abietis-populi
Cryptomeria japonica
Cercospora cryptomeriicola
Cyclodermis cryptomeriae
Dimeriellopsis cryptomeriae
Fusicoccum cryptomeriae
Guignardia cryptomeriae
Halbania cryptomeriae

- CONIFERAE (continued)**
Leptosphaerulina cryptomeriae
Massalongiella cryptomeriae
Microthyrium cryptomeriae
Mollisia cryptomeriae
Pestalozzia aomoriensis
Pestalozzia cryptomeriicola
Phyllosticta japonica
Pseudosphaerella cryptomeriae
Sirolegniella cryptomeriae
Sphaeropsis cryptomeriae
Sphaerulina iwataensis
Stagonospora cryptomeriae
Juniperus communis
Peniophora junipericola
Juniperus nana
Gymnosporangium gaeumannii
Larix kaempferi
Ceratocystis galeiformis
Larix leptolepis
Ceratocystis autographa
Picea engelmannii
Peniophora munda
Picea sitchensis
Peniophora resinosa
Pinus monticola
Peniophora prominens
Pinus strobus
Aleurodiscus pini
Pseudotsuga taxifolia
Corticium quaeisutum
Corticium testatum
Peniophora phlebioides
Thuja plicata
Corticium propinquum
Torreya californica
Caeoma torreyae
Clasterosporium obclavatum
Tsuga canadensis
Aleurodiscus minnsiae
Corticium delicatissimum
Corticium inopinatum
Corticium rallum
CONVOLVULACEAE
Ipomoea
Puccinia heitoensis
CORNACEAE
Cornus mas
Sclerotinia corni
CORYNOCARPACEAE
Corynocarpus laevigata
Strasseria corynocarpi
CRUCIFERAE
Cochlearia oblongifolia
Peronospora takahashii
CUCURBITACEAE
Cucumis sativa
Pythium cucurbitacearum
Melothria trilobata
Irenopsis melothriacae
CYPERACEAE
Carex blepharicarpa
Puccinia caricis-blepharicarpae
Cyperus rotundus
Uredo cyperi-rotundi
Eleocharis interstincta
Phyaslopora eleocharidis
Fimbristylis
Uromyces kwangsiensis
Rhynchospora corymbosa
Phyaslopora rhynchosporae
Scirpus
Entyloma mysorensis
Scleria lithospermi var. *roxburghii*
Cintractia scleriae-lithospermi
- EBENACEAE**
Diospyros kaki
Elsinoë diospyri
ERICACEAE
Rhododendron
Amphichæta rhododendri
EUPHORBIACEAE
Aleurites
Melampsora aleuritidis
Euphorbia prunifolia var. *repanda*
Sphaceloma krugii
Jatropha curcas
Elsinoë jatrophae
Mallotus
Phakopsora malloti
Manihot
Glomerella manihoti
Manihot glaziovii
Sphaceloma manihoticola
Mercurialis leiocarpa
Cercospora ehikomontana
Sapium
Sphaceloma sapii
Sebastiania corniculata
Cercospora sebastianiae
FAGACEAE
Quercus
Brachysporium masonii
Ceratocystis longirostellata
Ceratocystis wilsoni
Corticium improvisum
Tapesia quercina
FUNGI
Asterina diplopoda
Phaeodimeriella trinitensis
GENTIANACEAE
Exacum wightianum
Mycosphaerella exaci
GOODENIACEAE
Calogyne berardiana
Puccinia calogynes
GRAMINEAE
Agrostis palustris
Synchytrium graminicola
Agrostis stolonifera
Mastigosporium rubricosum var. *agrostidis*
Aristida glauca
Balansia hemicrypta
Asperella japonica
Puccinia kiusiana
Cenchrus echinatus
Balansia obtecta
Chrysopogon
Sphacelotheca chrysopogonicola
Cymbopogon caesiis
Sphacelotheca mutila
Cymbopogon coloratus
Sphacelotheca cymbopogonis-colorati
Dichanthium caricosum
Sphacelotheca dichanthicola
Digitaria longiflora
Ustilago longiflora
Eragrostis
Puccinia morigera
Glyceria occidentalis
Phyllosticta helenae
Heteropogon contortus
Sorosporium heteropogonicola
Hyparrhenia filipendula
Claviceps inconspicua
Iseilema laxum
Sorosporium iseilematis
Mnesithea laevis
Sphacelotheca mnesithea

GRAMINEAE (continued)

- Molinia
Puccinia moliniicola
 Oryzopsis caerulea
Ellisiellina biciliata
 Panicum trypheron
Tilletia narayanaraoana
 Phalaris brachystachys
Septoria phalaridis var. *platyspora*
 Phragmites
Puccinia longinqua
 Poa ampla
Viscomacula aenea
 Poa pratensis
Puccinia baldensis
 Saccolepis indica
Sphacelotheca saccolepidis
 Spartina pectinata
Stagonospora spartinicola
 Sporobolus affinis
Ascochyta sporoboli
 Sporobolus indicus var. *laxus*
Entyloma sporoboli
 Sporobolus ruspolianus
Asterolibertia sporoboli
 Stipa leucotricha
Atkinsonella hypoxylon var. *tazensis*
 Vulpia broteri
Uromyces vulpiae

HAMAMELIDACEAE

- Corylopsis
Puccinia corylopsidis

INVERTEBRATA

- Amoeba
Aplectosoma microsporum
Cochlonema calosperma
 Blaniulus hirsutus
Enterobryus broelemanni
 Chloroperla
Paramoebidium giganteum
 Cloeon dipterum
Amoebidium poissoni
 Ecdyonurus
Paramoebidium geniculatum
 Iulus
Enterobryus allobrogicus
 Iulus albipes
Enterobryus rectus
 Macrobiotus
Ballocephala sphaerosperma
 Nephelopteryx nebulosa
Paramoebidium fuscum
 Phalloiulus distinctus
Enterobryus inflatus
 Polydesmus complanatus
Enterobryus gracilis
 Polydesmus rubromarginatus
Enterobryus tumidus
 Rhabditis
Harposporium subuliforme
 Schizophyllum sabulosum extinctum
Enterobryus robini
 Strongylosoma guerini
Enterobryus strongylosomae

JUNCACEAE

- Juncus
Helotium georginae

LABIATAE

- Coleus
Coleosporium cheoanum

LABIATAE (continued)

- Lavandula stoechas
Diplodia mitylospora
 Ocimum canum
Cercospora guatemalensis
 Rosmarinus officinalis
Didymosphaeria epidermidis var. *rosma-*
rini
 Salvia compacta
Polioma robusta
 LECYTHIDACEAE
 Gustavia augusta
Sphaceloma gustaviae
 LEGUMINOSAE
 Apios fortunei
Uromyces dispersus
 Calycotome spinosa
Uromyces calycotomes
 Cassia splendida
Sphaceloma cassiae
 Centrobium robustum
Elsinoë centrobii
 Coronilla varia
Uromyces coronillae
 Ditremexa hirsuta
Sphaceloma ditremexae
 Erythrina reticulata
Sphaceloma erythrinae
 Lupinus luteus
Ustilago lupini
 Phaseolus mungo
Synchytrium ajrekari
 Physanthyllis tetraphylla
Uromyces physanthyllidis
 Sophora glauca
Cercospora sophorae
 Vigna vexillata
Cercospora vignae-vexillatae
 LILIACEAE
 Asparagus pygmaeus
Ustilago asparagi-pygmaei
 Disporum smilacinum var. *ramosum*
Cercospora dispori
 Smilax
Synchytrium smilacis
 Smilax china
Puccinia caricis-blepharicarpae
 Veratrum californicum
Lactinaevia veratri
 LINACEAE
 Linum usitatissimum
Oidiopsis lini
 LOBELIACEAE
 Lobelia hassleri
Sphaceloma lobeliae
 MALPIGHIACEAE
 Stigmaphyllon convolvulifolium
Cercospora stigmaphyllonis
 MALVACEAE
 Abutilon striatum
Sphaceloma abutilonis
 Hibiscus subdariffa
Cylindrocladium curvatum
 MELIACEAE
 Cedrela sinensis
Phakopsora cheoana
 Melia azedarach
Sphaceloma meliae
 MORACEAE
 Ficus carica
Uredo sawadae
 Ficus elastica
Vermicularia chaetoplexa

- MUSACEAE
Heliconia bihai
Meliola macrospora
Musa
Penicillium cyclopium var. *album*
- MYOPORACEAE
Myoporum acuminatum
Guignardia myopori
- MYRTACEAE
Eucalyptus
Hysterocarina paulistae
Eucalyptus globulus
Coniothyrium globulosum
Dothiorella eucalypti f. *microspora*
Phyllocalyx laevigatus
Sphaceloma phyllocalycis
Psidium guajava
Sphaceloma psidii
Syzygium aromaticum
Cylindrocladium quinqueseptatum
- OLEACEAE
Jasminum
Anthostomella clypeatula
Ligustrum
Aecidium ligustricola
Olea europaea
Cytosporina subcylpeata
Schrebera swietenoides
Cercospora schreberae
- ORCHIDACEAE
Puccinia sinicensis
Orchis
Puccinia anhweiana
- PALMAE
Acrocornia ierensis
Sphaerodothis acrocomiae
Calamus rotang
Catacaumella calamicola
Phoenix
Uleodothis cooncorensis
- PAPAVERACEAE
Corydalis incisa
Plasmopara nakanoi
- PHRYMACEAE
Phryma leptostachya
Plasmopara phrymae
- PHYTOLACCACEAE
Phytolacca dioica
Phomopsis phytolaccae
- PLANTAGINACEAE
Plantago major var. *asiatica*
Peronospora akatsukae
- PLUMBAGINACEAE
Armeria maritima
Uromyces armeriae subsp. *pacificus*
Armeria maritima var. *labradorica*
Uromyces armeriae subsp. *hudsonicus*
Limonium carolinianum
Uromyces limonii-caroliniani
- POLEMONIACEAE
Phlox douglasii
Dasyscypha phlogis
- POLYGONACEAE
Eriogonum pyrolifolium
Mollisia shastensis
Polygonum campanulatum var. *likiangensis*
Puccinia kweichowana
Polygonum weyrichii
Puccinia shikotsuensis
Rumex acetosella
Pythium helicandrum
- PTERIDOPHYTA
Asplenium adiantum-nigrum
Phoma asplenii
Gleichenia linearis
Mycosphaerella gleicheniae
Pteritis pennsylvanica
Corticium paucillum
- RANUNCULACEAE
Trautvetteria japonica
Peronospora iwataensis
- RHAMNACEAE
Hovenia dulcis
Sphaceloma hoveniae
- ROSACEAE
Filipendula kamtschatica
Peronospora ibarakii
Kerria japonica var. *typica*
Cercospora kerriae
Malus pumila
Pleospora alternariae f. *fusca*
Prunus persica
Phomopsis ribatejana
Purshia tridentata
Peniophora assimilis
- Rosa
Cucurbitaria occulta f. *subdisticha*
- Rubus
Anthostomella appendiculosa var. *lusitanica*
Anthostomella clypeata var. *macrospora*
Caeoma cheoanum
Rubus parvifolius
Phragmidium taipaihsense
Rubus pectinellus
Hamaspora ozeensis
Spiraea prunifolia
Cercospora spiraeicola
- RUBIACEAE
Coffea excelsa
Gibberella xyliarioides
Rubia cordifolia
Coleosporium rubiicola
- RUTACEAE
Atlantia monophylla
Plowrightia atlantiae
Fagara riedelianum
Sphaceloma fagarae
- SALICACEAE
Populus nigra
Uredo tholopsora
Populus nigra var. *italica*
Melampsora abietis-populi
Populus tremula
Pholiota marginata var. *tremulae*
Populus trichocarpa
Peniophora inusitata
Salix atro-cinerea
Phomopsis salicina f. *longipes*
Salix cupularis
Melampsora salicis-cupularis
- SAPINDACEAE
Cupania oblongifolia
Sphaceloma cupaniae
- SAXIFRAGACEAE
Astilbe congesta
Cercospora astilbes
Cardiandra alternifolia
Plasmopara harae
- Deutzia
Diplodia deutziae
Phomopsis lusitanica
Hydrangea hortensis
Haplosporella hydrangeae

SCROPHULARIACEAE

- Antirrhinum majus*
Cercospora antirrhini

SOLANACEAE

- Sessea brasiliensis*
Sphaceloma sessee
Solanum asperum
Cercospora solani-asperi
Solanum hirtum
Cercospora solani-hirti

TILIACEAE

- Grewia populifolia*
Catenulopsora grewiae
Grewia rotundifolia
Pericladium tiliacearum
Tilia argentea
Macrophylllosticta tiliae
Vallea stipularis
Elsinoë valleae

UMBELLIFERAE

- Ligusticum hultenii*
Cercospora ligustici

UMBELLIFERAE (continued)

- Seseli tortuosum*
Uromyces seselis

VALERIANACEAE

- Patrinia gibbosa*
Puccinia tokubuchii

VERBENACEAE

- Aegiphila sellowiana*
Sphaceloma aegiphilae
Vitex polygama
Sphaceloma viticis

VERTEBRATA

- Homo sapiens*
Sabouraudites langeroni

VIOLACEAE

- Viola limprichtiana*
Coleosporium violae

ZINGIBERACEAE

- Alpinia nutans*
Phomopsis alpiniae

PRINTED IN
GREAT BRITAIN
AT THE
UNIVERSITY PRESS
OXFORD
BY
CHARLES BATEY
PRINTER
TO THE
UNIVERSITY

INDEX OF FUNGI

PUBLISHED SINCE THE BEGINNING OF 1940

Formerly issued as Supplements to the Review of Applied Mycology

VOL. II

PART 4

1952

- Aecidium abietis-mariesii* Sawada in *Rep. For. Exp. Sta., Tokyo*, 46, p. 115, 1950 on *Abies mariesii*.—Japan.
- *charantiae* Mayor & Viennot-Bourgin in *Bull. Soc. mycol. Fr.*, 67, p. 130, 1951 on *Momordica charantia*.—Ivory Coast.
- *hibisci-surattensis* Mayor & Viennot-Bourgin [as '*hibisci-surrattensis*'] in *Bull. Soc. mycol. Fr.*, 67, p. 131, 1951 on *Hibiscus surattensis*.—Ivory Coast.
- *tsugae* Sawada in *Rep. For. Exp. Sta., Tokyo*, 46, p. 138, 1950 on *Tsuga diversifolia*.—Japan.
- *tyliphorae* Mayor & Viennot-Bourgin in *Bull. Soc. mycol. Fr.*, 67, p. 132, 1951 on *Tyliphora oculata*.—Ivory Coast.
- Albugo mangeloti* Mayor & Viennot-Bourgin in *Bull. Soc. mycol. Fr.*, 67, p. 115, 1951 on *Mollugo nudicaulis*.—Ivory Coast.
- Aleurisma brasiliense* (Splendore) Neves & Bogliolo in *Mycopathologia*, 5, p. 140, 1951. (Syn. *Zymonema brasiliense* Splendore).
- Aleurodiscus digitalis* (Alb. & Schw. ex Fr.) Donk in *Reinwardtia*, 1, p. 210, 1951. (Syn. *Cyphella digitalis* Alb. & Schw. ex Fr.).
- Ammauroderma argenteofulvum* (van der Byl) Doidge in *Bothalia*, 5, p. 503, 1950. (Syn. *Polyporus argenteofulvus* van der Byl).
- *juxtarugosum* (Lloyd) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 100, 1943. (Syn. *Polyporus juxtarugosus* Lloyd).
- *omphalodes* (Berk.) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 100, 1943. (Syn. *Polyporus omphalodes* Berk.).
- *rugosum* (Blume & Nees) Doidge (? nov. comb.) in *Bothalia*, 5, p. 503, 1950. (Syn. *Ganoderma rugosum* (Bl. & Nees) Bres.).
- Amphichaeta cephalotaxi* Sawada in *Rep. For. Exp. Sta., Tokyo*, 46, p. 118, 1950 on *Cephalotaxus nana*.—Japan.
- *hispanica* Bausá Alcalde in *An. Jard. bot. Madrid*, 7, p. 498, 1948 on *Cistus populifolius*.—Spain.
- Aposphaeria pini-densiflorae* Sawada in *Rep. For. Exp. Sta., Tokyo*, 46, p. 134, 1950 on *Pinus densiflora*.—Japan.
- Arthrobotryum gorgoneum* Ciferri in *Mycopathologia*, 6, p. 24, 1951 on *Meliola (Irenina) vilis*.—Java.
- Ascochyta aleuritidis* Saccas & Drouillon in *Agron. Trop.*, 6, p. 242, 1951 on dead *Aleurites fordii*.—French Equatorial Africa.
- *infortunata* Ramakrishnan in *Proc. Indian Acad. Sci.*, Sect. B, 34, p. 163, 1951 on *Clerodendron infortunatum*.—India.
- Ascochyta ampelopsidis* (Hollós) Sarejanni & Démétríades in *Ann. Inst. phytopath. Benaki*, 5, p. 8, 1951. [Syn. not cited].
- **Asellaria scutigeræ* Manier in *Ann. Sci. nat., Bot.*, Sér. XI, 11, p. 132, 1951 on *Scutigeræ coleopterata*.—France.
- **Aspergillus glaucus* var. *tonophilus* Oh-tsuki, Suda, & Sai in *Misc. Rep. Res. Inst. nat. Resour., Tokyo*, 17-18, p. 76, 1950 on glass. —Japan.
- *kanagawaensis* Nehira in *J. Jap. Bot.*, 26, p. 109, 1951 from soil. —Japan.
- Asterina coelocaryi* Hansford in *Rec. Inst. nat. Étud. agron. Congo belge* 2, p. 43, 1945 on *Coelocaryon kleinei*.—Belgian Congo.
- *pandae* Hansford in *Rec. Inst. nat. Étud. agron. Congo belge* 2, p. 44, 1945 on *Panda oleosa*.—Belgian Congo.
- *pandicola* Hansford in *Rec. Inst. nat. Étud. agron. Congo belge* 2, p. 45, 1945 on *Panda oleosa*.—Belgian Congo.
- *pterygopodii* Hansford in *Rec. Inst. nat. Étud. agron. Congo belge* 2, p. 46, 1945 on *Pterygopodium*.—Belgian Congo.
- *solanicoloides* Rehm var. *atypica* Batista in *Mycopathologia*, 5, p. 169, 1951 on *Moquilea tomentosa*.—Brazil.
- *xymalodica* Hansford in *Rec. Inst. nat. Étud. agron. Congo belge* 2, p. 47, 1945 on *Xymalos*.—Belgian Congo.
- *xymalodis* Hansford in *Rec. Inst. nat. Étud. agron. Congo belge* 2, p. 48, 1945 on *Xymalos*.—Belgian Congo.
- ASTEROMELLOPSIS* Hess & Müller in *Ber. schweiz. bot. Ges.*, 61, p. 18, 1951.—Sphaeropsidales.
- *insculpta* Hess & Müller in *Ber. schweiz. bot. Ges.*, 61, p. 18, 1951 on *Clematis vitalba*; state of *Dothidella insculpta* (Wallr.) Theiss. & Syd.—Switzerland.
- Auerswaldia excoriata* C. & M. Moreau in *Rev. Mycologie*, 16, Suppl. Col. No. 1, p. 48, 1951 on *Coffea liberica*.—Ivory Coast.
- Balladyna parva* C. & M. Moreau in *Rev. Mycologie*, 16, Suppl. Col. No. 1, p. 38, 1951 on *Coffea liberica*.—Ivory Coast.
- Beltrania africana* Hughes in *Mycol. Pap., C.M.I.*, 47, p. 4, 1951 on dead *Avicennia carambola*.—Gold Coast.
- Boletus pulverulentus* Opat. forma *reticulatus* Snell, Dick, & Hesler in *Mycologia*, 43, p. 362, 1951.—Tennessee, U.S.A.
- Botryodiplodia vitis* da Camara in *Agron. lusit.*, 12, p. 111, 1950 on *Vitis vinifera*.—Portugal.
- Botryotinia pelargonii* Røed in *Blyttia*, 7, p. 77, 1949 on *Pelargonium*.—Norway.
- Imperfect state, *Botrytis pelargonii* Røed, l.c.
- *ricini* (Godfrey) Whetzel (This *Index*, 1, p. 146) precedes Buchwald's comb. (*ibid.*, 1, p. 277).
- Calospora ? pini-thunbergii* Sawada in *Rep. For. Exp. Sta., Tokyo*, 46, p. 136, 1950 on *Pinus thunbergii*.—Japan.

- Camarosporium sarothamni* da Camara in *Agron. lusit.*, 12, p. 114, 1950 on *Cytisus pendulinus* var. *eriocarpus*.—Portugal.
- Campanella floridana* Singer in *Lloydia*, 13, p. 249, 1951 on dead *Magnolia grandiflora*.—Florida, U.S.A.
- Campoa thuopsisidis* Sawada in *Rep. For. Exp. Sta., Tokyo*, 46, p. 140, 1950 on *Thuopsis dolabrata* var. *hondai*.—Japan.
- Campomeris acaciae* (Syd.) Ciferri in *Mycopathologia*, 6, p. 25, 1951. (Syn. *Septogloeum acaciae* Sydow).
- robiniae* (Shear) Ciferri in *Mycopathologia*, 6, p. 25, 1951. (Syn. *Fusicladium robiniae* Shear).
- CANDELABRUM** van Beverwijk in *Antonie van Leeuwenhoek J. Microbiol. Serol.*, 17, p. 11, 1951.—Moniliales.
- spinulosum* van Beverwijk in *Antonie van Leeuwenhoek J. Microbiol. Serol.*, 17, p. 11, 1951 on decaying leaves in water.—Netherlands.
- Cenangium pini* Sawada in *Rep. For. Exp. Sta., Tokyo*, 46, p. 131, 1950 on *Pinus densiflora*.—Japan.
- Cephalosporium apii* Smith & Ramsey in *Bot. Gaz.*, 112, p. 399, 1951 on *Apium graveolens*.—Colorado, U.S.A.
- falciforme* Carrión in *Mycologia*, 43, p. 523, 1951 on man.—Puerto Rico.
- CERATOSPERMOPSIS** Batista in *Mycopathologia*, 5, p. 165, 1951.—Meliolineae.
- cupaniae* Batista in *Mycopathologia*, 5, p. 166, 1951 on *Cupania*.—Brazil.
- xylopieae* Batista in *Mycopathologia*, 5, p. 166, 1951 on *Xylopiea frutescens*.—Brazil.
- Ceratosporium rilstonii* Hughes in *Mycol. Pap., C.M.I.*, 39, p. 9, 1951 on dead *Ribes grossularia*.—England.
- Ceratostoma plectotheca* Munk in *Dansk bot. Ark.*, 12, 11, p. 12, 1948 on wood.—Denmark.
- Cercoseptoria sapindophila* (Speg.) Ciferri in *Mycopathologia*, 6, p. 26, 1951. (Syn. *Fusarium sapindophilum* Speg.).
- Cercospora cephalariae* Rayss in *Palest. J. Bot.*, J. Ser., 5, p. 24, 1950 on *Cephalaria joppica*.—Palestine.
- chamaecyparidis* Sawada in *Rep. For. Exp. Sta., Tokyo*, 46, p. 122, 1950 on *Chamaecyparis obtusa*.—Japan.
- narthecii* F. L. Balfour-Browne in *Trans. bot. Soc. Edinb.*, 35, p. 434, 1951 on *Narthecium ossifragum*.—Scotland.
- psoraleae* Petrak (This *Index*, 2, p. 16). See also *C. psoraleae* Ray, 1941 (*ibid.*, 1, p. 66).
- pulchella* Ramakrishnan in *Proc. Indian Acad. Sci., Sect. B*, 34, p. 163, 1951 on *Indigofera pulchella*.—India.
- scopariae* Lacy & Thirumalachar in *Sydowia*, 5, p. 127, 1951 on *Scoparia dulcis*.—India.
- tremae* (Stev. & Solh.) Chupp in Chardon & Toro, *Mycol. Explorat. Venezuela*, p. 253, 1934. (This antedates the entry in this *Index*, 2, p. 2).
- Cercosporella acalyphae* Lacy & Thirumalachar in *Sydowia*, 5, p. 127, 1951 on *Acalypha indica*.—India.
- Ceriospora caudae-suis* Ingold in *Trans. Brit. mycol. Soc.*, 34, p. 210, 1951 on submerged *Fraxinus*.—England.
- Chaetomeris hemisphaerica* Batista in *Mycopathologia*, 5, p. 154, 1951 on *Polyscias guifoylei*.—Brazil. [*Chaetomeris* Clem. is an obligate syn. of *Treubiomyces* Höhn.].
- CHAETONAEVIA** von Arx in *Antonie van Leeuwenhoek J. Microbiol. Serol.*, 17, p. 85, 1951.—Discomycetes.
- nannfeldtii* von Arx in *Antonie van Leeuwenhoek J. Microbiol. Serol.*, 17, p. 86, 1951 on *Arctostaphylos alpina*.—Sweden.
- CHAETOPOTIUS** Batista in *Mycopathologia*, 5, p. 151, 1951.—Capnodiaceae.
- commistum* Batista in *Mycopathologia*, 5, p. 152, 1951 on *Chidemia hirta*.—Brazil.
- Chaetothyrium capense* (Doidge) Hansford apud Doidge in *Bothalia*, 5, p. 192, 1950. (Syn. *Aithaloderma capense* Doidge).
- Chaetotrichum lantanae* Petrak nom. nov. in *Sydowia*, 5, p. 38, 1951. (Syn. *Cladosporium trichophilum* Petr. & Cif. non *Chaetotrichum trichophilum* (Stev.) Petrak).
- latisporum* Petrak in *Sydowia*, 5, p. 34, 1951 on *Liabum bipinnatifidum*.—Ecuador.
- liabicola* Petrak in *Sydowia*, 5, p. 35, 1951 on *Liabum arsalaguense*.—Ecuador.
- pannosum* Petrak in *Sydowia*, 5, p. 37, 1951 on *Siphocampylus campanulatus*.—Ecuador.
- pulchrum* Petrak in *Sydowia*, 5, p. 32, 1951 on *Liabum pichinchense*.—Ecuador.
- rufidulum* Petrak in *Sydowia*, 5, p. 33, 1951 on *Liabum*.—Ecuador.
- solani-torvi* (Frag. & Cif.) Petrak in *Sydowia*, 5, p. 38, 1951. (Syn. *Cercospora solani-torvi* Frag. & Cif.).
- sydowii* Petrak in *Sydowia*, 5, p. 31, 1951 on *Liabum pallatangense*.—Ecuador.
- trichophilum* (Stev.) Petrak in *Sydowia*, 5, p. 38, 1951. (Syn. *Cercospora trichophila* Stev.).
- Chalcosphaeria oyedae* (Syd.) Ciferri in *Mycopathologia*, 6, p. 27, 1951. (Syn. *Phyllosticta oyedae* Syd.).
- Chondropodium molinae** da Camara in *Agron. lusit.*, 21, p. 113, 1950 on *Molinia caerulea*.—Portugal.
- Cintractia calderi* Savile in *Canad. J. Bot.*, 29, p. 324, 1951 on *Carex backii*.—Manitoba, Canada.
- leucoderma* (Berk.) P. Henn. var. *striata* (Clint. & Zundel) Ling in *Mycologia*, 43, p. 312, 1951. (Syn. *Cintractia striata* Clint. & Zundel).
- scleriae* (DC.) Ling in *Mycologia*, 43, p. 314, 1951. (Syn. *Uredo scleriae* DC.).
- Cladosporium lysimachiae* Greene (This *Index*, 2, p. 2). See also *C. lysimachiae* Guba, *Rhodora*, 41, p. 513, 1939.
- CLATHROSPHAERINA** van Beverwijk in *Trans. Brit. mycol. Soc.*, 34, p. 289, 1951.—Moniliales.
- zalewskii* van Beverwijk in *Trans. Brit. mycol. Soc.*, 34, p. 289, 1951 on decaying plant material in water.—Netherlands.
- Clavaria leucoporphyrina* Singer in *Collect. Bot.*, 1, p. 205, 1947.—Spain.
- xanthoporphyrina* Singer in *Collect. Bot.*, 1, p. 205, 1947.—Spain.
- Clitocybe catalaunica* Singer in *Collect. Bot.*, 1, p. 242, 1947.—Spain.
- geotropa* (Bull.) Fr. var. *minor* Singer in *Collect. Bot.*, 1, p. 221, 1947.—Spain.
- monticola* Singer in *Collect. Bot.*, 1, p. 221, 1947.—Spain.
- Clypeolella dalhousieae* Hansford in *Rec. Inst. nat. Étud. agron. Congo belge* 2, p. 50, 1945 on *Dalhousiea*.—Belgian Congo.
- Cochliobolus boutelouae* Sprague in *Mycologia*, 43, p. 550, 1951 on *Bouteloua gracilis*.—New Mexico, U.S.A.

- *sporoboli* E. Castellani in *Mycopathologia*, 6, p. 56, 1951 on *Sporobolus affinis* and *S. ruspolianus*.—East Africa.
- Coleosporium barclayense** Bagehee in *Indian For. Rec. Bot.*, 4, p. 53, 1950 on *Senecio rufinervis*.—India.
- Colletotrichum corni** (Woronich.) Vassiljevsky, *Fungi Imperfecti Parasitici*, 2, p. 239, 1950. (Syn. *Gloeosporium corni* Woronichin).
- **fructigenum** (Berk.) Vassiljevsky, *Fungi Imperfecti Parasitici*, 2, p. 296, 1950. (Syn. *Gloeosporium fructigenum* Berk.).
- *— **gloeosporioides** Penz. var. **aleuritidis** Saccas & Drouillon in *Agric. Trop.*, 6, p. 249, 1951 on *Aleurites fordii* and *A. montana*.—French Equatorial Africa.
- **kruegerianum** Vassiljevsky nom. nov., *Fungi Imperfecti Parasitici*, 2, p. 321, 1950. (Syn. *Gloeosporium lycopersici* F. Krüger, non *C. lycopersici* Chester).
- Collybia dryophila** (Bull.) Fr. var. **oedipoides** Singer in *Collect. Bot.*, 1, p. 223, 1947.—Spain.
- Coltricia dependens** (Berk. & Curt.) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 109, 1943. (Syn. *Polyporus dependens* Berk. & Curt. See this *Index*, 1, p. 259 for the later comb. by Cunningham).
- **greenii** (Berk.) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 109, 1943. (Syn. *Cyclomyces greenii* Berk.).
- Coniochaeta pulveracea** (Ehrh.) Munk in *Dansk bot. Ark.*, 12, 11, p. 9, 1948. (Syn. *Rosellinia pulveracea* (Ehrh. ex Fr.) Fuckel).
- **velutina** (Fuckel) Munk in *Dansk bot. Ark.*, 12, 11, p. 9, 1948. (Syn. *Rosellinia velutina* Fuckel). [Comb. made by Cooke, 1887].
- Conocybe kuehneri** Singer nom. nov. in *Collect. Bot.*, 1, p. 236, 1947. (Syn. *C. sili-ginea* Kühner, non Bres.).
- Coprinus atramentarius** var. **acuminatus** Romagnesi in *Rev. Mycologie*, N.S., 16, p. 127, 1951.—France.
- **pyrrhanthes** Romagnesi in *Rev. Mycologie*, N.S., 16, p. 128, 1951.—France.
- **radicans** Romagnesi in *Rev. Mycologie*, N.S., 16, p. 127, 1951.—France.
- **spilosporus** Romagnesi in *Rev. Mycologie*, N.S., 16, p. 127, 1951.—France.
- Cordyceps aurantiaca** (Plowr. & Wilson) Oort in *Tijdschr. PLZiekt.*, 52, p. 82, 1946. [cf. *C. aurantiaca* (Plowr. & Wilson) Imai, this *Index*, 2, p. 2 and also *C. aurantiaca* Lohwag apud Keissler, *Sinicae symbolae*, 2, p. 27, 1937].
- **furcata** Moreau (This *Index*, 1, p. 278). See also *C. furcata* McLennan & Cookson, *Proc. R. Soc. Victoria*, 35, p. 157, 1923.
- Coriolus consors** (Berk.) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 80, 1943. (Syn. *Irpex consors* Berk.).
- **neaniscus** (Berk.) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 80, 1943. (Syn. *Polyporus neaniscus* Berk.).
- **polygonus** (Pers. ex Quél.) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 80, 1943. (Syn. *Poly-stictus polygonus* Pers. ex Quél.).
- Cortinarius inmissus** Schläpfer in *Schweiz. Z. Pilzk. Bern*, 29, p. 202, 1951.—Switzerland.
- Coryneopsis cisticola** Bausá Alcalde in *An. Jard. bot. Madrid*, 7, p. 497, 1948 on *Cistus populifolius*.—Spain.
- Coryneum pirinum** da Camara in *Agron. lusit.*, 12, p. 118, 1950 on *Pyrus communis* subsp. *pyraster*.—Portugal.
- CRYPTODERMA** Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 106, 1943.—Polyporaceae. Type, *C. ribis*.
- **citrinum** Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 107, 1943 on wood.—Japan.
- **dependens** (Murr.) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 107, 1943. (Syn. *Fomes dependens* Murr.).
- **endothium** (Berk.) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 107, 1943. (Syn. *Fomes endothium* (Berk.) Sacc.).
- **fastuosum** (Lév.) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 107, 1943. (Syn. *Fomes fastuosus* (Lév.) Cooke).
- **kanehirae** (Yasuda) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 107, 1943. (Syn. *Polyporus kanehirae* Yasuda).
- **lamaense** (Murr.) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 107, 1943. (Syn. *Pyropolyporus lamaensis* Murr.).
- **lonicerinum** (Bond.) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 107, 1943. (Syn. *Fomes lonicerinus* Bond.).
- **mcgregorii** (Bres.) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 107, 1943. (Syn. *Fomes mcgregorii* Bres.).
- **pini** (Thore ex Fr.) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 107, 1943. [Syn. *Trametes pini* (Thore ex Fr.) Fr.].
- **pullum** (Mont.) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 107, 1943. [Syn. *Polyporus pullus* Mont. & Berk.].
- **pusillum** (Lloyd) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 107, 1943. (Syn. *Fomes pusillus* Lloyd).
- **ribis** (Fr.) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 107, 1943. (Syn. *Polyporus ribis* Schum. ex Fr.).
- **substygium** (Berk. & Curt.) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 107, 1943. (Syn. *Polyporus substygius* Berk. & Curt.).
- **yezoense** (Tochinai & Kamei) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 107, 1943. (Syn. *Fomes yezoensis* Toch. & Kamei).
- Cryptostictella reynoutriae** Sawada in *Rep. For. Exp. Sta., Tokyo*, 46, p. 127, 1950 on *Larix kaempferi* and *Reynoutria japonica* var. *typica*.—Japan.
- CUPHOCYBE** Heim in *Rev. Mycologie*, N.S., 16, p. 8, 1951.—Agaricaceae.
- **alborosea** Heim in *Rev. Mycologie*, N.S., 16, p. 8, 1951.—New Zealand.
- **olivacea** Heim in *Rev. Mycologie*, N.S., 16, p. 8, 1951.—New Zealand.
- Curvularia oryzae** Bugnicourt in *Rev. gén. Bot.*, 57, p. 69, 1950 on *Oryza sativa*.—Indo-China.
- **stapeliae** (du Plessis) Hughes & du Plessis apud Hughes in *Mycol. Pap., C.M.I.*, 46, p. 28, 1951. (Syn. *Triposporium stapeliae* du Plessis).
- **uncinata** Bugnicourt in *Rev. gén. Bot.*, 57, p. 72, 1950 on *Oryza sativa*.—Indo-China.
- Cylindrosporium albanicum** (Petr.) Vassiljevsky, *Fungi Imperfecti Parasitici*, 2, p. 519, 1950. (Syn. *Phleospora albanica* Petrak.).
- **basiplanum** Vassiljevsky, *Fungi Imperfecti Parasitici*, 2, p. 596, 1950 on *Spiraea hypericifolia*.—U.S.S.R.
- **canadense** Vassiljevsky nom. nov., *Fungi Imperfecti Parasitici*, 2, p. 560, 1950. (Syn. *Phleospora dearnessii* Bub., non *C. dearnessii* Ell. & Ev.).
- **carpogenum** Vassiljevsky nom. nov., *Fungi Imperfecti Parasitici*, 2, p. 571, 1950. (Syn.

- Marssonina pruni* Vassiljevsky, non *C. pruni* (Syd.) Died.).
- *convolvulicola* Vassiljevsky nom. nov., *Fungi Imperfecti Parasitici*, 2, p. 519, 1950. (Syn. *Septogloeum convolvuli* Ell. & Ev., non *C. convolvuli* Miura).
 - *defolians* (Harkness) Vassiljevsky, *Fungi Imperfecti Parasitici*, 2, p. 525, 1950. (Syn. *Septogloeum defolians* Harkness).
 - *eryngicola* Vassiljevsky nom. nov., *Fungi Imperfecti Parasitici*, 2, p. 584, 1950. (Syn. *Septoria eryngii* West., non *C. eryngii* Ell. & Kell.).
 - *excipuliforme* Vassiljevsky nom. nov., *Fungi Imperfecti Parasitici*, 2, p. 537, 1950. (Syn. *Septogloeum lathyri* Lind, non *C. lathyri* Bub. & Kab.).
 - *fragariae* (Br. & Har.) Vassiljevsky, *Fungi Imperfecti Parasitici*, 2, p. 564, 1950. (Syn. *Stagonospora fragariae* Br. & Har.).
 - *frigidum* (Sacc.) Vassiljevsky, *Fungi Imperfecti Parasitici*, 2, p. 515, 1950. (Syn. *Gloeosporium frigidum* Sacc.).
 - *fusarioides* (Sacc.) Vassiljevsky, *Fungi Imperfecti Parasitici*, 2, p. 532, 1950. (Syn. *Phleospora fusarioides* Sacc.).
 - *garbowskii* Vassiljevsky nom. nov., *Fungi Imperfecti Parasitici*, 2, p. 511, 1950. (Syn. *Septogloeum pistaciae* Garb., non *C. pistaciae* (Desm.) Vassilj.).
 - *pistaciae* (Desm.) Vassiljevsky, *Fungi Imperfecti Parasitici*, 2, p. 510, 1950. (Syn. *Septoria pistaciae* Desm.).
 - *platanoidis* Kab. & Bub. var. *polymorphum* Vassiljevsky, *Fungi Imperfecti Parasitici*, 2, p. 596, 1950 on *Acer tataricum*.—U.S.S.R.
 - *pomicola* Vassiljevsky nom. nov., *Fungi Imperfecti Parasitici*, 2, p. 563, 1950. (Syn. *Septogloeum pomi* Oudem., non *C. pomi* Brooks).
 - *populinum* (Peck) Vassiljevsky, *Fungi Imperfecti Parasitici*, 2, p. 575, 1950. (Syn. *Gloeosporium populinum* Peck).
 - *potebniae* Vassiljevsky nom. nov., *Fungi Imperfecti Parasitici*, 2, p. 535, 1950. (Syn. *Phleospora caraganae* Jacz. var. *lathyri* Poteb., non *C. lathyri* Bub. & Kab.).
 - *propinquum* (Bub. & Vleug.) Vassiljevsky, *Fungi Imperfecti Parasitici*, 2, p. 578, 1950. (Syn. *Gloeosporium propinquum* Bub. & Vleug.).
 - *pruinatum* (Zaprometov) Vassiljevsky, *Fungi Imperfecti Parasitici*, 2, p. 577, 1950. (Syn. *Marssonina pruinosa* Zaprometov).
 - *subcuticulare* Vassiljevsky nom. nov., *Fungi Imperfecti Parasitici*, 2, p. 547, 1950. (Syn. *Septogloeum fraxini* Harkn., non *C. fraxini* (Ell. & Kell.) Ell. & Ev.).
 - *thalictricola* Vassiljevsky nom. nov., *Fungi Imperfecti Parasitici*, 2, p. 557, 1950. (Syn. *C. ranunculi* (Bon.) Sacc. f. *thalictri* Ell. & Ev., non *C. thalictri* Dmitr.).
 - *tremulae* (Hoehn.) Vassiljevsky, *Fungi Imperfecti Parasitici*, 2, p. 576, 1950. (Syn. *Septogloeum tremulae* Hoehn.).
 - *ulmi* (Fr.) Vassiljevsky, *Fungi Imperfecti Parasitici*, 2, p. 580, 1950. (Syn. *Septoria ulmi* F.).
 - *vagnerae* (Petr.) Vassiljevsky, *Fungi Imperfecti Parasitici*, 2, p. 540, 1950. (Syn. *Phleospora vagnerae* Petr.).
- Cytospora chamaecyparidis* Sawada in *Rep. For. Exp. Sta.*, Tokyo, 46, p. 121, 1950 on *Chamaecyparis pisifera*.—Japan.
- Dactylaria gracilis* Duddington in *Trans. Brit. mycol. Soc.*, 34, p. 194, 1951 on nematodes.—England.
- Daedaleopsis conchiformis* Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 77, 1943 on wood.—Japan.
- *nipponica* Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 78, 1943 on wood.—Japan.
 - *papyraceo-resupinata* (S. Ito & Imai) Imazeki in *Bull. Tokyo Sci. Mus.*, 6, p. 78, 1943. (Syn. *Hexagona papyraceo-resupinata* Ito & Imai).
 - *styracina* (P. Henn. & Shir.) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 78, 1943. (Syn. *Lenzites styracina* P. Henn. & Shir.).
 - *tenuis* (Hook. ex Fr.) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 78, 1943. (Syn. *Hexagona tenuis* Hook. ex Fr.).
- Delitschia proboscidea* Munk in *Dansk bot. Ark.*, 12, 11, p. 4, 1948 on dung.—Denmark.
- Dendrophoma abietis* Sawada in *Rep. For. Exp. Sta.*, Tokyo, 46, p. 114, 1950 on *Abies firma*.—Japan.
- DENDROSEPTORIA** Bausá Alcalde in *An. Jard. bot. Madrid*, 7, p. 489, 1948.—Sphaeropsidales.
- *arrhenatheri* Bausá Alcalde in *An. Jard. bot. Madrid*, 7, p. 489, 1948 on *Arrhenatherum elatius*.—Spain.
- Dictyopeltis applanata* Batista in *Mycopathologia*, 5, p. 170, 1951 on *Achras sapota*.—Brazil.
- *myricae* Hansford in *Rec. Inst. nat. Étud. agron. Congo belge* 2, p. 51, 1945 on *Myrica*.—Belgian Congo.
- Didymellina intermedia* Ciferri in *Not. Mal. Piant.*, 2, p. 6, 1949 on *Lilium candidum*.—Italy.
- DIDYMOPSOURELLA** Thirumalachar in *Sydowia*, 5, p. 28, 1951.—Uredinales. Type, *D. toddaliae*.
- *macrospora* (Mundkur & Thirum.) Thirumalachar in *Sydowia*, 5, p. 28, 1951. (Syn. *Didymopora macrospora* Mundkur & Thirum.).
 - *toddaliae* (Petch) Thirumalachar in *Sydowia*, 5, p. 28, 1951. (Syn. *Uredo toddaliae* Petch).
- Didymosphaeria armeriae* da Camara, 1946, (*This Index*, 1, p. 260). See also **D. armeriae* Losa España, 1945 (ibid., 1, p. 149).
- *epidermidis* (Fr.) Fuckel var. *ulicis* da Camara in *Agron. lusit.*, 12, p. 97, 1950 on *Ulex minor*.—Portugal.
- Dimeriellopsis araliae* Batista in *Mycopathologia*, 5, p. 163, 1951 on *Polyscias guifolei*.—Brazil.
- Dimerium abietis-mariesii* Sawada in *Rep. For. Exp. Sta.*, Tokyo, 46, p. 114, 1950 on *Abies mariesii*.—Japan.
- Diplodia arctii* Cherepanov in *J. Bot. U.S.S.R.*, 36, p. 274, 1951 on *Arctium minus*.—U.S.S.R.
- *chenopodii* Cherepanov in *J. Bot. U.S.S.R.*, 36, p. 274, 1951 on *Chenopodium album*.—U.S.S.R.
- Diplorhinotrichum africanum* Hughes in *Mycol. Pap., C.M.I.*, 47, p. 9, 1951 on *Azadirachta indica*.—Gold Coast.
- Doassansia morotiana* Zundel nom. nov. in *Mycologia*, 43, p. 269, 1951. (Syn. *D. intermedia* Morot non Setch.).
- Dothiorella genistae* da Camara in *Agron. lusit.*, 12, p. 105, 1950 on *Pterospartum tridentatum*.—Portugal.

- Eccilia sericella* (Fr.) Singer in *Collect. Bot.*, 1, p. 218, 1947. (Syn. *Agaricus sericellus* Fr.).
- *undata* (F.) Quél. var. *ombrophila* Singer in *Collect. Bot.*, 1, p. 219, 1947.—Spain.
- Elfvigia tsunodae* (Yasuda ex Lloyd) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 102, 1943. (Syn. *Polyporus tsunodae* Yasuda ex Lloyd).
- Endomycopsis ohmeri* Etchells & Bell in *Food Technology*, 4, p. 81, 1950 in cucumber brine.—U.S.A.
- var. *minor* Etchells & Bell in *Food Technology*, 4, p. 81, 1950 in cucumber brine.—U.S.A.
- Endostigme populina* (Vuill.) Ciferri in *Not. Mal. Piante*, 14, p. 88, 1951. (Syn. *Didymosphaeria populina* Vuill.).
- **Enterobryus duboscqui* Tuzet & Manier apud Manier in *Ann. Sci. nat., Bot.*, Sér. XI, 11, p. 65, 1951 on *Schizophyllum sabulosum* var. *rubripes*.—France.
- *— *leptoiuli* Manier in *Ann. Sci. nat., Bot.*, Sér. XI, 11, p. 71, 1951 on *Leptoiulus belgicus*.—France.
- Entoloma pyrenaicum* Singer in *Collect. Bot.*, 1, p. 219, 1947.—Spain.
- *subnitidum* forma *cyano-nigrum* Hongo in *J. Jap. Bot.*, 26, p. 145, 1951.—Japan.
- Entosordaria jacobii-felicis* C. & M. Moreau in *Rev. Mycologie*, 16, Suppl. Col. No. 1, p. 48, 1951 on *Coffea liberica*.—Ivory Coast.
- **Epidochium ilicinum* Goidanich & Camici in *Ann. Sper. agr.*, N.S., 1, p. 528, 1947 on *Quercus ilex*.—Italy.
- Eremotheca congensis* Hansford in *Rec. Inst. nat. Etud. agron. Congo belge* 2, p. 49, 1945 on *Rhektophyllum mirabile*.—Belgian Congo.
- Eudarlucha indica* Ramakrishnan in *Proc. Indian Acad. Sci.*, Sect. B, 34, p. 158, 1951 on *Uredo amomi*.—India.
- Eutypa eutypoides* (Ell. & Ev.) Petrak in *Sydowia*, 5, p. 177, 1951. (Syn. *Bagnisiella eutypoides* Ell. & Ev.).
- *microspora* C. & M. Moreau in *Rev. Mycologie*, 16, Suppl. Col. No. 1, p. 65, 1951 on dead *Coffea canephora*.—Ivory Coast.
- *nervincola* (Rehm) Petrak in *Sydowia*, 5, p. 177, 1951. (Syn. *Nitschkia nervincola* Rehm apud Fitzp.).
- Eutypella coffeicola* C. & M. Moreau in *Rev. Mycologie*, 16, Suppl. Col. 1, p. 59, 1951 on *Coffea canephora* and *C. liberica*.—Ivory Coast.
- *perplexans* C. & M. Moreau in *Rev. Mycologie*, 16, Suppl. Col. No. 1, p. 64, 1951 on dead *Coffea canephora*.—Ivory Coast.
- Favolaschia echinata* Singer in *Lloydia*, 13, p. 253, 1951 on dead *Boehmeria caudata*.—Argentina.
- *flava* (Bres.) Singer in *Lloydia*, 13, p. 257, 1951. (Syn. *Laschia flava* Bres.).
- *pterigena* Singer in *Lloydia*, 13, p. 255, 1951 on dead pteridophytes.—Argentina.
- *puiggarii* (Speg.) Singer in *Lloydia*, 13, p. 253, 1951. (Syn. *Favolus puiggarii* Speg.).
- *pygmaea* (Speg.) Singer in *Lloydia*, 13, p. 254, 1951. (Syn. *Favolus pygmaeus* Speg.).
- Favolus emerici* (Cooke) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 95, 1943. (Syn. *Polyporus emerici* Cooke).
- *grammocephalus* (Berk.) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 95, 1943. (Syn. *Polyporus grammocephalus* Berk.).
- *hirtus* (Quél.) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 95, 1943. (Syn. *Polyporus hirtus* Quél.).
- *mikawai* (Lloyd) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 95, 1943. (Syn. *Polyporus mikawai* Lloyd).
- *rhpidium* Berk. 'var. *pusillus* Imazeki comb. nov.' in *Bull. Tokyo Sci. Mus.* 6, p. 95, 1943. [Syn. not cited].
- Fayodia bisphaerica* (Lge.) var. *grisea* Singer in *Collect. Bot.*, 1, p. 243, 1947.—Spain.
- FLAGELLOSCYPHA** Donk apud Singer in *Lilloa*, 22, p. 312, 1951.—Tricholomataceae.
- *minutissima* (Burt) Donk apud Singer in *Lilloa*, 22, p. 312, 1951. (Syn. *Cyphella minutissima* Burt).
- Fomitopsis carnea* (Nees) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 92, 1943. [Syn. *Trametes carnea* Nees ex Corda].
- *cinerea* (Torr.) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 92, 1943. (Syn. *Fomes cinereus* Torr.).
- *connata* (Fr.) Cunn. (This Index, 2, p. 21). See also *F. connata* (Weinm.) Karst., 1881.
- *corrugata* (Pers. ex Cooke) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 92, 1943. (Syn. *Polyporus corrugatus* Pers.).
- *komatsuzakii* (Yasuda) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 92, 1943. (Syn. *Polyporus komatsuzakii* Yasuda).
- *ochroleuca* (Berk.) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 92, 1943. (Syn. *Polyporus ochroleucus* Berk.).
- *olivacea* (Yasuda) Imazeki & Aoshima apud Aoshima in *Ann. phytopath. Soc., Japan*, 15, p. 9, 1950. (Syn. *Fomes olivaceus* Yasuda).
- *pubertatis* (Lloyd) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 92, 1943. (Syn. *Polyporus pubertatis* Lloyd).
- *rhodophaea* (Lév.) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 92, 1943. (Syn. *Polyporus rhodophaeus* Lév.).
- *subungulata* (Murr.) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 92, 1943. (Syn. *Fomes subungulatus* Murr.).
- *zonalis* (Berk.) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 92, 1943. (Syn. *Polyporus zonalis* Berk.).
- **Fusarium heterosporum* Nees forma *aleuritidis* Saccas & Drouillon in *Agron. Trop.*, 6, p. 251, 1951 on *Aleurites fordii*.—French Equatorial Africa.
- *laricis* Sawada in *Rep. For. Exp. Sta., Tokyo*, 46, p. 130, 1950 on *Larix kaempferi*.—Japan.
- *solani* (Mart.) Sacc. forma *batatas* McClure in *Phytopathology*, 41, p. 75, 1951 on *Ipomoea batatas*.—California, U.S.A.
- Galerina unicolor* (Fr.) Moser (This Index, 1, p. 279). Comb. made by Singer, *Beih. Bot. Zbl.*, Abt. B, 56, p. 170, 1936.
- GERRONEMA** Singer in *Mycologia*, 43, p. 599, 1951.—Agaricales. Type *G. melanomphax*.
- *depauperatum* Singer in *Mycologia*, 43, p. 601, 1951.—Argentina.
- *elasticum* Singer in *Mycologia*, 43, p. 599, 1951.—Argentina.
- *melanomphax* Singer in *Mycologia*, 43, p. 602, 1951.—Argentina.
- GIBBERELLULINA** da Camara in *Agron. lusit.*, 12, p. 101, 1950.—Hypocreales.
- *abietis* da Camara in *Agron. lusit.*, 12, p. 101, 1950 on *Abies nordmanniana*.—Portugal.
- Gloeophyllum odoratum* (Wulf. ex Fr.) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 75, 1943. (Syn. *Polyporus odoratus* Wulf. ex Fr.).

- *protractum* (Fr.) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 75, 1943. (Syn. *Trametes protracta* Fr.).
- *ungulatum* (Lloyd) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 75, 1943. (Syn. *Daedalea unguolata* Lloyd).
- Gloeosporium cistinum** Bausá Alcalde in *An. Jard. bot. Madrid*, 7, p. 494, 1948 on *Cistus populifolius*.—Spain.
- *polygonati* (Moesz) Karakulin, *Fungi Imperfecti Parasitici*, 2, p. 115, 1950. (Syn. *Cylindrosporella polygonati* Moesz).
- *pteridii* Karakulin nom. nov., *Fungi Imperfecti Parasitici*, 2, p. 42, 1951. (Syn. *G. pteridis* (Kalchbr.) Bub. & Kab. 1906, non Harkn. 1884).
- *rubellum* Karakulin nom. nov., *Fungi Imperfecti Parasitici*, 2, pp. 73 and 597, 1950. (Syn. *G. cylindrosporum* Jaap 1912, non (Bon.) Sacc. 1884).
- *vancouveranum* Karakulin nom. nov., *Fungi Imperfecti Parasitici*, 2, p. 148, 1951. (Syn. *G. crataegi* Dearn. & Barth. 1917, non Hollós 1906).
- ***Glomerella cingulata** (Stonem.) Spauld. & Schrenk var. *aleuritidis* Saccas & Drouillon in *Agron. Trop.*, 6, p. 251, 1951 on *Aleurites fordii* and *A. montana*.—French Equatorial Africa.
- Gnomonia fructicola** (Arnaud) Fall in *Canad. J. Bot.*, 29, p. 309, 1951. (Syn. *Gnomonia fragariae* Kleb. var. *fructicola* Arn.).
- *grewiae* Ciccarone in *Mycopathologia*, 5, p. 212, 1951 on *Grewia ferruginea*.—Abyssinia.
- Gnomoniella quadriguttulata** C. & M. Moreau in *Rev. Mycologie*, 16, Suppl. Col. No. 1, p. 57, 1951 on *Coffea liberica*.—Ivory Coast.
- Grifola intybacea** (Fr.) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 98, 1943. (Syn. *Polyporus intybaceus* Fr.).
- *umbellata* (Fr.) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 98, 1943. (Syn. *Polyporus umbellatus* Fr.).
- Guignardia cephalotaxi-nanae** Sawada in *Rep. For. Exp. Sta., Tokyo*, 46, p. 117, 1950 on *Cephalotaxus nana*.—Japan.
- GYMNOPUCCINIA** Ramakrishnan in *Trans. Brit. mycol. Soc.*, 34, p. 141, 1951.—Uredinales.
- *pulneyensis* Ramakrishnan in *Trans. Brit. mycol. Soc.*, 34, p. 141, 1951 on *Toddalia asiatica*.—India.
- Halbania juniperi** Sawada in *Rep. For. Exp. Sta., Tokyo*, 46, p. 124, 1950 on *Juniperus chinensis*.—Japan.
- Hansenula angusta** Wickerham in *Tech. Bull. U.S. Dep. Agric.* 1029, p. 31, 1951 from orange juice.—Florida, U.S.A.
- *beckii* Wickerham nom. nov. in *Tech. Bull. U.S. Dep. Agric.* 1029, p. 27, 1951. (Syn. *Endomyces bisporus* Beck, non *Hansenula bisporus* (Mattlet) Nannizzi).
- *californica* (Lodder) Wickerham in *Tech. Bull. U.S. Dep. Agric.* 1029, p. 39, 1951. (Syn. *Zygothansenula californica* Lodder).
- *canadensis* Wickerham in *Tech. Bull. U.S. Dep. Agric.* 1029, p. 28, 1951 from beetle frass of *Pinus resinosa*.—Ontario, Canada.
- *capsulata* Wickerham in *Tech. Bull. U.S. Dep. Agric.* 1029, p. 25, 1951 from frass of conifers.—Canada.
- *jadini* (Sartory) Wickerham [as '*jadinii*'] in *Tech. Bull. U.S. Dep. Agric.* 1029, p. 34, 1951. (Syn. *Saccharomyces jadini* Sartory et al.).
- *minuta* Wickerham in *Tech. Bull. U.S. Dep. Agric.* 1029, p. 29, 1951 from fermenting *Mycena pura*.—Canada.
- *mrakii* Wickerham in *Tech. Bull. U.S. Dep. Agric.* 1029, p. 40, 1951 from soil.—New Guinea.
- *silvicola* Wickerham in *Tech. Bull. U.S. Dep. Agric.* 1029, p. 30, 1951 from gum of *Prunus serotina*.—Illinois, U.S.A.
- HANSFORDIA** Hughes in *Mycol. Pap., C.M.I.*, 43, p. 15, 1951.—Moniliales. Type *H. ovalispora*.
- *canescens* (Speg.) Hughes in *Mycol. Pap., C.M.I.*, 43, p. 16, 1951. (Syn. *Sporotrichum canescens* Speg.).
- *grewiae* (Hansford) Hughes in *Mycol. Pap., C.M.I.*, 43, p. 16, 1951. (Syn. *Verticicladium grewiae* Hansf.).
- *grisella* (Sacc.) Hughes in *Mycol. Pap., C.M.I.*, 43, p. 16, 1951. (Syn. *Botrytis grisella* Sacc.).
- *ovalispora* Hughes in *Mycol. Pap., C.M.I.*, 43, p. 16, 1951 on *Saccharum officinarum*.—Gold Coast.
- *togoensis* Hughes in *Mycol. Pap., C.M.I.*, 43, p. 18, 1951 on *Setaria chevalieri*.—Togoland.
- *triumfettae* (Hansford) Hughes in *Mycol. Pap., C.M.I.*, 43, p. 16, 1951. (Syn. *Sporotrichum triumfettae* Hansf.).
- *ugandensis* (Hansford) Hughes in *Mycol. Pap., C.M.I.*, 43, p. 16, 1951. (Syn. *Verticicladium ugandense* Hansf.).
- HANSFORDIELLA** Hughes in *Mycol. Pap., C.M.I.*, 47, p. 10, 1951.—Moniliales. Type *H. asterinearum*.
- *asterinearum* Hughes in *Mycol. Pap., C.M.I.*, 47, p. 11, 1951 on *Asterina baphiae*.—Gold Coast.
- *cupulifera* (Hansf.) Hughes in *Mycol. Pap., C.M.I.*, 47, p. 12, 1951. (Syn. *Helminthosporium cupuliferum* Hansford).
- *meliolae* (Hansf.) Hughes in *Mycol. Pap., C.M.I.*, 47, p. 14, 1951. (Syn. *Teratosperma meliolae* Hansford).
- Hapalopilus cuneatus** (Murr.) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 85, 1943. (Syn. *Corirolellus cuneatus* Murr.).
- *gypseus* (Yasuda) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 85, 1943. (Syn. *Polystictus gypseus* Yasuda).
- Helicodendron giganteum** Glen-Bott in *Trans. Brit. mycol. Soc.*, 34, p. 276, 1951 on leaves of *Fagus* and *Quercus* in water.—England.
- Helicogloea incrustans** Y. Kobayasi in *Misc. Rep. Inst. nat. Resour., Tokyo*, 17-18, p. 47, 1950 on dead *Shiia sieboldi*.—Japan.
- Helicosporium hendrickxii** Hansford in *Rec. Inst. nat. Étud. agron. Congo belge* 2, p. 52, 1945 on dead *Cyrtostachys rendlei*.—Belgian Congo.
- Heliumyces perforans** (Hofm.) Singer in *Collect. Bot.*, 1, p. 224, 1947. [Syn. not cited].
- HELMINTHOPELTIS** da Camara in *Agron. lusit.*, 12, p. 102, 1950.—Microthyriaceae.
- *almeidaeana* da Camara in *Agron. lusit.*, 12, p. 102, 1950 on *Juniperus communis* subsp. *nana*.—Portugal.
- Helotium malloti** Ramakrishnan & Srinivasan in *Proc. Indian Acad. Sci., Sect. B*, 34, p. 157, 1951 on *Mallotus albus*.—India.
- Hendersonia asteris** Bernaux in *Rev. Path. vég.*, 30, p. 22, 1951 on *Aster acer*.—France.
- Hexagona heteropora** (Mont.) Imazeki in

- Bull. Tokyo Sci. Mus.* 6, p. 76, 1943. (Syn. *Trametes heteropora* Mont.). [See also *H. heteropora* Pat., 1889].
- Hirschporus abietis** (Lloyd) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 82, 1943. (Syn. *Lenzites abietis* Lloyd).
- ***Hormiscium acidophilum** Okada in *Sci. Rep. Tôhoku Imp. Univ.*, Ser. 4, 17, p. 99, 1942 in soil.—Japan.
- Hyaloscypha curvipes** Grelet in *Rev. Mycologie, N.S.*, 16, p. 92, 1951 on dead cones of *Abies excelsa*.—France.
- Hydnellum caeruleum** (Fl. Dan.) Wehmeyer (This *Index*, 2, p. 4). Comb. made by Karsten in 1879.
- **mirabile** (Fr.) Wehmeyer (This *Index*, 2, p. 4). Comb. made by Karsten in 1879.
- Hydnochaete tabacinoides** (Yasuda ex Lloyd) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 103, 1943. (Syn. *Irpez tabacinoides* Yasuda ex Lloyd).
- Hypocopa brevilineata** Munk in *Dansk bot. Ark.*, 12, 11, p. 5, 1948 on dung.—Denmark.
- Hypoderma mexicanum** F. A. Wolf in *Lloydia*, 14, p. 112, 1951 on *Pinus leiophylla*.—Mexico.
- Hypomyces novae-zealandiae** Dingley in *Trans. roy. Soc. N.Z.*, 79, p. 59, 1951 on *Polyporus*.—New Zealand.
- INFRAFUNGUS** Ciferri in *Mycopathologia*, 6, p. 26, 1951.—Moniliales.
- **micropus** (Sacc.) Ciferri in *Mycopathologia*, 6, p. 26, 1951. (Syn. *Fusarium micropus* Sacc.).
- Inocybe brunnea** Quél. f. **insignior** Singer in *Collect. Bot.*, 1, p. 245, 1947.—Spain.
- **catalaunica** Singer in *Collect. Bot.*, 1, p. 245, 1947.—Spain.
- **fastigiata** (Schaeff.) Fr. f. **heimii** Singer in *Collect. Bot.*, 1, p. 233, 1947.—Spain.
- **obscura** var. **subpusio** Singer in *Collect. Bot.*, 1, p. 232, 1947.—Spain.
- **pseudohiulca** Kühn. subsp. **subduriuscula** Singer in *Collect. Bot.*, 1, p. 232, 1947.—Spain.
- Inonotus patouillardii** (Rick) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 105, 1943. (Syn. *Polyporus patouillardii* Rick).
- **sciurius** Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 106, 1943 on wood.—Japan.
- Intiticia clavularis** (Fr. ex Kühn) Parker-Rhodes in *Trans. Brit. mycol. Soc.*, 34, p. 363, 1951. [Syn. not cited].
- Irenina homalii-angustifolia** Deighton in *Sydowia*, 5, p. 1, 1951 on *Homalium angustifolium*.—Sierra Leone.
- **phyllanthi** Deighton in *Sydowia*, 5, p. 1, 1951 on *Phyllanthus wildemannii*.—Sierra Leone.
- **taxi** Sawada in *Rep. For. Exp. Sta., Tokyo*, 46, p. 137, 1950 on *Taxus cuspidata*.—Japan.
- Irenopsis buettneriicola** Deighton in *Sydowia*, 5, p. 2, 1951 on *Buettneria*.—Sierra Leone.
- Kabatiella lini** (Laff.) Karakulin, *Fungi Imperfecti Parasitici*, 2, p. 209, 1950. (Syn. *Polyspora lini* Laff.).
- **microstromoidea** (Moesz) Karakulin, *Fungi Imperfecti Parasitici*, 2, p. 203, 1950. (Syn. *Gloeosporium microstromoides* Moesz).
- **phoradendri** (Darling) Harvey in *Madroño*, 11, p. 164, 1951. (Syn. *Protocoronospora phoradendri* Darling).
- — forma **umbellulariae** Harvey in *Madroño*, 11, p. 170, 1951 on *Umbellularia californica*.—California, U.S.A.
- **platani** (Eddelb. & Eng.) Karakulin, *Fungi Imperfecti Parasitici*, 2, p. 210, 1950. (Syn. *Microstroma platani* Eddelbütel & Engelke).
- **polyspora** (Bub. & Syd.) Karakulin, *Fungi Imperfecti Parasitici*, 2, p. 202, 1950. (Syn. *Pachybasidiella polyspora* Bub. & Syd.).
- **tilletioides** (Werd.) Karakulin, *Fungi Imperfecti Parasitici*, 2, p. 210, 1950. (Syn. *Pachybasidiella tilletioides* Werdermann).
- Lachnea rosea** Schweers in *Rev. Mycologie*, 5, p. 86, 1940. (Correction of *Lachnella rosea* Schweers, this *Index*, 1, p. 6).
- Lactarius salmoneus** Heim & Leclair (This *Index*, 2, p. 22). See *L. salmoneus* Peck in *Bull. Torrey bot. Cl.*, 25, p. 369, 1898.
- Laetiporus versisporus** (Lloyd) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 88, 1943. (Syn. *Calvatia versispora* Lloyd).
- Larseniella major** Munk in *Dansk bot. Ark.*, 12, 11, p. 7, 1948 on wood.—Denmark.
- Leccinum brunneo-olivaceum** Snell, Dick, & Hesler in *Mycologia*, 43, p. 360, 1951.—Tennessee, U.S.A.
- Leptochlamys chamaecyparidis** Sawada in *Rep. For. Exp. Sta., Tokyo*, 46, p. 122, 1950 on *Chamaecyparis obtusa*.—Japan.
- Leptomeliola puberula** Batista in *Mycopathologia*, 5, p. 167, 1951 on *Vismia*.—Brazil.
- LEPTOPELTINELLA** Petrak nom. nov. in *Sydowia*, 5, p. 187, 1951. (Syn. *Leptopeltina* Petrak 1947, non Speg. 1923).
- **filicina** (Lib.) Petrak in *Sydowia*, 5, p. 187, 1951. (Syn. *Aulographum filicinum* Lib.).
- **jaapii** (Rehm) Petrak in *Sydowia*, 5, p. 187, 1951. (Syn. *Aporia jaapii* Rehm).
- Leptosphaeria coffeigena** (Berk. & Curt.) Sacc. var. **longirostrata** C. & M. Moreau in *Rev. Mycologie*, 16, Suppl. Col. No. 1, p. 25, 1951 on *Coffea canephora*.—Ivory Coast.
- **didymellae-vincetoxicici** Müller in *Sydowia*, 5, p. 52, 1951 on *Didymella vincetoxicici*.—Switzerland.
- **kochiana** Müller in *Sydowia*, 5, p. 50, 1951 on *Carex baldensis*.—Switzerland.
- **phacae** Müller in *Sydowia*, 5, p. 49, 1951 on *Phaca alpina*.—Switzerland.
- **submodesta** Müller in *Sydowia*, 5, p. 53, 1951 on *Tofieldia calyculata*.—Switzerland.
- **themedicola** Ling in *Sydowia*, 5, p. 44, 1951 on *Themeda gigantea*.—Philippines.
- **tofieldiae** Müller in *Sydowia*, 5, p. 53, 1951 on *Tofieldia calyculata*.—Switzerland.
- Leucocoprinus gracilentus** (Krombh.) Locquin in *Bull. Soc. linn. Lyon*, 12, p. 95, 1943. [Antedating *L. gracilentus* (Krombh.) Singer in *Collect. Bot.*, 1, p. 239, 1947.]
- Limacinia capsici** Batista in *Mycopathologia*, 5, p. 160, 1951 on *Capsicum frutescens*.—Brazil.
- Lizonia abietis-mariesii** Sawada in *Rep. For. Exp. Sta., Tokyo*, 46, p. 115, 1950 on *Abies mariesii*.—Japan.
- Lophiosphaera juniperi** Munk in *Dansk bot. Ark.*, 12, 11, p. 14, 1948 on *Juniperus communis*.—Denmark.
- Lophiostoma antennariae** Cherepanov in *J. Bot. U.S.S.R.*, 36, p. 270, 1951 on *Antennaria dioica*.—U.S.S.R.
- Lophodermium thujae** Sawada in *Rep. For. Exp. Sta., Tokyo*, 46, p. 139, 1950 on *Thuja standishii*.—Japan.

- *thujopsidis* Sawada in *Rep. For. Exp. Sta.*, Tokyo, 46, p. 141, 1950 on *Thujopsis dolabrata*.—Japan.
- Lycoperdon echinellum* (Pat.) Perdeek, 1950 (This *Index*, 2, p. 5) antedated by *L. echinellum* (Pat.) Ahmad, 1941 (*ibid.*, 1, p. 26).
- Lyophyllum infumatum* (Bres.) Singer var. *adscriptum* (Britz.) Singer in *Collect. Bot.*, 1, p. 222, 1947. [Syn. not cited].
- Macrophoma convolvulacearum* Lacy & Thirumalachar in *Sydowia*, 5, p. 127, 1951 on *Convolvulus*.—India.
- *mariesii* Sawada in *Rep. For. Exp. Sta.*, Tokyo, 46, p. 116, 1950 on *Abies mariesii*.—Japan.
- *pini-densiflorae* Sawada in *Rep. For. Exp. Sta.*, Tokyo, 46, p. 134, 1950 on *Pinus densiflora*.—Japan.
- Marasmius maior* Singer in *Collect. Bot.*, 1, p. 224, 1947.—Spain.
- *rhododendri* Singer in *Collect. Bot.*, 1, p. 224, 1947.—Spain.
- *ventalloi* Singer in *Collect. Bot.*, 1, p. 225, 1947.—Spain.
- Marssonina alni* Karakulin, *Fungi Imperfecti Parasitici*, 2, p. 596, 1950 on *Alnus incana*.—U.S.S.R.
- *carthami* (Fukui) Karakulin, *Fungi Imperfecti Parasitici*, 2, p. 385, 1951. (Syn. *Marsonia carthami* Fukui).
- *deformans* (Cooke & Massee) Karakulin, *Fungi Imperfecti Parasitici*, 2, p. 393, 1951. (Syn. *Marssonina deformans* Cooke & Massee).
- *erythraeae* (Siemaszko) Karakulin, *Fungi Imperfecti Parasitici*, 2, p. 388, 1951. (Syn. *Marssonina erythraeae* Siemaszko).
- *forsythiae* (Lind) Karakulin, *Fungi Imperfecti Parasitici*, 2, p. 394, 1951. (Syn. *Marsonia forsythiae* Lind).
- *manschurica* (Naumov) Karakulin, *Fungi Imperfecti Parasitici*, 2, p. 392, 1951. (Syn. *Marsonia manschurica* Naumov).
- *matteiana* (Sacc.) Karakulin, *Fungi Imperfecti Parasitici*, 2, p. 387, 1951. (Syn. *Marsonia matteiana* Sacc.).
- *sennenis* (G. Frag.) Karakulin, *Fungi Imperfecti Parasitici*, 2, p. 404, 1951. (Syn. *Marsonia sennenis* G. Frag.).
- *sonchi* (Dearn. & Bisby) Karakulin, *Fungi Imperfecti Parasitici*, 2, p. 386, 1951. (Syn. *Marssonina sonchi* Dearn. & Bisby).
- *stellariae* (Brezshn.) Karakulin, *Fungi Imperfecti Parasitici*, 2, p. 383, 1951. (Syn. *Marssonina stellariae* Brezshn.).
- *viticola* (Miyake) Karakulin, *Fungi Imperfecti Parasitici*, 2, p. 420, 1951. (Syn. *Marsonia viticola* Miyake).
- Massaria immersa* C. & M. Moreau in *Rev. Mycologie*, 16, Suppl. Col. No. 1, p. 29, 1951 on fallen *Coffea liberica*.—Ivory Coast.
- Massarinula pini* Sawada in *Rep. For. Exp. Sta.*, Tokyo, 46, p. 132, 1950 on *Pinus densiflora*.—Japan.
- Masseella ciferrii* Ciccarone in *Mycopathologia*, 5, p. 219, 1951 on *Berchemia yemensis*.—Abyssinia.
- Melampsora oblonga* Bagchee in *Indian For. Rec.*, Bot., 4, p. 57, 1950 on *Pinus excelsa*.—India.
- Melanoleuca mirabilis* (Bres.) Moser, 1950 (This *Index*, 2, p. 23) antedated by *M. mirabilis* (Bres.) Singer, 1942 (*ibid.*, 1, p. 69).
- *subpulverulenta* (Pers.) Métrod (This *Index*, 1, p. 263). See also *M. subpulverulenta* (Fr.) Singer, *Schweiz. Z. Pilzk.*, 17, p. 56, 1939.
- Meliola alstoniicola* Hansford in *Rec. Inst. nat. Étud. agron. Congo belge* 2, p. 35, 1945 on *Alstonia congensis*.—Belgian Congo.
- *balanitis* Hansford in *Rec. Inst. nat. Étud. agron. Congo belge* 2, p. 37, 1945 on *Balanites aegyptiaca*.—Belgian Congo.
- *baphiae-nitidae* Hansf. & Deighton var. *brevisetata* Deighton in *Sydowia*, 5, p. 3, 1951 on *Baphia racemosa*.—Natal.
- *bicornis* Wint. var. *lonchocarpii* Batista in *Mycopathologia*, 5, p. 161, 1951 on *Lonchocarpus*.—Brazil.
- *boedijnii* Ciferri [as *Meliola* (*Irenina*) *boedijnii*] in *Mycopathologia*, 6, p. 21, 1951 on *Schefflera aromatica*.—Java.
- *carvalhoi* Deighton in *Sydowia*, 5, p. 4, 1951 on *Lonchocarpus cyanescens*.—Portuguese East Africa.
- *cissi-producti* Deighton in *Sydowia*, 5, p. 4, 1951 on *Cissus productus*.—Sierra Leone.
- *cleistopholidis* Hansford in *Rec. Inst. nat. Étud. agron. Congo belge* 2, p. 38, 1945 on *Cleistopholis verschuerenii*.—Belgian Congo.
- *geniculata* H. & P. Syd. & Butl. var. *antrocaryonis* Deighton in *Sydowia*, 5, p. 6, 1951 on *Antrocaryon micraster*.—Sierra Leone.
- *homalii* Hansford in *Rec. Inst. nat. Étud. agron. Congo belge* 2, p. 39, 1945 on *Homalium lalaense*.—Belgian Congo.
- *ingae* Stev. & Teh. var. *adenantherae* Ciferri in *Mycopathologia*, 6, p. 20, 1951 on *Adenanthera microsperma*.—Java.
- (*Chaetomeliola*) *javanica* Ciferri in *Mycopathologia*, 6, p. 19, 1951 on *Cassia siamea*.—Java.
- *mammeicola* Hansford in *Rec. Inst. nat. Étud. agron. Congo belge* 2, p. 40, 1945 on *Mammea africana*.—Belgian Congo.
- *milletiae-chrysophyllae* Deighton in *Sydowia*, 5, p. 7, 1951 on *Milletia chrysophylla*.—Sierra Leone.
- *octoknematis* Deighton in *Sydowia*, 5, p. 7, 1951 on *Octoknema borealis*.—Sierra Leone.
- *olacis* Deighton in *Sydowia*, 5, p. 8, 1951 on *Olex mannii*.—Sierra Leone.
- *oleicola* Doidge var. *jasmini* Ciccarone in *Mycopathologia*, 5, p. 210, 1951 on *Jasminum abyssinicum*.—Abyssinia.
- *viticola* Hansford in *Rec. Inst. nat. Étud. agron. Congo belge* 2, p. 41, 1945 on *Vitex* sp. —Belgian Congo.
- Merulius nothofagi* Cunningham in *Bull. Dep. sci. industr. Res. N.Z.* 83, p. 7, 1950 on *Nothofagus solandri*.—New Zealand.
- Metasphaeria luteola* Bausá Alcalde in *An. Jard. bot. Madrid*, 7, p. 466, 1948 on *Poa nemoralis*.—Spain.
- Microdiplodia gardeniae* Démétriadès in *Ann. Inst. phytopath. Benaki*, 4, p. 11, 1950 on *Gardenia*.—Greece.
- *ovoidea* Bausá Alcalde in *An. Jard. bot. Madrid*, 7, p. 492, 1948 on *Rhamnus frangula*.—Spain.
- **Micromyces ovalis* Rieth in *Österr. bot. Z.*, 97, p. 516, 1950 on *Mougeotia*.—Germany.
- Micronectria syzigii* Ciccarone [as '*sizigii*'] in *Mycopathologia*, 5, p. 214, 1951 on *Syzigium guineensis*.—Abyssinia.
- Micropeltis pleiocarpae* Hansford in *Rec. Inst. nat. Étud. agron. Congo belge* 2, p. 49, 1945 on *Pleiocarpa culicina*.—Belgian Congo.
- Microporus nipponicus* (Yasuda) Imazeki in

- Bull. Tokyo Sci. Mus.* 6, p. 95, 1943. (Syn. *Polystictus napponicus* Yasuda).
- *obovatus* (Jungh.) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 95, 1943. (Syn. *Polyporus obovatus* Jungh.).
- *subaffinis* (Lloyd) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 96, 1943. (Syn. *Polystictus subaffinis* Lloyd).
- *vernicipes* (Berk.) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 96, 1943. (Syn. *Polyporus vernicipes* Berk.).
- Microthyriella inaequalis* Batista in *Mycopathologia*, 5, p. 171, 1951 on *Ocotea*.—Brazil.
- MILLERBURTONIA** Ciferri in *Mycopathologia*, 6, p. 27, 1951.—Melanconiales.
- *oyedaeae* Ciferri ['as *oyedae*'] in *Mycopathologia*, 6, p. 27, 1951 on *Oyedaea verbesinoides*.—Venezuela.
- Mollisia chamaecyparidis* Sawada in *Rep. For. Exp. Sta., Tokyo*, 46, p. 120, 1950 on *Chamaecyparis pisifera*.—Japan.
- *thujopsidis* Sawada in *Rep. For. Exp. Sta., Tokyo*, 46, p. 141, 1950 on *Thujopsis dolabrata* var. *hondai*.—Japan.
- Monochaetia berberidicola* Vassiljevsky nom. nov., *Fungi Imperfecti Parasitici*, 2, p. 466, 1950. (Syn. *M. berberidis* Girz. non Lind.).
- Montemartinia abietis-mariesii* Sawada in *Rep. For. Exp. Sta., Tokyo*, 46, p. 115, 1950 on *Abies mariesii*.—Japan.
- Mortierella acuminata* Linnemann in *Pflanzenforschung*, 23, p. 21, 1941.—Germany.
- *elongata* Linnemann in *Pflanzenforschung*, 23, p. 43, 1941.—Germany.
- var. *subtilis* Linnemann in *Pflanzenforschung*, 23, p. 44, 1941.—Germany.
- *exigua* Linnemann in *Pflanzenforschung*, 23, p. 44, 1941.—Germany.
- *gracilis* Linnemann in *Pflanzenforschung*, 23, p. 38, 1941.—Germany.
- *horticola* Linnemann in *Pflanzenforschung*, 23, p. 21, 1941.—Germany.
- *hygrophila* Linnemann var. *minuta* Linnemann in *Pflanzenforschung*, 23, p. 50, 1941.—Germany.
- *insignis* Linnemann in *Pflanzenforschung*, 23, p. 34, 1941.—Germany.
- *minutissima* van Tieghem var. *dubia* Linnemann in *Pflanzenforschung*, 23, p. 39, 1941.—Germany.
- *mundensis* Linnemann in *Pflanzenforschung*, 23, p. 49, 1941.—Germany.
- *mutabilis* Linnemann in *Pflanzenforschung*, 23, p. 52, 1941.—Germany.
- *nana* Linnemann in *Pflanzenforschung*, 23, p. 16, 1941.—Germany.
- *parvispora* Linnemann in *Pflanzenforschung*, 23, p. 53, 1941.—Germany.
- *polycephala* Coemans var. *angusta* Linnemann in *Pflanzenforschung*, 23, p. 30, 1941.—Germany.
- *pulchella* Linnemann in *Pflanzenforschung*, 23, p. 41, 1941.—Germany.
- *sepedonioides* Linnemann in *Pflanzenforschung*, 23, p. 23, 1941.—Germany.
- *verticillata* Linnemann in *Pflanzenforschung*, 23, p. 22, 1941.—Germany.
- *zychae* Linnemann in *Pflanzenforschung*, 23, p. 46, 1941.—Germany.
- Mycena adonis* (Bull.) Fr. var. *variegata* Singer in *Collect. Bot.*, 1, p. 226, 1947.—Spain.
- *decipiens* (van Overeem) Métrod (This Index, 2, p. 5). See also *M. decipiens* Rick, 1930.
- *subalbida* Métrod (This Index, 2, p. 6). See also *M. subalbida* Cleland, 1931.
- Mycosphaerella allicina* (Fr.) Arx apud Petrak in *Sydowia*, 3, p. 286, 1949. [Antedated by *M. allicina* (Fr.) Vestergren, 1896].
- Mycosphaerella cucumis* (Fautr. & Roum.) Chiu & Walker in *J. agric. Res.*, 78, p. 98, 1949. (Syn. *Ascochyta cucumis* Fautr. & Roum., 1891.).
- *melonis* (Pass.) Chiu & Walker in *J. agric. Res.*, 78, p. 589, 1949. (Syn. *Didymella melonis* Pass, 1891).
- *melothriae* Ramakrishnan in *Proc. Indian Acad. Sci., Sect. B*, 34, p. 159, 1951 on *Melothria mucronata*.—India.
- *thujopsidis* Sawada in *Rep. For. Exp. Sta., Tokyo*, 46, p. 142, 1950 on *Thujopsis dolabrata* var. *hondai*.—Japan.
- *tingens* (Niessl) Arx (This Index, 1, p. 281) antedated by *M. tingens* (Niessl) Larsen, *Fungi of Iceland*, 1932.
- *zizaniae* (Schw. em. Ell. & Everh.) Sprague, *Diseases of Cereals and Grasses in North America*, p. 90, 1950. (Syn. *Sphaeria zizaniae* Schw.). [Antedated by *M. zizaniae* (Schw.) Lindau, 1897].
- Myiocopron ramicola* C. & M. Moreau in *Rev. Mycologie*, 16, Suppl. Col. No. 1, p. 18, 1951 on fallen *Coffea liberica*.—Ivory Coast.
- Naematoloma anomalum** (A. H. Smith) A. H. Smith in *Mycologia*, 43, p. 477, 1951. (Syn. *Hypholoma anomalum* A. H. Smith).
- *dispersum* (Fr.) Karsten var. *dispersum* in *Mycologia*, 43, p. 511, 1951. Type var. of the species.
- var. *flavifolium* A. H. Smith in *Mycologia*, 43, p. 515, 1951.—Ontario, Canada.
- var. *idahoense* (A. H. Smith) A. H. Smith in *Mycologia*, 43, p. 513, 1951. (Syn. *Hypholoma dispersum* var. *idahoense* A. H. Smith).
- *ericaceum* (Pers. ex Fr.) A. H. Smith in *Mycologia*, 43, p. 485, 1951. (Syn. *Agaricus ericaeus* Pers. ex Fr.).
- *longisporum* (Murrill) A. H. Smith in *Mycologia*, 43, p. 480, 1951. (Syn. *Psilocybe longispora* Murrill).
- *olivaceotinctum* (Kauffm.) A. H. Smith in *Mycologia*, 43, p. 488, 1951. (Syn. *Psilocybe olivaceotincta* Kauffm.).
- *potteri* A. H. Smith in *Mycologia*, 43, p. 499, 1951.—Michigan, U.S.A.
- *squalidellum* (Peck) A. H. Smith in *Mycologia*, 43, p. 493, 1951. (Syn. *Agaricus squalidellus* Peck).
- *subviride* (Berk. & Curt.) A. H. Smith in *Mycologia*, 43, p. 519, 1951. (Syn. *Agaricus subviridis* Berk. & Curt.).
- *viscidipes* (A. H. Smith) A. H. Smith in *Mycologia*, 43, p. 479, 1951. (Syn. *Hypholoma viscidipes* A. H. Smith).
- Naetrocymbe** (as 'Netrocymbe') *depressum* Batista in *Mycopathologia*, 5, p. 155, 1951 on *Clidemia hirta*.—Brazil.
- *inspersum* Batista in *Mycopathologia*, 5, p. 158, 1951 on *Xylopia frutescens*, *Bougainvillea glabra*, *Adiantum*.—Brazil.
- *lafoensiae* Batista in *Mycopathologia*, 5, p. 156, 1951 on *Lafoensia glyptocarpa*.—Brazil.
- *mauritiae* Batista in *Mycopathologia*, 5, p. 155, 1951 on *Mauritia vinifera*.—Brazil.
- *perparum* Batista in *Mycopathologia*, 5, p. 157, 1951 on *Monnieria trifolia*.—Brazil.

- **robustum** Batista in *Mycopathologia*, 5, p. 158, 1951 on *Solanum robustum*.—Brazil.
- NECRAPHIDIUM** Ciferri in *Mycopathologia*, 6, p. 25, 1951.—Moniliales.
- **zoophilum** (Sacc. & Trott.) Ciferri in *Mycopathologia*, 6, p. 25, 1951. (Syn. *Ramularia zoophila* Sacc. & Trott.).
- NEOHYGROPHORUS** Singer nom. nov. in *Lilloa*, 22, p. 149, 1951. (Syn. *Hygrophorus* subgen. *Pseudohygrophorus* A. H. Smith & Hesler).
- **angelesianus** (A. H. Smith & Hesler) Singer in *Lilloa*, 22, p. 149, 1951. (Syn. *Hygrophorus angelesianus* A. H. Smith & Hesler).
- NEOPELTIS** Petrak (This Index, 1, p. 281). See also *Neopeltis* Syd., 1937.
- Nolanea infula** Fr. forma **epixylon** Singer in *Collect. Bot.*, 1, p. 218, 1947.—Spain.
- **staurospora** var. **kamerunensis** (Bres.) Singer in *Collect. Bot.*, 1, p. 241, 1947. [Syn. not cited].
- Onnia cumingii** (Berk.) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 110, 1943. (Syn. *Polyporus cumingii* Berk.).
- **musashiensis** (P. Henn.) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 110, 1943. (Syn. *Polyporus musashiensis* P. Henn.).
- **orientalis** (Lloyd) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 110, 1943. (Syn. *Polyporus orientalis* Lloyd).
- **saura** (Lloyd) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 110, 1943. (Syn. *Polyporus saurus* Lloyd).
- **subpertusa** (Lloyd) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 110, 1943. (Syn. *Polyporus subpertusus* Lloyd).
- Ophiomeliola mangiferae** Batista in *Mycopathologia*, 5, p. 164, 1951 on *Mangifera indica*.—Brazil.
- Ophiostoma clavatum** Mathiesen in *Svensk bot. Tidskr.*, 45, p. 222, 1951.—Sweden.
- **floccosum** Mathiesen in *Svensk bot. Tidskr.*, 45, p. 219, 1951.—Sweden.
- **olivaceum** Mathiesen in *Svensk bot. Tidskr.*, 45, p. 215, 1951.—Sweden.
- **tetropii** Mathiesen in *Svensk bot. Tidskr.*, 45, p. 228, 1951.—Sweden.
- Ostropella verruculosa** C. & M. Moreau in *Rev. Mycologie*, 16, Suppl. Col. No. 1, p. 35, 1951 on dead *Coffea canephora*.—Ivory Coast.
- Paecilomyces elegans** (Corda) Mason & Hughes apud Hughes in *Mycol. Pap., C.M.I.*, 45, p. 27, 1951. (Syn. *Penicillium elegans* Corda).
- **marquandii** (Masse) Hughes in *Mycol. Pap., C.M.I.*, 45, p. 30, 1951. (Syn. *Verticillium marquandii* Masse).
- * **Paramoebidium pavillardii** Manier in *Ann. Sci. nat., Bot.*, Sér. XI, 11, p. 99, 1951 on *Boetis arebatus*.—France.
- * — **procloëni** Manier in *Ann. Sci. nat., Bot.*, Sér. XI, 11, p. 102, 1951 on *Procloëon bifidum*.—France.
- Peridermium pini-koraiensis** Sawada in *Rep. For. Exp. Sta., Tokyo*, 46, p. 135, 1950 on *Pinus koraiensis*.—Japan.
- Peroneutypa multistromata** C. & M. Moreau in *Rev. Mycologie*, 16, Suppl. Col. No. 1, p. 72, 1951 on *Coffea canephora*.—Ivory Coast.
- Peronospora davisii** Shaw in *Mycologia*, 43, p. 445, 1951 on *Dracocephalum parviflorum*.—Wisconsin, U.S.A.
- **favargerii** Mayor & Viennot-Bourgin in *Bull. Soc. mycol. Fr.*, 67, p. 116, 1951 on *Euphorbia hirta*.—Ivory Coast.
- **gaeumanni** Mayor (This Index, 1, p. 282). See also *P. gaeumanni* Mundkur, 1938.
- **jacksonii** Shaw in *Mycologia*, 43, p. 448, 1951 on *Mimulus guttatus*.—Oregon, U.S.A.
- **nemophilae** Shaw in *Mycologia*, 43, p. 450, 1951 on *Nemophila sepulta*.—Washington State, U.S.A.
- Pestalotia populi-nigrae** Sawada & Itô apud Itô in *Rep. For. Exp. Sta., Tokyo*, 45, p. 140, 1950 on *Populus nigra*.—Japan.
- Pestalozzia cephalotaxi** Sawada in *Rep. For. Exp. Sta., Tokyo*, 46, p. 118, 1950 on *Cephalotaxus nana*.—Japan.
- **chamaecyparidis** Sawada in *Rep. For. Exp. Sta., Tokyo*, 46, p. 122, 1950 on *Chamaecyparis obtusa*.—Japan.
- **laricicola** Sawada in *Rep. For. Exp. Sta., Tokyo*, 46, p. 128, 1950 on *Larix kaempferi*.—Japan.
- **thujae** Sawada in *Rep. For. Exp. Sta., Tokyo*, 46, p. 140, 1950 on *Thuja standishii*.—Japan.
- **thujopsidis** Sawada in *Rep. For. Exp. Sta., Tokyo*, 46, p. 144, 1950 on *Thujopsis dolabrata* var. *hondai*.—Japan.
- Phaeopeltis sapotae** Batista in *Mycopathologia*, 5, p. 159, 1951 on *Achras sapota*.—Brazil.
- Phaeosphaerella halymii** Bausá Alcalde in *An. Jard. bot. Madrid*, 7, p. 466, 1948 on *Halimium* (as '*Halymium*') *ocymoides*.—Spain.
- Phakopsora fici-elasticae** Ramakrishnan in *Trans. Brit. mycol. Soc.*, 34, p. 144, 1951 on *Ficus elastica*.—India.
- Phellinus gilvodes** (Lloyd) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 104, 1943. (Syn. *Trametes gilvodes* Lloyd).
- **hamatus** (Corn.) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 104, 1943. (Syn. *Fomes hamatus* Corn.).
- **hartigii** (Allesch.) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 104, 1943. (Syn. *Fomes hartigii* Allesch.).
- **piptadeniae** Teixeira in *Bragantia*, 10, p. 118, 1950 on *Piptadenia communis*.—Brazil.
- **rickii** Teixeira in *Bragantia*, 10, p. 120, 1950.—Brazil.
- **yucatensis** (Murr.) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 105, 1943. (Syn. *Fomes yucatensis* Murr.).
- Phleospora olettiae** Ciccarone in *Mycopathologia*, 5, p. 229, 1951 on *Loranthus*.—Africa.
- Phoma ascochytoidea** Bausá Alcalde in *An. Jard. bot. Madrid*, 7, p. 478, 1948 on *Phillyrea angustifolia*.—Spain.
- **bacilligera** Cherepanov in *J. Bot. U.S.S.R.*, 36, p. 272, 1951 on *Erysimum cheiranthoides*.—U.S.S.R.
- **balanitis** Ciccarone in *Mycopathologia*, 5, p. 227, 1951 on *Balanites aegyptiaca*.—Abyssinia.
- **pilospora** Sawada in *Rep. For. Exp. Sta., Tokyo*, 46, p. 144, 1950 on *Thujopsis dolabrata* var. *hondai*.—Japan.
- **teesdaliae** Bausá Alcalde in *An. Jard. bot. Madrid*, 7, p. 479, 1948 on *Teesdalia nudicaulis*.—Spain.
- **thujopsidis** Sawada in *Rep. For. Exp. Sta., Tokyo*, 46, p. 145, 1950 on *Thujopsis dolabrata* var. *hondai*.—Japan.
- **udmurtica** Cherepanov in *J. Bot. U.S.S.R.*,

- 36, p. 272, 1951 on *Hieracium umbellatum*.—U.S.S.R.
- Phomopsis cephalotaxi** Sawada in *Rep. For. Exp. Sta., Tokyo*, 46, p. 119, 1950 on *Cephalotaxus nana*.—Japan.
- dauci** von Arx in *Tijdschr. PlZiekt.*, 57, p. 50, 1951 on *Daucus carota*.—Holland.
- nepetae** (da Camara) da Camara (This *Index*, 2, p. 41). See also *P. nepetae* Gonz. Frag., 1914 and *P. nepetae* Moesz, 1925.
- PHRAGMOCEPHALA** Mason & Hughes in *The Naturalist*, 1951, p. 97, 1951.—Hyphomycetes. Type, *P. cookei*.
- atra** (Berk. & Br.) Mason & Hughes in *The Naturalist*, 1951, p. 97, 1951. (Syn. *Arthrobotryum atrum* Berk. & Br.).
- cookei** Mason & Hughes in *The Naturalist*, 1951, p. 98, 1951 on dead herbs.—England.
- minima** Mason & Hughes in *The Naturalist*, 1951, p. 103, 1951 on bark of *Fagus sylvatica*.—England.
- setosa** (Berk. & Curt.) Mason & Hughes in *The Naturalist*, 1951, p. 97, 1951. (Syn. *Monotospora setosa* Berk. & Curt. apud Berk.).
- Phragmothryiella dignota** Batista in *Mycopathologia*, 5, p. 171, 1951 on *Ocotea*.—Brazil.
- exserta** Batista in *Mycopathologia*, 5, p. 170, 1951 on *Ocotea*.—Brazil.
- thujopsidis** Sawada in *Rep. For. Exp. Sta., Tokyo*, 46, p. 142, 1950 on *Thujopsis dolabrata* var. *hondai*.—Japan.
- Phyllachora gondarensis** Ciccarone in *Mycopathologia*, 5, p. 216, 1951 on *Stephania abyssinica*.—Abyssinia.
- indica** Uppal, Patel, & Bhide (This *Index*, 2, p. 25). See also *P. indica* Theiss. & Syd. in *Ann. mycol., Berl.*, 1915.
- Phyllosticta aleuritidis** Saccas & Drouillon in *Agron. Trop.*, 6, p. 239, 1951 on *Aleurites fordii*.—French Equatorial Africa.
- bromivora** Sprague in *Mycologia*, 43, p. 551, 1951 on *Bromus ciliatus*.—New Mexico, U.S.A.
- galligena** Moreau in *Bull. Soc. bot. Fr.*, 98, 4-6, p. 102, 1951 on *Parmelia perforata*.—India.
- gymnosporiae** Ciccarone in *Mycopathologia*, 5, p. 227, 1951 on *Gymnosporia*.—Abyssinia.
- laricis** Sawada in *Rep. For. Exp. Sta., Tokyo*, 46, p. 129, 1950 on *Larix kaempferi*.—Japan.
- microspora** Saccas & Drouillon in *Agron. Trop.*, 6, p. 241, 1951 on *Aleurites*.—French Equatorial Africa.
- polygonati-officinalis** Bausá Alcalde in *An. Jard. bot. Madrid*, 7, p. 477, 1948 on *Polygonatum officinale*.—Spain.
- thujopsidis** Sawada in *Rep. For. Exp. Sta., Tokyo*, 46, p. 145, 1950 on *Thujopsis dolabrata* var. *hondai*.—Japan.
- Physalospora achyranthis** Ramakrishnan in *Proc. Indian Acad. Sci., Sect. B*, 34, p. 161, 1951 on *Achyranthes aspera*.—India.
- laricina** Sawada in *Rep. For. Exp. Sta., Tokyo*, 46, p. 126, 1950 on *Larix kaempferi*.—Japan.
- paulowniae** Ito & Kobayashi in *Rep. For. Exp. Sta., Tokyo*, 49, p. 85, 1951 on *Paulownia tomentosa*.—Japan.
- Physoderma aeschynomensis** Thirumalachar & Whitehead in *Mycologia*, 43, p. 435, 1951 on *Aeschynomene indica*.—India.
- Pityrosporum orbiculare** M. A. Gordon in *Mycologia*, 43, p. 532, 1951 from human skin. —Georgia, U.S.A.
- Plagiostoma alnea** (Fr.) von Arx in *Antonie van Leeuwenhoek J. Microbiol. Serol.*, 17, p. 264, 1951. (Syn. *Sphaeria alnea* Fr.).
- pustula** (Pers.) von Arx in *Antonie van Leeuwenhoek J. Microbiol. Serol.*, 17, p. 264, 1951. (Syn. *Sphaeria pustula* Pers.).
- rehmii** (Sacc.) von Arx in *Antonie van Leeuwenhoek J. Microbiol. Serol.*, 17, p. 264, 1951. (Syn. *Hypospila rehmii* Sacc.).
- PLANETELLA** Savile in *Canad. J. Bot.*, 29, p. 326, 1951.—Ustilaginales.
- lironis** Savile in *Canad. J. Bot.*, 29, p. 327, 1951 on *Carex maritima*.—Keewatin, Canada.
- Plasmopara cercidis** Shaw in *Mycologia*, 43, p. 452, 1951 on *Cercis canadensis*.—Tennessee, U.S.A.
- myosotidis** Shaw in *Mycologia*, 43, p. 447, 1951 on *Myosotis laxa*.—Wisconsin, U.S.A.
- Pleospora asymmetrica** Wehmeyer in *Mycologia*, 43, p. 582, 1951 on *Agrostis*.—Washington State, U.S.A.
- betae** Bjorling in *Bot. Notiser*, 1944, p. 218, 1944 on *Beta vulgaris*; perfect state of *Phoma betae*.—Sweden.
- obliqua** Wehmeyer in *Mycologia*, 43, p. 579, 1951 on grass.—Saxony.
- rainierensis** Wehmeyer in *Mycologia*, 43, p. 586, 1951 on *Muhlenbergia filiformis*.—Washington State, U.S.A.
- Pleuronaema thujopsidis** Sawada in *Rep. For. Exp. Sta., Tokyo*, 46, p. 145, 1950 on *Thujopsis dolabrata* var. *hondai*.—Japan.
- Pluteus cervinus** (Schaeff.) Fr. var. *minor* Singer in *Collect. Bot.*, 1, p. 228, 1947.—Spain.
- Podaxis deciduus** Batista in *Bol. Agric., Pernambuco*, 17, p. 321, 1951.—Brazil.
- dilabentis** Batista in *Bol. Agric., Pernambuco*, 17, p. 320, 1951.—Brazil.
- fastigatus** Batista in *Bol. Agric., Pernambuco*, 17, p. 322, 1951.—Brazil.
- Podochytrium cornutum** Sparrow in *Trans. Brit. mycol. Soc.*, 34, p. 172, 1951 on *Stephanodiscus niagarae*.—Wisconsin, U.S.A.
- Polyporus striatulus** (Lloyd) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 95, 1943. (Syn. *Polystictus striatulus* Lloyd).
- Psathyra agaves** (Maire) Singer in *Collect. Bot.*, 1, p. 230, 1947. [Syn. not cited].
- codinae** Singer in *Collect. Bot.*, 1, p. 230, 1947.—Spain.
- langei** Singer nom. nov. in *Collect. Bot.*, 1, p. 244, 1947. (Syn. *P. fibrillosa* 'Lge., non al.').
- Pseudodiscosia laricis** Sawada in *Rep. For. Exp. Sta., Tokyo*, 46, p. 129, 1950 on *Larix kaempferi*.—Japan.
- Pseudomassaria jaczewskii** Cherepanov in *J. Bot. U.S.S.R.*, 36, p. 271, 1951 on *Rosa cinnamomea*.—U.S.S.R.
- Pseudophacidium photinia** Ramakrishnan & Srinivasan in *Proc. Indian Acad. Sci., Sect. B*, 34, p. 158, 1951 on *Photinia notoniana*.—India.
- Psilocybe luteonitens** (Vahl) Parker-Rhodes in *Trans. Brit. mycol. Soc.*, 34, p. 364, 1951. (Syn. *Stropharia luteonitens* (Vahl) Fr.).
- Psilopora chamaecyparidis** Sawada in *Rep. For. Exp. Sta., Tokyo*, 46, p. 123, 1950 on *Chamaecyparis pisifera*.—Japan.
- Puccinia artemisiae-camphoratae** Guyot in *Uredineana*, 3, p. 61, 1951 on *Artemisia camphorata*.—France.
- avenastri** Guyot in *Uredineana*, 3, p. 67, 1951 on *Avena bromoides*.—France.

- *bromoides* Guyot in *Uredineana*, 3, p. 67, 1951 on *Avena bromoides*.—France.
- *circumacta* Viennot-Bourgin in *Bull. Soc. mycol. Fr.*, 65, p. 75, 1949 on *Teucrium polium*.—France.
- *hashikoi* Hiratsuka f. in *J. Jap. Bot.*, 18, p. 570, 1942 on *Epipremnum mirabile*.—Hainan Isl., China.
- *holcicola* Guyot in *Uredineana*, 3, p. 65, 1951 on *Holcus lanatus* and *H. annuus*.—France, Germany, & North Africa.
- *hordei-maritimi* Guyot in *Uredineana*, 3, p. 62, 1951 on *Hordeum maritimum* and *Clematis vitalbae*.—France. [Cf. this *Index*, 2, p. 27].
- *praegracilis* Arth. var. *connersii* (Savile) Savile in *Mycologia*, 43, p. 458, 1951. (Syn. *P. connersii* Savile).
- var. *praegracilis* Savile in *Mycologia*, 43, p. 457, 1951 on *Habenaria gracilis* and *Agrostis thurberiana*.—British Columbia, Canada. [But ? type variety of the species].
- *rimosa* (Link) Winter forma *natrassii* Rayss in *Uredineana*, 3, p. 181, 1951 on *Juncus maritimus*.—Palestine.
- *scabiosae* (Hasl.) Guyot in *Uredineana*, 3, p. 67, 1951. (Syn. *P. centaureae* DC. forma *scabiosae* Hasl.).
- *seseleos* Guyot in *Uredineana*, 3, p. 61, 1951 on *Seseli cantabricum*, *S. glaucum*, *S. montanum*, *S. tortuosum*.—Central & Southern Europe.
- *symphyti-bromorum* Fr. Mull. forma *tuberosi-asperi* Dupias in *Uredineana*, 3, p. 12, 1951 on *Bromus asper*.—France.
- *tombeana* Gäumann & Terrier in *Rev. Mycologie*, N.S., 16, p. 77, 1951 on *Leontodon tenuiflorus*.—Italy.
- Pulveroboletus melleoluteus* Snell, Dick, & Hesler in *Mycologia*, 43, p. 361, 1951. —Tennessee, U.S.A.
- PYCNIDIOCHAETA** da Camara in *Agron. lusit.*, 12, p. 109, 1950. —Sphaeropsidales.
- *biciliata* da Camara in *Agron. lusit.*, 12, p. 109, 1950 on *Agrostis castellana*.—Portugal.
- **Pythium debaryanum* Hesse var. *viticola* Jain in *Nagpur agric. Coll. Mag.*, 25, p. 8, 1951 on *Vitis vinifera*.—India.
- Rabenhorstia cephalotaxi* Sawada in *Rep. For. Exp. Sta., Tokyo*, 46, p. 119, 1950 on *Cephalotaxus nana*.—Japan.
- Ramaria macrospora* (Brinkm.) Corner (This *Index*, 2, p. 28). See also *R. macrospora* Velen. (ibid., 1, p. 194).
- Ramularia grewiae* Lacy & Thirumalachar in *Sydowia*, 5, p. 126, 1951 on *Grewia asiatica*.—India.
- *tinosporeae* Lacy & Thirumalachar in *Sydowia*, 5, p. 126, 1951 on *Tinospora cordifolia*.—India.
- Ravenelia candussioi* Ciccarone in *Mycopathologia*, 5, p. 218, 1951 on *Acacia laeta*.—Eritrea.
- Rhabdospora pteridii* da Camara in *Agron. lusit.*, 12, p. 114, 1950 on *Pteridium aquilinum*.—Portugal.
- Rhamphoria separata* Munk in *Dansk bot. Ark.*, 12, 11, p. 13, 1948 on wood. —Denmark.
- Rhizoctonia ramicola* Weber & Roberts in *Phytopathology*, 41, p. 618, 1951 on *Elaeagnus pungens*.—Florida, U.S.A.
- Rhopalomyces elegans* Corda forma *minor* Rayss in *Palest. J. Bot.*, J. Ser., 5, p. 20, 1950 on *Sepultaria arenosa*.—Palestine.
- Rhytidhysterium rufulum* (Spreng.) Petrak in *Sydowia*, 5, p. 186, 1951. (Syn. *Trybli-diella rufula* (Spreng.) Sacc.).
- Robillarda muhlenbergiae* Sprague in *Mycologia*, 43, p. 551, 1951 on *Muhlenbergia filiformis*.—California, U.S.A.
- Russula font-queri* Singer in *Collect. Bot.*, 1, p. 215, 1947. —Spain.
- *subminutula* Singer in *Collect. Bot.*, 1, p. 237, 1947. —Spain.
- Saccardinula colorata* da Camara in *Agron. lusit.*, 12, p. 102, 1950 on *Pinus pinaster*. —Portugal.
- Schizothecium longicolle* Ames in *Sydowia*, 5, p. 121, 1951. —Colorado and Virginia, U.S.A.
- Sclerogaster macrosporus* Hawker in *Trans. Brit. mycol. Soc.*, 34, p. 218, 1951 in soil. —England.
- Sclerotopsis abietis-mayrianae* Sawada in *Rep. For. Exp. Sta., Tokyo*, 46, p. 117, 1950 on *Abies mayriana*. —Japan.
- Scolecosporium syzigii* Ciccarone in *Mycopathologia*, 5, p. 230, 1951 on *Syzigium guineense*. —Abyssinia.
- Secotium coneii* Heim in *Rev. Mycologie*, N.S., 16, p. 144, 1951. —New Zealand.
- Selenophoma arrhenatheri* Bausá Alcalde in *An. Jard. bot. Madrid*, 7, p. 479, 1948 on *Arrhenatherum elatius*. —Spain.
- *brachypodii* Bernaux in *Rev. Path. vég.*, 30, p. 20, 1951 on *Brachypodium phoenicoides*. —France.
- Septogloeum asiminae* (Ell. & Morg.) Vassiljevsky, *Fungi Imperfecti Parasitici*, 2, p. 439, 1950. (Syn. *Phleospora asiminae* Ell. & Morg.).
- *populiperdum* Johannes in *Phytopath. Z.*, 17, p. 406, 1951 on *Populus vernirubens*, *P. bachelieri*, *P. generosa*, *P. robusta*.
- Septonema pini-densiflorae* Sawada in *Rep. For. Exp. Sta., Tokyo*, 46, p. 135, 1950 on *Pinus densiflora*. —Japan.
- Septoria balanitis* Ciccarone in *Mycopathologia*, 5, p. 228, 1951 on *Balanites aegyptiaca*. —Abyssinia.
- *calendulae* Bernaux in *Rev. Path. vég.*, 30, p. 17, 1951 on *Calendula arvensis*. —France.
- *cisti* Bernaux in *Rev. Path. vég.*, 30, p. 19, 1951 on *Cistus albidus*. —France.
- *erodii* Rayss in *Palest. J. Bot.*, J. Ser., 5, p. 18, 1950 on *Erodium malacoides*. —Palestine.
- *macrocatalpae* Paclt in *Sydowia*, 5, p. 165, 1951 on *Catalpa (Macrocatappa) longissima*. —Jamaica.
- *pepli* Shaw in *Proc. Linn. Soc. N.S.W.*, 76, p. 23, 1951 on *Euphorbia pepus*. —New South Wales.
- *pini-pumilae* Sawada in *Rep. For. Exp. Sta., Tokyo*, 46, p. 136, 1950 on *Pinus pumila*. —Japan.
- *proteae* Ciccarone in *Mycopathologia*, 5, p. 229, 1951 on *Protea abyssinica*. —Abyssinia.
- *syzigii* Ciccarone in *Mycopathologia*, 5, p. 229, 1951 on *Syzigium guineense*. —Abyssinia.
- *wahlenbergiae* [as 'wahlebergiae'] Bausá Alcalde in *An. Jard. bot. Madrid*, 7, p. 488, 1948 on *Wahlenbergia hederacea*. —Spain.
- Setella congensis* Hansford in *Rec. Inst. nat. Etud. agron. Congo belge* 2, p. 41, 1945 on *Caloncoba welwitschii*. —Belgian Congo.

- *coracina* Batista in *Mycopathologia*, 5, p. 153, 1951 on *Mauritia vinifera*.—Brazil.
- Sordaria destruens* (Shear) Hawker in *Trans. Brit. mycol. Soc.*, 34, p. 174, 1951. (Syn. *Anthostomella destruens* Shear).
- Sorodiscus cokeri* Goldie-Smith in *J. Elisha Mitchell sci. Soc.*, 67, p. 108, 1951 on *Pythium*.—Florida, U.S.A.
- Sorosporium barberi* (Mundk.) Ling in *Sydowia*, 5, p. 44, 1951. (Syn. *Ustilago barberi* Mundk.).
- *concelatum* Ling in *Lloydia*, 14, p. 106, 1951 on *Arundinella nepalensis*.—New South Wales.
- *consanguineum* Ell. & Ev. var. *bullatum* Pavgi & Thirumalachar in *Sydowia*, 5, p. 10, 1951 on *Aristida adscensionis*.—India.
- *mutabile* (Syd.) Ling in *Lloydia*, 14, p. 107, 1951. (Syn. *Sphacelotheca mutabilis* Syd.).
- *nardi* (H. & P. Syd.) Ling in *Sydowia*, 5, p. 47, 1951. (Syn. *Ustilago nardi* H. & P. Syd.).
- *panici-carthagenensis* (Speg.) Zundel in *Mycologia*, 43, p. 268, 1951. (Syn. *Ustilago panici-carthagenensis* Speg.).
- *spermoideum* (Berk. & Br.) Ling in *Sydowia*, 5, p. 48, 1951. (Syn. *Ustilago spermoidea* Berk. & Br.).
- *stiparum* (Speg.) Zundel in *Mycologia*, 43, p. 269, 1951. (Syn. *Ustilago stiparum* Speg.).
- Sphacelotheca elyonuri* Ciccione in *Mycopathologia*, 5, p. 224, 1951 on *Elyonurus argenteus* var. *caespitosus*.—Abyssinia.
- *hydropiperis* var. *berkeleyana* (Tul.) Zundel in *Mycologia*, 43, p. 270, 1951. [Syn. not cited].
- *vanderysti* (P. Henn.) Ling in *Lloydia*, 14, p. 104, 1951. (Syn. *Ustilago vanderysti* P. Henn.).
- Sphaerella asphodelina* Bausá Alcalde in *An. Jard. bot. Madrid*, 7, p. 464, 1948 on *Asphodelus*.—Spain.
- *ciconii* Losa in *Collect. Bot.*, 2, p. 217, 1949 on *Erodium ciconium*.—Spain.
- *lignicola* Munk in *Dansk bot. Ark.*, 12, 11, p. 15, 1948 on wood. —Denmark.
- Sphaerodothis coimbatonica* Ramakrishnan in *Proc. Indian Acad. Sci.*, Sect. B, 34, p. 161, 1951 on *Calamus rotang*.—India.
- Sphaeropsis abietis-mariesii* Sawada in *Rep. For. Exp. Sta.*, Tokyo, 46, p. 116, 1950 on *Abies mariesii*.—Japan.
- *ligniperda* Cherepanov in *J. Bot. U.S.S.R.*, 36, p. 273, 1951 on *Betula pubescens*.—U.S.S.R.
- Sphaerotheca fuliginea* Poll. forma *kok-saghyzi* Cheremisinov in *J. Bot. U.S.S.R.*, 36, p. 75, 1951 on *Taraxacum kok-saghyzi*.—U.S.S.R.
- Sphaerulina coffeicola* Speg. forma *parasitica* C. & M. Moreau in *Rev. Mycologie*, 16, Suppl. Col. No. 1, p. 43, 1951 on *Gibberella* on *Coffea canephora*.—Ivory Coast.
- *corynephora* Munk in *Dansk bot. Ark.*, 12, 11, p. 15, 1948 on *Corynephorus canescens*.—Denmark.
- *thujopsidis* Sawada in *Rep. For. Exp. Sta.*, Tokyo, 46, p. 143, 1950 on *Thujopsis dolabrata* var. *hondai*.—Japan.
- Stagonospora cyani* Cherepanov in *J. Bot. U.S.S.R.*, 36, p. 275, 1951 on *Centaurea cyanus*.—U.S.S.R.
- *mariae* Sprague in *Mycologia*, 43, p. 553, 1951 on *Agrostis oregonensis*.—Washington State, U.S.A.
- *octomera* Bausá Alcalde in *An. Jard. bot. Madrid*, 7, p. 483, 1948 on *Poa nemoralis*.—Spain.
- *rosarum* Batista & Silva in *Bol. Agric., Pernambuco*, 17, p. 221, 1951 on *Rosa*.—Brazil.
- *solidaginis* Cherepanov in *J. Bot. U.S.S.R.*, 36, p. 275, 1951 on *Solidago virga-aurea*.—U.S.S.R.
- *thujopsidis* Sawada in *Rep. For. Exp. Sta.*, Tokyo, 46, p. 146, 1950 on *Thujopsis dolabrata* var. *hondai*.—Japan.
- Stilbospora chamaecyparidis* Sawada in *Rep. For. Exp. Sta.*, Tokyo, 46, p. 123, 1950 on *Chamaecyparis pisifera*.—Japan.
- STROMATOSCYPHA** Donk in *Reinwardtia*, 1, p. 218, 1951. (Syn. *Porothelium* (Fr.) Fr., non Eschw.).
- *fimbriata* (Pers. ex Fr.) Donk in *Reinwardtia*, 1, p. 219, 1951. (Syn. *Polyporus fimbriatus* Pers. ex Fr.).
- Teichospora oryzae* Batista & Gayão [as '*Tichospora oryzae*'] in *Bol. Agric., Pernambuco*, 17, p. 183, 1951 on *Oryza*.—Brazil.
- Testicularia minor* (Juel) Ling in *Lloydia*, 14, p. 109, 1951. (Syn. *T. cyperi* var. *minor* Juel).
- TETRAPOSPORUM** Hughes in *Mycol. Pap., C.M.I.*, 46, p. 25, 1951.—Moniliales. Type, *T. asterinearum*.
- *asterinearum* Hughes in *Mycol. Pap., C.M.I.*, 46, p. 25, 1951 on *Asterina funtuniae*.—Gold Coast.
- *ravenelii* (Cooke) Hughes in *Mycol. Pap., C.M.I.*, 46, p. 28, 1951. (Syn. *Triposporium ravenelii* Cooke).
- Thielavia renominata* Paclt nom. nov. in *Parasitica*, 7, p. 110, 1951. (Syn. *Thielavia basicola* (Berk. & Br.) Zopf, non *Thielaviopsis basicola* Berk. & Br.).
- **Thielaviopsis neocaledoniae* Dadant in *Rev. gén. Bot.*, 57, p. 176, 1950 on *Coffea robusta*.—New Caledonia.
- Titaeospora equiseti* (Desm.) Vassiljevsky, *Fungi Imperfecti Parasitici*, 2, p. 594, 1950. (Syn. *Libertella equiseti* Desm.).
- **Toeniellopsis susplugasi* Manier in *Ann. Sci. nat., Bot.*, Sér. XI, 11, p. 88, 1951 on *Orchestia mediterranea*.—France.
- Tonduzia fuscata* Batista in *Mycopathologia*, 5, p. 164, 1951 on *Psidium araca*.—Brazil.
- **Torula bergeri* Langeron in *Ann. Parasit. hum. comp.*, 24, p. 597, 1949 on man.—Canada.
- Trametes acuta* (Berk.) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 73, 1943. (Syn. *Lenzites acuta* Berk.).
- *— *capensis* Lloyd apud Doidge in *Bothalia*, 5, p. 544, 1950 on *Acacia karoo*.—South Africa.
- *meleagris* (Berk.) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 73, 1943. (Syn. *Polyporus meleagris* Berk.).
- *orientalis* (Yas.) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 73, 1943. (Syn. *Polystictus orientalis* Yas.).
- *sanguinea* (L. ex Fr.) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 73, 1943. (Syn. *Polyporus sanguineus* L. ex Fr.).
- Trichoconis padwickii* Ganguly in *J. Indian bot. Soc.*, 26, p. 238, 1948 on *Oryza sativa*.—India.
- Tricholoma carneum* (Bull.) Qué. var. *periscolor* (Fr. ex Lange) Parker-Rhodes in

- Trans. Brit. mycol. Soc.*, 34, p. 363, 1951. [Syn. not cited].
- Trichomerium abhorrentis** Batista in *Mycopathologia*, 5, p. 148, 1951 on *Palicourea nicotianifolia*.—Brazil.
- **crotoni** Batista in *Mycopathologia*, 5, p. 148, 1951 on *Croton*.—Brazil.
- **hirtellum** Batista in *Mycopathologia*, 5, p. 150, 1951 on *Persea gratissima*.—Brazil.
- **psidii** Batista in *Mycopathologia*, 5, p. 149, 1951 on *Psidium guajava*.—Brazil.
- Trichoscypha calyciformis** (Willd. ex Velen.) Grelet in *Rev. Mycologie*, N.S., 16, p. 87, 1951. (Syn. *Dasyoscypha calyciformis* (Willd.) Velen.).
- Trichosporium thuiopsisidis** Sawada in *Rep. For. Exp. Sta.*, Tokyo, 46, p. 146, 1950 on *Thuiopsis dolabrata* var. *hondai*.—Japan.
- Trichosporon pullulans** (Lindner) Verona & Poli (This *Index*, 2, p. 9) antedated by *T. pullulans* (Lindner) Diddens & Lodder, 1942 (*ibid.*, 1, p. 156).
- Tricothyriopsis alineum** Batista in *Mycopathologia*, 5, p. 168, 1951 on *Lawsonia inermis*.—Brazil.
- Triphragmium ponderosum** (Syd. & Butl.) Venkatarayan in *Trans. Brit. mycol. Soc.*, 34, p. 239, 1951. (Syn. *Hapalophragmium ponderosum* Syd. & Butl.).
- Tripodermium fructigenum** (Rabenh. ex Sacc. & Trott.) Hughes in *Mycol. Pap.*, C.M.I., 46, p. 16, 1951. (Syn. *Tripodermium fructigenum* Rabenh. ex Sacc. & Trott.).
- **juglandis** (Thüm.) Hughes in *Mycol. Pap.*, C.M.I., 46, p. 15, 1951. (Syn. *Tripodermium juglandis* Thümen).
- **myrti** (Lind) Hughes in *Mycol. Pap.*, C.M.I., 46, p. 18, 1951. (Syn. *Tripodermium myrti* Lind).
- **roupalae** (Syd.) Hughes in *Mycol. Pap.*, C.M.I., 46, p. 20, 1951. (Syn. *Clasterosporium roupalae* Sydow).
- Tripodermium cambrense** Hughes in *Mycol. Pap.*, C.M.I., 46, p. 6, 1951 on *Quercus*.—Wales.
- Tubercinia hederæ** da Camara in *Agron. lusit.*, 12, p. 94, 1950 on *Hedera helix* subsp. *canariensis*.—Portugal.
- Tylophilus ferrugineus** (Frost) Singer subsp. *vinaceogriseus* Snell, Dick, & Hesler in *Mycologia*, 43, p. 359, 1951.—Tennessee, U.S.A.
- Typhula quisquiliaris** (Fr.) Corner (This *Index*, 2, p. 30) antedated by *T. quisquiliaris* (Fr.) P. Henn., 1896.
- Tyromyces borealis** (Fr.) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 84, 1943. (Syn. *Polyporus borealis* Fr.).
- **ostreiformis** (Lloyd) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 84, 1943. (Syn. *Polyporus ostreiformis* Lloyd).
- I — **profissilis** (Lloyd) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 84, 1943. (Syn. *Polyporus profissilis* Lloyd).
- I — **pubescens** (Schum. ex Fr.) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 84, 1943. (Syn. *Polyporus pubescens* Schum. ex Fr.).
- F — **sambuceus** (Lloyd) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 84, 1943. (Syn. *Polyporus sambuceus* Lloyd).
- R — **spumeus** (Sow. ex Fr.) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 84, 1943. (Syn. *Polyporus spumeus* Sow. ex Fr.).
- R — **squalens** (Karst.) Imazeki in *Bull. Tokyo Sci. Mus.* (p. 84, 1943). (Syn. *Polyporus squalens* Karst.).
- Uncinula sibilis** Ciccarone in *Mycopathologia*, 5, p. 211, 1951 on *Stereospermum kunthianum*.—Abyssinia.
- Urocystis alaskana** Zundel in *Mycologia*, 43, p. 269, 1951 on *Boykinia richardsoni*.—Alaska.
- Uromyces anthyllidis** (Grev.) Schroet. forma **trigonellae** Rayss in *Uredineana*, 3, p. 193, 1951. (?Syn. *U. trigonellae* Pat.).
- **bugranæ** Guyot in *Uredineana*, 3, p. 66, 1951 on *Ononis columnna* and *O. striata*.—France & Switzerland.
- **cenisiae** Guyot in *Uredineana*, 3, p. 65, 1951 on *Ononis cenista*.—France.
- **natricis** Guyot in *Uredineana*, 3, p. 66, 1951 on *Ononis rotundifolia*.—France.
- Ustilago alismatis** Ling in *Lloydia*, 14, p. 103, 1951 on *Alisma plantago-aquatica*.—Utah, U.S.A.
- **eriochloæ** Ling in *Lloydia*, 14, p. 103, 1951 on *Eriochloa punctata*.—Costa Rica.
- **poæ-nemorialis** Viennot-Bourgin in *Rev. Path. vég.*, 30, p. 53, 1951 on *Poa glauca*.—France.
- **polygoni-alpini** (P. Cruchet) Zundel in *Mycologia*, 43, p. 267, 1951. (Syn. *Sphacelotheca polygoni-alpini* P. Cruchet).
- **sanctæ-catharinae** Zundel nom. nov. in *Mycologia*, 43, p. 268, 1951. (Syn. *Ustilago occulta* P. Henn. non Rabenhorst.).
- Valsa cephalotaxi** Sawada in *Rep. For. Exp. Sta.*, Tokyo, 46, p. 118, 1950 on *Cephalotaxus nana*.—Japan.
- Vermicularia fructus** (Stevens & Hall) Vassiljevsky, *Fungi Imperfecti Parasitici*, 2, p. 351, 1950. (Syn. *Volutella fructus* Stev. & Hall).
- **indica** (Dastur) Vassiljevsky, *Fungi Imperfecti Parasitici*, 2, p. 348, 1950. (Syn. *Colletotrichum indicum* Dastur).
- **lilii** (Plakidas) Vassiljevsky *Fungi Imperfecti Parasitici*, 2, p. 346, 1950. (Syn. *Colletotrichum lilii* Plakidas).
- **lysimachiae** (Duke) Vassiljevsky, *Fungi Imperfecti Parasitici*, 2, p. 350, 1950. (Syn. *Colletotrichum lysimachiae* Duke).
- **mali** (Woronichin) Vassiljevsky, *Fungi Imperfecti Parasitici*, 2, p. 352, 1950. (Syn. *Colletotrichum mali* Woronichin).
- **omnivora** (Halst.) Vassiljevsky, *Fungi Imperfecti Parasitici*, 2, p. 343, 1950. (Syn. *Colletotrichum omnivorum* Halst.).
- **smilacinae** (Tehon & Daniels) Vassiljevsky, *Fungi Imperfecti Parasitici*, 2, p. 347, 1950. (Syn. *Colletotrichum smilacinae* Tehon & Daniels).
- **spinaciae** (Ell. & Halst.) Vassiljevsky, *Fungi Imperfecti Parasitici*, 2, p. 339, 1950. (Syn. *Colletotrichum spinaciae* Ell. & Halst.).
- **violæ** (Sävul. & Sandu) Vassiljevsky, *Fungi Imperfecti Parasitici*, 2, p. 359, 1950. (Syn. *Colletotrichum violæ* Sävul. & Sandu).
- **vitis** (Istvanffi) Vassiljevsky, *Fungi Imperfecti Parasitici*, 2, p. 359, 1950. (Syn. *Colletotrichum vitis* Istvanffi).
- Verticillium cyclosporum** (Grove) Mason & Hughes apud Hughes in *Mycol. Pap.*, C.M.I., 45, p. 19, 1951. (Syn. *Stachylidium cyclosporum* Grove).
- **sphaerosporum** Goodey in *Trans. Brit. mycol. Soc.*, 34, p. 272, 1951 on *Ditylenchus dipsaci*.—Scotland.
- **theobromæ** (Turconi) Mason & Hughes

- apud Hughes in *Mycol. Pap., C.M.I.*, 45, p. 10, 1951. (Syn. *Stachylidium theobromae* Turconi).
 — *thujopsidis* Sawada in *Rep. For. Exp. Sta., Tokyo*, 46, p. 147, 1950 on *Thujopsis dolabrata* var. *hondai*.—Japan.
Vizella bingervilliana C. & M. Moreau in *Rev. Mycologie*, 16, Suppl. Col. No. 1, p. 21, 1951 on *Coffea liberica*.—Ivory Coast.
Winterina clavata Munk in *Dansk bot. Ark.*, 12, 11, p. 11, 1948 on wood.—Denmark.
Xerocomus rubrosquamulosus Snell, Dick,

& Hesler in *Mycologia*, 43, p. 359, 1951.—Tennessee, U.S.A.

- Zygosaccharomyces halomembranis* Etchells & Bell in *Food Technology*, 4, p. 81, 1950 in cucumber brine.—U.S.A.
Zygosporium geminatum Hughes in *Mycol. Pap., C.M.I.*, 44, p. 5, 1951 on dead *Dracaena*.—Gold Coast.
 — *masonii* Hughes in *Mycol. Pap., C.M.I.*, 44, p. 15, 1951 on dead leaves of *Cocos nucifera*.—Gold Coast.
 — *minus* Hughes in *Mycol. Pap., C.M.I.*, 44, p. 6, 1951 on *Artocarpus nobilis*.—Gold Coast.

HOST INDEX

For Phanerogams see under families; for Algae, Fungi, Lichenes, and Pteridophyta see under those names; for animal hosts see under Invertebrata and Vertebrata.

ACERACEAE

- Acer tataricum*
Cylindrosporium platanoidis var. *polymorphum*

AIZOACEAE

- Mollugo nudicaulis*
Albugo mangeloti

ALGAE

- Mougeotia*
Micromyces ovalis
Stephanodiscus niagarae
Podochytrium cornutum

ALISMACEAE

- Alisma plantago-aquatica*
Ustilago alismatis

AMARANTACEAE

- Achyranthes aspera*
Physalospora achyranthis

ANACARDIACEAE

- Antrocaryon micraster*
Meliola geniculata var. *antrocaryonis*
Mangifera indica
Ophiomeliola mangiferae

ANNONACEAE

- Cleistopholis verschuerenii*
Meliola cleistopholidis
Xylopia frutescens
Ceratospormopsis xylopiæ
Naetrocymbe inspersum

APOCYNACEAE

- Alstonia congensis*
Meliola alstoniicola
Pleiocarpa culicina
Micropeltis pleiocarpæ

ARACEAE

- Epipremnum mirabile*
Puccinia hashikoi
Rhektophyllum mirabile
Eremotheca congensis

ARALIACEAE

- Hedera helix* ssp. *canariensis*
Tubercinia hederæ
Polyscias guifolii
Chaetomeris hemisphaerica
Dimeriellopsis araliæ
Schefflera aromatica
Meliola boedijnii

ASCLEPIADACEAE

- Tylophora oculata*
Accidium tylophoræ

BETULACEAE

- Alnus incana*
Marssonina alni

BETULACEAE (continued)

- Betula pubescens*
Sphaeropsis ligniperda

BIGNONIACEAE

- Catalpa (Macrocatalpa) longissima*
Septoria macrocatalpæ
Stereospermum kunthianum
Uncinula sibilæ

BORAGINACEAE

- Myosotis laxa*
Plasmopara myosotidis

BUTACEAE

- Monniera trifolia*
Naetrocymbe perparum

CAMPANULACEAE

- Siphocampylus campanulatus*
Chaetotrichum pannosum
Wahlenbergia hederacea
Septoria wahlenbergiæ

CELASTRACEAE

- Gymnosporia*
Phyllosticta gymnosporiæ

CHENOPODIACEAE

- Beta vulgaris*
Pleospora betæ
Chenopodium album
Diplodia chenopodii

CISTACEAE

- Cistus albidus*
Septoria cisti
Cistus populifolius
Amphichaeta hispanica
Coryneopsis cisticola
Gloeosporium cistinum
Halimium ocymoides
Phaeosphaerella halymii

COMPOSITAE

- Antennaria dioica*
Lophiostoma antennariæ
Arctium minus
Diplodia arctii
Artemisia camphorata
Puccinia artemisiæ-camphoratae
Aster acer
Hendersonia asteris
Calendula arvensis
Septoria calendulae
Centaurea cyanus
Stagonospora cyanii
Hieracium umbellatum
Phoma admurtica
Leontodon tenuiflorus
Puccinia tombeana

COMPOSITAE (continued)

- Liabum*
Chaetotrichum rufidulum
Liabum arsalaguense
Chaetotrichum liabicola
Liabum bipinnatifidum
Chaetotrichum latissporum
Liabum pallatangense
Chaetotrichum sydowii
Liabum pichinchense
Chaetotrichum pulchrum
Oyedaea verbesinoides
Millerburtonia oyedaeae
Senecio rufinervis
Coleosporium bayleyense
Solidago virga-aurea
Stagonospora solidaginis
Taraxacum kok-saghyzi
Sphaerotheca fuliginea f. *kok-saghyzi*

CONIFERAE

- Abies excelsa*
Hyaloscypha curvipila
Abies firma
Dendrophoma abietis
Abies mariesii
Aecidium abietis-mariesii
Dimerium abietis-mariesii
Lizonia abietis-mariesii
Macrophoma mariesii
Montemartinia abietis-mariesii
Sphaeropsis abietis-mariesii
Abies mayriana
Sclerotopsis abietis-mayrianae
Abies nordmanniana
Gibberellulina abietis
Cephalotaxus nana
Amphichaeta cephalotaxi
Guignardia cephalotaxi-nanae
Pestalozzia cephalotaxi
Phomopsis cephalotaxi
Rabenhorstia cephalotaxi
Valsa cephalotaxi
Chamaecyparis obtusa
Cercospora chamaecyparidis
Leptochlamys chamaecyparidis
Pestalozzia chamaecyparidis
Chamaecyparis pisifera
Cytospora chamaecyparidis
Mollisia chamaecyparidis
Psilospora chamaecyparidis
Stilbospora chamaecyparidis
Juniperus chinensis
Halbania juniperi
Juniperus communis
Lophiosphaera juniperi
Juniperus communis subsp. nana
Helminthopeltis almeidaeana
Larix kaempferi
Cryptostictella reynoutriae
Fusarium laricis
Pestalozzia laricicola
Phyllosticta laricis
Physalospora laricis
Pseudodiscosia laricis
Pinus densiflora
Aposphaeria pini-densiflorae
Cenangium pini
Macrophoma pini-densiflorae
Massarinula pini
Septonema pini-densiflorae
Pinus excelsa
Melampsora oblonga
Pinus koraiensis
Peridermium pini-koraiensis

CONIFERAE (continued)

- Pinus leiophylla*
Hypoderma mexicanum
Pinus pinaster
Saccardinula colorata
Pinus pumila
Septoria pini-pumilae
Pinus thunbergii
Calospora pini-thunbergii
Reynoutria japonica var. *typica*
Cryptostictella reynoutriae
Taxus cuspidata
Irenina taxi
Thuja standishii
Lophodermium thujae
Pestalozzia thujae
Thujopsis dolabrata
Lophodermium thujopsidis
Thujopsis dolabrata var. *hondai*
Campoa thujopsidis
Mollisia thujopsidis
Mycosphaerella thujopsidis
Pestalozzia thujopsidis
Phoma pilospora
Phoma thujopsidis
Phragmotryiella thujopsidis
Phyllosticta thujopsidis
Pleuronaema thujopsidis
Sphaerulina thujopsidis
Stagonospora thujopsidis
Trichosporium thujopsidis
Verticillium thujopsidis
Tsuga diversifolia
Aecidium tsugae

CONVOLVULACEAE

- Convolvulus*
Macrophoma convolvulacearum
Ipomoea batatas
Fusarium solani f. *batatas*

CRUCIFERAE

- Erysimum cheiranthoides*
Phoma bacilligera
Teesdalia nudicaulis
Phoma teesdaliae

CUCURBITACEAE

- Melothria mucronata*
Mycosphaerella melothriae
Momordica charantia
Aecidium charantiae

CYPERACEAE

- Carex backii*
Cintractia calderi
Carex baldensis
Leptosphaeria kochiana
Carex maritima
Planetella lironis

DIPSACACEAE

- Cephalaria joppica*
Cercospora cephalariae

ELAEOAGNACEAE

- Elaeagnus pungens*
Rhizoctonia ramicola

ERICACEAE

- Arctostaphylos alpina*
Chaetonaevia nannfeldtii

EUPHORBIACEAE

- Acalypha indica*
Cercospora acalyphae
Aleurites
Phyllosticta microspora
Aleurites fordii
Aschochyta aleuritidis
Colletotrichum gloeosporioides var. *aleuritidis*

EUPHORBIACEAE (continued)

- Aleurites fordii* (continued)
Fusarium heterosporum f. *aleuritidis*
Glomerella cingulata var. *aleuritidis*
Phyllosticta aleuritidis
Aleurites montana
Colletotrichum gloeosporioides var. *aleuritidis*
Glomerella cingulata var. *aleuritidis*
Croton
Trichomerium crotoni
Euphorbia hirta
Peronospora favargerii
Euphorbia peplis
Septoria pepii
Mallotus albus
Helotium malloti
Phyllanthus wildemanni
Irenina phyllanthi

FAGACEAE

- Fagus*
Helicodendron giganteum
Fagus sylvaticus
Phragmocephala minima
Nothofagus solandri
Merulius nothofagi
Quercus
Helicodendron giganteum
Triposporium cambrense
Quercus ilex
Epidochium ilicinum
Shiia sieboldi
Helicogloea incrustans

FLACOURTIACEAE

- Caloncoba welwitschii*
Setella congensis
Homalium lalaense
Meliola homalii
Xymalos
Asterina xymalodolica
Asterina xymalodis

FUNGI

- Asterina baphiae*
Hansfordiella asterinearum
Asterina funtumiae
Tetraposporium asterinearum
Didymella vincetoxici
Leptosphaeria didymellae-vincetoxici
Gibberella
Sphaerulina coffeicola f. *parasitica*
Meliola villis
Arthrobotryum gorgoneum
Polyporus
Hypomyces novae-zealandiae
Pythium
Sorodiscus cokeri
Sepultaria arenosa
Rhopalomyces elegans forma *minor*
Uredo amomi
Eudarlucina indica

GERANIACEAE

- Erodium ciconium*
Sphaerella ciconii
Erodium malacoides
Septoria erodii
Pelargonium
Botryotinia pelargonii

GRAMINEAE

- Agrostis*
Pleospora asymmetrica
Agrostis castellana
Pycnidiochaeta biciliata
Agrostis oregonensis
Stagonospora mariae

GRAMINEAE (continued)

- Agrostis thurberiana*
Puccinia prae-gracilis var. *prae-gracilis*
Aristida adscensionis
Sorosporium consanguineum var. *bullatum*
Arrhenatherum elatius
Dendroseptoria arrhenatheri
Selenophoma arrhenatheri
Arundinella nepalensis
Sorosporium conclatum
Avena bromoides
Puccinia avenastri
Puccinia bromoides
Bouteloua gracilis
Cochliobolus gracilis
Brachypodium phoenicoides
Selenophoma brachypodii
Bromus asper
Puccinia symphyti-bromorum f. *tuberosi-asperi*
Bromus ciliatus
Phyllosticta bromivora
Corynephorus canescens
Sphaerulina corynephora
Elyonurus argenteus var. *caespitosus*
Sphacelotheca elyonuri
Eriochloa punctata
Ustilago eriochloae
Holcus annuus
Puccinia holcicola
Holcus lanatus
Puccinia holcicola
Molinia caerulea
Chondropodium molinae
Muhlenbergia filiformis
Pleospora rainierensis
Robillarda muhlenbergiae
Oryza
Teichospora oryzae
Oryza sativa
Curvularia oryzae
Curvularia uncinata
Trichoconis padwickii
Poa glauca
Ustilago poae-nemoralis
Poa nemoralis
Metasphaeria luteola
Stagonospora octomera
Saccharum officinarum
Hansfordia ovalispora
Setaria chevalieri
Hansfordia togoensis
Sporobolus affinis
Cochliobolus sporoboli
Sporobolus ruspolianus
Cochliobolus sporoboli
Themeda gigantea
Sphacelotheca themedicola

GUTTIFERAE

- Mammea africana*
Meliola mammeicola
Vismia
Leptomeliola puberula

HYDROPHYLLACEAE

- Nemophila sepulta*
Peronospora nemophilae

INVERTEBRATA

- Boetis arebatinus*
Paramoebidium pavillardi
Ditylenchus dipsaci
Verticillium sphaerosporum
Leptoiulus belgicus
Enterobryus leptoiuli

INVERTEBRATA (continued)

Nematodes

Dactylaria gracilis

Orchestia mediterranea

Toeniellopsis susplugasi

Procloëon bifidum

Paramoebidium procloëoni

Schizophyllum sabulosum var. rubripes

Enterobryus duboscqui

Scutigera coleopterata

Asellaria scutigeræ

JUNCACEAE

Juncus maritimus

Puccinia rimosa forma *nattrassi*

LABIATAE

Dracocephalum parviflorum

Peronospora davisii

Teucrium polium

Puccinia circumacta

LAURACEAE

Ocotea

*Microthyriella inaequalis**Phragmothyriella dignota**Phragmothyriella exserta*

Persea gratissima

Trichomerium hirtellum

Umbellularia californica

Kabatiella phoradendri f. *umbellulariae*

LEGUMINOSAE

Acacia karoo

Trametes capensis

Acacia laeta

Ravenelia canussioi

Adenanthera microsperma

Meliola ingae var. *adenantherae*

Aeschynomene indica

Physoderma aeschynomenis

Baphia racemosa

Meliola baphiae-nitidae

Cassia siamea

Meliola javanica

Cercis canadensis

Plasmopara cercidis

Cytisus pendulinus var. eriocarpus

Camarosporium sarothamni

Dalhousiea

Glyptolella dalhousieae

Indigofera pulchella

Cercospora pulchella

Lonchocarpus

Meliola bicornis var. *lonchocarpi*

Lonchocarpus cyanescens

Meliola carvalhoi

Milletia chrysophylla

Meliola millettiae-chrysophyllae

Ononis cenisia

Uromyces cenisiae

Ononis columnna

Uromyces bugraeae

Ononis rotundifolia

Uromyces natricis

Ononis striata

Uromyces bugraeae

Phaca alpina

Leptosphaeria phacae

Piptadenia communis

Phellinus piptadeniae

Pterospartum tridentatum

Dothiorella genistae

Pterygopodium

Asterina pterygopodii

Ulex minor

Didymosphaeria epidermidis var. *ulicis*

LICHENES

Parmelia perforata

Phyllosticta galligena

LILIACEAE

Asphodelus

Sphaerella asphodelina

Dracaena

Zygosporium geminatum

Lilium candidum

Didymellina intermedia

Narthecium ossifragum

Cercospora narthecii

Polygonatum officinale

Phyllosticta polygonati-officinalis

Tofieldia calyculata

*Leptosphaeria submodesta**Leptosphaeria tofieldiae*

LORANTHACEAE

Loranthus

Phleospora olettæ

LYTHRACEAE

Lafoensia glyptocarpa

Naetrocymbe lafoensiae

Lawsonia inermis

Tricothyriopsis alineum

MAGNOLIACEAE

Magnolia grandiflora

Campanella floridana

MALVACEAE

Hibiscus surattensis

Aecidium hibisci-surattensis

MELASTOMACEAE

Clidernia hirta

*Chaetopotius commistum**Naetrocymbe depressum*

MELIACEAE

Azadirachta indica

Diplorhynchotrichum africanum

MENISPERMACEAE

Stephania abyssinica

Phyllachora gondarensis

Tinospora cordifolia

Ramularia tinosporae

MORACEAE

Artocarpus nobilis

Zygosporium minus

Ficus elastica

Phakopsora fici-elasticae

MYRICACEAE

Myrica

Dictyopeltis myricae

MYRISTICACEAE

Coelocaryon kleinei

Asterina coelocaryi

MYRTACEAE

Psidium araca

Tonduzia fuscata

Psidium guayava

Trichomerium psidii

Syzigium guineense

*Micronectria syzigii**Scolecosporium syzigii**Septoria syzigii*

NYCTAGINACEAE

Bougainvillea glabra

Naetrocymbe inspersum

OLACACEAE

Fraxinus

*Ceriospora caudae-suis**Jasminum abyssinicum**Meliola oleicola* var. *jasmini*

OLACACEAE (continued)

- Ocotea borealis*
Meliola octoknematis
Olaix mannii
Meliola olacis

- Phillyrea angustifolia*
Phoma ascochytoidea

ORCHIDACEAE

- Habenaria gracilis*
Puccinia praegracilis var. *praegracilis*

OXALIDACEAE

- Averrhoa carambola*
Beltrania africana

PALMAE

- Calamus rotang*
Sphaerodopsis coiminatorica

- Cocos nucifera*
Zygosporeum masonii

- Cyrtostachys rendlei*
Helicosporeum hendrickxii

- Mauritia vinifera*
Naetrocymbe mauritiae
Setella coracina

PANDACEAE

- Panda oleosa*
Asterina pandae
Asterina pandicola

PROTEACEAE

- Protea abyssinica*
Septoria proteae

PTERIDOPHYTA

- Adiantum*
Naetrocymbe inspersum
Pteridium aquilinum
Rhabdospora pteridii

RANUNCULACEAE

- Clematis vitalba*
Asteromellopsis insculpta

RHAMNACEAE

- Berchemia yemensis*
Masseella ciferrii
Rhamnus frangula
Microdiplodia ovoidea

ROSACEAE

- Moquilea tomentosa*
Asterina solanicoloides var. *atypica*

PHOTINIA NOTONIANA

- Pseudophacidium photiniae*

- Pyrus communis* subsp. *pyraster*
Coryneum pirinum

ROSA

- Stagonospora rosarum*

- Rosa cinnamomea*
Pseudomassaria jacezewskii

SPIRAEA HYPERICIFOLIA

- Cylindrosporium basiplanum*

RUBIACEAE

- Coffea canephora*
Eutypa microspora
Eutypella coffeicola
Eutypella perplexans
Leptosphaeria coffeigena var. *longirostrata*
Ostropella verruculosa
Peroneutypa multistromata

- Coffea liberica*
Auerswaldia excoriata

- Balladyna parva*
Entosordaria jacobii-felicitis

- Eutypella coffeicola*
Gnomoniella quadriguttulata

- Massaria immersa*
Myiocopron ramicola

- Vizella bingervilliana*

RUBIACEAE (continued)

- Coffea robusta*
Thielaviopsis neocaledoniae
Gardenia
Microdiplodia gardeniae
Palicourea nicotianifolia
Trichomerium abhorrentis

RUTACEAE

- Toddalia asiatica*
Gymnopuccinia pulneyensis

SALICACEAE

- Populus nigra*
Pestalotia populi-nigrae
Populus spp.
Septogloeum populiperdum

SAMYDACEAE

- Homalium angustifolium*
Irenina homalii-angustifolii

SAPINDACEAE

- Cupania*
Ceratosporeopsis cupaniae

SAPOTACEAE

- Achras sapota*
Dictyopeltis appplanata
Phaeopeltis sapotae

SAXIFRAGACEAE

- Boykinia richardsoni*
Urocystis alaskana

- Ribes grossularia*

- Ceratosporeum rilstonii*

SCROPHULARIACEAE

- Mimulus guttatus*
Peronospora jacksoni
Paulownia tomentosa
Physalospora paulowniae

SCOPARIA DULCIS

- Cercospora scopariae*

SOLANACEAE

- Capsicum frutescens*
Limacina capsici
Solanum robustum
Naetrocymbe robustum

STERCULIACEAE

- Buettneria*
Irenopsis buettneriicola

TILIACEAE

- Grewia asiatica*
Ramularia grewiae
Grewia ferruginea
Gnomonia grewiae

UMBELLIFERAE

- Apium graveolens*
Cephalosporium apii

DAUCUS CAROTA

- Phomopsis dauci*

- Seseli* spp.

- Puccinia seseleis*

URTICACEAE

- Boehmeria caudata*
Favolaschia echinata

VERBENACEAE

- Clerodendron infortunatum*
Aschochyta infortunata

VITEX

- Meliola viticola*

VERTEBRATA

- Homo sapiens*
Cephalosporium falciforme
Pityrosporum orbiculare
Torula bergeri

VITACEAE

*Cissus productus**Meliola cissi-producti**Vitis vinifera**Botryodiplodia vitis**Pythium debaryanum* var. *viticola*

ZYGOPHYLLACEAE

*Balanites aegyptiaca**Meliola balanitis**Phoma balanitis**Septoria balanitis*

The Editor again gratefully acknowledges the assistance of Dr. J. A. Stevenson and Miss Edith Cash for supplying details of certain citations.

INDEX OF FUNGI

PUBLISHED SINCE THE BEGINNING OF 1940

Formerly issued as Supplements to the Review of Applied Mycology

VOL. II

PART 5

1952

- Acanthostigma zae* Saccas in *Rev. Path. Vég.*, 30, p. 161, 1951 on dead *Zea mays*.—French Equatorial Africa.
- Acia conferta* Talbot in *Bothalia*, 6, p. 64, 1951 on wood.—Natal.
- Aecidium araliae* Sawada (This *Index*, i, p. 203). Latin diagnosis by Ito & Murayama in *Trans. Sapporo nat. Hist. Soc.*, 17, p. 171, 1943.
- *margarettae* Cummins in *Bull. Torrey bot. Cl.*, 79, p. 212, 1952 on *Margaretta whytei*.—Nyasaland.
- *senecionis-scandentis* Sawada apud Ito & Murayama in *Trans. Sapporo nat. Hist. Soc.*, 17, p. 171, 1943, on *Senecio scandens*.—Formosa.
- *tafoense* Cummins in *Bull. Torrey bot. Cl.*, 79, p. 212, 1952 on *Tylophora conspicua*.—Gold Coast.
- *wiehei* Cummins in *Bull. Torrey bot. Cl.*, 79, p. 212, 1952 on *Salvia pseudococcinea*.—Nyasaland.
- Agaricus aestivalis* (Möll.) Möll. in *Friesia*, 4, p. 203, 1952. (Syn. *Psalliota aestivalis* Möll.).
- var. *flavotactus* (Möll.) Möll. in *Friesia*, 4, p. 203, 1952. (Syn. *Psalliota aestivalis* var. *flavotacta* Möll.).
- *altipes* (Möll.) Möll. in *Friesia*, 4, p. 203, 1952. (Syn. *Psalliota altipes* Möll.).
- *annae* Pilát in *Acta Mus. nat. Prag.*, 7, p. 132, 1951.—Czechoslovakia.
- *arvensis* Fr. var. *macrolepis* Pilát & Pouzar apud Pilát in *Acta Mus. nat. Prag.*, 7, p. 134, 1951.—Czechoslovakia.
- *bisporus* (Lange) Singer in *Lilloa*, 22, p. 431, 1951. (Syn. *Psalliota hortensis* (Cooke) W. G. Smith var. *bispora* Lange).
- *campestris* (L.) Fr. forma *substerilis* (Möll.) Möll. in *Friesia*, 4, p. 204, 1952. (Syn. *Psalliota campestris* f. *substerilis* Möll.).
- var. *equestris* (Möll.) Möll. in *Friesia*, 4, p. 204, 1952. (Syn. *Psalliota campestris* var. *equestris* Möll.).
- var. *floccipes* (Möll.) Möll. in *Friesia*, 4, p. 204, 1952. (Syn. *Psalliota campestris* var. *floccipes* Möll.).
- var. *fusco-pilosellus* (Möll.) Möll. in *Friesia*, 4, p. 204, 1952. (Syn. *Psalliota campestris* var. *fusco-pilosella* Möll.).
- var. *isabellinus* (Möll.) Möll. in *Friesia*, 4, p. 204, 1952. (Syn. *Psalliota campestris* var. *isabellina* Möll.).
- *caroli* Pilát in *Acta Mus. nat. Prag.*, 7, p. 130, 1951.—Czechoslovakia.
- *chionodermus* Pilát in *Acta Mus. nat. Prag.*, 7, p. 134, 1951.—Czechoslovakia.
- *cupreo-brunneus* (Schäff. & Steer) Möll. in *Friesia*, 4, p. 204, 1952. (Syn. *Psalliota cupreo-brunnea* Schäff. & Steer).
- *decoratus* (Möll.) Möll. in *Friesia*, 4, p. 203, 1952. (Syn. *Psalliota decorata* Möll.).
- *depauperatus* (Möll.) Möll. in *Friesia*, 4, p. 203, 1952. (Syn. *Psalliota depauperata* Möll.).
- *deylli* Pilát in *Acta Mus. nat. Prag.*, 7, p. 131, 1951.—Czechoslovakia.
- *edulis* Vitt. var. *validus* (Möll.) Möll. in *Friesia*, 4, p. 203, 1952. (Syn. *Psalliota edulis* var. *valida* Möll.).
- *excellens* (Möll.) Möll. in *Friesia*, 4, p. 204, 1952. (Syn. *Psalliota excellens* Möll.).
- *fissuratus* (Möll.) Möll. in *Friesia*, 4, p. 204, 1952. (Syn. *Psalliota fissurata* Möll.).
- *fusco-fibrillosus* (Möll.) Möll. in *Friesia*, 4, p. 203, 1952. (Syn. *Psalliota fusco-fibrillosa* Möll.).
- *langei* (Möll.) Möll. in *Friesia*, 4, p. 203, 1952. (Syn. *Psalliota langei* Möll.).
- *lanipes* (Moeller & Schäffer) Singer in *Lilloa*, 22, p. 432, 1951. (Syn. *Psalliota lanipes* Moeller & Schäffer). [Comb. also made by Möller, 1952].
- var. *verecundus* (Möll.) Möll. in *Friesia*, 4, p. 203, 1952. (Syn. *Psalliota lanipes* var. *verecunda* Möll.).
- *leucotrichus* (Möll.) Möll. in *Friesia*, 4, p. 204, 1952. (Syn. *Psalliota leucotricha* Möll.).
- *livido-nitidus* (Möll.) Möll. in *Friesia*, 4, p. 203, 1952. (Syn. *Psalliota livido-nitida* Möll.).
- *luteo-maculatus* (Möll.) Möll. in *Friesia*, 4, p. 204, 1952. (Syn. *Psalliota luteo-maculata* Möll.).
- *lutosus* (Möll.) Möll. in *Friesia*, 4, p. 204, 1952. (Syn. *Psalliota lutosa* Möll.).
- *macrocarpus* (Möll.) Möll. in *Friesia*, 4, p. 204, 1952. (Syn. *Psalliota macrocarpa* Möll.).
- *macrosporus* (Möll. & Schäff.) Möll. in *Friesia*, 4, p. 204, 1952. (Syn. *Psalliota macrospora* Möll. & Schäff.).
- *maleolens* Möll. nom. nov. in *Friesia*, 4, p. 203, 1952. (Syn. *Psalliota ingrata* Möll., non *Agaricus ingratus* Auct.).
- *mediofuscus* (Möll.) Möll. in *Friesia*, 4, p. 203, 1952. (Syn. *Psalliota mediofusca* Möll.).
- *meleagris* var. *terricolor* (Möll.) Möll. in *Friesia*, 4, p. 208, 1952. (Syn. *Psalliota meleagris* var. *terricolor* Möll.).
- *nivescens* (Möll.) Möll. in *Friesia*, 4, p. 204, 1952. (Syn. *Psalliota nivescens* Möll.).
- var. *parkensis* (Möll.) Möll. in *Friesia*, 4, p. 204, 1952. (Syn. *Psalliota nivescens* var. *parkensis* Möll.).
- *osecanus* Pilát in *Acta Mus. nat. Prag.*, 7, p. 133, 1951.—Czechoslovakia.
- *phaeolepidotus* (Möll.) Möll. in *Friesia*, 4, p. 204, 1952. (Syn. *Psalliota phaeolepidota* Möll.).

- *porphyrocephalus* Moll. nom. nov. in *Friesia*, 4, p. 204, 1952. (Syn. *Psalliota porphyrea* Moll., non *A. porphyreus* Auct.).
- *purpurellus* (Moll.) Moll. in *Friesia*, 4, p. 204, 1952. (Syn. *Psalliota purpurella* Moll.).
- *silvaticus* Schaeff. forma *fagutorum* Pilát in *Acta Mus. nat. Prag.*, 7, p. 132, 1951.—Czechoslovakia.
- var. *fusco-squamatus* (Moll.) Moll. in *Friesia*, 4, p. 203, 1952. (Syn. *Psalliota silvatica* var. *fusco-squamata* Moll.).
- var. *pallidus* (Moll.) Moll. in *Friesia*, 4, p. 203, 1952. (Syn. *Psalliota silvatica* var. *pallida* Moll.).
- var. *saturatus* (Moll.) Moll. in *Friesia*, 4, p. 203, 1952. (Syn. *Psalliota silvatica* var. *saturata* Moll.).
- *spissicaulis* Moll. nom. nov. in *Friesia*, 4, p. 203, 1952. (Syn. *Psalliota spissa* Moll., non *A. spissus* Auct.).
- *squamuliferus* (Moll.) Moll. in *Friesia*, 4, p. 203, 1952. (Syn. *Psalliota squamulifera* Moll.).
- *stramineus* (Schäffer & Moeller) Singer in *Lilloa*, 22, p. 432, 1951. (Syn. *Psalliota straminea* Schaff. & Moell.). [Comb. also made by Møller, 1952.]
- *subperonatus* (Lange) Singer in *Lilloa*, 22, p. 431, 1951. (Syn. *Psalliota hortensis* var. *subperonata* Lange).
- *tenuivolvatus* (Moll.) Moll. in *Friesia*, 4, p. 204, 1952. (Syn. *Psalliota tenuivolvata* Moll.).
- *urinascens* (Schäffer & Moeller) Singer in *Lilloa*, 22, p. 431, 1951. (Syn. *Psalliota urinascens* Schaff. & Moell.).
- *variegans* Moll. nom. nov. in *Friesia*, 4, p. 203, 1952. (Syn. *Psalliota variegata* Moll., non *A. variegatus* Auct.).
- *xantholepis* (Moll.) Moll. in *Friesia*, 4, p. 204, 1952. (Syn. *Psalliota xantholepis* Moll.).
- Agroclybe acericola** (Peck) Singer in *Lilloa*, 22, p. 492, 1951. (Syn. *Pholiota acericola* (Peck) Sacc.).
- *collybiiformis* (Murr.) Singer in *Lilloa*, 22, p. 493, 1951. (Syn. *Naucoria collybiiformis* Murr.).
- *howeana* (Peck) Singer in *Lilloa*, 22, p. 492, 1951. (Syn. *Pholiota howeana* (Peck) Sacc.).
- *puiggarii* (Speg.) Singer in *Lilloa*, 22, p. 492, 1951. (Syn. *Pholiota puiggarii* Speg. sensu Rick.).
- *retigera* (Speg.) Singer in *Lilloa*, 22, p. 493, 1951. (Syn. *Naucoria retigera* Speg.).
- ALLANTULA** Corner in *Ann. Bot., Lond.*, N.S., 16, p. 270, 1952.—Clavariaceae. Type, *A. diffusa*.
- *diffusa* Corner in *Ann. Bot., Lond.*, N.S., 16, p. 272, 1952.—Brazil.
- ALVEOPHOMA** Bausá Alcalde in *An. Jard. bot. Madr.*, 10, p. 247, 1952.—Sphaeropsidales.
- *caballeri* Bausá Alcalde in *An. Jard. bot. Madr.*, 10, p. 247, 1952 on dead *Fontanesia phylliraeoides*.—Spain.
- Amanita aestivalis** Singer nom. nov. in *Lilloa*, 22, p. 387, 1951. (Syn. *A. verna* sensu auct. Amer.).
- *angustilamellata* (v. Höhn.) Boedijn in *Sydowia*, 5, p. 318, 1951. (Syn. *Amanitopsis vaginata* var. *angustilamellata* v. Höhn.).
- *aporema* Boedijn in *Sydowia*, 5, p. 319, 1951.—Sumatra.
- *biovigera* Singer nom. nov. in *Lilloa*, 22, p. 387, 1951. (Syn. *A. strangulata* sensu Bres. non al.).
- *borneensis* Boedijn in *Sydowia*, 5, p. 324, 1951.—Borneo.
- *murrilliana* Singer nom. nov. in *Lilloa*, 22, p. 385, 1951. (Syn. *Venenarius gemmatus* var. *volvatus* Murr.).
- *muscaria* (L. ex Fr.) Pers. ex Gray subsp. *americana* (Lange) Singer in *Lilloa*, 22, p. 386, 1951. (Syn. *A. muscaria* var. *americana* Lange).
- *neglecta* Boedijn in *Sydowia*, 5, p. 324, 1951.—Java.
- *ovalispora* Boedijn in *Sydowia*, 5, p. 320, 1951.—Java.
- *pallido-carnea* (v. Höhn.) Boedijn in *Sydowia*, 5, p. 319, 1951. (Syn. *Amanitopsis vaginata* var. *pallido-carnea* v. Höhn.).
- *similis* Boedijn in *Sydowia*, 5, p. 322, 1951.—Java.
- *sumatrensis* Boedijn in *Sydowia*, 5, p. 326, 1951.—Sumatra.
- *tjibodensis* Boedijn in *Sydowia*, 5, p. 325, 1951.—Java.
- Amphichaeta ceratoniae** da Camara in *Agron. lusit.*, 13, p. 147, 1951 on *Cerantoniasiliqua*.—Portugal.
- Anellaria sepulchralis** (Berk.) Singer in *Lilloa*, 22, p. 475, 1951. (Syn. *Panaeolus sepulchralis* (Berk.) Sacc.).
- Angiopsora wiehei** Cummins in *Bull. Torrey bot. Cl.*, 79, p. 213, 1952 on *Erlangea ? marginata*.—Nyassaland.
- ANNELLOPHORA** Hughes nom. nov. in *Trans. Brit. mycol. Soc.*, 34, p. 544, 1951. (Syn. *Chaetotrichum* Sydow, non Rabenhorst). Type, *A. solani*.
- *africana* Hughes in *Trans. Brit. mycol. Soc.*, 34, p. 546, 1951 on *Anthocleista nobilis*.—Gold Coast.
- *appendiculata* Hughes in *Trans. Brit. mycol. Soc.*, 34, p. 548, 1951 on *Culcasia scandens*.—Gold Coast.
- *solani* (Sydow) Hughes in *Trans. Brit. mycol. Soc.*, 34, p. 544, 1951. (Syn. *Chaetotrichum solani* Syd.).
- Anthrachophyllum berterii** (Mont.) Singer in *Lilloa*, 22, p. 206, 1951. (Syn. *Xerotus berterii* Mont.).
- *lateritium* (Berk. & Curt.) Singer in *Lilloa*, 22, p. 206, 1951. (Syn. *Xerotus lateritius* Berk. & Curt.).
- Arachnopeziza araneosa** (Sacc.) Korf in *Lloydia*, 14, p. 165, 1952. (Syn. *Belonidium araneosum* Sacc.).
- *candido-fulva* (Schw.) Korf in *Lloydia*, 14, p. 163, 1952. (Syn. *Peziza candido-fulva* Schweinitz).
- *cornuta* (Ellis) Korf in *Lloydia*, 14, p. 158, 1952. (Syn. *Peziza cornuta* Ellis).
- *eribasis* (Berk.) Korf in *Lloydia*, 14, p. 167, 1952. (Syn. *Peziza eribasis* Berk.).
- *fitzpatrickii* Korf in *Lloydia*, 14, p. 168, 1952 on rotten wood.—New York, U.S.A.
- *major* (Ellis & Everhart) Korf in *Lloydia*, 14, p. 164, 1952. (Syn. *Helotiella major* Ellis & Everhart).
- *trabinelloides* (Rehm) Korf in *Lloydia*, 14, p. 169, 1952. (Syn. *Helotium trabinelloides* Rehm).
- Armillaria zelleri** Stuntz & Smith in *A. H. Smith, Mushrooms in their Natural Habitats*, p. 351, 1949.—Washington State, U.S.A.
- Armiliariella alachuana** (Murr.) Singer in *Lilloa*, 22, p. 216, 1951. (Syn. *Clitocybe alachuana* Murr.).

- *azalearum* (Murr.) Singer in *Lilloa*, 22, p. 216, 1951. (Syn. *Clitocybe azalearum* Murr.).
- *ditopa* Singer in *Schweiz. Z. Pilzk. Bern*, 28, p. 191, 1950.—Argentina.
- *hymenoccephala* (Sm. & Hesl.) Singer in *Lilloa*, 22, p. 217, 1951. (Syn. *Hygrophorus hymenoccephalus* Sm. & Hesl.).
- *microspora* (Sm. & Hesl.) Singer in *Lilloa*, 22, p. 216, 1951. (Syn. *Hygrophorus microsporus* Sm. & Hesl.).
- *paupertina* (Sm. & Hesl.) Singer in *Lilloa*, 22, p. 216, 1951. (Syn. *Hygrophorus paupertinus* Sm. & Hesl.).
- *puiggarii* (Speg.) Singer in *Lilloa*, 22, p. 216, 1951. (Syn. not cited).
- *singularis* (Hoehnel) Singer in *Lilloa*, 22, p. 216, 1951. (Syn. *Aeruginospora singularis* Hoehn.).
- Arthriniium curvatum* Kunze ex Fr. var. minus M. B. Ellis in *Trans. Brit. mycol. Soc.*, 34, p. 501, 1951 on dead *Scirpus tabernaemontanus*.—England.
- Arthrotrichum robusta* Duddington in *Trans. Brit. mycol. Soc.*, 34, p. 598, 1951 on nematodes.—England.
- Ascochyta abutilonicola* Massenet in *Rev. Path. Vég.*, 30, p. 206, 1951 on *Abutilon striatum*.—France.
- *lomatii* W. B. Cooke in *Mycologia*, 44, p. 250, 1952 on *Lomatium grayi*.—Washington, U.S.A.
- *paeoniae* Massenet in *Rev. Path. Vég.*, 30, p. 208, 1951 on *Paeonia officinalis*.—France.
- *trachelospermi* Fabricatore in *Ann. Sper. agr.*, N.S. 5, p. 1445, 1951 on *Trachelospermum (Rhynchospermum) jasminoides*.—Italy.
- Asterina aburiensis* Hughes in *Mycol. Pap.*, C.M.I., 48, p. 7, 1952 on *Loranthus*.—Gold Coast.
- *baphiae* Hughes in *Mycol. Pap.*, C.M.I., 48, p. 8, 1952 on *Baphia nitida*.—Gold Coast.
- *cissi* Hughes in *Mycol. Pap.*, C.M.I., 48, p. 10, 1952 on *Cissus oreophila*.—Gold Coast.
- *disseminata* Syd. var. *cleistopholidis* Hughes in *Mycol. Pap.*, C.M.I., 48, p. 11, 1952 on *Cleistopholis patens*.—Gold Coast.
- *homallicola* Hughes in *Mycol. Pap.*, C.M.I., 48, p. 13, 1952 on *Homalium dolichophyllum*.—Gold Coast.
- *lecae* Hughes in *Mycol. Pap.*, C.M.I., 48, p. 14, 1952 on *Leea guineensis*.—Gold Coast.
- *scruposa* Syd. var. *longipoda* Hughes in *Mycol. Pap.*, C.M.I., 48, p. 15, 1952 on *Tetracera alnifolia*.—Gold Coast.
- *tragiae* Hughes in *Mycol. Pap.*, C.M.I., 48, p. 17, 1952 on *Tragia spathulata*.—Gold Coast.
- Asterinella ixoricola* Hughes in *Mycol. Pap.*, C.M.I., 48, p. 18, 1952 on *Ixora*.—Gold Coast.
- Asterophora parasitica* (Bull. ex Fr.) Singer in *Lilloa*, 22, p. 171, 1951. (Syn. *Nyctalis parasitica* (Bull. ex Fr.) Fr.).
- Asterostromella duriuscula* (Berk. & Br.) Talbot in *Bothalia*, 6, p. 51, 1951. (Syn. *Stereum duriusculum* Berk. & Br.).
- Bagnisiopsis qualeae* (Chard.) Petrak in *Sydowia*, 5, p. 232, 1951. (Syn. *Ellisiodothis qualeae* Chard.).
- Balladynopsis entebbeensis* (Hansf.) Petrak in *Sydowia*, 5, p. 428, 1951. (Syn. *Balladynastrum entebbeense* Hansf.).
- *portoricensis* (Stev. & Dalb.) Petrak in *Sydowia*, 5, p. 428, 1951. (Syn. *Wageria portoricensis* Stev. & Dalb.).
- *pusillima* (Syd.) Petrak in *Sydowia*, 5, p. 428, 1952. (Syn. *Henningsomyces pusillimus* Syd.).
- BISBYELLA** Boedijn in *Sydowia*, 5, p. 211, 1951. (Syn. *Agyriopsis* Sacc. & Syd. non Karsten). [But *Agyriopsis* Karst. was a Section of *Peziza*].
- *javanica* (v. Höhn.) Boedijn in *Sydowia*, 5, p. 211, 1951. (Syn. *Agyriopsis javanica* v. Höhn.).
- Blastotrichum chowdhuryi* Pant in *Indian Phytopathology*, 3, p. 180, 1951 on *Trichosanthes dioica*.—India.
- Bolbitius aleuriatus* (Fr.) Singer in *Lilloa*, 22, p. 490, 1951. (Syn. *Pluteolus aleuriatus* (Fr.) Karst.).
- Boletellus lepidospora* Gilbert var. *obscurior* Heinemann in *Bull. Jard. bot. Brux.*, 21, p. 295, 1951.—Belgian Congo.
- *longipes* Heinemann in *Bull. Jard. bot. Brux.*, 21, p. 292, 1951.—Belgian Congo.
- *purpurascens* Heinemann in *Bull. Jard. bot. Brux.*, 21, p. 298, 1951.—Belgian Congo.
- *rubroviolaceus* Heinemann & Goossens apud Heinemann in *Bull. Jard. bot. Brux.*, 21, p. 296, 1951.—Belgian Congo.
- Boletochaete calocystis* Heinemann & Goossens apud Heinemann in *Bull. Jard. bot. Brux.*, 21, p. 284, 1951.—Belgian Congo.
- *goossensii* (Beeli) Heinemann in *Bull. Jard. bot. Brux.*, 21, p. 281, 1951. (Syn. *Boletus goossensii* Beeli).
- Boletus congoensis* (Beeli) Heinemann in *Bull. Jard. bot. Brux.*, 21, p. 331, 1951. (Syn. *Boletus bovinus* Fr. var. *congoensis* Beeli).
- *sibiricus* (Singer) A. H. Smith, *Mushrooms in their Natural Habitats*, p. 220, 1949. (Syn. *Izocomus sibiricus* Singer).
- Botryobasidium album* (Dastur) Venkatarayan in *Indian Phytopathology*, 3, p. 81, 1950. (Syn. *Pellicularia alba* Dastur).
- *rolfsii* (Sacc.) Venkatarayan in *Indian Phytopathology*, 3, p. 82, 1950. (Syn. *Sclerotium rolfsii* Sacc.).
- *salmonicolor* (Berk. & Br.) Venkatarayan in *Indian Phytopathology*, 3, p. 82, 1950. (Syn. *Corticium salmonicolor* Berk. & Br.).
- Brettanomyces custersii* Florenzano in *Ric. sci.*, 20, p. 1498, 1950 from wine.—Italy.
- Callistosporium terrigenum* Singer in *Schweiz. Z. Pilzk. Bern*, 28, p. 192, 1950.—Argentina.
- Calocybe fibrillosa* Singer in *Schweiz. Z. Pilzk. Bern*, 28, p. 192, 1950.—Argentina.
- *gambosa* (Fr.) Singer in *Lilloa*, 22, p. 168, 1951. (Syn. *Tricholoma gambosum* (Fr.) Gill.).
- Camarosporium capparis* Ahmad in *Sydowia*, 5, p. 393, 1951 on *Capparis aphylla*.—Pakistan.
- Cantharellula coprophila* (Speg.) Singer in *Lilloa*, 22, p. 239, 1951. (Syn. *Clitocybe coprophila* Speg.).
- *felloides* (Kauffm.) Singer in *Lilloa*, 22, p. 238, 1951. (Syn. *Clitocybe felloides* Kauffm.).
- *intermedia* (Kauffm.) Singer in *Lilloa*, 22, p. 238, 1951. (Syn. *Clitocybe intermedia* Kauffm.).
- *umbrosa* (A. H. Smith & Walter) Singer in *Lilloa*, 22, p. 238, 1951. (Syn. *Tricholoma umbrosum* Sm. & Walter).
- Cantharellus lateritius* (Berk.) Singer in *Lilloa*, 22, p. 729, 1951. (Syn. *Craterellus lateritius* Berk.).

- *odoratus* (Schwein.) Singer in *Lilloa*, 22, p. 729, 1951. (Syn. *Craterellus odoratus* Schwein.).
- CASHIELLA** Petrak in *Sydowia*, 5, p. 371, 1951.—Discomycetes.
- *atra* Petrak in *Sydowia*, 5, p. 371, 1951 on dead *Acomastylis turbinata*.—Wyoming, U.S.A.
- Cercospora** *datiscicola* Esfandiari in *Sydowia*, 5, p. 368, 1951 on *Datisca cannabina*.—Iran.
- Cerebella** *atriplicis* da Camara in *Agron. lusit.*, 13, p. 149, 1951 on *Atriplex halimus*.—Portugal.
- Cerotelium** *combreti* Cummins in *Bull. Torrey bot. Cl.*, 79, p. 213, 1952 on *Combretum*.—Uganda.
- Chytridium** *sexuale* Kooh in *J. Elisha Mitchell sci. Soc.*, 67, p. 267, 1951 on *Vaucheria geminata*.—N. Carolina, U.S.A.
- *stellatum* (Petersen) Koch in *J. Elisha Mitchell sci. Soc.*, 67, p. 272, 1951. (Syn. *Phlyctochytrium stellatum* Petersen).
- Circosia** *transversalis* (Syd.) Deighton apud Hughes in *Mycol. Pap., C.M.I.*, 48, p. 24, 1952. (Syn. *Asterina transversalis* Syd.).
- Cladosporium** *manoutchehrrii* Esfandiari in *Sydowia*, 5, p. 368, 1951 on *Quercus atropatena*.—Iran.
- Clarkeinda** *trachodes* (Berk.) Singer in *Lilloa*, 22, p. 413, 1951. (Syn. *Agaricus trachodes* Berk.).
- Clathrospora** *multiseptata* Müller in *Sydowia*, 5, p. 259, 1951 on *Phleum alpinum*.—Switzerland.
- Clitocybe** *alba* (Bat.) Singer in *Lilloa*, 22, p. 186, 1951. (Syn. *C. nebularis* (Batsch. ex Fr.) Quél. var. *alba* Bat.).
- *strombodes* (Berk. & Mont.) Singer in *Lilloa*, 22, p. 189, 1951. (Syn. *Omphalia strombodes* (Berk. & Mont.) Sacc.).
- Clitopilus** *filifer* (Speg.) Singer in *Lilloa*, 22, p. 607, 1951. (Syn. *Pleurotus filifer* Speg.).
- *septicoides* (Henn.) Singer in *Lilloa*, 22, p. 606, 1951. (Syn. *Pleurotus septicoides* Henn.).
- Coccodinium** *laricis* W. B. Cooke & C. G. Shaw apud W. B. Cooke in *Mycologia*, 44, p. 252, 1952 on *Larix occidentalis*.—Idaho, U.S.A.
- Coleosporium** *pertyae* Miura apud Ito & Murayama in *Trans. Sapporo nat. Hist. Soc.*, 17, p. 165, 1943 on *Pertya glabrescens*.—Japan.
- *sidae* Sanwal in *Sydowia*, 5, p. 385, 1951 on *Sida*.—India.
- Coleroa** *boukokoensis* Saccas in *Rev. Path. Vég.*, 30, p. 164, 1951 on *Zea mays*.—French Equatorial Africa.
- *maydicola* Saccas in *Rev. Path. Vég.*, 30, p. 162, 1951 on *Zea mays*.—French Equatorial Africa.
- Colletotrichopsis** *luffae* Batista in *Bol. Agric., Pernambuco*, 17, p. 7, 1950 on *Luffa acutangula*.—Brazil.
- Colletotrichum** *acaciae* de Urries in *An. Jard. bot. Madr.*, 10, p. 200, 1952 on *Acacia cunninghami*.—Spain.
- *gymnocladi* de Urries in *An. Jard. bot. Madr.*, 10, p. 203, 1952 on *Gymnocladus canadensis*.—Spain.
- *mahoniae* Fabricatore in *Boll. Staz. Pat. Veg. Roma*, Ser. 3, 6, p. 139, 1950 on *Mahonia aquifolium*.—Italy.
- Collybia** *anthracophila* Dennis in *Trans. Brit. mycol. Soc.*, 34, p. 441, 1951.—Trinidad.
- *brasiliensis* (Berk. & Mont.) Dennis in *Trans. Brit. mycol. Soc.*, 34, p. 450, 1951. (Syn. *Marasmius brasiliensis* Berk. & Mont.).
- *brunneosetosa* Dennis in *Trans. Brit. mycol. Soc.*, 34, p. 443, 1951.—Trinidad.
- *brunneoumbonata* Dennis in *Trans. Brit. mycol. Soc.*, 34, p. 440, 1951.—Trinidad.
- *cinnamomea* Dennis in *Trans. Brit. mycol. Soc.*, 34, p. 436, 1951.—Trinidad.
- *coracicolor* (Berk. & Curt.) Dennis in *Trans. Brit. mycol. Soc.*, 34, p. 436, 1951. (Syn. *Marasmius coracicolor* Berk. & Curt.).
- *cubensis* (Berk. & Curt.) Dennis in *Trans. Brit. mycol. Soc.*, 34, p. 454, 1951. (Syn. *Marasmius cubensis* Berk. & Curt.).
- *dealbata* (Berk. & Curt.) Dennis in *Trans. Brit. mycol. Soc.*, 34, p. 445, 1951. (Syn. *Marasmius dealbatus* Murrill).
- *erinensis* Dennis in *Trans. Brit. mycol. Soc.*, 34, p. 455, 1951.—Trinidad.
- *fibrosipes* (Berk. & Curt.) Dennis in *Trans. Brit. mycol. Soc.*, 34, p. 448, 1951. (Syn. *Marasmius fibrosipes* Berk. & Curt.).
- var. *harrisii* (Murrill) Dennis in *Trans. Brit. mycol. Soc.*, 34, p. 449, 1951. (Syn. *Marasmius harrisii* Murrill).
- *gilya* (Pat.) Singer in *Lilloa*, 22, p. 201, 1951. (Syn. *Marasmius gilya* Pat.).
- *hirtella* (Berk. & Broome) Dennis in *Trans. Brit. mycol. Soc.*, 34, p. 444, 1951. (Syn. *Marasmius hirtellus* Berk. & Broome).
- *johnstoni* (Murrill) Dennis in *Trans. Brit. mycol. Soc.*, 34, p. 437, 1951. (Syn. *Marasmius johnstoni* Murrill).
- *longicystis* (Heim) Dennis in *Trans. Brit. mycol. Soc.*, 34, p. 454, 1951. (Syn. *Mycena (Hemimycena) longicystis* Heim).
- *margarita* (Murr.) Singer in *Lilloa*, 22, p. 201, 1951. (Syn. *Melanoleuca margarita* Murr.).
- *murrilliana* Singer nom. nov. in *Lilloa*, 22, p. 201, 1951. (Syn. *Melanoleuca maculata* Murr., non *C. maculata* (Fr.) Quél.).
- *mycenoides* Dennis in *Trans. Brit. mycol. Soc.*, 34, p. 439, 1951.—Trinidad.
- *nana* (Masse) Dennis in *Trans. Brit. mycol. Soc.*, 34, p. 452, 1951. (Syn. *Marasmius nanus* Masse).
- *naranjana* Dennis in *Trans. Brit. mycol. Soc.*, 34, p. 439, 1951.—Trinidad.
- *nivea* (Mont.) Dennis in *Trans. Brit. mycol. Soc.*, 34, p. 435, 1951. (Syn. *Marasmius niveus* Mont.).
- var. *cohortalis* (Berk.) Dennis in *Trans. Brit. mycol. Soc.*, 34, p. 435, 1951. (Syn. *Marasmius cohortalis* Berk.).
- *omphalodes* (Berk.) Dennis in *Trans. Brit. mycol. Soc.*, 34, p. 443, 1951. (Syn. *Marasmius omphalodes* Berk.).
- *pilosa* Dennis in *Trans. Brit. mycol. Soc.*, 34, p. 435, 1951.—Trinidad.
- var. *denticulata* Dennis in *Trans. Brit. mycol. Soc.*, 34, p. 435, 1951.—Trinidad.
- *plectophylla* (Mont.) Singer in *Lilloa*, 22, p. 200, 1951. (Syn. *Marasmius plectophyllus* Mont.).
- *pleurotoides* Dennis in *Trans. Brit. mycol. Soc.*, 34, p. 455, 1951.—Trinidad.
- *polygramma* (Mont.) Dennis in *Trans. Brit. mycol. Soc.*, 34, p. 447, 1951. (Syn. *Marasmius polygrammus* Mont.).
- *pseudoboryana* Dennis in *Trans. Brit. mycol. Soc.*, 34, p. 453, 1951.—Trinidad.
- *purpurea* (Berk. & Curt.) Dennis in *Trans. Brit. mycol. Soc.*, 34, p. 452, 1951. (Syn. *Marasmius purpureus* Berk. & Curt.).

- *sabali* (Berk.) Dennis in *Trans. Brit. mycol. Soc.*, 34, p. 451, 1951. (Syn. *Marasmius sabali* Berk.).
- *semi-usta* (Berk. & Curt.) Dennis in *Trans. Brit. mycol. Soc.*, 34, p. 450, 1951. (Syn. *Marasmius semi-ustus* Berk. & Curt.).
- *sericipes* (Berk. & Curt.) Dennis in *Trans. Brit. mycol. Soc.*, 34, p. 453, 1951. (Syn. *Marasmius sericipes* Berk. & Curt.).
- *setulosipes* (Murrill) Dennis in *Trans. Brit. mycol. Soc.*, 34, p. 445, 1951. (Syn. *Marasmius setulosipes* Murrill).
- *spongiosa* (Berk. & Curt.) Singer in *Lilloa*, 22, p. 201, 1951. (Syn. *Marasmius spongiosus* Berk. & Curt.).
- *subcoracina* (Berk. & Curt.) Dennis in *Trans. Brit. mycol. Soc.*, 34, p. 444, 1951. (Syn. *Marasmius subcoracinus* Berk. & Curt.).
- *subpruinosa* (Murrill) Dennis in *Trans. Brit. mycol. Soc.*, 34, p. 449, 1951. (Syn. *Marasmius subpruinosa* Murrill).
- *trinitatis* Dennis in *Trans. Brit. mycol. Soc.*, 34, p. 445, 1951. —Trinidad.
- *troyana* (Murrill) Dennis in *Trans. Brit. mycol. Soc.*, 34, p. 451, 1951. (Syn. *Marasmius troyanus* Murrill).
- *westii* (Murr.) Singer in *Lilloa*, 22, p. 201, 1951. (Syn. *Melanoleuca westii* Murr.).
- Coniophora fodinarum* Talbot in *Bothalia*, 6, p. 64, 1951 on wood. —Transvaal.
- Coniothyrium maydis* Saccas in *Rev. Path. Vég.*, 30, p. 166, 1951 on *Zea mays*. —French Equatorial Africa.
- *withaniae* Ahmad in *Sydowia*, 5, p. 393, 1951 on *Withania somnifera*. —Pakistan.
- Conocybe ambigua* (Kühn.) Singer in *Lilloa*, 22, p. 485, 1951. Syn. *C. siliginea* var. *ambigua* Kühn.).
- *anthracophila* (Maire & Kühn.) Singer in *Lilloa*, 22, p. 484, 1951. (Syn. *C. siliginea* var. *anthracophila* Maire & Kühn.).
- *crispa* (Longyear) Singer in *Lilloa*, 22, p. 485, 1951. (Syn. *Galera crispa* Longyear).
- *megalospora* (Schäff.) Singer in *Lilloa*, 22, p. 484, 1951. (Syn. *Galera megalospora* Schäff.).
- *rickeniana* Singer nom. nov. in *Lilloa*, 22, p. 484, 1951. (Syn. *Galera spicula* sensu Ricken non al.).
- *zeylanica* (Petch) Boedijn in *Sydowia*, 5, p. 223, 1951. (Syn. *Galera zeylanica* Petch).
- Copelandia cyanescens* (Berk. & Br.) Singer in *Lilloa*, 22, p. 473, 1951. (Syn. *Panaeolus cyanescens* (Berk. & Br.) Sacc).
- Coprinus romagnesianus* Singer nom. nov. in *Lilloa*, 22, p. 459, 1951. (Syn. *C. squamosus* (Bres.) Romagnesi, non Morgan).
- Corticium microsclerotia* Weber nom. nov. in *Mycologia*, 43, p. 727, 1952. (State of *Rhizoctonia microsclerotia* Matz).
- Cortinarius aberrans* Henry in *Bull. Soc. mycol. Fr.*, 67, p. 290, 1952. —France.
- *aereus* Henry in *Bull. Soc. mycol. Fr.*, 67, p. 300, 1952. —France.
- *alcalinophilus* Henry in *Bull. Soc. mycol. Fr.*, 67, p. 301, 1952. —France.
- *argyrophilus* Henry in *Bull. Soc. mycol. Fr.*, 67, p. 302, 1952. —France.
- *birchfieldii* Murrill in *Mycologia*, 44, p. 112, 1952. —Florida, U.S.A.
- *boudieri* Henry var. *pseudo-arcuatus* Henry nom. nov. in *Bull. Soc. mycol. Fr.*, 67, p. 288, 1952. (Syn. *C. arcuatus* sensu Bataille).
- *caesiocortinatus* Schäffer in *Sydowia*, 5, p. 359, 1951. —Austria.
- *caesio-griseus* Schäffer in *Sydowia*, 5, p. 357, 1951. —Austria.
- *claroflavus* Henry in *Bull. Soc. mycol. Fr.*, 67, p. 297, 1952. —France. [See this *Index*, i, p. 227].
- *conglobatus* Henry in *Bull. Soc. mycol. Fr.*, 67, p. 286, 1952. —France.
- *cookianus* Henry forma *albescens* Henry in *Bull. Soc. mycol. Fr.*, 67, p. 317, 1952. —France.
- *cuspidatus* (Murr.) Singer in *Lilloa*, 22, p. 553, 1951. (Syn. *Naucoria cuspidata* Murr.).
- *eufulmineus* Henry in *Bull. Soc. mycol. Fr.*, 67, p. 306, 1952. —France.
- *fulgoalbus* Henry in *Bull. Soc. mycol. Fr.*, 67, p. 318, 1952. —France.
- *fulvo-olivaceus* Henry in *Bull. Soc. mycol. Fr.*, 67, p. 292, 1952. —France.
- *gregis* Henry in *Bull. Soc. mycol. Fr.*, 67, p. 320, 1952. —France.
- *guttatus* Henry in *Bull. Soc. mycol. Fr.*, 67, p. 307, 1952. —France.
- *herbarum* Henry in *Bull. Soc. mycol. Fr.*, 67, p. 319, 1952. —France.
- *intermedius* Henry in *Bull. Soc. mycol. Fr.*, 67, p. 296, 1952. —France.
- *laeticolor* Murrill in *Mycologia*, 44, p. 112, 1952. —Florida, U.S.A.
- *longisporus* (Murr.) Singer in *Lilloa*, 22, p. 553, 1951. (Syn. *Hebeloma longisporum* Murr.).
- *melleipes* (Murr.) Singer in *Lilloa*, 22, p. 553, 1951. (Syn. *Naucoria melleipes* Murr.).
- *olivascens* Henry in *Bull. Soc. mycol. Fr.*, 67, p. 309, 1952. —France.
- *olivellus* Henry in *Bull. Soc. mycol. Fr.*, 67, p. 310, 1952. —France.
- *paramoenolens* Henry in *Bull. Soc. mycol. Fr.*, 67, p. 285, 1952. —France. [See this *Index*, i, p. 227].
- *parpherpeticus* Henry in *Bull. Soc. mycol. Fr.*, 67, p. 284, 1952. —France.
- *polychrous* Henry in *Bull. Soc. mycol. Fr.*, 67, p. 291, 1952. —France. [See this *Index*, i, p. 227].
- *pseudofulgens* Henry in *Bull. Soc. mycol. Fr.*, 67, p. 304, 1952. —France.
- (Phlegmacium) *pseudoglaucopus* Schäffer in *Sydowia*, 5, p. 362, 1951. —Austria.
- (Phlegmacium) *rugosus* Schäffer in *Sydowia*, 5, p. 363, 1951. —Austria.
- *schaefferi* Moser nom. nov. in *Sydowia*, 5, p. 365, 1951. (Syn. *C. sublargus* Schäffer non Cleland).
- *solitarius* Henry in *Bull. Soc. mycol. Fr.*, 67, p. 303, 1952. —France.
- *subcyanopus* Schäffer in *Sydowia*, 5, p. 358, 1951. —Austria.
- *subelegantior* Henry in *Bull. Soc. mycol. Fr.*, 67, p. 295, 1952. —France.
- *subionochlorus* Henry in *Bull. Soc. mycol. Fr.*, 67, p. 292, 1952. —France.
- (Phlegmacium) *sublargus* Schäffer [non Cleland] in *Sydowia*, 5, p. 359, 1951. —Austria. See *C. schaefferi*.
- (Phlegmacium) *sublubricus* Schäffer in *Sydowia*, 5, p. 363, 1951. —Austria.
- *subumbilicatus* Henry in *Bull. Soc. mycol. Fr.*, 67, p. 285, 1952. —France.
- *subvirentophyllus* Henry in *Bull. Soc. mycol. Fr.*, 67, p. 312, 1952. —France. [See this *Index*, i, p. 227].
- *trimetallicus* Schäffer in *Sydowia*, 5, p. 361, 1951. —Austria.

- *verruculosus* (Murr.) Singer in *Lilloa*, 22, p. 553, 1951. (Syn. *Hebeloma verruculosum* Murr.).
- *violaceocalcarius* Henry in *Bull. Soc. mycol. Fr.*, 67, p. 279, 1952.—France.
- *weberianus* Singer nom. nov. in *Lilloa*, 22, p. 553, 1951. (Syn. *Inocybe weberi* Murr. non al.).
- *westii* (Murr.) Singer in *Lilloa*, 22, p. 553, 1951. (Syn. *Galerula westii* Murr.).
- Corynespora cassicola** (Berk. & Curt.) Wei in *Mycol. Pap., C.M.I.*, 34, p. 5, 1950. (Syn. *Helminthosporium cassicola* Berk. & Curt.).
- Coryneum dolioloides** da Camara in *Agron. lusit.*, 13, p. 210, 1951 on *Pittosporum undulatum*.—Portugal.
- Costantinella athrix** Nannf. & J. Erikss. in *Svensk bot. Tidskr.*, 46, p. 122, 1952 on wood.—Sweden.
- *tilletii* (Desm.) Mason & Hughes apud Nannf. & J. Erikss. in *Svensk bot. Tidskr.*, 46, p. 117, 1952. (Syn. *Botrytis tillettei* Desm.).
- Creopus palmicola** (Berk. & Br.) Boedijn in *Sydowia*, 5, p. 211, 1951. (Syn. *Hypocrea palmicola* Berk. & Br.).
- Crepidotus paxilloides** Singer nom. nov. in *Lilloa*, 22, p. 594, 1951. (Syn. *C. reniformis* (Berk.) Singer non Vel.).
- Crinipellis albocapitata** (Petch) Dennis in *Trans. Brit. mycol. Soc.*, 34, p. 430, 1951. (Syn. *Marasmius albocapitatus* Petch).
- *albocapitata* var. *occidentalis* Dennis in *Trans. Brit. mycol. Soc.*, 34, p. 430, 1951.—Trinidad.
- *perpusilla* (Speg.) Singer in *Lilloa*, 22, p. 337, 1951. (Syn. *Lentinus perpusillus* Speg.).
- *stenophylloides* Dennis in *Trans. Brit. mycol. Soc.*, 34, p. 429, 1951.—Trinidad.
- *urbica* (Mont.) Dennis in *Kew Bull.*, 1951, p. 409, 1952. (Syn. *Agaricus urbicus* Mont.).
- Cryptodiaporthe liquidambaris** Petrak in *Sydowia*, 5, p. 236, 1951 on dead *Liquidambar styraciflua*.—Maryland, U.S.A.
- CRYPTOSTROMA** Gregory & Waller in *Trans. Brit. mycol. Soc.*, 34, p. 593, 1951.—Dematiaceae.
- *corticale* (Ell. & Everh.) Gregory & Waller in *Trans. Brit. mycol. Soc.*, 34, p. 594, 1951. (Syn. *Coniosporium corticale* Ell. & Everh.).
- Cylindrocladium scoparium** Morgan var. *brasilense* Batista & Ciferri in *Bol. Agric., Pernambuco*, 18, p. 190, 1952 on *Eucalyptus*.—Brazil.
- Cystoderma gruberianum** A. H. Smith, *Mushrooms in their Natural Habitats*, p. 363, 1949 on dead conifer.—Oregon, U.S.A.
- Cytospora teheranica** Esfandiari in *Sydowia*, 5, p. 367, 1951 on *Ligustrum vulgare*.—Iran.
- Cytospora corticola** Ahmad in *Sydowia*, 5, p. 391, 1951 on *Cordia obliqua*.—Pakistan.
- *lignicola* Ahmad in *Sydowia*, 5, p. 391, 1951 on *Acacia arabica*.—Pakistan.
- Cyttarophyllum besseyi** (Peck) Singer in *Lilloa*, 22, p. 481, 1951. (Syn. *Galera besseyi* Peck).
- *cucullatum* (Shope & Seaver) Singer in *Lilloa*, 22, p. 481, 1951. (Syn. *Bolbitius cucullatus* Shope & Seaver).
- *liberatum* (Kalchbr. apud Theum.) Singer in *Lilloa*, 22, p. 481, 1951. (Syn. *Bolbitius liberatus* Kalchbr.).
- *polytrichoides* (Zeller) Singer in *Lilloa*, 22, p. 481, 1951. (Syn. *Secotium polytrichoides* Ze ler).
- Dactylella lobata** Duddington in *Trans. Brit. mycol. Soc.*, 34, p. 489, 1951 on nematodes.—England.
- Deconica palmigena** (Berk. & Curt.) Singer in *Lilloa*, 22, p. 509, 1951. (Syn. *Psilocybe palmigena* (Berk. & Curt.) Sacc.).
- Deflexula argentina** (Speg.) Corner in *Ann. Bot., Lond.*, N.S. 16, p. 276, 1952. (Syn. *Mucronella argentina* Speg.).
- *lilaceo-brunnea* Corner var. *elongata* Corner in *Ann. Bot., Lond.*, N.S., 16, p. 276, 1952.—Brazil.
- *major* Corner in *Ann. Bot., Lond.*, N.S., 16, p. 277, 1952.—Belgian Congo.
- *mangiformis* Corner in *Ann. Bot., Lond.*, N.S., 16, p. 278, 1952.—Panama.
- *pinnata* (P. Henn.) Corner in *Ann. Bot., Lond.*, N.S., 16, p. 278, 1952. (Syn. *Pterula pinnata* P. Henn.).
- *subsimplex* (P. Henn.) Corner in *Ann. Bot., Lond.*, N.S., 16, p. 279, 1952. (Syn. *Pterula subsimplex* P. Henn.).
- var. *multifida* Corner in *Ann. Bot., Lond.*, N.S., 16, p. 282, 1952.—Liberia.
- *sulcispora* Corner in *Ann. Bot., Lond.*, N.S., 16, p. 283, 1952.—Brazil.
- *vanderystii* (P. Henn.) Corner in *Ann. Bot., Lond.*, N.S. 16, p. 284, 1952. (Syn. *Pterula vanderystii* P. Henn.).
- DEIGHTONIELLA** Hughes in *Mycol. Pap., C.M.I.*, 48, p. 27, 1952.—Moniliales. Type, *D. africana*.
- *africana* Hughes in *Mycol. Pap., C.M.I.*, 48, p. 27, 1952 on *Imperata cylindrica* var. *africana*.—Togoland.
- *arundinacea* (Corda) Hughes in *Mycol. Pap., C.M.I.*, 48, p. 29, 1952. (Syn. *Helminthosporium arundinaceum* Corda).
- Dermea pruni** (Teng) Groves in *Mycologia*, 43, p. 721, 1952. (Syn. *Phaeangium pruni* Teng).
- DICTYOARTHRIUM** Hughes in *Mycol. Pap., C.M.I.*, 48, p. 29, 1952.—Moniliales. Type, *D. quadratum*.
- *africanum* Hughes in *Mycol. Pap., C.M.I.*, 48, p. 31, 1952 on *Saccharum officinarum*.—Gold Coast.
- *quadratum* Hughes in *Mycol. Pap., C.M.I.*, 48, p. 30, 1952 on *Borassus aethiopus*.—Gold Coast.
- Dictyoploca holoporphyra** (Berk. & Curt.) Dennis in *Trans. Brit. mycol. Soc.*, 34, p. 475, 1951. (Syn. *Agaricus holoporphyra* Berk. & Curt.).
- *plectophylla* (Mont.) Dennis in *Trans. Brit. mycol. Soc.*, 34, p. 474, 1951. (Syn. *Marasmius plectophyllus* Mont.).
- var. *umbrina* Dennis in *Trans. Brit. mycol. Soc.*, 34, p. 475, 1951.—Trinidad.
- *tessellata* (Mont.) Dennis in *Trans. Brit. mycol. Soc.*, 34, p. 474, 1951. (Syn. *Marasmius tessellatus* Mont.).
- Dictyosporium cocophyllum** Batista in *Bol. Agric., Pernambuco*, 18, p. 5, 1951 on *Cocos nucifera*.—Brazil.
- Didymosphaeria dimastospora** da Camara in *Agron. lusit.*, 13, p. 123, 1951 on *Arbutus unedo*.—Portugal.
- *maydis* Saccas in *Rev. Path. Vég.*, 30, p. 167, 1951 on *Zea mays*.—French Equatorial Africa.
- *DIDYMOZOOPHAGA** Soprunov & Galiulina in *Микробиология [Microbiology]*, 20, p. 494, 1951.—Hyphomycetes.
- *arthrobotryoides* (Berl.) Soprunov &

- Galiulina* in Микробиология [Microbiology], 20, p. 493, 1951. (Syn. *Arthrobotrys arthrobotryoides* (Berl.) Lindau).
- * — var. *indolens* Soprunov & Galiulina in Микробиология [Microbiology], 20, p. 498, 1951 on nematodes.—U.S.S.R.
 - * — *dolioformis* Soprunov & Galiulina in Микробиология [Microbiology], 20, p. 497, 1951 on nematodes.—U.S.S.R.
 - * — *globospora* Soprunov & Galiulina in Микробиология [Microbiology], 20, p. 495, 1951 on nematodes.—U.S.S.R.
 - * — var. *microspora* Soprunov & Galiulina in Микробиология [Microbiology], 20, p. 496, 1951 on nematodes.—U.S.S.R.
 - * — var. *rosea* Soprunov & Galiulina in Микробиология [Microbiology], 20, p. 496, 1951 on nematodes.—U.S.S.R.
 - * — *kirghizica* Soprunov & Galiulina in Микробиология [Microbiology], 20, p. 496, 1951 on nematodes.—U.S.S.R.
 - *oligospora* (Fres.) Soprunov & Galiulina in Микробиология [Microbiology], 20, p. 493, 1951. (Syn. *Arthrobotrys oligospora* Fres.).
 - * — var. *fusiformis* Soprunov & Galiulina in Микробиология [Microbiology], 20, p. 498, 1951 on nematodes.—U.S.S.R.
 - * — *oviformis* Soprunov & Galiulina in Микробиология [Microbiology], 20, p. 497, 1951 on nematodes.—U.S.S.R.
 - * — var. *ramosa* Soprunov & Galiulina in Микробиология [Microbiology], 20, p. 497, 1951 on nematodes.—U.S.S.R.
 - * — *pravicovia* Soprunov & Galiulina in Микробиология [Microbiology], 20, p. 496, 1951 on nematodes.—U.S.S.R.
 - * — *spongiosa* Soprunov & Galiulina in Микробиология [Microbiology], 20, p. 498, 1951 on nematodes.—U.S.S.R.
 - *superba* (Corda) Soprunov & Galiulina in Микробиология [Microbiology], 20, p. 493, 1951. (Syn. *Arthrobotrys superba* Corda).
 - * — var. *macrospora* Soprunov & Galiulina in Микробиология [Microbiology], 20, p. 498, 1951 on nematodes.—U.S.S.R.
- DIEHLIA** Petrak in *Sydowia*, 5, p. 311, 1951. —Discomycetes.
- *phaeospora* Petrak in *Sydowia*, 5, p. 311, 1951 on leaves of a tree.—Costa Rica.
- Diplodia bombacina** Ahmad in *Sydowia*, 5, p. 394, 1951 on *Bombax malabaricum*.—Pakistan.
- *bougainvilleae* da Camara in *Agron. lusit.*, 13, p. 141, 1951 on *Bougainvillea*.—Portugal.
 - *fabriciae* Bausá Alcalde in *An. Jard. bot. Madr.*, 10, p. 251, 1952 on *Fabricia laevigata*.—Spain.
 - *salvadorina* Ahmad in *Sydowia*, 5, p. 395, 1951 on *Salvadora oleoides*.—Pakistan.
 - *withaniae* Ahmad in *Sydowia*, 5, p. 395, 1951 on *Withania somnifera*.—Pakistan.
 - *zeicola* Saccas in *Rev. Path. Vég.*, 30, p. 170, 1951 on *Zea mays*.—French Equatorial Africa.
- Diplodiella milleri** Ahmad in *Sydowia*, 5, p. 393, 1951 on *Zizyphus jujuba*.—Pakistan.
- Diplodina drouillonii** Saccas in *Rev. Path. Vég.*, 30, p. 172, 1951 on dead *Zea mays*.—French Equatorial Africa.
- *iranica* Esfandiari in *Sydowia*, 5, p. 367, 1951 on *Leptadenia pyrotechnica*.—Iran.
 - *marrubii* da Camara in *Agron. lusit.*, 13, p. 202, 1951 on *Marrubium vulgare*.—Portugal.
 - *panici* Ahmad in *Sydowia*, 5, p. 392, 1951 on dead *Panicum antidotale*.—Pakistan.
- Discosia nobilis** Petrak in *Sydowia*, 5, p. 232, 1951 on dead *Quercus*.—Costa Rica.
- Discosporium liquidambaris** Petrak in *Sydowia*, 5, p. 237, 1951 on dead *Liquidambar styraciflua*.—Maryland, U.S.A.
- Dothiorella ficina** Ahmad in *Sydowia*, 5, p. 392, 1951 on dead *Ficus palmata*.—Pakistan.
- *graminicola* Ahmad in *Sydowia*, 5, p. 391, 1951 on *Cynodon dactylon*.—Pakistan.
 - *lagerstroemiae* Ahmad in *Sydowia*, 5, p. 392, 1951 on *Lagerstroemia alba*.—Pakistan.
 - *paucilocelata* da Camara in *Agron. lusit.*, 13, p. 195, 1951 on *Pelargonium peltatum*.—Portugal.
 - *pistaciaecola* (da Cam.) da Camara in *Agron. lusit.*, 13, p. 132, 1951. (Syn. *Macrophoma pistaciaecola* da Camara).
 - *salviae* da Camara in *Agron. lusit.*, 13, p. 196, 1951 on *Salvia*.—Portugal.
 - *valentina* Bausá Alcalde in *An. Jard. bot. Madr.*, 10, p. 250, 1952 on *Grabowskia boerhaaviaefolia*.—Spain.
- Drosella fracidia** (Fr.) Singer in *Lilloa*, 22, p. 446, 1951. (Syn. *Armillaria fracidia* Fr.).
- Entyloma fimbriatum** Fischer in *Res. Stud. St. Coll. Wash.*, 20, p. 3, 1952 on *Hydrocotyle ranunculoides*.—California, U.S.A.
- *globigena* Thirumalachar & Safee. in *Sydowia*, 5, p. 443, 1951 on *Blumea*.—India.
 - *lithophragmae* Fischer & Shaw apud Fischer in *Res. Stud. St. Coll. Wash.*, 20, p. 4, 1952 on *Lithophragma parviflora*.—Washington, U.S.A.
 - *montis-ranieri* Fischer & W. B. Cooke apud Fischer in *Res. Stud. St. Coll. Wash.*, 20, p. 4, 1952 on *Polemonium californicum*.—Washington, U.S.A.
- Erysiphe nepetae** Sawada in *Bull. Govt. Forest Exp. Sta., Tokyo*, 50, p. 100, 1951 on *Nepeta glechoma*.—Japan.
- Exidia tremelloides** Olive in *Mycologia*, 43, p. 682, 1952 on bark.—Louisiana, U.S.A.
- Femsjonina radiculata** (Fr.) Martin in *State Univ. Iowa Stud. nat. Hist.*, 19, 3, p. 36, 1952. (Syn. *Peziza radiculata* Sow. ex Fr.).
- Fomes repandus** Overholts in *Mycologia*, 44, p. 224, 1952 on wood.—Idaho, U.S.A.
- Fulvidula insularis** (Boedijn) Boedijn in *Sydowia*, 5, p. 223, 1951. (Syn. *Flammula insularis* Boedijn).
- *malayana* (Boedijn) Boedijn in *Sydowia*, 5, p. 223, 1951. (Syn. *Flammula malayana* Boedijn).
- Fusarium annulatum** Bugnicourt in *Rev. gén. Bot.*, 59, p. 17, 1952 on *Oryza sativa*.—New Caledonia, New Guinea.
- *compactum* (Wollenw.) Gordon in *Canad. J. Bot.*, 30, p. 224, 1952. (Syn. *F. scirpi* var. *compactum* Wollenweber).
 - *lateritium* Nees emend. Snyder & Hansen forma *cajani* (Padwick) Gordon in *Canad. J. Bot.*, 30, p. 232, 1952. (Syn. *F. udum* var. *cajani* Padwick).
 - — forma *crotalariae* (Padwick) Gordon in *Canad. J. Bot.*, 30, p. 232, 1952. (Syn. *F. udum* var. *crotalariae* Padwick).
 - * — *moniliforme* Sheld. var. *oryzae* Saccas in *Rev. Path. Vég.*, 30, p. 69, 1951 on *Oryza sativa*.—French Equatorial Africa.
 - * — *nivale* (Fr.) Ces. var. *oryzae* Zambettakis in *Rev. Bot. appl.*, 30, p. 489, 1950 and in

- Rev. Mycologie*, 15, Suppl. Col. No. 2, p. 110, 1950 on *Oryza sativa*.—French Equatorial Africa.
- *oxysporum* Schlecht. emend. Snyder & Hansen var. *redolens* (Wollenw.) Gordon in *Canad. J. Bot.*, 30, p. 238, 1952. (Syn. *F. redolens* Wollenweber).
 - Fusicoccum asparagi** Ahmad in *Sydowia*, 5, p. 390, 1951 on dead *Asparagus*.—Pakistan.
 - *euphorbiae* Ahmad in *Sydowia*, 5, p. 390, 1951 on dead *Euphorbia pulcherrima*.—Pakistan.
 - *lahoreanum* Ahmad in *Sydowia*, 5, p. 390, 1951 on dead *Thevetia nerifolia*.—Pakistan.
 - Galerina cedretorum** (Maire) Singer in *Lilloa*, 22, p. 572, 1951. (Syn. *Galerula cedretorum* Maire).
 - *helvoliceps* (Berk. & Curt.) Singer in *Lilloa*, 22, p. 572, 1951. (Syn. *Flammula helvoliceps* (Berk. & Curt.) Sacc.).
 - *macrospora* (Vel.) Singer in *Lilloa*, 22, p. 571, 1951. (Syn. *Galera macrospora* Vel.).
 - *sulciceps* (Berk.) Boedijn in *Sydowia*, 5, p. 224, 1951. (Syn. *Marasmius sulciceps* Berk.).
 - Galeropsis allosperma** Singer nom. nov. in *Lilloa*, 22, p. 733, 1951. (Syn. *Galera paradoxa* Speg. non *Galeropsis paradoxa* (Matt.) Heim).
 - Gelasinospa calospora** (Mouton) C. & M. Moreau forma *tetrasperma* (Dowd.) C. & M. Moreau in *La Mycothèque* (Catalogues des Collections Vivantes, Herbiers et Documents Lab. Crypt. Mus. nat., Paris), 3, Suppl. 1, p. 40, 1951. (Syn. *Gelasinospa tetrasperma* Dowding).
 - *reticulospora* (Greis & Greis-Dengler) C. & M. Moreau in *La Mycothèque* (Catalogues des Collections Vivantes, Herbiers et Documents Lab. Crypt. Mus. nat., Paris), 3, Suppl. 1, p. 41, 1951. (Syn. *Rosellinia reticulospora* Greis & Greis-Dengler).
 - Gibbera maydis** Saccas in *Rev. Path. Vég.*, 30, p. 173, 1951 on dead *Zea mays*.—French Equatorial Africa.
 - ***Gibberella fujikuroi** (Saw.) Wollenw. forma *oryzae* Saccas in *Rev. Path. Vég.*, 30, p. 77, 1951 on *Oryza sativa*.—French Equatorial Africa.
 - Gloeosporium anthocephali** Lal & Tandon in *Indian Phytopathology*, 3, p. 144, 1951 on *Anthocephalus cadamba*.—India.
 - *caballeroi* de Urries in *An. Jard. bot. Madr.*, 10, p. 207, 1952 on *Manihot palmata*.—Spain.
 - *pedemontanum* Pupillo in *Ann. Sper. agr.*, N.S. 6, p. 57, 1952 on *Citrus limonum*.—Italy.
 - Gloeotulasnella rogersii** Olive in *Mycologia*, 43, p. 688, 1952 on wood.—Louisiana, U.S.A.
 - Gomphidius helveticus** Singer in *Schweiz. Z. Pilzk. Bern*, 28, p. 198, 1950.—Switzerland.
 - Gonytrichum macrocladum** (Sacc.) Hughes in *Trans. Brit. mycol. Soc.*, 34, p. 565, 1951. (Syn. *Chaetopsis macroclada* Sacc.).
 - Grammothele pseudomappa** Talbot in *Bothalia*, 6, p. 64, 1951.—Zululand.
 - GROVEOLOPSIS** Boedijn nom. nov. in *Sydowia*, 5, p. 225, 1951. (Syn. *Septoriopsis* v. Höhn. non Frag. & Paul).
 - *pandani* (v. Höhn.) Boedijn in *Sydowia*, 5, p. 225, 1951. (Syn. *Septoriopsis pandani* v. Höhn.).
 - Guignardia alternantherae** (Sacc.) Hughes in *Mycol. Pap., C.M.I.*, 48, p. 37, 1952. (Syn. *Laestadia cephalariae* (Auersw.) Sacc. var. *alternantherae* Sacc.).
 - Gymnopilus aculeatus** (Bres. & Roum.) Singer in *Lilloa*, 22, p. 561, 1951. (Syn. *Pholiota aculeata* Bres. & Roum.).
 - *aeruginosus* (Peck) Singer in *Lilloa*, 22, p. 560, 1951. (Syn. *Pholiota aeruginosa* Peck).
 - *alpinus* (Singer) Singer in *Lilloa*, 22, p. 561, 1951. (Syn. *Fulvidula alpina* Singer).
 - *braendlei* (Peck) Singer in *Lilloa*, 22, p. 561, 1951. (Syn. *Flammula braendlei* Peck).
 - *flavus* (Bres.) Singer in *Lilloa*, 22, p. 561, 1951. (Syn. *Naucoria flava* Bres.).
 - *fulgens* (Favre & Maire) Singer in *Lilloa*, 22, p. 561, 1951. (Syn. *Naucoria fulgens* Favre & Maire).
 - *hybridus* (Fr. ex Fr.) Singer in *Lilloa*, 22, p. 561, 1951. (Syn. *Flammula sapinea* var. *hybrida* (Fr.) Konr. & Maubl.).
 - *imperialis* (Speg.) Singer in *Lilloa*, 22, p. 561, 1951. (Syn. *Pholiota imperialis* Speg.).
 - *intermedius* (Singer) Singer in *Lilloa*, 22, p. 560, 1951. (Syn. *Pholiota intermedia* Singer).
 - *janthinosarx* (Singer) Singer in *Lilloa*, 22, p. 560, 1951. (Syn. *Fulvidula janthinosarx* Singer).
 - *luteofolius* (Peck) Singer in *Lilloa*, 22, p. 560, 1951. (Syn. *Pholiota luteofolia* (Peck) Sacc.).
 - *microsporus* (Singer) Singer in *Lilloa*, 22, p. 561, 1951. (Syn. *Fulvidula microspora* Singer).
 - *pampeanus* (Speg.) Singer in *Lilloa*, 22, p. 561, 1951. (Syn. *Pholiota pampeana* (Speg.) Murr.).
 - *pseudocamerina* Singer nom. nov. in *Lilloa*, 22, p. 572, 1951. (Syn. *Galerina camerina* sensu Quel., Kühner, non *Agaricus camerinus* Fr.).
 - *punctifolius* (Peck) Singer in *Lilloa*, 22, p. 561, 1951. (Syn. *Cortinarius punctifolius* Peck).
 - *purpuratus* (Cooke & Massee sensu Cleland) Singer in *Lilloa*, 22, p. 561, 1951. (Syn. *Agaricus purpuratus* Cooke & Massee).
 - *spectabilis* (Fr.) A. H. Smith, *Mushrooms in their Natural Habitats*, p. 471, 1949. (Syn. *Agaricus spectabilis* Fr.).
 - *suberis* (Maire) Singer in *Lilloa*, 22, p. 561, 1951. (Syn. *Pholiota suberis* Maire).
 - *tonkinensis* (Pat.) Singer in *Lilloa*, 22, p. 561, 1951. (Syn. *Tubaria tonkinensis* Pat.).
 - *zenkeri* (Henn.) Singer in *Lilloa*, 22, p. 561, 1951. (Syn. *Flammula zenkeri* Henn.).
 - Gyrodon africanus** (Cooke & Massee) Singer in *Lilloa*, 22, p. 648, 1951. (Syn. *Campbellia africana* Cooke & Massee).
 - *lignicola* (Kallenbach) Heinemann in *Bull. Jard. bot. Brux.*, 21, p. 238, 1951. (Syn. *Boletus lignicola* Kallenbach).
 - Gyroporus castaneus** (Fr.) Qué. var. *congolensis* Heinemann in *Bull. Jard. bot. Brux.*, 21, p. 231, 1951.—Belgian Congo.
 - *castaneus* var. *microsporus* Heinemann in *Bull. Jard. bot. Brux.*, 21, p. 232, 1951.—Belgian Congo.
 - *heterosporus* Heinemann in *Bull. Jard. bot. Brux.*, 21, p. 230, 1951.—Belgian Congo.
 - *laetus* Heinemann in *Bull. Jard. bot. Brux.*, 21, p. 235, 1951.—Belgian Congo.
 - *luteopurpureus* (Beeli) Heinemann in *Bull. Jard. bot. Brux.*, 21, p. 236, 1951. (Syn. *Boletus luteopurpureus* Beeli).

- *reticulatus* Heinemann in *Bull. Jard. bot. Brux.*, 21, p. 234, 1951.—Belgian Congo.
- Hebeloma dasypus* (Romagn.) Singer in *Lilloa*, 22, p. 538, 1951. (Syn. *Naucoria dasypus* Romagn.).
- *petrakii* (Hruby) Singer in *Lilloa*, 22, p. 538, 1951. (Syn. *Naucoria petrakii* Hruby).
- HEIMIELLA* Boedijn in *Sydowia*, 5, p. 216, 1951.—Boletaceae.
- *retispora* (Pat. & Baker) Boedijn in *Sydowia*, 5, p. 217, 1951. (Syn. *Boletus retisporus* Pat. & Baker).
- Heimiomyces fulvipes* (Murr.) Singer in *Lilloa*, 22, p. 370, 1951. (Syn. *Gymnopus fulvipes* Murr.).
- Helicogloea parasitica* Olive in *Mycologia*, 43, p. 677, 1952 in *Eridia glandulosa*.—Louisiana, U.S.A.
- Helminthosporium iranica* Esfandiari in *Sydowia*, 5, p. 369, 1951 on *Indigofera*.—Iran.
- *pseudotsugae* W. B. Cooke in *Mycologia*, 44, p. 251, 1952 on *Pseudotsuga taxifolia* var. *glauca*.—Idaho, U.S.A.
- *stilbaceum* (Moreau) Hughes in *Mycol. Pap., C.M.I.*, 48, p. 38, 1952. (Syn. *Cercospora palmicola* Speg. forma *stilbacea* Moreau).
- Hemileia mandevillae* Cummins & Gopal-krishnan apud Cummins in *Bull. Torrey bot. Cl.*, 79, p. 214, 1952 on *Mandevilla*.—Kenya.
- Hendersonia cisti* da Camara in *Agron. lusit.*, 13, p. 145, 1951 on *Cistus ladaniferus*.—Portugal.
- *dothidellae* Petrak nom. nov. in *Sydowia*, 5, p. 421, 1951. (Syn. *Hendersonia australis* Speg. non *Hendersonia australis* Tassi).
- *ilicina* Bausá Alcalde in *An. Jard. bot. Madr.*, 10, p. 254, 1952 on *Ilex aquifolium*.—Spain.
- *maydis* Saccas in *Rev. Path. Vég.*, 30, p. 174, 1951 on *Zea mays*.—French Equatorial Africa.
- HENDERSONULINA* Petrak [non Tassi, 1902] in *Sydowia*, 5, p. 421, 1951. Sphaeropsidales.
- *astragalina* (Petrak) Petrak in *Sydowia*, 5, p. 122, 1951. (Syn. *Hendersonula astragalina* Petrak).
- Hercospora concinna* Petrak in *Sydowia*, 5, p. 233, 1951 on dead *Quercus*.—Georgia, U.S.A.
- Hirneola nigricans* (Sw. ex Fr.) Donk in *Reinwardtia*, 1, p. 498, 1952. (Syn. *Peziza nigricans* (Sw. ex Fr.)).
- Hirsutella stylophora* Mains in *Mycologia*, 43, p. 702, 1952 on larvae; state of *Cordyceps stylophora* Berk. & Br.—Michigan, U.S.A.
- Hohenbuehelia alachuana* (Murr.) Singer in *Lilloa*, 22, p. 255, 1951. (Syn. *Geopetalum alachuanum* Murr.).
- *angustata* (Berk.) Singer in *Lilloa*, 22, p. 255, 1951. (Syn. *Panus angustatus* Berk.).
- *approximans* (Peck) Singer in *Lilloa*, 22, p. 255, 1951. (Syn. *Pleurotus approximans* Peck).
- *arata* (Pat. & Dem.) Singer in *Lilloa*, 22, p. 255, 1951. (Syn. *Calathinus aratus* Pat. & Dem.).
- *atrocaerulea* (Fr.) Singer in *Lilloa*, 22, p. 255, 1951. (Syn. *Pleurotus atrocaeruleus* (Fr.) Quél.).
- *auriscalpium* (Maire) Singer in *Lilloa*, 22, p. 255, 1951. (Syn. *Pleurotus auriscalpium* Maire).
- *calceola* (Pat. & Dem.) Singer in *Lilloa*, 22, p. 255, 1951. (Syn. *Calathinus calceolus* Pat. & Dem.).
- *cinereoalba* (Pat. & Dem.) Singer in *Lilloa*, 22, p. 255, 1951. (Syn. *Pleurotus cinereoalbus* Pat. & Dem.).
- *crustosa* (Coker) Singer in *Lilloa*, 22, p. 255, 1951. (Syn. *Pleurotus crustosus* Coker).
- *cubensis* (Murr.) Singer in *Lilloa*, 22, p. 255, 1951. (Syn. *Geopetalum cubense* Murr.).
- *elegans* (Coker) Singer in *Lilloa*, 22, p. 255, 1951. (Syn. *Pleurotus elegans* Coker).
- *geogenius* (DC. ex Fr.) Singer in *Lilloa*, 22, p. 255, 1951. (Syn. *Pleurotus geogenius* (DC. ex Fr.) Gill.).
- *grisea* (Peck) Singer in *Lilloa*, 22, p. 255, 1951. (Syn. *Pleurotus griseus* Peck).
- *harmandii* (Hariot & Pat.) Singer in *Lilloa*, 22, p. 255, 1951. (Syn. *Pleurotus harmandii* Har. & Pat.).
- *myxotricha* (Lév.) Singer in *Lilloa*, 22, p. 255, 1951. (Syn. *Pleurotus myxotrichus* Lév.).
- *nigra* (Schwein.) Singer in *Lilloa*, 22, p. 256, 1951. (Syn. *Agaricus niger* Schwein.).
- *phalligera* (Mont.) Sacc. in *Lilloa*, 22, p. 256, 1951. (Syn. *Agaricus phalligerus* Mont.).
- *portegna* (Speg.) Singer in *Lilloa*, 22, p. 256, 1951. (Syn. *Pleurotus portegnis* Speg.).
- *pruinosa* (Pat. & Dem.) Singer in *Lilloa*, 22, p. 256, 1951. (Syn. *Calathinus pruinosulus* Pat. & Dem.).
- *reniformis* (Fr.) Singer in *Lilloa*, 22, p. 255, 1951. (Syn. *Agaricus reniformis* Fr. sensu Pilát).
- *sciadea* (Kalchbr. & McO.) Singer in *Lilloa*, 22, p. 256, 1951. (Syn. *Pleurotus sciadeus* Kalchbr. & McO.).
- *semiinfundibuliformis* (Karst.) Singer in *Lilloa*, 22, p. 255, 1951. (Syn. *Pleurotus semiinfundibuliformis* Karst.).
- *serotina* (Schrader ex Fr.) Singer in *Lilloa*, 22, p. 254, 1951. (Syn. *Pleurotus serotinus* (Schrader ex Fr.) Quél.).
- *subbarbata* (Berk. & Curt.) Singer in *Lilloa*, 22, p. 255, 1951. (Syn. *Pleurotus subbarbatus* (Berk. & Curt.) Sacc.).
- *submastrucata* (Henn.) Singer in *Lilloa*, 22, p. 256, 1951. (Syn. *Pleurotus submastrucatus* Henn.).
- *valesiaca* (Ces. apud Rab.) Singer in *Lilloa*, 22, p. 256, 1951. (Syn. *Pleurotus valesiacus* (Cesati) Sacc.).
- Humaria appendiculata* (P. Henn.) Boedijn in *Sydowia*, 5, p. 212, 1951. (Syn. *Lachnea appendiculata* P. Henn.).
- Hydnum diabolus* (Banker) A. H. Smith, *Mushrooms in their Natural Habitats*, p. 227, 1949. (Syn. *Hydneum diabolus* Banker).
- Hydropus arenarius* (A. H. Smith) Singer in *Lilloa*, 22, p. 350, 1951. (Syn. *Mycena arenaria* A. H. Smith).
- *taxodii* (Murr.) Singer in *Lilloa*, 22, p. 350, 1951. (Syn. *Mycena taxodii* Murr.).
- *umbrinus* (A. H. Smith) Singer in *Lilloa*, 22, p. 350, 1951. (Syn. *Mycena umbrina* A. H. Smith).
- Hygrocybe acutoconica* (Clements in Woods) Singer in *Lilloa*, 22, p. 153, 1951. (Syn. *Mycena acutoconica* Clem.).
- *flavescens* (Kauffm.) Singer in *Lilloa*, 22, p. 154, 1951. (Syn. *Hygrophorus pumiceus* var. *flavescens* Kauffm.).
- *flavifolia* (Sm. & Hesl.) Singer in *Lilloa*, 22, p. 154, 1951. (Syn. *Hygrophorus flavifolius* Sm. & Hesl.).

- *forficata* (Fr.) Singer in *Lilloa*, 22, p. 152, 1951. (Syn. *Hygrophorus forficatus* Fr.).
- *huronensis* (Sm. & Hesl.) Singer in *Lilloa*, 22, p. 153, 1951. (Syn. *Hygrophorus huronensis* Sm. & Hesl.).
- *laetissima* (Sm. & Hesl.) Singer in *Lilloa*, 22, p. 153, 1951. (Syn. *Hygrophorus laetissimus* Sm. & Hesl.).
- *marchii* (Bres.) Singer in *Lilloa*, 22, p. 153, 1951. (Syn. *Hygrophorus marchii* Bres.).
- *quieta* (Kühner) Singer in *Lilloa*, 22, p. 152, 1951. (Syn. *Hygrophorus quietus* Kühner).
- Hygrophorus olivaceonitens* (Singer) Singer in *Lilloa*, 22, p. 146, 1951. (Syn. *Limacium olivaceonitens* Singer).
- Hypoxylon calyptra* Batista in *Bol. Agric., Pernambuco*, 17, p. 61, 1950 on bark.—Brazil.
- *vitalii* Batista in *Bol. Agric., Pernambuco*, 17, p. 62, 1950 on bark.—Brazil.
- Hypsizygus circinatus* Singer nom. nov. in *Lilloa*, 22, p. 180, 1951. (Syn. *Clitocybe circinata* sensu Singer, non Karst.).
- Inocybe cystidiosa* (A. H. Smith) Singer in *Lilloa*, 22, p. 534, 1951. (Syn. *Tricholoma cystidiosum* A. H. Smith).
- *felipponei* (Speg.) Singer in *Lilloa*, 22, p. 534, 1951. (Syn. *Collybia felipponei* Speg.).
- *mariluanensis* (Speg.) Singer in *Lilloa*, 22, p. 534, 1951. (Syn. *Naucoria mariluanensis* Speg.).
- *pernivosa* (Murr.) Singer in *Lilloa*, 22, p. 534, 1951. (Syn. *Entoloma pernivolum* Murr.).
- *patchii* Boedijn nom. nov. in *Sydowia*, 5, p. 223, 1951. (Syn. *I. umbonata* Patch Quél.).
- *praeferinacea* (Murr.) Singer in *Lilloa*, 22, p. 534, 1951. (Syn. *Hebeloma praeferinaceum* Murr.).
- *praevillosa* (Murr.) Singer in *Lilloa*, 22, p. 534, 1951. (Syn. *Lepista praevillosa* Murr.).
- Irenopsis sidae* (Rehm) Hughes in *Mycol. Pap., C.M.I.*, 48, p. 44, 1952. (Syn. *Meliola sidae* Rehm).
- var. *hibisci* (Hansf.) Hughes in *Mycol. Pap., C.M.I.*, 48, p. 44, 1952. (Syn. *I. coronata* (Speg.) Stev. var. *hibisci* Hansf.).
- Ischnochaeta baeumleri* (P. Magnus) Sawada in *Bull. Govt. Forest Exp. Sta., Tokyo*, 50, p. 112, 1951. (Syn. *Microsphaera baeumleri* P. Magn.).
- *desmodii* (P. Henn.) Sawada in *Bull. Govt. Forest Exp. Sta., Tokyo*, 50, p. 113, 1951. (Syn. *Erysiphe pisi* DC. var. *desmodii* P. Henn.).
- *elsholtziae* Sawada in *Bull. Govt. Forest Exp. Sta., Tokyo*, 50, p. 112, 1951 on *Elsholtzia patrinii*.—Japan.
- *heraclei* (DC.) Sawada in *Bull. Govt. Forest Exp. Sta., Tokyo*, 50, p. 113, 1951. (Syn. *Erysiphe heraclei* DC.).
- *pileae* Sawada in *Bull. Govt. Forest Exp. Sta., Tokyo*, 50, p. 114, 1951 on *Pilea petiolaris*.—Japan.
- *viciae-unijugae* (Homma) Sawada in *Bull. Govt. Forest Exp. Sta., Tokyo*, 50, p. 115, 1951. (Syn. *Microsphaera viciae-unijugae* Homma).
- Krombholzia excedens* Heinemann & Goossens apud Heinemann in *Bull. Jard. bot. Brux.*, 21, p. 327, 1951.—Belgian Congo.
- *porphyreus* Heinemann in *Bull. Jard. bot. Brux.*, 21, p. 330, 1951.—Belgian Congo.
- Kuehneromyces nudus* Singer in *Schweiz. Z. Pilzk. Bern*, 28, p. 194, 1950 on dead branches of *Boehmeria caudata*.—Argentina.
- *vinicolor* (Pat.) Singer in *Lilloa*, 22, p. 519, 1951. (Syn. *Flammula vinicolor* Pat.).
- Laboulbenia bembidio-palpi* Benjamin in *Amer. J. Bot.*, 39, p. 125, 1952 on *Bembidion picipes*.—Illinois, U.S.A.
- *odobena* Benjamin in *Amer. J. Bot.*, 39, p. 126, 1952 on *Bembidion picipes*.—Illinois, U.S.A.
- *tapirina* Benjamin in *Amer. J. Bot.*, 39, p. 126, 1952 on *Bembidion picipes*.—Illinois, U.S.A.
- Laccaria altaica* Singer nom. nov. in *Lilloa*, 22, p. 176, 1951. (Syn. *L. striatula* sensu Singer, non Peck).
- *gruberi* (A. H. Smith) Singer in *Lilloa*, 22, p. 176, 1951. (Syn. *Clitocybe gruberi* A. H. Smith).
- Lachnella tiliae* (Peck) Donk apud Singer in *Lilloa*, 22, p. 345, 1951. (Syn. *Peziza tiliae* Peck).
- *villosa* (Pers. ex Fr.) Donk apud Singer in *Lilloa*, 22, p. 345, 1951. (Syn. *Peziza villosa* Pers.).
- Lamprospora verruculosa* (Berk. & Br.) Boedijn in *Sydowia*, 5, p. 211, 1951. (Syn. *Peziza verruculosa* Berk. & Br.).
- Lentinellus americanus* (Peck) Singer in *Lilloa*, 22, p. 245, 1951. (Syn. *Lentinus americanus* Peck).
- *umbilicatus* (Peck) Singer in *Lilloa*, 22, p. 245, 1951. (Syn. *Lentinus umbilicatus* Peck).
- Lepiota molybdites* (G. Meyer ex Fr.) Sacc. var. *marginata* A. H. Smith, *Mushrooms in their Natural Habitats*, p. 429, 1949.—U.S.A.
- *pseudovolvolata* (Höhn.) Singer in *Lilloa*, 22, p. 443, 1951. (Syn. *Micropsalliota pseudovolvolata* Höhn.).
- * — *sulcata* Locquin in *Bull. mens. Soc. linn. Lyon*, 20, p. 155, 1951.—France.
- Lepista argentina* (Speg.) Singer in *Lilloa*, 22, p. 193, 1951. (Syn. *Tricholoma argentinum* Speg.).
- *caespitosa* (Bres.) Singer in *Lilloa*, 22, p. 192, 1951. (Syn. *Tricholoma paneolus* var. *caespitosus* Bres.).
- *caffrorum* (Kalkbr. & McOwan) Singer in *Lilloa*, 22, p. 192, 1951. (Syn. *Tricholoma caffrorum* Kalkbr. & McOwan).
- *glabella* (Speg.) Singer in *Lilloa*, 22, p. 192, 1951. (Syn. *Clitopilus glabellus* Speg.).
- *harperi* (Murr.) Singer in *Lilloa*, 22, p. 192, 1951. (Syn. *Melanoleuca harperi* Murr.).
- *lactescens* (Pat.) Singer in *Lilloa*, 22, p. 192, 1951. (Syn. *Tricholoma lactescens* Pat.).
- *luscina* (Fr.) Singer in *Lilloa*, 22, p. 192, 1951. (Syn. *Agaricus luscinus* Fr.).
- *praemagna* (Murr.) Singer in *Lilloa*, 22, p. 192, 1951. (Syn. *Melanoleuca praemagna* Murr. sensu Overholts).
- *sordida* (Fr.) Singer in *Lilloa*, 22, p. 193, 1951. (Syn. *Agaricus sordidus* Fr.).
- *subaequalis* (Britz.) Singer in *Lilloa*, 22, p. 192, 1951. (Syn. *Agaricus subaequalis* Britz.).
- Leptosphaeria caucana* Petrak in *Sydowia*, 5, p. 244, 1951 in *Phyllachora*.—Colombia.
- *jaceae* Holm in *Swensk bot. Tidskr.*, 46, p. 35, 1952 on dead *Centaurea jacea*.—Sweden.
- *lavandulae* da Camara in *Agron. lusit.*, 13, p. 126, 1951 on *Lavandula stoechas*.—Portugal.

- *macrotheca* (Rostr.) Holm in *Svensk bot. Tidskr.*, 46, p. 38, 1952. (Syn. *Metasphaeria macrotheca* Rostr.).
- *papillosa* da Camara in *Agron. lusit.*, 13, p. 127, 1951 on *Oryzopsis miliacea*.—Portugal.
- *zeae-maydis* Saccas in *Rev. Path. Vég.*, 30, p. 179, 1951 on dead *Zea mays*.—French Equatorial Africa.
- *zeicola* Saccas in *Rev. Path. Vég.*, 30, p. 176, 1951 on *Zea mays*.—French Equatorial Africa.
- Leptotus tremulus* (Schaeff. ex Fr.) Singer in *Lilloa*, 22, p. 735, 1951. (Syn. *Pleurotus tremulus* (Schaeff. ex Fr.) Quél.).
- Leucoagaricus confusus* (Rick) Singer in *Lilloa*, 22, p. 422, 1951. (Syn. *Lepiota confusa* Rick).
- *meleagris* (Sow. ex Fr.) Singer in *Lilloa*, 22, p. 422, 1951. (Syn. *Agaricus meleagris* Sow. ex Fr.).
- *olivaceus* (Kauffm.) Singer in *Lilloa*, 22, p. 422, 1951. (Syn. *Lepiota olivacea* Kauffm.).
- *rubrosquamosus* (Rick) Singer in *Lilloa*, 22, p. 422, 1951. (Syn. *Lepiota rubrosquamosa* Rick).
- *sublittoralis* (Kühner) Singer in *Lilloa*, 22, p. 422, 1951. (Syn. *Lepiota sublittoralis* Kühner).
- Leucocoprinus denudatus* (Rab.) Singer in *Lilloa*, 22, p. 424, 1951. (Syn. *Agaricus denudatus* Rab.).
- *dolichaulis* (Berk. & Br.) Boedijn in *Sydowia*, 5, p. 221, 1951. (Syn. *Lepiota dolichaulis* Berk. & Br.) [Comb. made by Pat. in 1913].
- *magnusianus* (Henn. apud Rab.) Singer in *Lilloa*, 22, p. 424, 1951. (Syn. *Lepiota magnusiana* Henn. apud Rab.).
- *melanoloma* (Singer) Singer in *Lilloa*, 22, p. 424, 1951. (Syn. *Hiatala melanoloma* Singer).
- Leucopaxillus gracillimus* Sing. & Sm. var. *rappii* (Murr.) Singer in *Lilloa*, 22, p. 242, 1951. (Syn. *Clitocybe rappii* Murr.).
- LINDERINA Raper & Fennell in *Amer. J. Bot.*, 39, p. 81, 1952.—Kickxellaceae.
- *pennisporea* Raper & Fennell in *Amer. J. Bot.*, 39, p. 83, 1952 from soil.—Liberia.
- Lopharia dregeana* (Berk.) Talbot in *Bothalia*, 6, p. 57, 1951. (Syn. *Corticium dregeanum* Berk.).
- Lyophyllum favrei* Haller & Haller forma *ochraceum* Haller in *Schweiz. Z. Pilzk. Bern*, 30, p. 43, 1952.—Switzerland.
- Macrocystidia carneipes* (Speg.) Singer in *Lilloa*, 22, p. 308, 1951. (Syn. *Omphalia carneipes* Speg.).
- Macrolepiota bonaerensis* (Speg.) Singer in *Lilloa*, 22, p. 417, 1951. (Syn. *Agaricus bonaerensis* Speg.).
- *kerandi* (Speg.) Singer in *Lilloa*, 22, p. 417, 1951. (Syn. *Lepiota kerandi* Speg.).
- *mastoidea* (Fr.) Singer in *Lilloa*, 22, p. 417, 1951. (Syn. *Lepiota mastoidea* (Fr.) Quél.).
- *rachodes* (Vitt.) Singer in *Lilloa*, 22, p. 417, 1951. (Syn. *Lepiota rachodes* Vitt.).
- Macrophoma negundinis* Ribaldi in *Ann. Fac. Agr. Perugia*, 5, p. 6, 1948 on *Acer negundo*.—Italy.
- Macrophomina phaseolina* (Tassi) Goidanich in *Boll. Staz. Pat. Veg. Roma*, Ser. 3, 5, p. 63, 1950. (Syn. *Macrophoma phaseolina* Tassi).
- Marasmiellus acicula* (Schaeff. ex Fr.) Singer in *Lilloa*, 22, p. 301, 1951. (Syn. *Mycena acicula* (Fr.) Quél.).
- *adonis* (Bull. ex Fr.) Singer in *Lilloa*, 22, p. 301, 1951. (Syn. *Mycena adonis* (Fr.) Quél.).
- *albidus* (Murr.) Singer in *Lilloa*, 22, p. 298, 1951. (Syn. *Gymnopus albidus* Murr.).
- *albus* (Bres.) Singer in *Lilloa*, 22, p. 302, 1951. (Syn. *Omphalia alba* Bres.).
- *albus-corticis* (Secc.) Singer in *Lilloa*, 22, p. 300, 1951. (Syn. *Agaricus albus corticis* Secc.).
- *angustisporus* (Josserand) Singer in *Lilloa*, 22, p. 298, 1951. (Syn. *Omphalia angustispora* Joss.).
- *atropapillatus* (Kühner & Maire) Singer in *Lilloa*, 22, p. 302, 1951. (Syn. *Mycena atropapillata* Kühn. & Maire).
- *buccinulus* (Speg.) Singer in *Lilloa*, 22, p. 299, 1951. (Syn. *Clitocybe buccinula* Speg.).
- *camptophyllus* (Berk.) Singer in *Lilloa*, 22, p. 302, 1951. (Syn. *Omphalia camptophylla* (Berk.) Sacc.).
- *candidus* (Bres.) Singer in *Lilloa*, 22, p. 299, 1951. (Syn. *Omphalia candida* Bres.).
- *cephalotrichus* (Josserand) Singer in *Lilloa*, 22, p. 298, 1951. (Syn. *Omphalia cephalotricha* Joss.).
- *crispatus* (Kühn.) Singer in *Lilloa*, 22, p. 299, 1951. (Syn. *Mycena crispata* Kühn.).
- *crispulus* (Quél. sensu Kühner) Singer in *Lilloa*, 22, p. 298, 1951. (Syn. *Omphalia crispula* Quél.).
- *delectabilis* (Peck sensu A. H. Smith) Singer in *Lilloa*, 22, p. 299, 1951. (Syn. *Mycena delectabilis* (Peck) Sacc.).
- *delicatellus* (Peck) Singer in *Lilloa*, 22, p. 298, 1951. (Syn. *Collybia delicatella* (Peck) Sacc.).
- *drepanocladi* (Singer) Singer in *Lilloa*, 22, p. 302, 1951. (Syn. *Hemimycena drepanocladi* Singer).
- *epibryus* (Singer) Singer in *Lilloa*, 22, p. 298, 1951. (Syn. *Hemimycena epibrya* Sing.).
- *flavoalbus* (Fr.) Singer in *Lilloa*, 22, p. 301, 1951. (Syn. *Mycena flavoalba* (Fr.) Quél.).
- *floccipes* (Fr.) Singer in *Lilloa*, 22, p. 301, 1951. (Syn. *Collybia floccipes* Fr. sensu Kauffm., Kühn.).
- *floridulus* (Fr.) Singer in *Lilloa*, 22, p. 301, 1951. (Syn. *Mycena floridula* (Fr.) Karst.).
- *gracilis* (Quél. sensu Sacc.) Singer in *Lilloa*, 22, p. 299, 1951. (Syn. *Omphalia gracilis* Quél.).
- *gypseus* (Fr. sensu Ricken) Singer in *Lilloa*, 22, p. 298, 1951. (Syn. *Mycena gypsea* (Fr.) Gill.).
- *hiemalis* (Osb. in Retz ex Fr. sensu Gillet) Singer in *Lilloa*, 22, p. 302, 1951. (Syn. *Mycena hiemalis* (Fr.) Quél.).
- *languidus* (Lasch) Singer in *Lilloa*, 22, p. 300, 1951. (Syn. *Marasmius languidus* (Lasch) Fr.).
- *leptophyllus* (Peck) Singer in *Lilloa*, 22, p. 302, 1951. (Syn. *Mycena leptophylla* (Peck) Sacc.).
- *mairei* (Gilbert) Singer in *Lilloa*, 22, p. 299, 1951. (Syn. *Omphalia mairei* Gilbert).
- *margaritifera* (Maire apud Kühn.) Singer in *Lilloa*, 22, p. 302, 1951. (Syn. *Mycena margaritifera* Maire).
- *mauretanicus* (Maire) Singer in *Lilloa*, 22, p. 298, 1951. (Syn. *Omphalia mauretanica* Maire).

- *olidus* (Bres.) Singer in *Lilloa*, 22, p. 302, 1951. (Syn. *Mycena olida* Bres.).
- *opacus* (Berk. & Curt.) Singer in *Lilloa*, 22, p. 300, 1951. (Syn. *Marasmius opacus* Berk. & Curt.).
- *phaeophyllus* (Kühn.) Singer in *Lilloa*, 22, p. 302, 1951. (Syn. *Mycena phaeophylla* Kühn.).
- *pigmentatus* (Bliss) Singer in *Lilloa*, 22, p. 300, 1951. (Syn. *Omphalia pigmentata* Bliss).
- *pseudocrispulus* (Kühn.) Singer in *Lilloa*, 22, p. 298, 1951. (Syn. *Mycena pseudocrispula* Kühn.).
- *pseudogracilis* (Kühn. & Maire) Singer in *Lilloa*, 22, p. 299, 1951. (Syn. *Mycena pseudogracilis* Kühn. & Maire).
- *pseudolacteus* (Kühn.) Singer in *Lilloa*, 22, p. 298, 1951. (Syn. *Mycena pseudolactea* Kühn.).
- *pulchellus* (Speg.) Singer in *Lilloa*, 22, p. 299, 1951. (Syn. *Clitocybe pulchella* Speg.).
- *rickenii* (A. H. Smith) Singer in *Lilloa*, 22, p. 298, 1951. (Syn. *Mycena rickenii* A. H. Smith).
- *roseipallens* (Murr. sensu A. H. Smith) Singer in *Lilloa*, 22, p. 302, 1951. (Syn. *Prunulus roseipallens* Murr.).
- *setipes* (Fr. sensu Ricken) Singer in *Lilloa*, 22, p. 301, 1951. (Syn. *Omphalia setipes* (Fr.) Ricken).
- *stuckertii* (Speg.) Singer in *Lilloa*, 22, p. 299, 1951. (Syn. *Omphalia stuckertii* Speg.).
- *subalpinus* (Hoehnel sensu Kühn.) Singer in *Lilloa*, 22, p. 301, 1951. (Syn. *Mycena subalpina* Hoehnel).
- *substenophyllus* (Murr.) Singer in *Lilloa*, 22, p. 299, 1951. (Syn. *Marasmius substenophyllus* Murr.).
- *trabutii* (Maire) Singer in *Lilloa*, 22, p. 300, 1951. (Syn. *Marasmius trabutii* Maire).
- Marasmius arimana** Dennis in *Trans. Brit. mycol. Soc.*, 34, p. 418, 1951.—Trinidad.
- *corbariensis* (Roum.) Singer in *Lilloa*, 22, p. 325, 1951. (Syn. *Agaricus corbariensis* Roum.).
- *cystidiophorus* Dennis in *Trans. Brit. mycol. Soc.*, 34, p. 427, 1951.—Trinidad.
- *elegantoides* Batista in *Bol. Agric. Pernambuco*, 18, p. 186, 1952.—Brazil.
- *graminum* (Lib.) Berk. var. *brevispora* Dennis in *Trans. Brit. mycol. Soc.*, 34, p. 416, 1951.—Trinidad.
- var. *equicrinis* (Mueller) Dennis in *Trans. Brit. mycol. Soc.*, 34, p. 416, 1951. (Syn. *M. equicrinis* Mueller apud Berk.).
- *haedinus* Berk. forma *brevispora* Dennis in *Trans. Brit. mycol. Soc.*, 34, p. 421, 1951.—Trinidad.
- var. *minor* Dennis in *Trans. Brit. mycol. Soc.*, 34, p. 421, 1951.—Trinidad.
- *leveilleanus* (Berk.) Singer in *Lilloa*, 22, p. 325, 1951. (Syn. *Heliomyces leveilleanus* Berk.).
- *plumieri* (Lév.) Singer in *Lilloa*, 22, p. 326, 1951. (Syn. *Heliomyces plumieri* Lév.).
- *pseudo-arachnoideus* Dennis in *Trans. Brit. mycol. Soc.*, 34, p. 425, 1951.—Trinidad.
- *rotuloides* Dennis in *Trans. Brit. mycol. Soc.*, 34, p. 415, 1951.—Trinidad.
- *rubroflavus* (Theiss.) Singer in *Lilloa*, 22, p. 326, 1951. (Syn. *M. nummularius* var. *rubroflavus* Theiss.).
- *rubromarginatus* Dennis in *Trans. Brit. mycol. Soc.*, 34, p. 415, 1951.—Venezuela.
- *spinosissimus* Singer in *Schweiz. Z. Pilzk. Bern*, 28, p. 193, 1950.—Argentina.
- *subingratus* Dennis in *Trans. Brit. mycol. Soc.*, 34, p. 427, 1951.—Trinidad.
- *trichorhizus* Speg. var. *aripoensis* Dennis in *Trans. Brit. mycol. Soc.*, 34, p. 417, 1951.—Trinidad.
- *trinitatis* Dennis in *Trans. Brit. mycol. Soc.*, 34, p. 425, 1951.—Trinidad.
- Massaria sphaerelloidea** Bausá Alcalde in *An. Jard. bot. Madr.*, 10, p. 229, 1952 on *Prunus*, *Pithecolobium polycephalum*, and *Fabricia laevigata*.—Spain.
- Massarina floridana** Petrak in *Sydowia*, 5, p. 240, 1951 on dead *Sabal palmetto*.—Florida, U.S.A.
- Maublancomyces curtipes** (Fr.) Herter in *Rev. Sudamer. Bot.*, 10, p. 17, 1951. (Syn. *Gyromitra curtipes* Fr.).
- *fastigiata* (Krombh.) Herter in *Rev. Sudamer. Bot.*, 10, p. 17, 1951. (Syn. *Helvella fastigiata* Krombh.).
- *labyrinthica* (Fr.) Herter in *Rev. Sudamer. Bot.*, 10, p. 17, 1951. (Syn. *Gyromitra labyrinthica* Fr.).
- *suspecta* (Krombh.) Herter in *Rev. Sudamer. Bot.*, 10, p. 17, 1951. (Syn. *Helvella suspecta* Krombh.).
- ***Melanconiopsis africana** Luc in *Rev. Mycologie*, 16, Suppl. Col. No. 2, p. 120, 1951 on *Cola vera*.—Ivory Coast.
- Melanoleuca russuloides** (Murrill) Murrill in *Mycologia*, 44, p. 113, 1952. (Syn. *Tricholoma russuloides* Murrill).
- Melanophyllum echinatum** (Roth. ex Fr.) Singer in *Lilloa*, 22, p. 436, 1951. (Syn. *Lepiota echinata* Roth ex Fr.).
- *eyrei* (Masse) Singer in *Lilloa*, 22, p. 436, 1951. (Syn. *Chlorospora eyrei* Masse).
- Melanopsichium emodense** (Berk.) Zundel in Fischer, *The Smut Fungi*, p. 25, 1951. (Syn. *Ustilago emodensis* Berk.).
- Melanotus subvariabilis** (Speg.) Singer in *Lilloa*, 22, p. 511, 1951. (Syn. *Claudopus subvariabilis* Speg.).
- Meliola bougheyana** Hughes in *Mycol. Pap.*, C.M.I., 48, p. 46, 1952 on *Macaranga hurae-folia*.—Gold Coast.
- *celtidiae* Yates var. *prantlii* Hughes in *Mycol. Pap.*, C.M.I., 48, p. 48, 1952 on *Celtis prantlii*.—Gold Coast.
- *hypselodelphidis* Hughes in *Mycol. Pap.*, C.M.I., 48, p. 51, 1952 on *Hypselodelphis poggeana*.—Gold Coast.
- *janeirensis* Hansf. var. *ricinodendri* Hughes in *Mycol. Pap.*, C.M.I., 48, p. 51, 1952 on *Ricinodendron africanum*.—Gold Coast.
- *pericampyli* Yamamoto var. *trichlisiae* Hughes in *Mycol. Pap.*, C.M.I., 48, p. 55, 1952 on *Trichlisia subcordata*.—Gold Coast.
- *popowiae* Doidge var. *cleistopholidis* Hughes in *Mycol. Pap.*, C.M.I., 48, p. 57, 1952 on *Cleistopholis patens*.—Gold Coast.
- Meliolinopsis costaricensis** (Stev.) Petrak in *Sydowia*, 5, p. 335, 1951. (Syn. *Hyalomeliolina costaricensis* Stev.).
- *guianensis* (Stev.) Petrak in *Sydowia*, 5, p. 335, 1951. (Syn. *Hyalomeliolina guianensis* Stev.).
- *irenicola* (Doidge) Petrak in *Sydowia*, 5, p. 335, 1951. (Syn. *Perisporium irenicolum* Doidge).
- *meliolae* (Stev.) Petrak in *Sydowia*, 5, p. 335, 1951. (Syn. *Perisporium meliolae* Stev.).

- *meliolicola* (Syd.) Petrak in *Sydowia*, 5, p. 335, 1951. (Syn. *Chaetosphaeria meliolicola* Syd.).
- **Melomastia hyalostoma* Luc in *Rev. Mycologie*, 16, Suppl. Col. No. 2, p. 107, 1951 on *Cola vera*.—Ivory Coast.
- MENISPOROPSIS** Hughes in *Mycol. Pap., C.M.I.*, 48, p. 59, 1952.—Moniliales.
- *theobromae* Hughes in *Mycol. Pap., C.M.I.*, 48, p. 59, 1952 on *Theobroma cacao*.—Gold Coast.
- Merismodes fasciculata* (Schw.) Donk apud Singer in *Lilloa*, 22, p. 345, 1951. (Syn. *Cantharellus fasciculatus* Schw.).
- MICROBOTRYODIPLODIA** da Camara in *Agron. lusit.*, 13, p. 206, 1951.—Sphaeropsidales.
- *myopori* da Camara in *Agron. lusit.*, 13, p. 206, 1951 on *Myoporum acuminatum*.—Portugal.
- Micromphale convexa* (Murrill) Dennis in *Trans. Brit. mycol. Soc.*, 34, p. 459, 1951. (Syn. *Omphalopsis convexa* Murrill).
- *irrorata* (Pat.) Dennis in *Trans. Brit. mycol. Soc.*, 34, p. 457, 1951. (Syn. *Collybia irrorata* Pat. apud Duss.).
- *lutea* Dennis in *Trans. Brit. mycol. Soc.*, 34, p. 459, 1951.—Trinidad.
- *rheicolor* (Berk.) Dennis in *Trans. Brit. mycol. Soc.*, 34, p. 460, 1951. (Syn. *Agaricus rheicolor* Berk.).
- *roriduliformis* (Murrill) Dennis in *Trans. Brit. mycol. Soc.*, 34, p. 460, 1951. (Syn. *Omphalopsis roriduliformis* Murrill).
- *saccharophila* (Speg.) Singer in *Lilloa*, 22, p. 305, 1951. (Syn. *Omphalia saccharophila* Speg.).
- *subavellanea* (Murrill) Dennis in *Trans. Brit. mycol. Soc.*, 34, p. 458, 1951. (Syn. *Helomyces subavellaneus* Murrill).
- *subtranslucens* Dennis in *Trans. Brit. mycol. Soc.*, 34, p. 459, 1951.—Trinidad.
- Microsphaera akebiae** Sawada in *Bull. Govt Forest Exp. Sta., Tokyo*, 50, p. 116, 1951 on *Akebia quinata* & *A. trifoliata*.—Japan.
- *berchemiae* Sawada in *Bull. Govt Forest Exp. Sta., Tokyo*, 50, p. 118, 1951 on *Berchemia racemosa*.—Japan.
- *helwingiae* Sawada in *Bull. Govt Forest Exp. Sta., Tokyo*, 50, p. 119, 1951 on *Helwingia japonica*.—Japan.
- *magnoliae* Sawada in *Bull. Govt Forest Exp. Sta., Tokyo*, 50, p. 120, 1951 on *Magnolia obovata*.—Japan.
- *picrasmae* Sawada in *Bull. Govt Forest Exp. Sta., Tokyo*, 50, p. 121, 1951 on *Picrasma quassioides*.—Japan.
- *querci* Sawada in *Bull. Govt Forest Exp. Sta., Tokyo*, 50, p. 122, 1951 on *Quercus serrata*.—Japan.
- *schizandrae* Sawada in *Bull. Govt Forest Exp. Sta., Tokyo*, 50, p. 123, 1951 on *Schizandra nigra*.—Japan.
- *staphyleae* Sawada in *Bull. Govt Forest Exp. Sta., Tokyo*, 50, p. 124, 1951 on *Staphylea bumalda*.—Japan.
- Microstoma insititia** (Berk. & Curt.) Boedijn in *Sydowia*, 5, p. 212, 1951. (Syn. *Peziza insititia* Berk. & Curt.).
- Mindeniella asymmetrica** J. W. Johnson in *Amer. J. Bot.*, 38, p. 74, 1951 on submerged fruits of *Malus*.—Michigan, U.S.A.
- Mycena flavida** (Maublanc & Rangel) Singer in *Lilloa*, 22, p. 357, 1951. (Syn. *Omphalia flavida* Maubl. & Rangel).
- *fuliginella* A. H. Smith var. *brevispora* Dennis in *Trans. Brit. mycol. Soc.*, 34, p. 466, 1951.—Trinidad.
- *marbleae* (Murrill) Dennis in *Trans. Brit. mycol. Soc.*, 34, p. 471, 1951. (Syn. *Marasmius marbleae* Murrill).
- *micropapillata* Dennis in *Trans. Brit. mycol. Soc.*, 34, p. 471, 1951.—Trinidad.
- *paraboliciformis* Singer nom. nov. in *Lilloa*, 22, p. 359, 1951. (Syn. *M. parabolica* sensu Smith).
- *petiolorum* (Berk. & Curt.) Dennis in *Kew Bull.*, 1951, p. 402, 1952. (Syn. *Marasmius petiolorum* Berk. & Curt.).
- *pseudocrocata* Dennis in *Trans. Brit. mycol. Soc.*, 34, p. 465, 1951.—Venezuela.
- *theobromicola* (Murrill) Dennis in *Trans. Brit. mycol. Soc.*, 34, p. 470, 1951. (Syn. *Marasmius theobromicola* Murrill).
- *trinitatis* Dennis in *Trans. Brit. mycol. Soc.*, 34, p. 467, 1951.—Trinidad.
- *umbilicata* Dennis in *Trans. Brit. mycol. Soc.*, 34, p. 469, 1951.—Trinidad.
- Mycenella salicina** (Vel.) Singer in *Lilloa*, 22, p. 291, 1951. (Syn. *Mycena salicina* Vel.).
- Mycosphaerella kakomensis** Esfandiari in *Sydowia*, 5, p. 366, 1951 on an umbellifer.—Iran.
- *magnoliae* (Ell.) Petrak in *Sydowia*, 5, p. 247, 1951. (Syn. *Sphaerella magnoliae* Ell.).
- *psilospora* Gilman & Wadley in *Mycologia*, 44, p. 219, 1952 on *Quercus*.—Iowa, U.S.A.
- *zeina* Saccas in *Rev. Path. Vég.*, 30, p. 181, 1951 on *Zea mays*.—French Equatorial Africa.
- Naemacyclus stictiformis** Petrak in *Sydowia*, 5, p. 244, 1951 on *Pinus palustris*.—Florida, U.S.A.
- Naematoloma elongatipes** (Peck) Singer in *Lilloa*, 22, p. 504, 1951. (Syn. *Psilocybe elongatipes* (Peck) Sacc.).
- *ericaeum* (Pers. ex Fr. sensu Kühn.) Singer in *Lilloa*, 22, p. 504, 1951. (Syn. *Psilocybe ericae* (Pers. ex Fr.) Quél.).
- *ferrei* (Bres.) Singer in *Lilloa*, 22, p. 503, 1951. (Syn. *Stropharia ferrei* Bres.).
- *hornemannii* (Fr. ex Fr.) Singer in *Lilloa*, 22, p. 503, 1951. (Syn. *Stropharia hornemannii* (Fr.) Lundell & Nannfeldt).
- *squamosum* (Pers. ex Fr.) Singer in *Lilloa*, 22, p. 503, 1951. (Syn. *Stropharia squamosa* (Pers. ex Fr.) Quél.).
- *subericaeum* (Fr.) Singer in *Lilloa*, 22, p. 504, 1951. (Syn. *Psilocybe subericae* (Fr.) Sacc.).
- *subumbonatescens* (Murr.) Singer in *Lilloa*, 22, p. 504, 1951. (Syn. *Stropharia subumbonatescens* Murr.).
- Nectria berkeleyana** (Plowr. & Cooke) Dingley in *Trans. roy. Soc. N.Z.*, 79, p. 183, 1951. (Syn. *Hypomyces berkeleyanus* Plowr. & Cooke).
- *coprosmae* Dingley in *Trans. roy. Soc. N.Z.*, 79, p. 200, 1951 on *Coprosma grandifolia*.—New Zealand.
- *flammea* (Tulasne) Dingley in *Trans. roy. Soc. N.Z.*, 79, p. 189, 1951. (Syn. *Sphaerostilbe flammea* Tul.).
- *fragilis* Dingley in *Trans. roy. Soc. N.Z.*, 79, p. 187, 1951 on *Pseudowintera colorata*.—New Zealand.
- *— *fuliginosipora* Luc in *Rev. Mycologie*, 16, Suppl. Col. No. 2, p. 117, 1951 on *Melanconopsis africana*.—Ivory Coast.

- *grisea* Dingley nom. nov. in *Trans. roy. Soc. N.Z.*, 79, p. 180, 1951. (Syn. *Sphaerostilbe variabilis* Berk. & Br., non *N. variabilis* Hara).
- *hauturu* Dingley in *Trans. roy. Soc. N.Z.*, 79, p. 185, 1951 on *Carmichaelia*.—New Zealand.
- *manuka* Dingley in *Trans. roy. Soc. N.Z.*, 79, p. 183, 1951 on *Leptospermum ericoides*.—New Zealand.
- *pineae* Dingley in *Trans. roy. Soc. N.Z.*, 79, p. 198, 1951 on *Pinus radiata*.—New Zealand.
- *plagianthi* Dingley in *Trans. roy. Soc. N.Z.*, 79, p. 196, 1951 on *Plagianthus betulinus*.—New Zealand.
- *ruapehu* Dingley in *Trans. roy. Soc. N.Z.*, 79, p. 186, 1951 on *Coprosma pseudocuneata*.—New Zealand.
- *tawa* Dingley in *Trans. roy. Soc. N.Z.*, 79, p. 199, 1951 on *Beilschmeidia tawa*.—New Zealand.
- *westlandica* Dingley in *Trans. roy. Soc. N.Z.*, 79, p. 201, 1951 on *Olearia avicenniaefolia*.—New Zealand.
- *zeae* Saccas in *Rev. Path. Vég.*, 30, p. 182, 1951 on dead *Zea mays*.—French Equatorial Africa.
- Neogyromitra brunnea* (Und.) Herter in *Rev. Sudamer. Bot.*, 10, p. 16, 1951. (Syn. *Gyromitra brunnea* Und.).
- Neopaxillus echinospermus* (Speg.) Singer in *Lilloa*, 22, p. 633, 1951. (Syn. *Naucoria echinosperma* Speg.).
- Neottiosporella triseti* Graniti in *Nuovo G. bot. ital.*, N.S., 58, p. 151, 1951 on *Trisetum flavescens*.—Italy.
- Nothoravenelia commiphorae* Cummins in *Bull. Torrey bot. Cl.*, 79, p. 215, 1952 on *Commiphora*.—Nyasaland.
- Nummularia dispersa* Batista in *Bol. Agric., Pernambuco*, 17, p. 60, 1950 on wood.—Brazil.
- Omphalina abiegna* (Berk. & Br.) Singer in *Lilloa*, 22, p. 212, 1951. (Syn. *Agaricus umbelliferus* Fr. var. *abiegna* Berk. & Br.).
- *chlorocyanea* (Pat.) Singer in *Lilloa*, 22, p. 212, 1951. (Syn. *Agaricus chlorocyaneus* Pat.).
- *gerardiana* (Peck) Singer in *Lilloa*, 22, p. 212, 1951. (Syn. *Clitocybe gerardiana* (Peck) Sacc.).
- *josserandii* Singer nom. nov. in *Lilloa*, 22, p. 213, 1951. (Syn. *Pleurotus mutilus* sensu Josserand).
- *olivaria* (Peck) Singer in *Lilloa*, 22, p. 212, 1951. (Syn. *Agaricus olivarius* Peck).
- Ophiobolus bonplandii* (Chard. & Toro) Petrak in *Sydowia*, 5, p. 353, 1951. (Syn. *Humboldtina bonplandii* Chard. & Toro).
- *zeae* Saccas in *Rev. Path. Vég.*, 30, p. 183, 1951 on dead *Zea mays*.—French Equatorial Africa.
- Ophioceras zeae* Saccas in *Rev. Path. Vég.*, 30, p. 186, 1951 on dead *Zea mays*.—French Equatorial Africa.
- Ophiodothella circularis* (Bres.) Petrak in *Sydowia*, 5, p. 340, 1951. (Syn. *Scolecodothis circularis* Bres.).
- Panellus longinquus* (Berk.) Singer in *Sydowia*, 5, p. 471, 1951. (Syn. *Agaricus longinquus* Berk.).
- Panus crinitus* (L. ex Fr.) Singer in *Lilloa*, 22, p. 275, 1951. (Syn. *Lentinus crinitus* L. ex Fr.).
- *rudis* Fr. var. *semirudis* (Singer) Singer (in error as 'subrudis') in *Lilloa*, 22, p. 275, 1951. (Syn. *P. semirudis* Singer).
- var. *strigellus* (Berk. & Curt.) Singer in *Lilloa*, 22, p. 275, 1951. (Syn. *Lentinus strigellus* Berk. & Curt.).
- *schnyderi* (Speg.) Singer in *Lilloa*, 22, p. 275, 1951. (Syn. *Lentinus schnyderi* Speg.).
- *siparius* (Berk. & Curt.) Singer in *Lilloa*, 22, p. 275, 1951. (Syn. *Lentinus siparius* Berk. & Curt.).
- *suavissimus* (Fr.) Singer in *Lilloa*, 22, p. 274, 1951. (Syn. *Lentinus suavissimus* Fr.).
- *tigrinus* (Bull. ex Fr.) Singer in *Lilloa*, 22, p. 275, 1951. (Syn. *Lentinus tigrinus* Bull. ex Fr.).
- PARAPTERULICIUM** Corner in *Ann. Bot., Lond.*, N.S. 16, p. 285, 1952.—Clavariaceae. Type, *P. subarbusculum*.
- *octopodites* Corner in *Ann. Bot., Lond.*, N.S., 16, p. 286, 1952.—Brazil.
- *subarbusculum* Corner in *Ann. Bot., Lond.*, N.S., 16, p. 288, 1952.—Brazil.
- Parmularia portae** Batista in *Bol. Agric., Pernambuco*, 18, p. 25, 1951 on *Portea*.—Brazil.
- Passerinella adeana* Petrak in *Sydowia*, 5, p. 408, 1951 on *Asperula galioides*.—Bavaria.
- Peniophora pelliculosa* Talbot in *Bothalia*, 6, p. 63, 1951 on wood.—Natal.
- PEYRONELLAE** Goidanich (This Index, i, p. 192). Latin diagnosis in *Ann. Sper. agr.*, N.S. 6, p. 92, 1952.—Sphaeropsidales. Type, *P. glomerata*.
- ***Phaeobotryosphaeria varians** Luc in *Rev. Mycologie*, 16, Suppl. Col. No. 2, p. 110, 1951 on *Cola vera*.—Ivory Coast.
- Phaeocollybia attenuata* (A. H. Smith) Singer in *Lilloa*, 22, p. 567, 1951. (Syn. *Naucoria attenuata* A. H. Smith).
- *jennyae* (Karst.) Moser (This Index, ii, p. 24) is antedated by *P. jennyae* (Karst.) Heim, *Le genre Inocybe*, p. 70, 1931.
- *radicata* (Murr.) Singer in *Lilloa*, 22, p. 567, 1951. (Syn. *Naucoria radicata* (Murr.) Singer).
- *similis* (Bres.) Singer in *Lilloa*, 22, p. 567, 1951. (Syn. *Naucoria similis* Bres.).
- Phaeomarasmium alnicola** (Murr.) Singer in *Lilloa*, 22, p. 577, 1951. (Syn. *Crinipellis alnicola* Murr.).
- *aridus* (Pers.) Singer in *Lilloa*, 22, p. 577, 1951. (Syn. *Agaricus aridus* Pers.).
- *carpophilus* (Fr.) Singer in *Lilloa*, 22, p. 577, 1951. (Syn. *Naucoria carpophila* (Fr.) Quél.).
- *chilotrichi* Singer nom. nov. in *Sydowia*, 5, p. 475, 1951. (Syn. *Agaricus exquisitus* Berk. in Hooker non Vitt. nec Speg.).
- *confragosus* (Fr.) Singer in *Lilloa*, 22, p. 577, 1951. (Syn. *Pholiota confragosa* (Fr.) Karst.).
- *curcuma* (Berk. & Curt.) Singer in *Lilloa*, 22, p. 577, 1951. (Syn. *Naucoria curcuma* (Berk. & Curt.) Sacc.).
- *erinaceella* (Peck) Singer in *Lilloa*, 22, p. 577, 1951. (Syn. *Agaricus erinaceella* Peck).
- *gracilis* (Quél.) Singer in *Lilloa*, 22, p. 577, 1951. (Syn. *Pholiota muricata* var. *gracilis* Quél.).
- *granulosus* (Lange) Singer in *Lilloa*, 22, p. 577, 1951. (Syn. *Naucoria granulosa* Lange).
- *pygmaeus* (Bull. ex Fr. sensu Romagn.)

- Singer in *Lilloa*, 22, p. 577, 1951. (Syn. *Naucoria pygmaea* (Bull. ex Fr.) Gill.).
- *siparius* (Fr.) Singer in *Lilloa*, 22, p. 577, 1951. (Syn. *Naucoria siparia* (Fr.) Gill.).
- *wieslandri* (Fr.) Singer in *Lilloa*, 22, p. 577, 1951. (Syn. *Naucoria wieslandri* (Fr.) Karst.).
- Phaeomyces albidula* (Pat.) Singer in *Lilloa*, 22, p. 309, 1951. (Syn. *Collybia albidula* Pat.).
- Phialophora goidanichii* Delitala in *Ann. Sper. agr.*, N.S. 6, p. 254, 1952 on fruits of *Pyrus malus*.—Italy.
- *radicicola* Cain in *Canad. J. Bot.*, 30, p. 340, 1952 from roots of *Zea mays*.—Ontario.
- Phlebiella candidissima* (Schw.) W. B. Cooke in *Mycologia*, 44, p. 253, 1952. (Syn. *Polyporus candidissimus* Schw.).
- *braunii* (Bres.) Heinemann in *Bull. Jard. bot. Brux.*, 21, p. 243, 1951. (Syn. *Boletus braunii* Bres.).
- var. *brunneoruber* (Beeli) Heinemann in *Bull. Jard. bot. Brux.*, 21, p. 243, 1951. (Syn. *Boletus braunii* var. *brunneoruber* Beeli.).
- *portentosus* (Berk. & Br.) Boedijn in *Sydowia*, 5, p. 218, 1951. (Syn. *Boletus portentosus* Berk. & Br.).
- *silvaticus* Heinemann in *Bull. Jard. bot. Brux.*, 21, p. 245, 1951.—Belgian Congo.
- Phleospora crescentium* (Barth.) Riley in *Mycologia*, 44, p. 215, 1952. (Syn. *Cylindrosporium crescentium* Barth.).
- *valesiaca* (Niessl) Müller in *Sydowia*, 5, p. 269, 1951. (Syn. *P. discors* var. *valesiaca* Niessl.).
- Pholiota abstrusa* (Fr. sensu Lange) Singer in *Lilloa*, 22, p. 516, 1951. (Syn. *Flammula abstrusa* (Fr.) Romagn.).
- *flavida* (Schaeff. ex Fr.) Singer in *Lilloa*, 22, p. 516, 1951. (Syn. *Flammula flavida* (Schaeff. ex Fr.) Quél.).
- *fusa* (Batsch ex Fr. sensu Ricken) Singer in *Lilloa*, 22, p. 516, 1951. (Syn. *Flammula fusa* (Batsch ex Fr.) Gill.).
- *graminis* (Quél.) Singer in *Lilloa*, 22, p. 516, 1951. (Syn. *Flammula graminis* (Quél.) Singer.).
- *semimbricata* (Singer) Singer in *Lilloa*, 22, p. 516, 1951. (Syn. *Flammula semimbricata* Singer.).
- Pholiotina alnicola* (Fr.) Singer in *Lilloa*, 22, p. 516, 1951. (Syn. *Flammula alnicola* (Fr.) Quél.).
- *astragalina* (Fr.) Singer in *Lilloa*, 22, p. 516, 1951. (Syn. *Flammula astragalina* (Fr.) Quél.).
- *bicolor* (Speg.) Singer in *Lilloa*, 22, p. 517, 1951. (Syn. *Flammula bicolor* Speg.).
- *carbonaria* (Fr.) Singer in *Lilloa*, 22, p. 517, 1951. (Syn. *Flammula carbonaria* (Fr.) Quél.).
- *freindlingiae* (Singer) Singer in *Lilloa*, 22, p. 516, 1951. (Syn. *Flammula freindlingiae* Singer.).
- *gummosa* (Lasch) Singer in *Lilloa*, 22, p. 517, 1951. (Syn. *Flammula gummosa* (Lasch) Quél.).
- *lapponica* (Fr.) Singer in *Lilloa*, 22, p. 517, 1951. (Syn. *Naucoria lapponica* (Fr.) Sacc.).
- *lenta* (Pers. ex Fr.) Singer in *Lilloa*, 22, p. 516, 1951. (Syn. *Flammula lenta* (Pers. ex Fr.) Gill.).
- *lubrica* (Pers. ex Fr.) Singer in *Lilloa*, 22, p. 516, 1951. (Syn. *Flammula lubrica* (Pers. ex Fr.) Quél.).
- *peronata* (Kühn. & Maire) Singer in *Lilloa*, 22, p. 487, 1951. (Syn. *Conocybe peronata* Kühn. & Maire.).
- *pygmaeoaffinis* (Fr.) Singer in *Lilloa*, 22, p. 487, 1951. (Syn. *Galera pygmaeoaffinis* (Fr.) Lange.).
- *spumosa* (Fr.) Singer in *Lilloa*, 22, p. 517, 1951. (Syn. *Flammula spumosa* (Fr.) Karst.).
- *subnuda* (Kühn.) Singer in *Lilloa*, 22, p. 487, 1951. (Syn. *Conocybe subnuda* Kühn.).
- *vestita* (Fr. apud Quél.) Singer in *Lilloa*, 22, p. 487, 1951. (Syn. *Galera vestita* Fr. apud Quél.).
- Phoma macrocollum* Bausá Alcalde in *An. Jard. bot. Madr.*, 10, p. 233, 1952 on *Calystegia sepium*.—Spain.
- *minuta* Bausá Alcalde in *An. Jard. bot. Madr.*, 10, p. 235, 1952 on dead *Calystegia sepium*.—Spain.
- *valentina* Bausá Alcalde in *An. Jard. bot. Madr.*, 10, p. 236, 1952 on dead *Fontanesia phillyraeoides*.—Spain.
- Phomopsis abutilonis* de Urries in *An. Jard. bot. Madr.*, 10, p. 211, 1952 on *Abutilon sordidum*.—Spain.
- *anonae* de Urries in *An. Jard. bot. Madr.*, 10, p. 214, 1952 on *Anona cherimolia*.—Spain.
- *asparagicola* Bausá Alcalde in *An. Jard. bot. Madr.*, 10, p. 237, 1952 on *Asparagus plumosus*.—Spain.
- *bauhiniae* Bausá Alcalde in *An. Jard. bot. Madr.*, 10, p. 237, 1952 on dead *Bauhinia purpurea*.—Spain.
- *bougainvilleae* da Camara in *Agron. lusit.*, 13, p. 134, 1951 on *Bougainvillea*.—Portugal.
- *cassiae* da Camara in *Agron. lusit.*, 13, p. 199, 1951 on *Cassia*.—Portugal.
- *catalpicola* Bausá Alcalde in *An. Jard. bot. Madr.*, 10, p. 239, 1952 on *Catalpa koempferi*.—Spain.
- *fontanesiae* Bausá Alcalde in *An. Jard. bot. Madr.*, 10, p. 240, 1952 on *Fontanesia phillyraeoides*.—Spain.
- *grabowskiae* Bausá Alcalde in *An. Jard. bot. Madr.*, 10, p. 241, 1952 on *Grabowskia boerhaaviaefolia*.—Spain.
- *lentisci* (Passer.) da Camara in *Agron. lusit.*, 13, p. 135, 1951. (Syn. *Phoma lentisci* Passer.).
- *macrocollum* Bausá Alcalde in *An. Jard. bot. Madr.*, 10, p. 241, 1952 on *Calystegia sepium*.—Spain.
- *viticis* de Urries in *An. Jard. bot. Madr.*, 10, p. 217, 1952 on *Vitex agnus-castus* and *V. macrophylla*.—Spain.
- Phragmidella africana* Cummins in *Bull. Torrey bot. Cl.*, 79, p. 215, 1952 on *Stereospermum acuminatissimum*.—Sierra Leone.
- Phyllachora tequendamensis* (Chard.) Petrak in *Sydowia*, 5, p. 337, 1951. (Syn. *Endotrachia tequendamensis* Chard.).
- Phylloporus ater* (Beeli) Heinemann in *Bull. Jard. bot. Brux.*, 21, p. 260, 1951. (Syn. *Favolus ater* Beeli.).
- *carmineus* Heinemann in *Bull. Jard. bot. Brux.*, 21, p. 263, 1951.—Belgian Congo.
- *purpureus* (Beeli) Heinemann in *Bull. Jard. bot. Brux.*, 21, p. 250, 1951. (Syn. *Favolus purpureus* Beeli.).
- var. *ambiguus* Heinemann in *Bull. Jard. bot. Brux.*, 21, p. 253, 1951.—Belgian Congo.
- *testaceus* Heinemann & Goossens apud Heinemann in *Bull. Jard. bot. Brux.*, 21, p. 255, 1951.—Belgian Congo.

- var. *bisporus* Heinemann in *Bull. Jard. bot. Brux.*, 21, p. 258, 1951.—Belgian Congo.
- *tubipes* Heinemann in *Bull. Jard. bot. Brux.*, 21, p. 261, 1951.—Belgian Congo.
- Phyllosticta caatingae* Batista in *Bol. Agric., Pernambuco*, 17, p. 163, 1950 on *Croton sincorensis*.—Brazil.
- *multiformis* Pettinari in *Ann. Sper. agr.*, N.S. 6, p. 124, 1952 on *Lactuca scariola*.—Italy.
- *zeae-maydis* Saccas in *Rev. Path. Vég.*, 30, p. 189, 1951 on dead *Zea mays*.—French Equatorial Africa.
- Physoderma marsileae* Brewster in *Mycologia*, 44, p. 99, 1952 on *Marsilea vestita*.—Kansas, U.S.A.
- Pilidium australasicum* (Speg.) Petrak in *Sydowia*, 5, p. 341, 1951. (Syn. *Sclerotiopsis australasica* Speg.).
- Pleospora caudata* (Rehm) Müller in *Sydowia*, 5, p. 291, 1951. (Syn. *P. media* Niessl forma *caudata* Rehm).
- *donacis* (Berl.) Müller in *Sydowia*, 5, p. 293, 1951. (Syn. *Clathrospora donacis* Berl.).
- *epilobii* Müller in *Sydowia*, 5, p. 290, 1951 on *Epilobium angustifolium*.—Switzerland.
- *heterophragmia* da Camara in *Agron. lusit.*, 13, p. 128, 1951 on *Lonicera*.—Portugal.
- *leontopodii* (D. Cruchet) Müller in *Sydowia*, 5, p. 285, 1951. (Syn. *P. helvetica* Niessl var. *leontopodii* D. Cruchet).
- *minor* Wehmeyer in *Amer. J. Bot.*, 39, p. 242, 1952 on grass.—England.
- *moravica* (Petrak) Wehmeyer in *Amer. J. Bot.*, 39, p. 241, 1952. (Syn. *Pyrenophora moravica* Petrak).
- *phlei* Müller in *Sydowia*, 5, p. 267, 1951 on *Phleum phleoides*.—Switzerland.
- *potentillae* (Rostr.) Müller in *Sydowia*, 5, p. 266, 1951. (Syn. *Sphaerulina potentillae* Rostr.).
- *raetica* Müller in *Sydowia*, 5, p. 272, 1951 on *Trisetum distichophyllum*.—Switzerland.
- *rubicunda* var. *americana* Wehmeyer in *Amer. J. Bot.*, 39, p. 242, 1952 on *Pedicularis latifolia*.—Washington State, U.S.A.
- *rupestris* Müller in *Sydowia*, 5, p. 306, 1951 on *Minuartia verna*.—Switzerland.
- *saponariae* (Frag.) Wehmeyer in *Amer. J. Bot.*, 39, p. 241, 1952. (Syn. *Pyrenophora saponariae* Frag.).
- *subalpina* Müller in *Sydowia*, 5, p. 274, 1951 on *Poa alpina*.—Switzerland.
- *wegeliniana* Müller nom. nov. in *Sydowia*, 5, p. 301, 1951. (Syn. *Strickeria longispora* Wegelin non *P. longispora* Pass.).
- *zeina* Saccas in *Rev. Path. Vég.*, 30, p. 190, 1951 on dead *Zea mays*.—French Equatorial Africa.
- Pleuroflammula phillipsii* (Berk.) Singer in *Sydowia*, 5, p. 473, 1951. (Syn. *Agaricus phillipsii* Berk. & Br.).
- Pleurophomopsis valentinus* de Urries in *An. Jard. bot. Madr.*, 10, p. 220, 1952 on *Jasminum officinalis*.—Spain.
- Pleurotus hirtus* (Fr.) Singer in *Lilloa*, 22, p. 271, 1951. (Syn. *Agaricus hirtus* Fr.).
- *phellodendri* (Sing.) Singer in *Lilloa*, 22, p. 270, 1951. (Syn. *Tectella phellodendri* Singer).
- *sajor-caju* (Fr.) Singer in *Lilloa*, 22, p. 271, 1951. (Syn. *Lentinus sajor-caju* Fr.).
- *subglaber* (Lloyd) Singer in *Lilloa*, 22, p. 271, 1951. (Syn. *Lentinus subglaber* Lloyd).
- *tuber-regium* (Fr.) Singer in *Lilloa*, 22, p. 271, 1951. (Syn. *Lentinus tuber-regium* (Fr.) Fr.).
- Pluteus bruchii* (Speg.) Singer in *Lilloa*, 22, p. 404, 1951. (Syn. *Nolanea bruchii* Speg.).
- *xylophilus* (Speg.) Singer in *Lilloa*, 22, p. 405, 1951. (Syn. *Entoloma xylophilum* Speg.).
- Pocillum concinnum* (Syd.) Petrak in *Sydowia*, 5, p. 346, 1951. (Syn. *Orthoscypha concinna* Syd.).
- Podoconis anacardii* (Hansf.) Hughes in *Mycol. Pap., C.M.I.*, 48, p. 65, 1952. (Syn. *Teratosperma anacardii* Hansf.).
- Podosphaera longiseta* Sawada in *Bull. Govt Forest Exp. Sta., Tokyo*, 50, p. 105, 1951 on *Prunus grayana*.—Japan.
- Polyphagus ramosus* Jaag & Nipkow in *Ber. schweiz. bot. Ges.*, 61, p. 493, 1951 on *Sphaerocystis schroeteri*.—Switzerland.
- Polyporus caespitosissimus* Singer nom. nov. in *Lilloa*, 22, p. 269, 1951. (Syn. *P. caespitosus* sensu Lloyd non al.).
- *subcaperatus* (Murr.) Singer in *Lilloa*, 22, p. 269, 1951. (Syn. *Hexagona subcaperata* Murr.).
- *subradicatus* (Murr.) Singer in *Lilloa*, 22, p. 269, 1951. (Syn. *Scutiger subradicatus* Murr.).
- *transmutans* Overholts in *Mycologia*, 44, p. 226, 1952 on wood.—Pennsylvania, U.S.A.
- Porphyrellus niger* Heinemann & Goossens apud Heinemann in *Bull. Jard. bot. Brux.*, 21, p. 333, 1951.—Belgian Congo.
- Prospodium oblectum* Sydow apud Cummins in *Bull. Torrey bot. Cl.*, 79, p. 216, 1952 on *Clytostoma calystegioides*.—Argentina.
- Protodontia piceicola* (Kühner) Martin in *State Univ. Iowa Stud. nat. Hist.*, 19, 3, p. 63, 1952. (Syn. *Protodydnum lividum* var. *piceicolum* Kühner).
- Protomyces wozniczkoii* Szulcowski in *Acta Soc. bot. polon.*, 21, p. 193, 1952 on *Galinsoga parviflora*.—Poland.
- Psalliota excellens* Moll. nom. nov. in *Friesia*, 4, p. 178, 1952. (Syn. *P. augusta* sensu Ricken et al., non Fries).
- *fissurata* Moll. in *Friesia*, 4, p. 165, 1952.—Denmark.
- *leucotricha* Moll. in *Friesia*, 4, p. 159, 1952.—Denmark.
- *luteo-maculata* Moll. in *Friesia*, 4, p. 192, 1952.—Denmark.
- *lutosa* Moll. in *Friesia*, 4, p. 188, 1952.—Denmark.
- *macrocarpa* Moll. in *Friesia*, 4, p. 153, 1952.—Denmark.
- *macrospora* (Moll. & Schäff.) Moll. in *Friesia*, 4, p. 181, 1952. (Syn. *P. arvensis* (Schaeff.) Fr. subsp. *macrospora* Moll. & Schäff.).
- *meleagris* Schäff. var. *obscurata* (Maire) Moll. in *Friesia*, 4, p. 173, 1952. (Syn. *Agaricus xanthodermus* Genev. var. *obscuratus* Maire).
- var. *terricolor* Moll. in *Friesia*, 4, p. 208, 1952.—Denmark.
- *nivescens* Moll. in *Friesia*, 4, p. 155, 1952.—Denmark.
- var. *parkensis* Moll. in *Friesia*, 4, p. 158, 1952.—Denmark.
- *phaeolepidota* Moll. in *Friesia*, 4, p. 170, 1952.—Denmark.
- *purpurascens* (Cooke) Moll. in *Friesia*, 4, p. 187, 1952. (Syn. *Agaricus arvensis* (Schaeff.) Fr. var. *purpurascens* Cooke).

- *purpurella* Moll. nom. nov. in *Friesia*, 4, p. 193, 1952. (Syn. *P. amethystina* sensu Lange, non Quél.).
- *tenuivolvata* Moll. in *Friesia*, 4, p. 149, 1952.—Sweden.
- *xantholepis* Moll. in *Friesia*, 4, p. 191, 1952.—Denmark.
- Psathyrella casca* (Fr.) Singer in *Lilloa*, 22, p. 467, 1951. (Syn. *Hypholoma casca* (Fr.) Quél.).
- *hydrophila* (Bull. ex Fr.) Singer in *Lilloa*, 22, p. 468, 1951. (Syn. *Hypholoma hydrophila* (Bull. ex Fr.) Quél.).
- *longistriata* (Murrill) A. H. Smith, *Mushrooms in their Natural Habitats*, p. 552, 1949. (Syn. *Stropharia longistriata* Murr.).
- *marcescibilis* (Britz.) Singer in *Lilloa*, 22, p. 466, 1951. (Syn. *Hypholoma marcescibilis* (Britz.) Sacc.).
- *microrhiza* (Lasch) Singer in *Lilloa*, 22, p. 469, 1951. (Syn. *Psathyra microrhiza* (Lasch) Sacc.).
- *noli-tangere* (Fr.) Singer in *Lilloa*, 22, p. 469, 1951. (Syn. *Pannucia noli-tangere* (Fr.) Karst.).
- *pennata* (Fr.) Singer in *Lilloa*, 22, p. 469, 1951. (Syn. *Psathyra pennata* Fr. sensu Lange).
- *pygmaea* (Quél.) Singer in *Lilloa*, 22, p. 467, 1951. (Syn. *Drosophila pygmaea* Quél.).
- *roystoniae* (Earle) Singer in *Lilloa*, 22, p. 469, 1951. (Syn. *Gymnochilus roystoniae* Earle).
- *sarcocephala* (Fr.) Singer in *Lilloa*, 22, p. 468, 1951. (Syn. *Psilocybe sarcocephala* (Fr.) Gill.).
- *scobinacea* (Fr.) Singer in *Lilloa*, 22, p. 466, 1951. (Syn. *Stropharia scobinacea* (Fr.) Sacc.).
- *spadicea* (Schaeff. ex Fr.) Singer in *Lilloa*, 22, p. 468, 1951. (Syn. *Psilocybe spadicea* (Schaeff. ex Fr.) Quél.).
- *subcernua* (Schulzer) Singer in *Lilloa*, 22, p. 468, 1951. (Syn. *Agaricus (Nolanea) subcernuus* Schulzer).
- *typhae* (Kalehbr.) Singer in *Lilloa*, 22, p. 467, 1951. (Syn. *Psathyra typhae* (Kalehbr.) Sacc.).
- *velutina* (Pers. ex Fr.) Singer in *Lilloa*, 22, p. 466, 1951. (Syn. *Hypholoma velutina* (Pers. ex Fr.) Quél.).
- Pseudobaeospora oligophylla* (Singer) Singer in *Lilloa*, 22, p. 438, 1951. (Syn. *Baeospora oligophylla* Singer).
- Pseudohiatula conigenoides* (Ellis) Singer in *Lilloa*, 22, p. 320, 1951. (Syn. *Collybia conigenoides* (Ellis) Sacc.).
- *esculenta* (Wulfen apud Jacq. ex Fr.) Singer in *Lilloa*, 22, p. 320, 1951. (Syn. *Collybia esculenta* (Fr.) Quél.).
- PSEUDOSARCOPHOMA** de Urries in *An. Jard. bot. Madr.*, 10, p. 227, 1952.—Melanconiales.
- *caballeroi* de Urries in *An. Jard. bot. Madr.*, 10, p. 227, 1952 on *Erinacea pungens*.—Spain.
- Pseudovalsa shearii* Petrak in *Sydowia*, 5, p. 486, 1951 on dead *Melia azedarach*.—Louisiana, U.S.A.
- Psilocybe blattariopsis* (Speg.) Singer in *Lilloa*, 22, p. 506, 1951. (Syn. *Pholiotella blattariopsis* Speg.).
- *cubensis* (Earle) Singer in *Lilloa*, 22, p. 507, 1951. (Syn. *Stropharia cubensis* Earle).
- Puccinia alamedensis* Baxter in *Lloydia*, 14, p. 213, 1952 on *Salvia tiliaefolia*.—Guatemala.
- *asprellae-japonicae* Hara apud Ito & Murayama in *Trans. Sapporo nat. Hist. Soc.*, 17, p. 167, 1943 on *Hystrix hackeli*.—Japan.
- *behboudii* Esfandiari in *Sydowia*, 5, p. 366, 1951 on *Cachrys*.—Iran.
- *biporula* Baxter in *Lloydia*, 14, p. 218, 1952 on *Salvia fulgens*.—Mexico.
- *cenchri* Diet. & Holw. var. *africana* Cummins in *Bull. Torrey bot. Cl.*, 79, p. 217, 1952 on *Cenchrus ciliaris*.—Uganda.
- *claytoniicola* Cummins in *Bull. Torrey bot. Cl.*, 79, p. 218, 1952 on *Claytonia lanceolata*.—Wyoming, U.S.A.
- *clematidis-hayatae* Sawada apud Ito & Murayama in *Trans. Sapporo nat. Hist. Soc.*, 17, p. 169, 1943 on *Clematis hayata*.—Formosa.
- *crepidis-integrae* Hiratsuka f. nom. nov. in *J. Jap. Bot.*, 17, p. 113, 1952. (Telial state of *Uredo crepidis-integrae* Lindr.).
- *cyathulicola* Cummins in *Bull. Torrey bot. Cl.*, 79, p. 218, 1952 on *Cyathula uncinulata*.—Nyasaland.
- var. *kenyensis* Cummins in *Bull. Torrey bot. Cl.*, 79, p. 220, 1952 on *Cyathula uncinulata*.—Kenya.
- *delicatula* (Arth.) Sacc. & Trott. var. *niveoides* (Cumm.) Baxter in *Lloydia*, 14, p. 207, 1952. (Syn. *P. niveoides* Cumm.).
- *dombeyae* Cummins in *Bull. Torrey bot. Cl.*, 79, p. 220, 1952 on *Dombeya nairobiensis*.—Kenya.
- *enixa* Cummins in *Bull. Torrey bot. Cl.*, 79, p. 220, 1952 on *Baccharis*.—Costa Rica.
- *farinacea* Long var. *azurea* Baxter in *Lloydia*, 14, p. 221, 1952 on *Salvia azurea*.—Alabama, U.S.A.
- var. *constricta* Baxter in *Lloydia*, 14, p. 222, 1952 on *Salvia karwinskii*.—Guatemala.
- *— *graminis* Pers. subsp. *lolii* Waterhouse in *Proc. Linn. Soc. N.S.W.*, 76, p. 57, 1951 on *Lolium* and other grasses.—Australia.
- *guizotiae* Cummins in *Bull. Torrey bot. Cl.*, 79, p. 221, 1952 on *Guizotia scabra*.—Uganda.
- *hashiokai* Hiratsuka f. nom. nov. in *J. Jap. Bot.*, 18, p. 570, 1942. (Syn. *Uredotaiwaniana* Hiratsuka f. & Hashioka).
- *ibozae* Cummins in *Bull. Torrey bot. Cl.*, 79, p. 222, 1952 on *Iboza multiflora*.—Nyasaland.
- *ishizuchiensis* Hiratsuka f. in *J. Jap. Bot.*, 27, p. 115, 1952 on *Galium japonicum*.—Japan.
- *kenyana* Cummins in *Bull. Torrey bot. Cl.*, 79, p. 222, 1952 on *Vernonia cistifolia*.—Kenya.
- *lycoridicola* Hiratsuka f. & Hara apud Ito & Murayama in *Trans. Sapporo nat. Hist. Soc.*, 17, p. 168, 1943 on *Lycoris*.—Japan.
- *mitrata* Syd. var. *basiporula* Baxter in *Lloydia*, 14, p. 218, 1952 on *Salvia purpurea*.—Mexico.
- *nokoensis* Sawada apud Ito & Murayama in *Trans. Sapporo nat. Hist. Soc.*, 17, p. 169, 1943 on *Angelica morrisonicola*.—Formosa.
- *padwickii* Cummins in *Bull. Torrey bot. Cl.*, 79, p. 224, 1952 on *Cyathula tomentosa*.—India.
- *sphaeralceoides* Cummins nom. nov. in *Bull. Torrey bot. Cl.*, 79, p. 224, 1952. (Syn. *P. sphaeralceae* Gäum., non Ellis & Ev.).
- *tripsacicola* Cummins in *Bull. Torrey bot. Cl.*, 79, p. 225, 1952 on *Tripsacum dactyloides*.—Ecuador.
- *wiehei* Cummins in *Bull. Torrey bot. Cl.*,

- 79, p. 226, 1952 on *Setaria splendida*.—Nyasaland.
- Pulveroboletus aberrans** Heinemann & Goossens apud Heinemann in *Bull. Jard. bot. Brux.*, 21, p. 310, 1951.—Belgian Congo.
- annulatus** Heinemann in *Bull. Jard. bot. Brux.*, 21, p. 302, 1951.—Belgian Congo.
- carminiporus** Heinemann in *Bull. Jard. bot. Brux.*, 21, p. 307, 1951.—Belgian Congo.
- cavipes** Heinemann in *Bull. Jard. bot. Brux.*, 21, p. 313, 1951.—Belgian Congo.
- croceus** Heinemann in *Bull. Jard. bot. Brux.*, 21, p. 303, 1951.—Belgian Congo.
- viridis** Heinemann & Goossens apud Heinemann in *Bull. Jard. bot. Brux.*, 21, p. 306, 1951.—Belgian Congo.
- Punctularia affinis** (Berk. & Curt.) Talbot in *Bothalia*, 6, p. 25, 1951. (Syn. *Reticularia affinis* Berk. & Curt.).
- Pyrenophora scirpicola** (DC.) Müller in *Sydowia*, 5, p. 256, 1951. (Syn. *Sphaeria scirpicola* DC.).
- typhicola** (Cooke) Müller in *Sydowia*, 5, p. 256, 1951. (Syn. *Sphaeria typhicola* Cooke).
- PYRGOSTROMA** Petrak in *Sydowia*, 5, p. 484, 1951.—Sphaeropsidales.
- shearii** Petrak in *Sydowia*, 5, p. 484, 1951 on dead *Melia azedarach*.—Louisiana, U.S.A.
- Pyrrhoglossum hepatizon** (Berk.) Singer in *Sydowia*, 5, p. 474, 1951. (Syn. *Agaricus hepatizon* Berk.).
- Pythium helicum** T. Ito in *J. Jap. Bot.*, 20, p. 56, in 1944 in water.—Japan.
- pleroticum** T. Ito in *J. Jap. Bot.*, 20, p. 59, 1944 in water.—Japan.
- polypapillatum** T. Ito in *J. Jap. Bot.*, 20, p. 58, 1944 in water.—Japan.
- Ravenelia acaciae-senegalae** Sanwal in *Sydowia*, 5, p. 414, 1951 on *Acacia senegal*.—India.
- acacicola** Sanwal in *Sydowia*, 5, p. 414, 1951 on *Acacia senegal*.—India.
- ajmerensis** Sanwal in *Sydowia*, 5, p. 415, on *Acacia*.—India.
- albizzicola** Cummins in *Bull. Torrey bot. Cl.*, 79, p. 226, 1952 on *Albizia harveyi*.—Nyasaland.
- wiehei** Cummins in *Bull. Torrey bot. Cl.*, 79, p. 227, 1952 on *Cassia*.—Nyasaland.
- Resupinatus cyphelliformis** (Berk.) Singer in *Lilloa*, 22, p. 253, 1951. (Syn. *Agaricus cyphelliformis* Berk.).
- rhacodium** (Berk. & Curt.) Singer in *Lilloa*, 22, p. 253, 1951. (Syn. *Agaricus rhacodium* Berk. & Curt.).
- silvanus** (Sacc.) Singer in *Lilloa*, 22, p. 253, 1951. (Syn. *Agaricus silvanus* Sacc.).
- unguicularis** (Fr.) Singer in *Lilloa*, 22, p. 253, 1951. (Syn. *Pleurotus unguicularis* (Fr.) Qué.).
- Rhabdospora pandani** (v. Höhn.) Petrak in *Sydowia*, 5, p. 351, 1951. (Syn. *Septoriopsis pandani* v. Höhn.).
- Rhinotrichum spirale** (Penz. & Sacc.) Boedijn in *Sydowia*, 5, p. 225, 1951. (Syn. *Physospora spiralis* Penz. & Sacc.).
- Rhizophidium deformans** Jaag & Nipkow in *Ber. schweiz. bot. Ges.*, 61, p. 483, 1951 on *Oscillatoria rubescens*.—Switzerland.
- oscillatoriae-rubescens** Jaag & Nipkow in *Ber. schweiz. bot. Ges.*, 61, p. 485, 1951 on *Oscillatoria rubescens*.—Switzerland.
- Rhodocybe fallax** (Qué.) Singer in *Lilloa*, 22, p. 609, 1951. (Syn. *Omphalia fallax* Qué.).
- himantiigena** (Speg.) Singer in *Lilloa*, 22, p. 609, 1951. (Syn. not cited).
- mundula** (Lasch) Singer in *Lilloa*, 22, p. 609, 1951. (Syn. *Rhodopaxillus mundulus* (Lasch) Konr. & Maubl.).
- noveboracensis** (Peck) Singer in *Lilloa*, 22, p. 609, 1951. (Syn. *Clitopilus noveboracensis* (Peck) Sacc.).
- popinalis** (Fr.) Singer in *Lilloa*, 22, p. 609, 1951. (Syn. *Clitopilus popinalis* (Fr.) Gill.).
- roseiavellanea** (Murr.) Singer in *Lilloa*, 22, p. 609, 1951. (Syn. *Pleurotus roseiavellaneus* Murr.).
- Rhodophyllus blandfordii** (Henn.) Singer in *Lilloa*, 22, p. 616, 1951. (Syn. *Eccilia blandfordii* Henn.).
- coelestinus** var. **violaceus** (Kauff.) A. H. Smith, *Mushrooms in their Natural Habitats*, p. 449, 1949. (Syn. *Nolanea coelestina* var. **violacea** Kauffman).
- giganteus** (Murr.) Singer in *Lilloa*, 22, p. 622, 1951. (Syn. *Entoloma giganteum* Murr.).
- grayanus** (Peck) Singer in *Lilloa*, 22, p. 617, 1951. (Syn. *Entoloma grayanum* (Peck) Sacc.).
- kamerunensis** (Bres.) Singer in *Lilloa*, 22, p. 618, 1951. (Syn. *Nolanea kamerunensis* Bres.).
- lazuinellus** Singer nom. nov. in *Lilloa*, 22, p. 616, 1951. (Syn. *Pleurotus lazulinus* Speg.).
- sinuatus** (Bull. ex Fr.) Singer nom. nov. in *Lilloa*, 22, p. 622, 1951. (Syn. *Agaricus lividus* Bull. ex Fr., non Pers. ex Schwein.).
- strictior** (Peck) Singer in *Lilloa*, 22, p. 617, 1951. (Syn. *Entoloma strictius* (Peck) Sacc.).
- Rimbachia spathularia** (Berk. & Curt.) Singer in *Lilloa*, 22, p. 741, 1951. (Syn. *Craterellus spathularius* Berk. & Curt.).
- Ripartitella brasiliensis** (Speg.) Singer in *Lilloa*, 22, p. 452, 1951. (Syn. *Pleurotus brasiliensis* Speg.).
- Ripartites amparae** Singer in *Schweiz. Z. Pilzk. Bern*, 28, p. 195, 1950.—Argentina.
- Russula adae** T. Cernohorsky in *Sydowia*, 5, p. 315, 1951.—Austria.
- altaica** (Singer) Singer in *Lilloa*, 22, p. 715, 1951. (Syn. *R. gracilis* Burl. subsp. **altaica** Singer).
- caucasica** (Singer) Singer in *Lilloa*, 22, p. 714, 1951. (Syn. *R. puellaris* Fr. var. **caucasica** Singer).
- cremea** (Murr.) Singer in *Lilloa*, 22, p. 711, 1951. (Syn. *R. heterospora* var. **cremea** Murr.).
- ***Sabouradites rivalieri** Vanbreuseghem in *Arch. belg. Derm. Syph.*, 7, p. 1 (of reprint), 1951 on man.—Belgian Congo.
- Sarcodontia setosa** (Pers.) Donk in *Mycologia*, 44, p. 262, 1952. (Syn. *Hydnum setosum* Pers.).
- Sclerotinia kitajimana** Ito & Hosaka in *Bull. Govt Forest Exp. Sta., Tokyo*, 51, p. 17, 1951 on dead *Cryptomeria japonica*.—Japan.
- Sepedonium ampullosporum** Damon in *Mycologia*, 44, p. 91, 1952 in culture from C.B.S., Baarn, Holland.
- chlorinum** (Tul.) Damon in *Mycologia*, 44, p. 95, 1952. (Syn. *Hypomyces chlorinus* Tulasne).
- Septoria cravensis** Bernaux in *Rev. Mycologie*, N.S., 16, p. 210, 1952 on *Teucrium cravense*.—France.
- sincorensis** Batista in *Bol. Agric., Pernam-*

- bucco*, 17, p. 164, 1950 on *Croton sincorensis*.—Brazil.
- Sorosporium aristidae-cyananthae** (Bref.) Zundel in Fischer, *The Smut Fungi*, p. 30, 1951. (Syn. *Ustilago aristidae-cyananthae* Bref.).
- loudetiae** Viennot-Bourgin in *Rev. Mycologie*, 16, Suppl. Col. No. 2, p. 104, 1951 on *Loudetia*.—Cameroons.
- setaricola** Thirumalachar & Safee. in *Sydowia*, 5, p. 439, 1951 on *Setaria pallidifusca*.—India.
- Sphacelotheca hydropiperis** (Schum.) Debary var. **columellifera** (Tul.) Zundel in Fischer, *The Smut Fungi*, p. 40, 1951. (Syn. *Ustilago hydropiperis* var. *columellifera* Tul.).
- pappophori** (Pat.) Zundel in Fischer, *The Smut Fungi*, p. 42, 1951. (Syn. *Ustilago pappophori* Pat.).
- Sphaeronaema platani** da Camara in *Agron. lusit.*, 13, p. 137, 1951 on *Platanus*.—Portugal.
- Sphaerotheca spiraeae** Sawada in *Bull. Govt Forest Exp. Sta.*, Tokyo, 50, p. 104, 1951 on *Spiraea thunbergii* & *S. prunifolia*.—Japan.
- Stachybotrys parvispora** Hughes in *Mycol. Pap.*, C.M.I., 48, p. 74, 1952 on dead *Ananas comosus*.—Gold Coast.
- Stagonospora betulina** (Rostr.) Sacc. forma **crassisporea** da Camara in *Agron. lusit.*, 13, p. 207, 1951 on *Abnus glutinosa*.—Portugal.
- zeina** Saccas in *Rev. Path. Vég.*, 30, p. 192, 1951 on dead *Zea mays*.—French Equatorial Africa.
- Stagonostroma gigaspora** da Camara in *Agron. lusit.*, 13, p. 207, 1951 on *Agave americana*.—Portugal.
- Steccherinum investiens** (Berk.) Boedijn in *Sydowia*, 5, p. 213, 1951. (Syn. *Hydnum investiens* Berk.).
- Stictis caballeri** Bausá Alcalde in *An. Jard. bot. Madr.*, 10, p. 233, 1952 on dead *Pithecolobium polyccephalum*.—Spain.
- STILBELLULA** Boedijn in *Sydowia*, 5, p. 227, 1951.—Stilbaceae.
- pallida** Boedijn in *Sydowia*, 5, p. 228, 1951.—Java.
- Stilbospora terminaliae** Hughes in *Mycol. Pap.*, C.M.I., 48, p. 77, 1952 on *Terminalia*.—Gold Coast.
- Strasseria agapanthi** da Camara in *Agron. lusit.*, 13, p. 137, 1951 on *Agapanthus umbellatus*.—Portugal.
- viburni** da Camara in *Agron. lusit.*, 13, p. 138, 1951 on *Viburnum tinus*.—Portugal.
- Stromatinia narcissi** Drayton & Groves in *Mycologia*, 44, p. 127, 1952 on outer scales of *Narcissus* bulbs.—Ontario, Canada.
- STROMATOCREA** W. B. Cooke in *Mycologia*, 44, p. 248, 1952.—Moniliales.
- cerebriforme** W. B. Cooke in *Mycologia*, 44, p. 249, 1952 on dead *Acer glabrum* var. *douglasii*.—Washington, U.S.A.
- Suillus rubinus** (W. G. Smith) Singer in *Lilloa*, 22, p. 659, 1951. (Syn. *Boletus rubinus* W. G. Smith).
- sibiricus** (Singer) Singer in *Lilloa*, 22, p. 657, 1951. (Syn. *Ixocomus sibiricus* Singer).
- subsp. **helveticus** Singer nom. nov. in *Lilloa*, 22, p. 657, 1951. (Syn. *Ixocomus sibiricus* sensu Favre non Singer).
- Synchytrium borrieriae** Lacy in *Indian Phytopathology*, 3, p. 159, 1951 on *Borreria hispida*.—India.
- nyctanthidis** Lacy in *Indian Phytopathology*, 3, p. 160, 1951 on *Nyctanthes arbor-tristis*.—India.
- sesamicola** Lacy in *Indian Phytopathology*, 3, p. 159, 1951 on *Sesamum indicum*.—India.
- stereospermi** Lacy in *Indian Phytopathology*, 3, p. 157, 1951 on *Stereospermum suaveolens*.—India.
- Teichospora helianthemii** (Ade) Petrak in *Sydowia*, 5, p. 409, 1951. (Syn. *Cucurbitaria helianthemii* Ade).
- ***Teichosporella pachyasca** Luc in *Rev. Mycologie*, 16, Suppl. Col. No. 2, p. 115, 1951 on *Cola vera*.—Ivory Coast.
- Termitomyces clypeatus** Heim nom. nov. in *Bull. Jard. bot. Brux.*, 21, p. 207, 1951. (Syn. *Pluteus goossensiae* Beeli p. p. and *Schulzeria goossensiae* Belli p. p.).
- globulus** Heim & Goossens apud Heim in *Bull. Jard. bot. Brux.*, 21, p. 216, 1951 in termite nest.—Belgian Congo.
- medius** Heim & Grassé in *Rev. sci.*, Paris, 88, p. 8, 1950 in nest of *Ancistrotermes latinotus*.—French Equatorial Africa.
- Thaxteria lutea** Batista in *Bol. Agric.*, Pernambuco, 17, p. 5, 1950 on wood.—Brazil.
- Thecaphora rhynchosporae** Fischer in *Res. Stud. St. Coll. Wash.*, 20, p. 5, 1952 on *Rhynchospora plumosa*.—Missouri, U.S.A.
- Thyrostroma acanthophylli** Esfandiari in *Sydowia*, 5, p. 369, 1951 on *Acanthophyllum*.—Iran.
- Tilachlidium ramosum** (Mains) Mains in *Mycologia*, 43, p. 714, 1952. (Syn. *Hirsutella ramosa* Mains).
- Tilletia asperifolioides** Fischer in *Res. Stud. St. Coll. Wash.*, 20, p. 6, 1952 on *Muhlenbergia filiformis*.—Colorado, U.S.A.
- brevifaciens** Fischer in *Res. Stud. St. Coll. Wash.*, 20, p. 11, 1952 on *Agropyron intermedium*.—Idaho, U.S.A.
- makutensis** Thirumalachar & Safee. in *Sydowia*, 5, p. 440, 1951 on *Setaria pallidifusca*.—India.
- narasimhanii** Thirumalachar & Safee. in *Sydowia*, 5, p. 442, 1951 on *Panicum trypheron*.—India.
- pachyderma** Fischer in *Res. Stud. St. Coll. Wash.*, 20, p. 7, 1952 on *Muhlenbergia utilis*.—Mexico.
- scrobiculata** Fischer in *Res. Stud. St. Coll. Wash.*, 20, p. 6, 1952 on *Poa secunda*.—Idaho, U.S.A.
- Titaea costaricana** (Syd.) Boedijn in *Sydowia*, 5, p. 225, 1951. (Syn. *Aorate costaricana* Syd.).
- Torula convolvuli** Esfandiari in *Sydowia*, 5, p. 370, 1951 on *Convolvulus*.—Iran.
- Tremella coalescens** Olive in *Mycologia*, 43, p. 678, 1952 on wood.—Louisiana, U.S.A.
- TRICHODOTHELLA** Petrak apud Blumer in *Résult. Rech. sci. Parc nat. Suisse, N.S.*, 2, 14, p. 37, 1946.—Dothideales.
- blumeri** Petrak apud Blumer in *Résult. Rech. sci. Parc nat. Suisse, N.S.*, 2, 14, p. 37, 1946 on *Globularia cordifolia*.—Switzerland.
- Tricholoma atrobrunneum** Dennis in *Trans. Brit. mycol. Soc.*, 34, p. 476, 1951.—Trinidad.
- auratocephalum** (Ellis) Singer in *Lilloa*, 22, p. 224, 1951. (Syn. *Hygrophorus auratocephalus* Ellis).
- czuicum** (Singer) Singer in *Lilloa*, 22, p. 224, 1951. (Syn. *Hygrocybe czuicum* Singer).
- griseum** Dennis in *Trans. Brit. mycol. Soc.*, 34, p. 477, 1951.—Trinidad.

- *naranjanum* Dennis in *Trans. Brit. mycol. Soc.*, 34, p. 477, 1951.—Trinidad.
- *ponderosum* (Peck) Singer in *Lilloa*, 22, p. 227, 1951. (Syn. *Armillaria ponderosa* Peck).
- *rimosoides* Dennis in *Trans. Brit. mycol. Soc.*, 34, p. 479, 1951.—Trinidad.
- *russuloides* Murrill in *Mycologia*, 44, p. 113, 1952.—Florida, U.S.A.
- Tricholomopsis fimbriatophylla* (Kauffm.) Singer in *Lilloa*, 22, p. 196, 1951. (Syn. *Hygrophorus fimbriatophyllus* Kauffm.).
- *flavescens* (Peck) Singer in *Lilloa*, 22, p. 196, 1951. (Syn. *Tricholoma flavescens* (Peck) Sacc.).
- *flavissima* (A. H. Smith) Singer in *Lilloa*, 22, p. 196, 1951. (Syn. *Clitocybe flavissima* A. H. Smith).
- *formosa* (Murr.) Singer in *Lilloa*, 22, p. 196, 1951. (Syn. *Cortinellus formosus* Murr.).
- *tropica* Dennis in *Trans. Brit. mycol. Soc.*, 34, p. 475, 1951.—Trinidad.
- Trichoscyphella tenuipilosa* Cash apud W. B. Cooke in *Mycologia*, 44, p. 245, 1952 on *Pinus ponderosa*.—Washington, U.S.A.
- Trichoseptoria maydina* Saccas in *Rev. Path. Vég.*, 30, p. 194, 1951 on *Zea mays*.—French Equatorial Africa.
- Trichosporon intermedium* Florenzano in *Ric. sci.*, 20, p. 1495, 1950 from wine.—Italy.
- Trichothecium cystosporium* Duddington in *Trans. Brit. mycol. Soc.*, 34, p. 600, 1951 on nematodes.—England.
- Tylophilus beelii* Heinemann & Goossens apud Heinemann in *Bull. Jard. bot. Brux.*, 21, p. 324, 1951.—Belgian Congo.
- *striatulus* Heinemann in *Bull. Jard. bot. Brux.*, 21, p. 320, 1951.—Belgian Congo.
- *suavissimus* Heinemann & Goossens apud Heinemann in *Bull. Jard. bot. Brux.*, 21, p. 315, 1951.—Belgian Congo.
- *tenuis* Heinemann in *Bull. Jard. bot. Brux.*, 21, p. 317, 1951.—Belgian Congo.
- var. *purpureobadius* Heinemann in *Bull. Jard. bot. Brux.*, 21, p. 318, 1951.—Belgian Congo.
- *violaceus* (Beeli) Heinemann in *Bull. Jard. bot. Brux.*, 21, p. 322, 1951. (Syn. *Boletus violaceus* Beeli).
- F** *Uncinula asteris* Sawada in *Bull. Govt Forest Exp. Sta., Tokyo*, 50, p. 108, 1951 on *Aster ageratoides* subsp. *obovatus*.—Japan.
- *Uraecium africanum* Cummins in *Bull. Torrey bot. Cl.*, 79, 1952, p. 227, on *Baphia nitida*.—Gold Coast.
- *carpodini* Cummins in *Bull. Torrey bot. Cl.*, 79, p. 228, 1952 on *Carpodinus dulcis*.—Sierra Leone.
- *magnisporum* Cummins in *Bull. Torrey bot. Cl.*, 79, p. 228, 1952 on *Croton macrostachys*.—Kenya.
- R** *Uredo aburiensis* Cummins in *Bull. Torrey bot. Cl.*, 79, p. 229, 1952 on *Lannea acidissima*.—Gold Coast.
- R** — *alafiae* Cummins & Gopalkrishnan apud Cummins in *Bull. Torrey bot. Cl.*, 79, p. 230, 1952 on *Alafia clusioides*.—Uganda.
- RJ** — *calotropisidis* Cummins in *Bull. Torrey bot. Cl.*, 79, p. 230, 1952 on *Calotropis procera*.—Colombia.
- *chlorophorae* Cummins in *Bull. Torrey bot. Cl.*, 79, p. 230, 1952 on *Chlorophora regia*.—Sierra Leone.
- RI** — *jeffersii* Cummins in *Bull. Torrey bot. Cl.*, 79, p. 231, 1952 on *Rubus*.—Venezuela.
- *laporteeae* Hiratsuka f. in *J. Jap. Bot.*, 27, p. 116, 1952 on *Laportea bulbifera*.—Japan.
- *maschalocephali* Cummins in *Bull. Torrey bot. Cl.*, 79, p. 231, 1952 on *Maschalocephalus dinklagei*.—Liberia.
- *mckinleyensis* Cummins in *Bull. Torrey bot. Cl.*, 79, p. 231, 1952 on *Salix reticulata* var. *gigantifolia*.—Alaska.
- *monechmae* Cummins in *Bull. Torrey bot. Cl.*, 79, p. 231, 1952 on *Monechma subsessile*.—Uganda.
- *morifolia* Sawada apud Ito & Murayama in *Trans. Sapporo nat. Hist. Soc.*, 17, p. 171, 1943 on *Morus alba* and *M. australis*.—Formosa.
- *myopori* Cummins in *Bull. Torrey bot. Cl.*, 79, p. 232, 1952 on *Myoporum sandwichense*.—Hawaii.
- *panici-plicati* Sawada apud Ito & Murayama in *Trans. Sapporo nat. Hist. Soc.*, 17, p. 170, 1943 on *Panicum plicatum*.—Formosa.
- *stenochlaenae* Cummins in *Bull. Torrey bot. Cl.*, 79, p. 232, 1952 on *Stenochlaena vestita*.—Honduras.
- Urocystis hepaticae-trilobae* (DC.) Moesz (this *Index*, ii, p. 30) is prior to the comb. in ii, p. 44.
- *ranunculi-auricomi* (Liro) Zundel in Fischer, *The Smut Fungi*, p. 113, 1951. (Syn. *Tubercinia ranunculi-auricomi* Liro).
- Uromyces kigesianus* Cummins in *Bull. Torrey bot. Cl.*, 79, p. 233, 1952 on *Pittosporum abyssinicum*.—Uganda.
- *occultus* Lindquist in *Bol. Soc. argent. Bot.*, 3, p. 223, 1951 on *Juncus densiflorus* var. *pohlii*.—Argentine.
- *rhinacanthi* Cummins in *Bull. Torrey bot. Cl.*, 79, p. 233, 1952 on *Rhinacanthus nasutus*.—Togoland.
- *wiehei* Cummins in *Bull. Torrey bot. Cl.*, 79, p. 233, 1952 on *Thalictrum rhynchocarpum*.—Nyasaland.
- *wolfii* Cummins in *Bull. Torrey bot. Cl.*, 79, p. 234, 1952 on *Borreria laevis*.—Venezuela.
- *yakushimensis* Hiratsuka f. & Katsuki in *J. Jap. Bot.*, 27, p. 113, 1952 on *Trichosanthes multiloba*.—Japan.
- Ustilago compacta* Fischer in *Res. Stud. St. Coll. Wash.*, 20, p. 8, 1952 on *Lolium multiflorum*.—Oregon, U.S.A.
- *enneapogonis* Fischer in *Res. Stud. St. Coll. Wash.*, 20, p. 8, 1952 on *Enneapogon desvauxii*.—Arizona, U.S.A.
- *halophiloides* Fischer in *Res. Stud. St. Coll. Wash.*, 20, p. 9, 1952 on *Distichlis stricta*.—Oregon, U.S.A.
- *hilaricola* Fischer in *Res. Stud. St. Coll. Wash.*, 20, p. 10, 1952 on *Hilaria jamesii*.—Nevada, U.S.A.
- Vaginata fulva* (Fr.) A. H. Smith, *Mushrooms in their Natural Habitats*, p. 396, 1949. (Syn. *Agaricus vaginatus* Fr. var. *fulva* Fr.).
- *inaurata* (Secr.) A. H. Smith, *Mushrooms in their Natural Habitats*, p. 398, 1949. (Syn. *Amanita inaurata* Secrétan).
- Valsaria squarrosa* Batista in *Bol. Agric., Pernambuco*, 17, p. 62, 1950 on *Ficus benjamina*.—Brazil.
- Vanromburghia rugulosa* (Lév.) Boedijn in *Sydowia*, 5, p. 214, 1951. (Syn. *Phlebophora rugulosa* Lév.).
- Verticillium albo-atrum* Reinke & Berthold var. *dahliae* (Klebahn) Nelson, *Verticillium*

- wilt of Peppermint, p. 110, 1950. (Syn. *V. dahliae* Klebahn).
- var. *menthae* Nelson, *Verticillium wilt of Peppermint*, p. 111, 1950 on *Mentha* spp. and *Monarda fistulosa*.—Michigan, U.S.A.
- VIEGASIA** Batista in *Bol. Agric., Pernambuco*, 18, p. 32, 1951.—Polystomellaceae.
- *cissampeli* (Hansford) Batista in *Bol. Agric., Pernambuco*, 18, p. 32, 1951. (Syn. *Schneepia cissampeli* Hansford).
- Volvariella bombycina** (Pers. ex Fr.) Singer in *Lilloa*, 22, p. 401, 1951. (Syn. *Volvaria bombycina* (Pers. ex Fr.) Quél.).
- *cnemidophora* (Mont.) Singer in *Lilloa*, 22, p. 401, 1951. (Syn. *Volvaria cnemidophora* (Mont.) Sacc.).
- *diplasia* (Berk. & Br.) Singer in *Lilloa*, 22, p. 401, 1951. (Syn. *Volvaria diplasia* (Berk. & Br.) Sacc.).
- *esculenta* (Masse) Singer in *Lilloa*, 22, p. 401, 1951. (Syn. *Volvaria esculenta* Masse).
- *media* (Schum. ex Fr.) Singer in *Lilloa*, 22, p. 401, 1951. (Syn. *Volvaria media* (Schum. ex Fr.) Gill.).
- *plumulosa* (Lasch ex Oudemans) Singer in *Lilloa*, 22, p. 401, 1951. (Syn. *Volvaria plumulosa* (Lasch) Quél.).
- *pubescentipes* (Peck) Singer in *Lilloa*, 22, p. 401, 1951. (Syn. *Volvaria pubescentipes* (Peck) Sacc.).
- *pusilla* (Pers. ex Fr.) Singer in *Lilloa*, 22, p. 401, 1951. (Syn. *Volvaria pusilla* (Pers. ex Fr.) Quél.).
- *speciosa* (Fr.) Singer in *Lilloa*, 22, p. 401, 1951. (Syn. *Volvaria speciosa* (Fr.) Gill.).
- var. *gloiocephala* (DC. ex Fr.) Singer in *Lilloa*, 22, p. 401, 1951. (Syn. *Volvaria gloiocephala* (DC. ex Fr.) Gill.).
- *surrecta* (Knapp) Singer in *Lilloa*, 22, p. 401, 1951. (Syn. *Volvaria surrecta* (Knapp) Ramsb.).
- *taylori* (Berk.) Singer in *Lilloa*, 22, p. 401, 1951. (Syn. *Volvaria taylori* (Berk.) Quél.).
- *villosovolva* (Lloyd) Singer in *Lilloa*, 22, p. 401, 1951. (Syn. *Volvaria villosovolva* Lloyd).
- *volvacea* (Bull. ex Fr.) Singer in *Lilloa*, 22, p. 401, 1951. (Syn. *Agaricus volvaceus* Bull. ex Fr.).
- Whitfordia elegans** (Spreng. ex Fr.) Singer in *Lilloa*, 22, p. 732, 1951. (Syn. *Daedalea elegans* Spreng. ex Fr.).
- Xerocomus albobrunneus** Heinemann & Goossens apud Heinemann in *Bull. Jard. bot. Brux.*, 21, p. 271, 1951.—Belgian Congo.
- *alliaceus* (Beeli) Heinemann in *Bull. Jard. bot. Brux.*, 21, p. 266, 1951. (Syn. *Boletus alliaceus* Beeli).
- *boletiformis* (Beeli) Heinemann in *Bull. Jard. bot. Brux.*, 21, p. 274, 1951. (Syn. *Favolus boletiformis* Beeli).
- *pallidiporus* Heinemann in *Bull. Jard. bot. Brux.*, 21, p. 273, 1951.—Belgian Congo.
- *pseudotristis* Heinemann & Goossens apud Heinemann in *Bull. Jard. bot. Brux.*, 21, p. 278, 1951.—Belgian Congo.
- *sulcatipes* Heinemann & Goossens apud Heinemann in *Bull. Jard. bot. Brux.*, 21, p. 276, 1951.—Belgian Congo.
- *spinulosus* Heinemann & Goossens apud Heinemann in *Bull. Jard. bot. Brux.*, 21, p. 268, 1951.—Belgian Congo.
- Xeromphalina orickiana** (A. H. Smith) Singer in *Lilloa*, 22, p. 368, 1951. (Syn. *Omphalia orickiana* A. H. Smith).
- Xerula pudens** (Pers. ex S. F. Gray) Singer in *Lilloa*, 22, p. 289, 1951. (Syn. *Agaricus pudens* Pers.).
- Xylosphaeria deviata** Petrak in *Sydowia*, 5, p. 241, 1951 on dead *Sabal palmetto*.—Florida, U.S.A.
- *marylandica* Petrak in *Sydowia*, 5, p. 239, 1951 on dead *Ulmus*.—Maryland, U.S.A.
- Zignoella milleri** (Chard.) Petrak in *Sydowia*, 5, p. 233, 1951. (Syn. *Melanopsamma milleri* Chard.).

HOST INDEX

For Phanerogams see under families; for Algae, Fungi, and Pteridophyta see under those names; for animal hosts see under Insecta, Invertebrata, and Vertebrata

ACANTHACEAE

- Monechma subsessile*
Uredo monechmae
Rhinacanthus nasutus
Uromyces rhinacanthi

ACERACEAE

- Acer glabrum* var. *douglasii*
Stromatocrea cerebriforme
Acer negundo
Macrophoma negundinis

ALGAE

- Oscillatoria rubescens*
Rhizophidium deformans
Rhizophidium oscillatoriae-rubescens
Sphaerocystis Schroeteri
Polyphagus ramosus
Vaucheria geminata
Chytridium sexuale

AMARANTACEAE

- Cyathula tomentosa*
Puccinia padwickii
Cyathula uncinulata
Puccinia cyathulicola
Puccinia cyathulicola var. *kenyensis*

AMARYLLIDACEAE

- Agave americana*
Stagonostroma gigaspora
Lycoris
Puccinia lycoridicola
Narcissus
Stromatinia narcissi

ANACARDIACEAE

- Lansea acidissima*
Uredo aburiensis

ANNONACEAE

- Annona cherimolia*
Phomopsis anonae
Cleistopholis patens
Asterina disseminata var. *cleistopholidis*
Meliola popowiae var. *cleistopholidis*

APOCYNACEAE

- Alafia clusioides*
Uredo alafiae
Carpodinus dulcis
Uraecium carpodini
Mandevilla
Hemileia mandevillae

- APOCYNACEAE (continued)**
Thevetia neriiifolia
Fusicoccum lahoreanum
Trachelospermum jasminoides
Ascochyta trachelospermi
AQUIFOLIACEAE
Ilex aquifolium
Hendersonia ilicina
ARACEAE
Culcasia scandens
Annellophora appendiculata
ASCLEPIADACEAE
Calotrosis procera
Uredo calotropsidis
?Leptadenia pyrotechnica
Diplodina iranica
Margaretta whytei
Acidium margarettae
Tylophora conspicua
Acidium tafense
BERBERIDACEAE
Mahonia aquifolium
Colletotrichum mahoniae
BETULACEAE
Alnus glutinosa
Stagonospora betulina f. crassispota
BIGNONIACEAE
Catalpa koempferi
Phomopsis catalpicola
Clytostoma calystegioides
Prospodium oblectum
Stereospermum acuminatissimum
Phragmidella africana
Stereospermum suaveolens
Synchytrium stereospermi
BOMBACACEAE
Bombax malabaricum
Diplodia bombacina
BORAGINACEAE
Cordia obliqua
Cytospora corticola
BROMELIACEAE
Ananas comosus
Stachybotrys parvispora
Portea
Parmularia portea
BURSERACEAE
Commiphora
Nothoravenelia commiphorae
CAPPARIDACEAE
Capparis aphylla
Camarosporium capparidis
CAPRIFOLIACEAE
Lonicera
Pleospora heterophragmia
Viburnum tinus
Strasseria viburni
CARYOPHYLLACEAE
Acanthophyllum
Thyrostroma acanthophylli
Minuartia verna
Pleospora rupestris
CHENOPODIACEAE
Atriplex halimus
Cerebella atriplicis
CISTACEAE
Cistus ladaniferus
Hendersonia cisti
COMBRETACEAE
Combretum
Cerotelium combreti
R
Terminalia
Stilbospora terminaliae
- COMPOSITAE**
Aster ageratoides subsp. *obovatus*
Uncinula asteris
Baccharis
Puccinia enixa
Blumea
Entyloma globigena
Centaurea jacea
Leptosphaeria jaceae
Erlangea marginata
Angiopsora wiehei
Galinsoga parviflora
Protomyces wozniczkoii
Guizotia scabra
Puccinia guizotiae
Lactuca scariola
Phyllosticta multififormis
Olearia avicenniaefolia
Nectria westlandica
Pertya glabrescens
Coleosporium pertyae
Senecio scandens
Acidium senecionis-scandentis
Vernonia cistifolia
Puccinia kenya
CONIFERAE
Cryptomeria japonica
Sclerotinia kitajimana
Larix occidentalis
Coccodinium laricis
Pinus palustris
Naemacyclus stictiformis
Pinus ponderosa
Trichoscyphella tenuipilosa
Pseudotsuga taxifolia var. *glauca*
Helminthosporium pseudotsugae
CONVOLVULACEAE
Calystegia sepium
Phoma macrocollum
Phoma minuta
Phomopsis macrocollum
Convolvulus
Torula convolvuli
CORNACEAE
Helwingia japonica
Microsphaera helwingiae
CUCURBITACEAE
Luffa acutangula
Colletotrichopsis luffae
Trichosanthes dioica
Blastotrichum chowdhuryi
Trichosanthes multiloba
Uromyces yashimensis
CYPERACEAE
Scirpus tabernaemontanus
Arthrinium curvatum var. *minus*
Rhynchospora plumosa
Thecaphora rhynchosporae
DATISCAEAE
Datisca cannabina
Cercospora datiscicola
DILLENIACEAE
Tetracera alnifolia
Asterina scruposa var. *longipoda*
ERICACEAE
Arbutus unedo
Didymosphaeria dimastospora
EUPHORBACEAE
Croton macrostachys
Uraecium magnisporum
Croton sincorensis
Phyllosticta caatingae
Septoria sincorensis

EUPHORBIACEAE (continued)

- Euphorbia pulcherrima*
Fusicoccum euphorbiae
Macaranga huraefolia
Meliola bougheyana
Manihot palmata
Gloeosporium caballeroi
Tragia spathulata
Asterina tragiae

FAGACEAE

- Quercus*
Discosia nobilis
Hercospora concinna
Mycosphaerella psilospora
Quercus atropatena
Cladosporium manoutchehrii
Quercus serrata
Microsphaera querci

FUNGI

- Exidia glandulosa*
Helicogloea parasitica
Melanconiopsis africana
Nectria fuliginosipora
Phyllachora
Leptosphaeria caucana

GERANIACEAE

- Pelargonium peltatum*
Dothiorella paucilocelata

GLOBULARIACEAE

- Globularia cordifolia*
Trichodothella blumeri

GRAMINEAE

- Agropyron intermedium*
Tilletia brevifaciens
Cenchrus ciliaris
Puccinia cenchri var. *africana*
Cynodon dactylon
Dothiorella graminicola
Distichlis stricta
Ustilago halophiloides
Enneapogon desvauxii
Ustilago enneapogonis
Hilaria jamesii
Ustilago hilaricola
Hystrix hackeli
Puccinia asprellae-japonicae
Imperata cylindrica var. *africana*
Deightonella africana
Lolium
Puccinia graminis subsp. *lolii*
Lolium multiflorum
Ustilago compacta
Loudetia
Sorosporium loudetiae
Muhlenbergia filiformis
Tilletia asperifolioides
Muhlenbergia utilis
Tilletia pachyderma
Oryza sativa
Fusarium annulatum
Fusarium moniliforme var. *oryzae*
Fusarium nivale var. *oryzae*
Gibberella fujikuroi f. *oryzae*
Oryzopsis miliacea
Leptosphaeria papillosa
Panicum antidotale
Diplodina panici
Panicum plicatum
Uredo panici-plicati
Panicum trypheron
Tilletia narasimhanii
Phleum alpinum
Clathrospora multiseptata

GRAMINEAE (continued)

- Phleum phleoides*
Pleospora phlei
Poa alpina
Pleospora subalpina
Poa secunda
Tilletia scrobiculata
Saccharum officinarum
Dictyoarthrinium africanum
Setaria pallidifusca
Sorosporium setaricola
Tilletia makutensis
Setaria splendida
Puccinia wiehei
Tripsacum dactyloides
Puccinia tripsacicola
Trisetum distichophyllum
Pleospora raetica
Trisetum flavescens
Neottiosporella triseti
Zea mays
Acanthostigma zeae
Coleroa boukokoensis
Coleroa maydicola
Coniothyrium maydis
Didymosphaeria maydis
Diplodia zeicola
Diplodina drouillonii
Gibbera maydis
Hendersonia maydis
Leptosphaeria zeae-maydis
Leptosphaeria zeicola
Mycosphaerella zeina
Nectria zeae
Ophiobolus zeae
Ophioceras zeae
Phialophora radiculicola
Phyllosticta zeae-maydis
Pleospora zeina
Stagonospora zeina
Trichoseptoria maydina

HAMAMELIDACEAE

- Liquidambar styraciflua*
Cryptodiapotha liquidambaris
Discosporium liquidambaris

INSECTA

- Ancistrotermes latinotus*
Termitomyces medius
Bembidion picipes
Laboulbenia bembidii-palpi
Laboulbenia odobena
Laboulbenia tapirina
 INVERTEBRATA (other than Insecta)
 Nematodes
Arthrobotrys robusta
Dactylella lobata
Didymozoopphaga arthrobotryoides var. *indolens*
Didymozoopphaga dolioformis
Didymozoopphaga globospora
Didymozoopphaga globospora var. *microspora*
Didymozoopphaga globospora var. *rosea*
Didymozoopphaga kirghizica
Didymozoopphaga oligospora var. *fusiformis*
Didymozoopphaga oviformis
Didymozoopphaga oviformis var. *ramosa*
Didymozoopphaga pravicovia
Didymozoopphaga spongiosa
Didymozoopphaga superba var. *macrospora*
Trichothecium cystosporium

JUNCACEAE

- Juncus densiflorus* var. *pohlii*
Uromyces occultus

- LABIATAE**
Elsholtzia patrini
Ischnochaeta elsholtziae
Iboza multiflora
Puccinia ibozae
Lavandula stoechas
Leptosphaeria lavandulae
Marrubium vulgare
Diplodina marrubii
Mentha spp.
Verticillium albo-atrum var. *menthae*
Monarda fistulosa
Verticillium albo-atrum var. *menthae*
Nepeta glechoma
Erysiphe nepetae
Salvia
Dothiorella salviae
Salvia azurea
Puccinia farinacea var. *azurea*
Salvia fulgens
Puccinia biporula
Salvia karwinskii
Puccinia farinacea var. *constricta*
Salvia pseudococcinea
Aecidium wiehei
Salvia purpurea
Puccinia mitrata var. *basiporula*
Salvia tiliaefolia
Puccinia alamedensis
Teucrium cravense
Septoria cravensis
LARDIZABALACEAE
Akebia quinata
Microsphaera akebiae
Akebia trifoliata
Microsphaera akebiae
LAURACEAE
Beilschmeidia tawa
Nectria tawa
LEGUMINOSAE
Acacia
Ravenelia ajmerensis
Acacia arabica
Cytospora lignicola
Acacia cuminghami
Colletotrichum acaciae
Acacia senegal
Ravenelia acaciae-senegaliae
Ravenelia acacicola
Albizzia harveyi
Ravenelia albizziicola
Baphia nitida
Asterina baphiae
Uraecium africanum
Bauhinia purpurea
Phomopsis bauhiniae
Carmichaelia
Nectria hauturu
Cassia
Phomopsis cassiae
Ravenelia wiehei
I *Ceratonia siliqua*
Amphichaeta ceratoniae
F *Erinacea pungens*
Pseudosarcophoma caballeroi
Fabricia laevigata
F *Diplodia fabriciae*
Massaria sphaerelloidea
Gymnocladus canadensis
Colletotrichum gymnocladi
Indigofera
Helminthosporium iranicum
R *Pithecolobium polycephalum*
Massaria sphaerelloidea
Stictis caballeroi
- LILIACEAE**
Agapanthus umbellatus
Strasseria agapanthi
Asparagus
Fusicoccum asparagi
Asparagus plumosus
Phomopsis asparagicola
LOGANIACEAE
Anthocleista nobilis
Annellophora africana
LORANTHACEAE
Loranthus
Asterina aburiensis
LYTHRACEAE
Lagerstroemia alba
Dothiorella lagerstroemiae
MAGNOLIACEAE
Magnolia obovata
Microsphaera magnoliae
Schizandra nigra
Microsphaera schizandra
MALVACEAE
Abutilon sordidum
Phomopsis abutilonis
Abutilon striatum
Ascochyta abutilonicola
Plagianthus betulinus
Nectria plagianthi
Sida
Coleosporium sidae
MARANTACEAE
Hypselodelphis ?poggeana
Meliola hypselodelphidis
MELIACEAE
Melia azedarach
Pseudovalsa shearii
Pyrgostroma shearii
MENISPERMACEAE
Triclisia subcordata
Meliola pericampyli var. *triclisiae*
MORACEAE
Chlorophora regia
Uredo chlorophorae
Ficus palmata
Dothiorella ficina
Morus alba
Uredo morifolia
Morus australis
Uredo morifolia
Ficus benjamina
Valsaria squarrosa
MYOPORACEAE
Myoporum acuminatum
Microbotryodiplodia myopori
Myoporum sandwichense
Uredo myopori
MYRTACEAE
Eucalyptus
Cylindrocladium scoparium var. *brasiliensis*
Leptospermum ericoides
Nectria manuka
NYCTAGINACEAE
Bougainvillea
Diplodia bougainvilleae
Phomopsis bougainvilleae
OLEACEAE
Fontanesia phillyraeoides
Alveophoma caballeroi
Phoma valentina
Phomopsis fontanesiae
Jasminum officinalis
Pleurophomopsis valentinus

OLEACEAE (continued)

- Ligustrum vulgare*
Cytospora teheranica
Nyctanthes arbor-tristis
Synchytrium nyctanthidis

ONAGRACEAE

- Epilobium angustifolium*
Pleospora epilobii

PALMAE

- Borassus aethiopus*
Dictyoarthrinium quadratum
Cocos nucifera
Dictyosporium cocophyllum
Sabal palmetto
Massarina floridana
Xylosphaeria deviata

PEDALIACEAE

- Sesamum indicum*
Synchytrium stereospermi

PINACEAE

- Pinus radiata*
Nectria radiata

PITTOSPORACEAE

- Pittosporum abyssinicum*
Uromyces ligesianus
Pittosporum undulatum
Coryneum dolioloides

PLATANACEAE

- Platanus*
Sphaeronaema platani

POLEMONIACEAE

- Polemonium californicum*
Entyloma montis-ranieri

PORTULACACEAE

- Claytonia lanceolata*
Puccinia claytoniicola

PTERIDOPHYTA

- Marsilea vestita*
Physoderma marsileae
Stenochlaena vestita
Uredo stenochlaenae

RANUNCULACEAE

- Clematis hayata*
Puccinia clematis-hayatae
Paeonia officinalis
Ascochyta paeoniae
Thalictrum rhynchocarpum
Uromyces wiehei

RAPATEACEAE

- Maschalocephalus dinklagei*
Uredo maschalocephali

RHAMNACEAE

- Berchemia racemosa*
Microsphaera berchemiae
Zizyphus jujuba
Diplodiella milleri

ROSACEAE

- Acomastylis turbinata*
Cashiella atra
Prunus
Massaria sphaerelloidea
Prunus grayana
Podosphaera longiseta
Pyrus malus
Phialophora goidanichii
Rubus
Uredo jeffersii
Spiraea prunifolia
Sphaerotheca spiraeae
Spiraea thunbergii
Sphaerotheca spiraeae

RUBIACEAE

- Anthocephalus cadamba*
Gloeosporium anthocephali
Asperula galioides
Passeriniella adeana
Borreria hispida
Synchytrium borrieriae
Borreria laevis
Uromyces wolffii
Coprosma grandifolia
Nectria coprosmae
Coprosma pseudocuneata
Nectria ruapehu
Galium japonicum
Puccinia ishizuchiensis
Ixora
Asterinella ixoricola

RUTACEAE

- Citrus limonum*
Gloeosporium pedemontanum

SALICACEAE

- Salix reticulata* var. *gigantifolia*
Uredo mckinleyensis

SALVADORACEAE

- Salvadora oleoides*
Diplodia salvadorina

SAMYDACEAE

- Homalium dolichophyllum*
Asterina homallicola

SAXIFRAGACEAE

- Lithophragma parviflora*
Entyloma lithophragmae

SCROPHULARIACEAE

- Pedicularis latifolia*
Pleospora minor var. *americana*

SIMARUBACEAE

- Picrasma quassioides*
Microsphaera picrasmae

SOLANACEAE

- Grabowskia boerhaaviaefolia*
Dothiorella valentina
Phomopsis grabowskiae
Withania somnifera
Coniothyrium withaniae
Diplodia withaniae

STAPHYLEACEAE

- Staphylea bumalda*
Microsphaera staphyleae

STERCULIACEAE

- Cola vera*
Melanconiopsis africana
Melomastix hyalostoma
Phaeobotryosphaeria varians
Teichospora pachyasca
Dombeya nairobiensis
Puccinia dombeyae
Theobroma cacao
Menisporopsis theobromae

ULMACEAE

- Celtis prantlii*
Meliola celtidiae var. *prantlii*
Ulmus
Xylosphaeria marylandica

UMBELLIFERAE

- Angelica morrisonicola*
Puccinia nokoensis
Cachrys
Puccinia behboudii
Hydrocotyle ranunculoides
Entyloma fimbriatum
Lomatium grayi
Ascochyta lomatii

URTICACEAE

Boehmeria caudata
Kuehneromyces nudus
Laportea bulbifera
Uredo laporteeae
Pilea petiolaris
Ischnochaeta pileae

VERBENACEAE

Vitex agnus-castus
Phomopsis viticis
Vitex macrophylla
Phomopsis viticis

VERTEBRATAE

Homo sapiens
Sabourdia rivalieri

VITACEAE

Cissus oreophila
Asterina cissi
Leea guineensis
Asterina leae

WINTERACEAE

Pseudowintera colorata
Nectria fragilis

The Editor gratefully acknowledges the assistance of Drs. R. Singer, J. A. Stevenson, and Edith Cash for supplying details of certain citations.

I

F

R

R

PRINTED IN
GREAT BRITAIN
AT THE
UNIVERSITY PRESS
OXFORD
BY
CHARLES BATEY
PRINTER
TO THE
UNIVERSITY

LIBRARY,
BOTANY DEPARTMENT
University of Allahabad.

I
F
R
—
R

INDEX OF FUNGI

PUBLISHED SINCE THE BEGINNING OF 1940

Formerly issued as Supplements to the Review of Applied Mycology

VOL. II

PART 6

1953

- Achorion decipiens* (Boedijn & Verbunt) Boedijn in *Mycopathologia*, 6, p. 133, 1951. (Syn. *Favotrichophyton decipiens* Boedijn & Verbunt).
- Actinodothidopsis nitida* Petrak in *Sydowia*, 6, p. 242, 1952 on *Coprosma*.—Hawaii.
- Aecidium satsumense* Hiratsuka f. in *Mem. Fac. Agric. Tokyo Univ.* 1, p. 89, 1952 on *Arisaema ringens* var. *praecox*.—Japan.
- Agrocybe fimicola* (Speg.) Singer in *Lilloa*, 23, p. 209, 1950. (Syn. *Naucoria fimicola* Speg.).
- ANTENNOPSIS** Heim in *Bull. Soc. mycol. Fr.*, 67, p. 347, 1952.—Moniliales.
- gallica* Heim & Buchli in *Bull. Soc. mycol. Fr.*, 67, p. 347, 1952 on *Reticulitermes flavipes* var. *santonensis*.—France.
- Aplanes ozeensis* Kobayasi in *J. Jap. Bot.*, 27, p. 181, 1952 in water.—Japan.
- Arrhenia flabellula* (Berk. & Curt.) Dennis in *Kew. Bull.*, 1952, p. 327, 1952. (Syn. *Laschia flabellula* [Berk. & Curt.] Cooke).
- Asterina systema-solare* Massee var. *minor* E. Fischer in *Proc. roy. Soc. Vict.*, N.S., 62, p. 131, 1950 on *Banksia robur* and *B. robur* var. *minor*.—Queensland, Australia.
- Basidiophora butleri** (Weston) Thirumalachar & Whithead in *Amer. J. Bot.*, 39, p. 418, 1952. (Syn. *Sclerospora butleri* Weston).
- Belonioscypha lactea* (Ellis & Ev.) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 177, 1951. (Syn. *Helotium lacteum* Ellis & Ev.).
- Belonium atosanguineum* (Rehm) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 172, 1951. (Syn. *Calloria atosanguinea* Rehm).
- basitrichum* (Sacc.) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 170, 1951. (Syn. *Belonidium basitrichum* Sacc.).
- carincolum* (Rehm) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 175, 1951. (Syn. *Belonidium carincolum* Rehm).
- culmicola* (Desm.) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 176, 1951. (Syn. *Peziza culmicola* Desm.).
- glyceriae* (Peck) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 170, 1951. (Syn. *Belonidium glyceriae* Peck).
- heteromorphum* (Ellis & Ev.) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 174, 1951. (Syn. *Peziza heteromorpha* Ellis & Ev.).
- intermedium* (Rehm) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 175, 1951. (Syn. *Belonidium intermedium* Rehm).
- minimum* (Ellis & Ev.) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 172, 1951. (Syn. *Belonidium minimum* Ellis & Ev.).
- parksii* (Cash) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 171, 1951. (Syn. *Belonidium parksii* Cash).
- phlegmaceum* (Ellis) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 172, 1951. (Syn. *Peziza phlegmacea* Ellis).
- quisquiliarum* (Berk. & Curt.) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 172, 1951. (Syn. *Peziza quisquiliarum* Berk. & Curt.).
- sclerogenum* (Berk. & Curt.) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 173, 1951. (Syn. *Peziza sclerogena* Berk. & Curt.).
- tympanoides* (Ellis & Ev.) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 171, 1951. (Syn. *Belonidium tympanoides* Ellis & Ev.).
- Beltrania indica* C. V. Subramanian in *Proc. Indian Acad. Sci.*, Sect. B, 36, p. 45, 1952 on dead pods of *Caesalpinia pulcherrima*.—India.
- Botryconis sanguinea* Tubaki apud Kominami, Kobayasi, & Tubaki in *Nagaoa*, 1, p. 7, 1952 from soil.—Japan.
- Botryotinia draytoni* (Buddin & Wakef.) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 62, 1951. (Syn. *Sclerotinia draytoni* Buddin & Wakef.).
- narcissicola* (Gregory) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 63, 1951. (Syn. *Sclerotinia narcissicola* Gregory). [But see this *Index*, 1, p. 277.]
- Calloria caricinella** (Peck) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 167, 1951. (Syn. *Helotium caricinellum* Peck).
- coccinea* (Earle) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 164, 1951. (Syn. *Niptera coccinea* Earle).
- cremea* (Cash) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 168, 1951. (Syn. *Helotium cremeum* Cash).
- glagosa* (Ellis & Ev.) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 167, 1951. (Syn. *Peziza glagosa* Ellis & Ev.).
- helotioides* (Rehm) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 167, 1951. (Syn. *Lanzia helotioides* Rehm).
- lithospermi* (Ellis & Ev.) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 165, 1951. (Syn. *Niptera lithospermi* Ellis & Ev.).
- muelleri* (Willey) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 168, 1951. (Syn. *Phacopsis muelleri* Willey).
- nitens* (Cash) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 165, 1951. (Syn. *Helotium nitens* Cash).
- Calonectria novae-zealandiae** Dingley in *Trans. roy. Soc. N.Z.*, 79, p. 404, 1952 on *Discaria toumatou*.—New Zealand.

- Calosphaeria cryptospora* Munk in *Dansk. bot. Ark.*, 14, No. 8, p. 5, 1952 on *Cryptospora suffusa*.—Denmark.
- Calycina petiolorum* (Roberge) Seaver, *The North American Cup-Fungi* (Inoperculates), p. 110, 1951. (Syn. *Peziza petiolorum* Rob.).
- Camarophyllus adonis* Singer in *Sydowia*, 6, p. 172, 1952.—Argentina.
- laccarioides* Singer in *Sydowia*, 6, p. 170, 1952.—Argentina.
- tehuelches* (Speg.) Singer in *Sydowia*, 6, p. 169, 1952. (Syn. *Agaricus tehuelches* Speg.).
- Camposporium cambrense* Hughes in *Mycol. Pap.* 36, p. 11, 1951 on *Fagus sylvaticus*.—Great Britain.
- pellucidum* (Grove) Hughes in *Mycol. Pap.* 36, p. 9, 1951. (Syn. *Bactrodesmium caulicola* (Corda) Grove var. *pellucidum* Grove).
- Candida clausenii* Lodder & Kreger-Van Rij, *The Yeasts*, p. 672, 1952.—Denmark.
- curvata* (Diddens & Lodder) Lodder & Kreger-Van Rij, *The Yeasts*, p. 576, 1952. (Syn. *C. heveanensis* (Groen.) Diddens & Lodder var. *curvata* Diddens & Lodder).
- guilliermondii* (Cast.) Lang. & Guerra var. *membranaefaciens* Lodder & Kreger-Van Rij, *The Yeasts*, p. 672, 1952 from figs.—U.S.A.
- melibiosi* Lodder & Kreger-Van Rij, *The Yeasts*, p. 672, 1952 from flower of *Gentiana imbricata*.—Germany.
- var. *membranaefaciens* Lodder & Kreger-Van Rij, *The Yeasts*, p. 673, 1952 from urine.—Japan.
- mycoderma* (Reess) Lodder & Kreger-Van Rij, *The Yeasts*, p. 477, 1952. (Syn. *Saccharomyces mycoderma* Reess).
- solani* Lodder & Kreger-Van Rij, *The Yeasts*, p. 672, 1952 from potato flour.—Holland.
- sorbosa* Hedrick & Burke in *Mycopathologia*, 6, p. 94, 1951 from *Drosophila crucigera*.—Hawaii.
- utilis* (Henneb.) Lodder & Kreger-Van Rij, *The Yeasts*, p. 546, 1952. (Syn. *Torula utilis* Henneb.).
- Cantharellula tarnensis* (Speg.) Singer in *Sydowia*, 6, p. 196, 1952. (Syn. *Agaricus tarnensis* Speg.).
- Cenangium dimorphum* (Seaver) Seaver, *The North American Cup-Fungi* (Inoperculates), p. 303, 1951. (Syn. *Dermatea dimorpha* Seaver).
- pruinoseum* (Ell. & Ev.) Seaver, *The North American Cup-Fungi* (Inoperculates), p. 300, 1951. (Syn. *Peziza pruinosa* Ellis & Ev.). [See also *C. pruinoseum* Ces., *Hedwigia*, 1, p. 43, 1854.]
- Cephalosporium salmosynnematum* Roberts in *Mycologia*, 44, p. 304, 1952.—Michigan, U.S.A.
- Ceratostoma marylandicum* Petrak in *Sydowia*, 6, p. 12, 1952 on wood.—Maryland and Florida, U.S.A.
- Cercospora chionanthi-retusi* Togashi & Katsuki in *Sci. Rep. Yokohama nat. Univ.*, Sect. II, 1, p. 1, 1952 on *Chionanthus retusus*.—Japan.
- fukuokaensis* Chupp apud Togashi & Katsuki in *Sci. Rep. Yokohama nat. Univ.*, Sect. II, 1, p. 2, 1952 on *Styrax japonica*.—Japan.
- grewiae* Srivastava & Mehta in *Indian Phytopath.*, 4, p. 69, 1951 on *Grewia asiatica*.—India.
- horiana* Togashi & Katsuki in *Sci. Rep. Yokohama nat. Univ.*, Sect. II, 1, p. 4, 1952 on *Parthenocissus tricuspidata*.—Japan.
- nojimai* Togashi & Katsuki in *Sci. Rep. Yokohama nat. Univ.*, Sect. II, 1, p. 5, 1952 on *Impatiens textori*.—Japan.
- punctiformis* (Fuekel) de Vries, *Contribution to the knowledge of the Genus Cladosporium*, p. 97, 1952. (Syn. *Cladosporium punctiforme* Fuekel).
- Cercospora geranii* W. B. Cooke & Shaw in *Lloydia*, 15, p. 126, 1952 on *Geranium viscosissimum*.—Washington State, U.S.A.
- Chaetosphaeria fusispora* Larsen in *Dansk. bot. Ark.*, 14, No. 7, p. 7, 1952 on *Fagus sylvatica*.—Denmark.
- subcaespitosa* Larsen in *Dansk. bot. Ark.*, 14, No. 7, p. 8, 1952 on dead *Sambucus nigra*.—Denmark.
- Chaetothyrium babingtonii* (Berk.) Dennis & M. B. Ellis in *Trans. Brit. mycol. Soc.*, 35, p. 196, 1952. (Syn. *Strigula babingtonii* Berk.). [Comb. made by Keissler, 1937.]
- Chlorociboria strobilina* (Alb. & Schw.) Seaver, *The North American Cup-Fungi* (Inoperculates), p. 99, 1951. (Syn. *Peziza tuberosa strobilina* Alb. & Schw.). [Comb. made by Seaver in *Mycologia*, 1936.]
- Chloroscypha cryptomeriae* Terrier in *Ber. schweiz. bot. Ges.*, 62, p. 422, 1952 on *Cryptomeria japonica*.—Switzerland.
- Chlorosplenium olivaceum* Seaver, *The North American Cup-Fungi* (Inoperculates), p. 105, 1951. [See also *C. olivaceum* Rick, *Botéria*, Ser. Bot., 25, p. 98, 1931.]
- Chytridium versatile* Scherffel var. *podochytridioides* Friedmann in *Öst. bot. Z.*, 99, p. 186, 1952 on *Navicula oblonga*.—Germany.
- CIBORIELLA* Seaver, *The North American Cup-Fungi* (Inoperculates), p. 107, 1951.—Discomycetes. Type, *C. rufescens*.
- rufescens* (Kanouse) Seaver, *The North American Cup-Fungi* (Inoperculates), p. 107, 1951. (Syn. *Ciboria rufescens* Kanouse).
- Ciborinia bifrons* (Ellis & Ev.) Seaver, *The North American Cup-Fungi* (Inoperculates), p. 71, 1951. (Syn. *Sclerotium bifrons* Ellis & Ev.). [But see this Index, 1, p. 148.]
- gracilipes* (Cooke) Seaver, *The North American Cup-Fungi* (Inoperculates), p. 72, 1951. (Syn. *Peziza gracilipes* Cooke).
- whetzelii* (Seaver) Seaver, *The North American Cup-Fungi* (Inoperculates), p. 70, 1951. (Syn. *Sclerotinia whetzelii* Seaver).
- Cintractia atratae* Savile in *Canad. J. Bot.*, 30, p. 423, 1952 on *Carex atrata*.—Montana, U.S.A.
- caricis* (Pers.) Magn. var. *acutatum* Savile in *Canad. J. Bot.*, 30, p. 425, 1952 on *Carex aquatilis*.—Yukon.
- var. *intermedia* Savile in *Canad. J. Bot.*, 30, p. 424, 1952 on *Carex pennsylvanica* var. *pennsylvanica*.—Manitoba, Canada.
- carphophila* (Schum.) Liro var. *elynae* (Syd.) Savile in *Canad. J. Bot.*, 30, p. 419, 1952. (Syn. *C. elynae* Syd.).
- var. *kenaica* Savile in *Canad. J. Bot.*, 30, p. 419, 1952 on *Carex pyrenaica* subsp. *micro-poda*.—Alaska.
- var. *verrucosa* Savile in *Canad. J. Bot.*, 30, p. 420, 1952 on *Carex ebenea*.—Wyoming, U.S.A.
- limosa* Syd. var. *gigantissima* (Lehtola) Savile in *Canad. J. Bot.*, 30, p. 426, 1952. (Syn. *C. gigantissima* Lehtola).
- var. *minor* Savile in *Canad. J. Bot.*, 30,

- p. 426, 1952 on *Carex bigelowii*.—Quebec, Canada.
- Cladosporium avellaneum* de Vries, *Contribution to the knowledge of the Genus Cladosporium*, p. 56, 1952 from 'Nivea' ointment.—Netherlands.
- var. *albium* de Vries, *Contribution to the knowledge of the Genus Cladosporium*, p. 56, 1952.—Netherlands.
- var. *avellaneum*, *Contribution to the knowledge of the Genus Cladosporium*, p. 56, 1952.—Netherlands.
- var. *sterile* de Vries, *Contribution to the knowledge of the Genus Cladosporium*, p. 56, 1952.—Netherlands.
- var. *viride* de Vries, *Contribution to the knowledge of the Genus Cladosporium*, p. 56, 1952.—Netherlands.
- cladosporioides* (Fres.) de Vries, *Contribution to the knowledge of the Genus Cladosporium*, p. 57, 1952. (Syn. *Penicillium cladosporioides* Fres.).
- forma *pisicola* (Snyder) de Vries, *Contribution to the knowledge of the Genus Cladosporium*, p. 61, 1952. (Syn. *C. pisicolum* Snyder).
- echinulatum* (Berk.) de Vries, *Contribution to the knowledge of the Genus Cladosporium*, p. 49, 1952. (Syn. *Heterosporium echinulatum* (Berk.) Cooke).
- iridis* (Fautr. & Roum.) de Vries, *Contribution to the knowledge of the Genus Cladosporium*, p. 49, 1952. (Syn. *Heterosporium iridis* Fautr. & Roum.).
- ornithogali* (Klotsch) de Vries, *Contribution to the knowledge of the Genus Cladosporium*, p. 49, 1952. (Syn. *Heterosporium ornithogali* (Klotsch) Cooke).
- phlei* (C. T. Gregory) de Vries, *Contribution to the knowledge of the Genus Cladosporium*, p. 49, 1952. (Syn. *Heterosporium phlei* C. T. Gregory).
- stipae* H. C. Greene in *Trans. Wis. Acad. Sci. Arts Lett.*, 41, p. 127, 1952 on *Stipa spartea*.—Wisconsin, U.S.A.
- variabile* (Cooke) de Vries, *Contribution to the knowledge of the Genus Cladosporium*, p. 85, 1952. (Syn. *Helminthosporium variabile* Cooke).
- Clathrospora cookei* Wehmeyer in *Mycologia*, 44, p. 653, 1952 on *Stipa californica*.—California, U.S.A.
- simmonsii* Wehmeyer in *Mycologia*, 44, p. 652, 1952 on *Carex oblata*.—Washington, U.S.A.
- **Clitocybe atrostriata* Métrod in *Bull. Soc. mycol. Fr.*, 67, p. 397, 1952.—France.
- cyanolens* Métrod nom. nov. in *Bull. Soc. mycol. Fr.*, 67, p. 387, 1952. (Syn. *C. ditopoda* (Fr.) var. *longispora* Métrod).
- *—*incarnata* Métrod in *Bull. Soc. mycol. Fr.*, 67, p. 398, 1952.—France.
- leptistoides* (Maire) Pilát, *Agaric. Europae. clavis dichot.*, p. 135, 1951. (Syn. *Tricholoma leptistoides* Maire).
- pleurotus* Singer in *Sydowia*, 6, p. 182, 1952 on dead *Nothofagus pumilio*.—Argentina.
- subhygrophanoides* Singer in *Sydowia*, 6, p. 181, 1952.—Argentina.
- subleptoloma* Singer in *Sydowia*, 6, p. 179, 1952 on *Nothofagus*.—Argentina.
- tricolor* (Peck) Pilát, *Agaric. Europae. clavis dichot.*, p. 127, 1951. (Syn. *Tricholoma tricolor* Peck).
- Clitopilus pusillimus* (Speg.) Singer in *Lilloa*, 23, p. 226, 1950. (Syn. *Omphalia pusillima* Speg.).
- Colletotrichum mangeloti* Chevaugnon in *Rev. Path. vég.*, 31, p. 36, 1952 on *Arachis hypogaea*.—French Sudan.
- pehkinense* Katsura in *Forsch. PflKr.*, Tokyo, 4, p. 105, 1951 on *Abutilon avicennae*.—China.
- Collybia collybioides* (Speg.) Singer in *Lilloa*, 23, p. 162, 1950. (Syn. *Clitocybe collybioides* Speg.).
- cupreovirens* (Speg.) Singer in *Lilloa*, 23, p. 164, 1950. (Syn. *Omphalia cupreovirens* Speg.).
- ferruginella* Pearson in *Trans. Brit. mycol. Soc.*, 35, p. 102, 1952.—England.
- fuegiana* Singer in *Sydowia*, 6, p. 186, 1952.—Argentina.
- griseospora* Pearson in *Trans. Brit. mycol. Soc.*, 35, p. 102, 1952.—Wales.
- *—*olivacea* Schaeffer in Pilát, *Agaric. Europae. clavis dichot.*, p. 193, 1951.—Europe.
- paupertina* Pearson in *Trans. Brit. mycol. Soc.*, 35, p. 103, 1952.—England.
- platensis* (Speg.) Singer in *Sydowia*, 6, p. 185, 1952. (Syn. *Marasmius platensis* Speg.).
- Coniosporium paradoxum* (Corda) Mason & Hughes apud Hughes in *Mycol. Pap.* 37, p. 16, 1951. (Syn. *Sporodesmium paradoxum* Corda).
- peziza* (Cooke & Ellis) Mason & Hughes apud Hughes in *Mycol. Pap.* 37, p. 16, 1951. (Syn. *Sporodesmium peziza* Cooke & Ellis).
- Coniothyrium nerterae* Jøstad in *Results Norweg. Exped. T. da Cunha*, 14, p. 26, 1947 on *Nertera granadensis*.—Tristan da Cunha.
- Conocybe macrorrhina* (Speg.) Singer in *Lilloa*, 23, p. 204, 1950. (Syn. *Galera macrorrhina* Speg.).
- macrorrhiza* (Speg.) Singer in *Lilloa*, 23, p. 205, 1950. (Syn. *Naucoria macrorrhiza* Speg.).
- striatipes* (Speg.) Singer in *Lilloa*, 23, p. 205, 1950. (Syn. *Galera striatipes* Speg.).
- Coprinus macrorrhizus* (Fr.) Rea forma *microsporus* Hongo in *J. Jap. Bot.*, 27, p. 161, 1952 on dung.—Japan.
- Coremium triostei* H. C. Greene in *Trans. Wis. Acad. Sci. Arts Lett.*, 41, p. 127, 1952 on *Triosteum perfoliatum*.—Wisconsin, U.S.A.
- Cortinarius amarescens* Moser nom. nov. in *Sydowia*, 6, p. 68, 1952. (Syn. *C. talus* sensu Lange, non Fr.).
- argenteo-lilacinus* Moser in *Sydowia*, 6, p. 151, 1952.—Austria.
- aureofulvus* Moser in *Sydowia*, 6, p. 154, 1952.—Austria.
- aureo-pulverulentus* Moser in *Sydowia*, 6, p. 152, 1952.—Austria.
- caesiocanescens* Moser in *Sydowia*, 6, p. 151, 1952.—Austria.
- calyculatus* Moser in *Sydowia*, 6, p. 153, 1952.—Austria.
- citri-olivaceus* Moser in *Sydowia*, 6, p. 154, 1952.—Austria.
- durissimus* Moser in *Sydowia*, 6, p. 152, 1952.—Austria.
- helobius* Romagnesi in *Bull. Soc. Nat. Oyonnax*, 6, p. 62, 1952.—France.
- infractus* Fr. forma *olivellus* Moser in *Sydowia*, 6, p. 153, 1952.—Austria.
- melliolens* Schaeff. var. *luteus* Moser in *Sydowia*, 6, p. 152, 1952.—Austria.
- montanus* Kauffm. subsp. *europaeus*

- Moser nom. nov. in *Sydowia*, 6, p. 108, 1952. (Syn. *C. scaurus* sensu Bres.).
- subsp. *europaeus* var. *lilaceus* Moser in *Sydowia*, 6, p. 153, 1952.—Austria.
 - *odorifer* Britz. var. *luteolus* Moser in *Sydowia*, 6, p. 153, 1952.—Austria.
 - *purpurascens* Fr. forma *lividus* Moser in *Sydowia*, 6, p. 153, 1952.—Austria.
 - var. *obscurus* Moser in *Sydowia*, 6, p. 153, 1952.—Austria.
 - *russeoides* Moser in *Sydowia*, 6, p. 153, 1952.—Austria.
 - *sericellus* Moser nom. nov. in *Sydowia*, 6, p. 82, 1952. (Syn. *C. turmalis* auct. p.p.).
 - *spectabilis* in *Sydowia*, 6, p. 152, 1952.—Austria.
 - *— *squameo-radicans* Bellivier in *Bull. Soc. Nat. Oyonnax*, 6, p. 67, 1952.—France.
 - *subarquatus* Moser nom. nov. in *Sydowia*, 6, p. 59, 1952. (Syn. *C. arquatus* sensu Lange, non Fr.).
 - *subserpentes* Romagnesi in *Bull. Soc. Nat. Oyonnax*, 6, p. 63, 1952.—France.
 - *vitellinus* Moser in *Sydowia*, 6, p. 154, 1952.—Austria.
- Coryneum castaneae** (Sacc.) Petrak in *Sydowia*, 6, p. 15, 1952. (Syn. *C. kunzei* Corda var. *castaneae* Sacc.).
- Cryptococcus diffluens** (Zach) Lodder & Kreger-Van Rij, *The Yeasts*, p. 391, 1952. (Syn. *Torulopsis diffluens* Zach).
- *laurentii* (Kuff.) Skinner var. *flavescens* (Saito) Lodder & Kreger-Van Rij, *The Yeasts*, p. 381, 1952. (Syn. *Torula flavescens* Saito).
 - var. *magnus* Lodder & Kreger-Van Rij, *The Yeasts*, p. 670, 1952 from air.—Holland.
 - *neoformans* (Sanf.) Vuill. var. *uniguttulatus* (Zach) Lodder & Kreger-Van Rij, *The Yeasts*, p. 373, 1952. (Syn. *Euturilopsis uniguttulatus* Zach).
- Cunninghamella homothallica** Kominami & Tubaki in *Nagaoa*, 1, p. 21, 1952 from soil.—Japan.
- Curvularia interseminata** (Berk. & Rav.) Gilman, *A Manual of Soil Fungi*, p. 303, 1945. (Syn. *Helminthosporium interseminatum* Berk. & Rav.).
- *sudanensis* (Frag. & Cif.) Castellani in *Riv. Agric. subtrop.*, 46, p. 164, 1952. (Syn. *Helminthosporium sudanense* Frag. & Cif.).
 - *tetramera* (McKinney) Boedijn ex Gilman, *A Manual of Soil Fungi*, p. 303, 1945. (Syn. *Helminthosporium tetramera* McKinney).
- Cystobasidium proliferans** Olive in *Mycologia*, 44, p. 564, 1952 on insect excreta on dead pines.—New Jersey, U.S.A.
- Dactylella acrochaeta** Drechsler in *Mycologia*, 44, p. 541, 1952 on nematodes.—Maryland, U.S.A.
- I — *helminthodes* Drechsler in *Mycologia*, 44, p. 553, 1952 on *Pythium debaryanum* and *Oochlonema megalosomum*.—Utah, U.S.A.
 - F — *mammillata* Dixon in *Trans. Brit. mycol. Soc.*, 35, p. 144, 1952 on nematodes.—England.
- R **Dasturella boswelliae** Patel, Payak, & Kul-karni in *Indian Phytopath.*, 4, p. 72, 1951 on *Boswellia serrata*.—India.
- **Debaryomyces hansenii** (Zopf) Lodder & Kreger-Van Rij, *The Yeasts*, p. 280, 1952. (Syn. *Saccharomyces hansenii* Zopf).
- R — *mrakii* Bouthilet in *Mycopathologia*, 6, p. 82, 1951 from soil.—Minnesota, U.S.A.
- *subglobosus* (Zach) Lodder & Kreger-Van Rij, *The Yeasts*, p. 290, 1952. (Syn. *Euturilopsis subglobosa* Zach).
- Dermatella caryigena** (Ellis & Ev.) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 314, 1951. (Syn. *Dermatea caryigena* Ellis & Ev.). [But the original description was as *Dermatella*.]
- *deformata* (Peck) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 313, 1951. (Syn. *Cenangium deformatum* Peck).
 - *magnoliae* (Berk. & Curt.) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 314, 1951. (Syn. *Cenangium magnoliae* Berk. & Curt.).
- DESCOLEA** Singer in *Lilloa*, 23, p. 256, 1950. —Agaricales.
- *antarctica* Singer in *Lilloa*, 23, p. 257, 1950.—Argentina.
- Diaporthe larseniana** Munk in *Dansk. bot. Ark.*, 14, No. 8, p. 3, 1952 on dead *Picea abies*.—Denmark.
- DICTYODESMIUM** Hughes in *Mycol. Pap.* 36, p. 29, 1951.—Hyphomycetes.
- *ulmicola* (Ellis & Kellerman) Hughes in *Mycol. Pap.* 36, p. 29, 1951. (Syn. *Ceratophorum ulmicola* Ellis & Kellerman).
- Dictyosporium hepatosporum** (Garov.) Damon in *Lloydia*, 15, p. 118, 1952. (Syn. *Cattanea hepatospora* Garov.).
- *minor* (Sacc.) Damon in *Lloydia*, 15, p. 118, 1952. (Syn. *Spira minor* Sacc.).
 - *polystichum* (von Höhn.) Damon in *Lloydia*, 15, p. 118, 1952. (Syn. *Spira polysticha* von Höhn.).
 - *prolificum* Damon in *Lloydia*, 15, p. 119, 1952 on *Juncus*.—New Jersey, U.S.A.
- Didymella euphoriae** Naito in *Sci. Rep. Kagoshima Univ.*, 1, p. 71, 1952 on *Euphoria longana*.—Japan.
- *ilicis* Larsen in *Dansk. bot. Ark.*, 14, No. 7, p. 21, 1952 on dead *Ilex aquifolium*.—Denmark.
- Didymosphaeria cladii** Larsen & Munk in *Dansk. bot. Ark.*, 14, No. 7, p. 20, 1952 on *Cladium mariscus*.—Denmark.
- *equiseti-hiernalis* Larsen & Munk in *Dansk. bot. Ark.*, 14, No. 7, p. 17, 1952 on dead *Equisetum hiemale*.—Denmark.
- Discosporina commutata** Petrak in *Sydowia*, 6, p. 14, 1952 on *Carya*.—Maryland, U.S.A.
- Durandiella fraxini** (Schw.) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 367, 1951. (Syn. *Peziza fraxini* Schw.).
- Eccilia decurrens** (Vel.) Pilát, *Agaric. Europae. clavis dichot.*, p. 228, 1951. (Syn. *Leptonia decurrens* Vel.).
- *— *velenovskii* Svrček in Pilát, *Agaric. Europae. clavis dichot.*, p. 228, 1951.—Czechoslovakia.
- Echinella rhabdocarpa** (Ellis) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 294, 1951. (Syn. *Peziza rhabdocarpa* Ellis).
- Ectrogella eunotiae** Friedmann in *Öst. bot. Z.*, 99, p. 200, 1952 on *Eunotia arcus*.—Germany.
- Endoconidiophora fimbriata** (Ell. & Halst.) Davidson forma *platani* Walter in *Phytopathology*, 42, p. 236, 1952 on *Platanus noxius*.—Washington, D.C., U.S.A.
- Endomycopsis fibuliger** (Lindn.) Dekker var. *monospora* (Saito) Lodder & Kreger-Van Rij, *The Yeasts*, p. 100, 1952. (Syn. *E. monosporus* Saito).

- **Entoloma gabrettae* Pilát, *Agaric. Europae. clavis dichot.*, p. 244, 1951.—Czechoslovakia.
- Epidermophyton angustisporum* Boedijn in *Mycopathologia*, 6, p. 129, 1951 from human skin.—Java.
- ERINELLINA** Seaver nom. nov., *The North American Cup-Fungi (Inoperculates)*, p. 290, 1951. (Syn. *Erinella* Sacc. non Quél.).
- *appressa* (Cash) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 292, 1951. (Syn. *Dasycochyphella appressa* Cash).
- *calospora* (Pat.) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 291, 1951. (Syn. *Erinella calospora* Pat.).
- *cervina* (Ellis & Ev.) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 292, 1951. (Syn. *Erinella cervina* Ellis & Ev.).
- *longispora* (Karst.) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 293, 1951. (Syn. *Lachnum longisporum* Karst.).
- *maculosa* (Ellis & Martin) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 293, 1951. (Syn. *Helotium maculosum* Ellis & Martin).
- *miniopsis* (Ellis) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 291, 1951. (Syn. *Peziza miniopsis* Ellis).
- *nylanderi* (Rehm) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 293, 1951. (Syn. *Erinella nylanderi* Rehm).
- *rhapidospora* (Ellis) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 291, 1951. (Syn. *Peziza rhapidospora* Ellis).
- Fabraea earliana** (Ellis & Ev.) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 190, 1951. (Syn. *Peziza earliana* Ellis & Ev.).
- *rosae* (Wolf) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 190, 1951. (Syn. *Diplocarpon rosae* Wolf).
- Favolaschia singeriana** Dennis in *Kew Bull.*, 1952, p. 331, 1952.—Venezuela.
- Fayodia dusenii** (Bres.) Singer in *Sydowia*, 6, p. 218, 1952. (Syn. *Parus dusenii* Bres.).
- var. *grisellamellata* Singer in *Sydowia*, 6, p. 220, 1952.—Chile.
- FILARIOMYCES** Shanor in *Amer. J. Bot.*, 39, p. 499, 1952.—Laboulbeniales.
- *forficulae* Shanor in *Amer. J. Bot.*, 39, p. 499, 1952 on *Prolabia pulchella*.—Louisiana, U.S.A.
- Flammula bellula** (Peck) Pilát, *Agaric. Europae. clavis dichot.*, p. 351, 1951. (Syn. *Naucoria bellula* Peck).
- Fusarium aquaeductum** (Radlk. & Rabh.) Lagh. subsp. *medium* (Wollenw.) Riallo, Грибы Рода Фузариум [*Fungi of the Genus Fusarium*], p. 278, 1950. (Syn. *F. aquaeductum* var. *medium* Wollenw.).
- var. *cavispermum* (Corda) Riallo, Грибы Рода Фузариум [*Fungi of the Genus Fusarium*], p. 280, 1950. (Syn. *F. cavispermum* Corda).
- var. *dimerum* (Penz.) Riallo, Грибы Рода Фузариум [*Fungi of the Genus Fusarium*], p. 279, 1950. (Syn. *F. dimerum* Penz.).
- var. *flavum* (Fr.) Riallo, Грибы Рода Фузариум [*Fungi of the Genus Fusarium*], p. 280, 1950. (Syn. *Fusisporium flavum* Fr.).
- *avenaceum* (Fr.) Sacc. var. *detonianum* (Sacc.) Riallo, Грибы Рода Фузариум [*Fungi of the Genus Fusarium*], p. 188, 1950. (Syn. *F. detonianum* Sacc.).
- *bulbigenum* Cooke & Massee var. *apii* (Nels. & Cochr.) Riallo, Грибы Рода Фузариум [*Fungi of the Genus Fusarium*], p. 251, 1950. (Syn. *F. apii* Nels. & Cochr.).
- var. *cucumis* Riallo, Грибы Рода Фузариум [*Fungi of the Genus Fusarium*], p. 252, 1950 on *Cucumis melo* var. *reticulatum*.—U.S.S.R.
- var. *pisi* (Linford) Riallo, Грибы Рода Фузариум [*Fungi of the Genus Fusarium*], p. 250, 1950. (Syn. *F. orthoceras* App. & Wollenw. var. *pisi* Linford).
- * — *caudatum* Wollenw. var. *filiferum* Riallo, Грибы Рода Фузариум [*Fungi of the Genus Fusarium*], p. 179, 1950.—U.S.S.R.
- *compactum* (Wollenw.) Riallo, Грибы Рода Фузариум [*Fungi of the Genus Fusarium*], p. 180, 1950. (Syn. *F. scirpi* Lamb. & Fautr. var. *compactum* Wollenw.).
- *equiseti* (Corda) Sacc. subsp. *ossicola* (Berk. & Curt.) Riallo, Грибы Рода Фузариум [*Fungi of the Genus Fusarium*], p. 175, 1950. (Syn. *Fusisporium ossicola* Berk. & Curt.).
- *heterosporum* Nees var. *negundinis* (Sherb.) Riallo, Грибы Рода Фузариум [*Fungi of the Genus Fusarium*], p. 217, 1950. (Syn. *F. reticulatum* Mont. var. *negundinis* (Sherb.) Wollenw.).
- *javanicum* Koord. subsp. *ensiforme* (Wollenw. & Reink.) Riallo, Грибы Рода Фузариум [*Fungi of the Genus Fusarium*], p. 229, 1950. (Syn. *F. ensiforme* Wollenw. & Reink.).
- *lateritium* Nees subsp. *majus* (Wollenw.) Riallo, Грибы Рода Фузариум [*Fungi of the Genus Fusarium*], p. 270, 1950. (Syn. *F. lateritium* var. *majus* Wollenw.).
- *moniliforme* Sheld. subsp. *majus* (Wollenw. & Reink.) Riallo, Грибы Рода Фузариум [*Fungi of the Genus Fusarium*], p. 261, 1950. (Syn. *F. moniliforme* var. *majus* Wollenw. & Reink.).
- *neoceras* Wollenw. & Reink. var. *subglutinans* (Wollenw. & Reink.) Riallo, Грибы Рода Фузариум [*Fungi of the Genus Fusarium*], p. 263, 1950. (Syn. *F. moniliforme* Sheld. var. *subglutinans* Wollenw. & Reink.).
- *oxysporum* Schlecht. var. *cepaе* (Hanz.) Riallo, Грибы Рода Фузариум [*Fungi of the Genus Fusarium*], p. 253, 1950. (Syn. *F. cepae* Hanz.).
- var. *dianthi* (Prill. & Del.) Riallo, Грибы Рода Фузариум [*Fungi of the Genus Fusarium*], p. 255, 1950. (Syn. *F. dianthi* Prill. & Del.).
- var. *pisi* (Hall) Riallo, Грибы Рода Фузариум [*Fungi of the Genus Fusarium*], p. 254, 1950. (Syn. *F. vasinfectum* Atk. var. *pisi* Hall).
- var. *trifoli* (Jacq.) Riallo, Грибы Рода Фузариум [*Fungi of the Genus Fusarium*], p. 255, 1950. (Syn. *F. trifoli* Jacq.).
- *sambucinum* Fuckel var. *cereale* (Cooke) Riallo, Грибы Рода Фузариум [*Fungi of the Genus Fusarium*], p. 211, 1950. (Syn. *Fusisporium cereale* Cooke).
- *scirpi* Lamb. & Fautr. subsp. *acuminatum* (Ell. & Ev.) Riallo, Грибы Рода Фузариум

† Several numbered formae of species of *Fusarium* are described, some new but mostly as 'comb. nov.' of previously named taxa.

- [*Fungi of the Genus Fusarium*], p. 177, 1950. (Syn. *F. acuminatum* Ell. & Ev.).
- *sporotrichioides* Sherb. subsp. minus (Wollenw.) Raillo, Грибы Рода Фузариум [*Fungi of the Genus Fusarium*], p. 196, 1950. (Syn. *F. sporotrichioides* var. minus Wollenw.).
- var. *tricinctum* (Corda) Raillo, Грибы Рода Фузариум [*Fungi of the Genus Fusarium*], p. 197, 1950. (Syn. *Selenosporium tricinctum* Corda).
- Fuscoporia prunicola** (Murr.) Aoshima in *Rep. For. Exp. Sta.* 46, p. 160, 1950. (Syn. *Fomitiporia prunicola* Murr.).
- GAEUMANNIELLA** Petrak in *Sydowia*, 6, p. 162, 1952. — Pyrenomyces.
- *singularis* Petrak in *Sydowia*, 6, p. 162, 1952 on wood. — Florida, U.S.A.
- Galeropsis allospora** Singer nom. nov. in *Lilloa*, 23, p. 239, 1950. (Syn. *Galera paradoxa* Speg.) [See this Index, 2, p. 78 as *Galeropsis allosperma* Singer.]
- Gallowaya crowellii** (Cummins) Thirumalachar & Mundkur in *Indian Phytopath.*, 2, p. 204, 1949. (Syn. *Coleosporium crowellii* Cummins).
- Gibberella macrolopha** (Syd.) Dingley in *Trans. roy. Soc. N.Z.*, 79, p. 406, 1952. (Syn. *Botryosphaeria macrolopha* Syd.).
- Godronia abieticola** (Zeller & Goodding) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 332, 1951. (Syn. *Scleroderma abieticola* Zeller & Goodding).
- *abietina* (Ellis & Ev.) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 332, 1951. (Syn. *Scleroderma abietina* Ellis & Ev.).
- Goplana cissi** Viennot-Bourgin in *Bull. Soc. mycol. Fr.*, 67, p. 429, 1952 on *Cissus polyantha*. — Ivory Coast.
- Gorgoniceps montanensis** (Kanouse) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 180, 1951. (Syn. *Belonopsis montanensis* Kanouse).
- Graphiola cylindrica** Kobayasi in *Nagaoa*, 1, p. 36, 1952 on *Livistona chinensis*. — Japan.
- Gymnopilus flavipunctatus** (Speg.) Singer in *Lilloa*, 23, p. 222, 1950. (Syn. *Flammula flavipunctata* Speg.).
- *spectabilis* (Fr.) A. H. Sm. subsp. *pampeanus* (Speg.) Singer in *Lilloa*, 23, p. 222, 1950. (Syn. *Flammula pampeana* Speg.).
- Hansenula anomala** (Hansen) H. & P. Sydow var. *ciferrii* (Lodder) Lodder & Kreger-Van Rij, *The Yeasts*, p. 251, 1952. (Syn. *H. ciferrii* Lodder).
- Hapalophragmium millettiae-rhodanthae** Viennot-Bourgin in *Bull. Soc. mycol. Fr.*, 67, p. 430, 1952 on *Millettia rhodantha*. — Ivory Coast.
- Harposporium lilliputanum** Dixon in *Trans. Brit. mycol. Soc.*, 35, p. 146, 1952 on nematodes. — England.
- Helotiella loniceræ** (Cash) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 288, 1951. (Syn. *Tapesia loniceræ* Cash).
- Helotium ammoides** (Sacc.) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 145, 1951. (Syn. *Pseudohelotium ammoides* Sacc.).
- *amplum* (Ellis & Ev.) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 133, 1951. (Syn. *Phialea ampla* Ellis & Ev.).
- R** — *arenicola* (Ellis & Ev.) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 148, 1951. (Syn. *Phialea arenicola* Ellis & Ev.).
- *aurantium* Seaver nom. nov., *The North American Cup-Fungi (Inoperculates)*, p. 140, 1951. (Syn. *Pezizella aurantiaca* Cash non *H. aurantiacum* Cooke).
- *cassandrae* (Kanouse) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 146, 1951. (Syn. *Phialea cassandrae* Kanouse).
- *craginianum* (Ellis & Ev.) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 144, 1951. (Syn. *Peziza cragiana* Ellis & Ev.).
- *dakotense* (Rehm) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 132, 1951. (Syn. *Pezizella dakotense* Rehm).
- *eschscholtziae* (Phill. & Hark.) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 129, 1951. (Syn. *Peziza eschscholtziae* Phill. & Hark.).
- *fumosellum* (Cooke & Ellis) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 126, 1951. (Syn. *Peziza fumosella* Cooke & Ellis).
- *lanceolato-paraphysatum* (Rehm) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 145, 1951. (Syn. *Pezizella lanceolato-paraphysata* Rehm).
- *laricinum* (Ellis & Ev.) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 139, 1951. (Syn. *Pseudohelotium laricinum* Ellis & Ev.).
- *luteovirescens* (Rob.) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 131, 1951. (Syn. *Peziza luteovirescens* Rob.). [See *H. luteovirescens* (Desm.) Karst. in *Hedwigia*, 22, p. 164, 1883.]
- *nigromaculatum* (Earle) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 123, 1951. (Syn. *Hymenoscypha nigromaculata* Earle).
- *phaeoonium* (Fairman) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 129, 1951. (Syn. *Phialea phaeoonia* Fairman).
- *rhizicola* Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 142, 1951 on roots & stems of *Polygonum virginianum* and *Clintonia canadensis*. — New York, U.S.A.
- *simulatum* (Ellis) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 137, 1951. (Syn. *Peziza simulata* Ellis).
- *umbrinum* (Kanouse) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 147, 1951. (Syn. *Pseudociboria umbrina* Kanouse).
- Hemileia mussaendae** Viennot-Bourgin in *Bull. Soc. mycol. Fr.*, 67, p. 431, 1952 on *Mussaenda erythrophylla*. — Ivory Coast.
- Hendersonia ginkginis** Naito in *Sci. Rep. Kagoshima Univ.*, 1, p. 76, 1952 on *Ginkgo biloba*. — Japan.
- *holoschoeni* (Mont.) Petrak in *Sydowia*, 6, p. 236, 1952. (Syn. *Ascospora holoschoeni* Mont.).
- *livistonae* Naito in *Sci. Rep. Kagoshima Univ.*, 1, p. 76, 1952 on *Livistona subglobosa*. — Japan.
- *phormii* Naito in *Sci. Rep. Kagoshima Univ.*, 1, p. 77, 1952 on *Phormium tenax*. — Japan.
- Heterosporium echinulatum** (Berk.) Cooke var. *dianthi* Losa in *Coll. bot., Barcinone*, 3, p. 149, 1952 on *Dianthus seguieri*. — Spain.
- Hirschioporus versatilis** (Berk.) Imazeki in *J. Jap. Bot.*, 20, p. 288, 1945. (Syn. *Trametes versatilis* Berk.).

- Hygrophorus langei** (Kühn.) Pearson in *Trans. Brit. mycol. Soc.*, 35, p. 105, 1952. (Syn. *Hygrocybe langei* Kühn.).
- **miniatus** Fr. forma **sphagnophilus** (Peck) Hongo in *J. Jap. Bot.*, 27, p. 160, 1952. (Syn. *H. miniatus* var. *sphagnophilus* Peck).
- Hypocrea coprosma** Dingley in *Trans. roy. Soc. N.Z.*, 79, p. 328, 1952 on rotten *Copsosma robusta*.—New Zealand.
- **hunua** Dingley in *Trans. roy. Soc. N.Z.*, 79, p. 327, 1952 on wood.—New Zealand.
- **macrospora** Dingley in *Trans. roy. Soc. N.Z.*, 79, p. 330, 1952 on *Leptospermum scoparium*.—New Zealand.
- **manuka** Dingley in *Trans. roy. Soc. N.Z.*, 79, p. 327, 1952 on rotten *Leptospermum scoparium*.—New Zealand.
- **novae-zealandica** Dingley in *Trans. roy. Soc. N.Z.*, 79, p. 336, 1952 on dead *Meliccytus ramiflorus*.—New Zealand.
- **tawa** Dingley in *Trans. roy. Soc. N.Z.*, 79, p. 335, 1952 on rotten *Beilschmiedia tawa*.—New Zealand.
- **toro** Dingley in *Trans. roy. Soc. N.Z.*, 79, p. 329, 1952 on dead *Suttonia salicina*.—New Zealand.
- ***Hypoxylon nummularium** (Bull.) ex Fr. var. **macrosporum** Gilman & Tiffany in *Iowa St. Coll. J. Sci.*, 26, p. 470, 1952 on white oak.—Iowa, U.S.A.
- Hysterangium knappii** Soehner in *Sydowia*, 6, p. 253, 1952.—Switzerland.
- Inocybe commutabilis** Furrer-Ziogas in *Schweiz. Z. Pilzk.*, 30, p. 127, 1952.—Europe.
- **hypophaea** Furrer-Ziogas in *Schweiz. Z. Pilzk.*, 30, p. 131, 1952.—Switzerland.
- **lucifuga** Fr. forma **gralla** Furrer-Ziogas in *Schweiz. Z. Pilzk.*, 30, p. 134, 1952.—Europe.
- Karschia nootkatensis** Terrier in *Ber. schweiz. bot. Ges.*, 62, p. 427, 1952 on *Chamaecyparis nootkatensis* forma *pendula*.—Switzerland.
- Karstenula sorbicola** Petrak in *Sydowia*, 6, p. 8, 1952 on dead *Sorbus*.—Maine, U.S.A.
- Kriegeria alutipes** (Phill.) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 103, 1951. (Syn. *Peziza alutipes* Phill.).
- **enterochroma** (Peck) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 101, 1951. (Syn. *Peziza enterochroma* Peck).
- Laboulbenia buehlmannii** Poelt in *Mitt. bot. Staatssamml. München* 4, p. 116, 1952 on *Elaphrus cupreus*.—Germany.
- Lachnella acanthonitschkeae** (Cash & Davidson) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 262, 1951. (Syn. *Dasyscypha acanthonitschkeae* Cash & Davidson).
- **agassizii** (Berk. & Curt.) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 247, 1951. (Syn. *Peziza agassizii* Berk. & Curt.).
- **agrostina** (Peck) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 259, 1951. (Syn. *Peziza agrostina* Peck).
- **arida** (Phill.) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 268, 1951. (Syn. *Peziza arida* Phill.).
- **arundinariae** (Cash) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 259, 1951. (Syn. *Lachnum arundinariae* Cash).
- **atropurpurea** (Durand) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 266, 1951. (Syn. *Lachnum atropurpureum* Durand).
- **canadensis** (Ellis & Dearn.) Seaver, *The*

- North American Cup-Fungi (Inoperculates)*, p. 265, 1951. (Syn. *Pseudohelotium canadensis* Ellis & Dearn.).
- **capitata** (Peck) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 254, 1951. (Syn. *Peziza capitata* Peck).
- **cilata** (Hahn) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 247, 1951. (Syn. *Dasyscypha cilata* Hahn).
- **corni** (Cash) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 271, 1951. (Syn. *Lachnum corni* Cash).
- **dicranopteridis** (Seaver & Whetzel) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 262, 1951. (Syn. *Dasyscypha dicranopteridis* Seaver & Whetzel).
- **ellisiana** (Rehm) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 248, 1951. (Syn. *Peziza ellisiana* Rehm).
- **eupatorii** (Schw.) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 272, 1951. (Syn. *Peziza eupatorii* Schw.).
- **fasciculata** (Seaver & Waterston) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 251, 1951. (Syn. *Dasyscypha fasciculata* Seaver & Waterston).
- **gaultheriae** (Ellis & Ev.) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 256, 1951. (Syn. *Dasyscypha gaultheriae* Ellis & Ev.).
- **gleicheniae** (Cash) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 266, 1951. (Syn. *Lachnum gleicheniae* Cash).
- **hahniana** Seaver nom. nov., *The North American Cup-Fungi (Inoperculates)*, p. 245, 1951. (Syn. *Dasyscypha calycina* Fuckel non *Peziza calycina* Schum.).
- **ivae** (Rehm) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 265, 1951. (Syn. *Dasyscypha ivae* Rehm).
- **microspora** (Kanouse) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 267, 1951. (Syn. *L. tricolor* var. *microspora* Kanouse).
- **oblongospora** (Hahn & Ayers) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 245, 1951. (Syn. *Dasyscypha oblongospora* Hahn & Ayers).
- **occidentalis** (Hahn & Ayers) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 244, 1951. (Syn. *Dasyscypha occidentalis* Hahn & Ayers).
- **pollinaria** (Cooke) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 255, 1951. (Syn. *Peziza pollinaria* Cooke).
- **populicola** Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 270, 1951 on old wood of *Populus tremuloides*.—Colorado, U.S.A.
- **populina** Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 270, 1951 on bark and wood of *Populus tremuloides*.—Colorado, U.S.A.
- **pseudotsugae** (Hahn) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 246, 1951. (Syn. *Dasyscypha pseudotsugae* Hahn).
- **pteridicola** Seaver nom. nov. *The North American Cup-Fungi (Inoperculates)*, p. 261, 1951. (Syn. *Hyalopeziza pteridis* Kanouse non *L. pteridis* Phill.).
- **pulveracea** (Alb. & Schw.) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 268, 1951. (Syn. *Peziza pulveracea* Alb. & Schw.).
- **solenia** (Peck) Seaver, *The North American*

- Cup-Fungi (Inoperculates)*, p. 260, 1951. (Syn. *Peziza soleniza* Peck).
- *subochracea* (Cooke & Peck) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 251, 1951. (Syn. *Peziza subochracea* Cooke & Peck).
- *succina* (Phill.) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 263, 1951. (Syn. *Peziza succina* Phill.).
- *tautilla* (Phill. & Hark.) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 256, 1951. (Syn. *Peziza tautilla* Phill. & Hark.).
- *virginella* (Cooke) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 256, 1951. (Syn. *Peziza virginella* Cooke).
- *viridicoma* (Peck) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 267, 1951. (Syn. *Peziza viridicoma* Peck).
- Lactarius mairei** Malençon var. *zonatus* A. A. Pearson in *Naturalist, Lond.*, 1950, p. 100, 1950.—England.
- *neotropicus* Singer in *Kew Bull.*, 1952, p. 299, 1952.—Trinidad.
- *panuoides* Singer in *Kew Bull.*, 1952, p. 300, 1952.—Trinidad.
- Lepiota pinguipes** Pearson in *Trans. Brit. mycol. Soc.*, 35, p. 97, 1952.—England.
- LEPTOLEGNIELLA** Huneeycutt in *J. Elisha Mitchell sci. Soc.*, 68, p. 109, 1952.—Phycomycetes.
- *keratinophila* Huneeycutt in *J. Elisha Mitchell sci. Soc.*, 68, p. 110, 1952 from soil.—Tennessee, U.S.A.
- Leptosphaeria berleseii** Larsen & Munk in *Dansk. bot. Ark.*, 14, No. 7, p. 23, 1952 on dead *Equisetum hiemale*.—Denmark.
- *elongata* Wehmeyer in *Mycologia*, 44, p. 633, 1952 on *Elymus glaucus*.—Washington, U.S.A.
- *filiformis* Wehmeyer in *Mycologia*, 44, p. 641, 1952 on *Compositae*.—Washington, U.S.A.
- *larseniana* Munk nom. nov. in *Dansk. bot. Ark.*, 14, No. 7, p. 27, 1952. (Syn. *L. elymi* Larsen, non Atkinson).
- *sieversiae* (Clem.) Petrak in *Sydowia*, 6, p. 6, 1952. (Syn. *Massaria sieversiae* Clem.).
- Leptosphaerulina kiusiana** Naito in *Sci. Rep. Kagoshima Univ.*, 1, p. 73, 1952 on *Michelia chinensis*.—Japan.
- Leptospora sorbina** (Nyl.) Munk in *Dansk. bot. Ark.*, 14, No. 7, p. 6, 1952. (Syn. *Bizzozzeria sorbina* (Nyl.) Höhnelt).
- * *subsquarrosus* Locquin in *Bull. mens. Soc. linn. Lyon*, 14, p. 52, 1945.—France.
- Leucocoprinus heimii** Locquin nom. nov. in *Rev. Mycologie, N.S.*, 17, p. 53, 1952. (Syn. *L. naucinus* Locquin non Fr.).
- Lilliputia rufula** (Berk. & Br.) Hughes in *Mycol. Pap.*, 42, p. 2, 1951. (Syn. *Chaetomium rufulum* Berk. & Br.).
- LIPOMYCES** Lodder & Kreger-Van Rij, *The Yeasts*, p. 669, 1952.—Endomycetaceae.
- I — *starkeyi* Lodder & Kreger-Van Rij, *The Yeasts*, p. 335, 1952. (Syn. *Torula lipofera* den Dooren de Jong).
- F — *starkeyi* Lodder & Kreger-Van Rij, *The Yeasts*, p. 669, 1952 from soil.—Holland.
- F **Lophium mayori** Zogg in *Ber. schweiz. bot. Ges.*, 62, p. 295, 1952 on dead *Larix decidua*.—Switzerland.
-
- R **Marasmiellus tropicalis** (Speg.) Singer in *Lilloa*, 23, p. 189, 1950. (Syn. *Pleurotus tropic lis* Speg.).
- Marasmius caussiei** (Maire) Pilát, *Agaric. Europae. clavis dichot.*, p. 185, 1951. (Syn. *Xerula caussiei* Maire).
- *hymenicephalus* (Speg.) Singer in *Lilloa*, 23, p. 197, 1950. (Syn. *Agaricus hymanii-cephalus* Speg.).
- Maravalia sebastianiae** Lindquist in *Darwiniana, B. Aires*, 9, p. 609, 1951 on *Sebastiania klotzschiana*.—Argentine.
- Margarinomyces heteromorpha** (Nannf.) Mangelot in *Rev. gén. Bot.*, 59, p. 394, 1952. (Syn. *Trichosporium heteromorphum* Nannf.).
- var. *robusta* Mangelot in *Rev. gén. Bot.*, 59, p. 397, 1952 on dead *Betula*.—France.
- *microsperma* (Corda) Mangelot in *Rev. gén. Bot.*, 59, p. 397, 1952. (Syn. *Cerato-cladium microspermum* Corda).
- MASONIA** G. Smith in *Trans. Brit. mycol. Soc.*, 35, p. 149, 1952.—Hyphomycetes.
- Type, *M. grisea*. [Non *Masonia* Hansf., this Index, 1, p. 121. See *Masoniella* below.]
- *chartarum* G. Smith in *Trans. Brit. mycol. Soc.*, 35, p. 150, 1952 on wallpaper.—England.
- *grisea* G. Smith in *Trans. Brit. mycol. Soc.*, 35, p. 149, 1952 as a culture contaminant.—England.
- MASONIELLA** G. Smith nom. nov. in *Trans. Brit. mycol. Soc.*, 35, p. 237, 1952. (Syn. *Masonia* G. Smith, non Hansford). Type, *M. grisea*.
- *chartarum* (G. Smith) G. Smith in *Trans. Brit. mycol. Soc.*, 35, p. 237, 1952. (Syn. *Masonia chartarum* G. Smith).
- *grisea* (G. Smith) G. Smith in *Trans. Brit. mycol. Soc.*, 35, p. 237, 1952. (Syn. *Masonia grisea* G. Smith).
- Massaria shearii** Petrak in *Sydowia*, 6, p. 5, 1952 on dead *Magnolia*.—Georgia, U.S.A.
- Massarina floridana** Petrak in *Sydowia*, 6, p. 7, 1952 on dead *Staphylea rufa*.—Florida, U.S.A.
- *staphyleae* Petrak in *Sydowia*, 6, p. 7, 1952 on dead *Staphylea rufa*.—Florida, U.S.A.
- Melanconiella corni** (Wehm.) Petrak in *Sydowia*, 6, p. 15, 1952. (Syn. *Melanconis corni* Wehm.).
- Melanconis commutata** Petrak in *Sydowia*, 6, p. 13, 1952 on *Carya*.—Maryland, U.S.A.
- Melanoleuca balansae** (Speg.) Singer in *Lilloa*, 23, p. 177, 1950. (Syn. *Clitocybe balansae* (Speg.) Sacc.).
- *deserticola* (Speg.) Singer in *Lilloa*, 23, p. 177, 1950. (Syn. *Tricholoma panaeolum* var. *deserticola* Speg.).
- *longispora* Singer in *Sydowia*, 6, p. 206, 1952.—Argentine.
- *spegazzinii* (Sacc. & D. Sacc.) Singer in *Lilloa*, 23, p. 175, 1950. (Syn. *Tricholoma spegazzinii* Sacc. & D. Sacc.).
- *strictipes* (Karst.) Schaeffer in Pilát, *Agaric. Europae. clavis dichot.*, p. 157, 1951. (Syn. *Tricholoma strictipes* Karst.).
- *umbrinella* (Speg.) Singer in *Sydowia*, 6, p. 204, 1952. (Syn. *Tricholoma umbrinellum* Speg.).
- Meliola polytricha** Kalchbr. & Cooke var. *queenslandica* E. Fisher in *Proc. roy. Soc. Vict.*, N.S., 62, p. 133 on *Callistemon viminalis*.—Queensland, Australia.
- Metasphaeria bisporea** Larsen in *Dansk. bot. Ark.*, 14, No. 7, p. 33, 1952 on *Typha latifolia*.—Denmark.
- * **MICROCOLLYBIA** Métrod in *Rev. Mycol. Paris, N.S.*, 17, p. 75, 1952.—Agaricaceae.

- *cirrhat* (Fr.) Métrod in *Rev. Mycol., Paris*, N.S., 17, p. 87, 1952. (Syn. *Agaricus cirrhatus* Schum. ex Fr.).
- *racemosa* (Fr.) Métrod in *Rev. Mycol., Paris*, N.S., 17, p. 88, 1952. (Syn. *Agaricus racemosus* Pers. ex Fr.).
- *tuberosa* (Fr.) Métrod in *Rev. Mycol., Paris*, N.S., 17, p. 87, 1952. (Syn. *Agaricus tuberosus* Bull. ex Fr.).
- Microsphaera penicillata* (Wallr. ex Fr.) Lév. var. *calocladophora* (Atk.) W. B. Cooke in *Mycologia*, 44, p. 574, 1952. (Syn. *M. alni* var. *calocladophora* (Atk.) Salmon).
- var. *extensa* (Cooke & Peck) W. B. Cooke in *Mycologia*, 44, p. 573, 1952. (Syn. *M. alni* var. *extensa* (Cooke & Peck) Salmon).
- var. *loniceræ* (Fr.) W. B. Cooke in *Mycologia*, 44, p. 572, 1952. (Syn. *M. alni* var. *loniceræ* (DC.) Salmon).
- var. *ludens* (Salmon) W. B. Cooke in *Mycologia*, 44, p. 574, 1952. (Syn. *M. alni* var. *ludens* Salmon).
- var. *rhamni-frangulae* (Fr.) W. B. Cooke in *Mycologia*, 44, p. 572, 1952. (Syn. *Erysiphe penicillata* var. *rhamni-frangulae* Fr.).
- var. *vaccinii* (Schw.) W. B. Cooke in *Mycologia*, 44, p. 573, 1952. (Syn. *M. alni* var. *vaccinii* (Schw.) Salmon).
- Microthyrium nigro-annulatum* J. Webster in *Trans. Brit. mycol. Soc.*, 35, p. 208, 1952 on *Dactylis glomerata*.—England.
- Midotis floridana* Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 95, 1951 on rotten wood.—Florida, U.S.A.
- *nicaraguensis* (Durand) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 93, 1951. (Syn. *Ionomidotis nicaraguensis* Dur.).
- *olivascens* (Durand) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 94, 1951. (Syn. *Ionomidotis olivascens* Dur.).
- *versiformis* (Pers.) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 94, 1951. (Syn. *Peziza versiformis* Pers.).
- *westii* Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 96, 1951 on wood of *Ostrya*.—Florida, U.S.A.
- Mollisia exigua* (Cooke) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 207, 1951. (Syn. *Peziza exigua* Cooke).
- *incrustata* (Ellis) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 215, 1951. (Syn. *Peziza incrustata* Ellis).
- *oenotherae* (Cooke & Ellis) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 211, 1951. (Syn. *Peziza oenotherae* Cooke & Ellis).
- *sabalidis* (Ellis & Mart.) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 214, 1951. (Syn. *Dermatea sabalidis* Ellis & Mart.).
- *subcinerea* (Rehm) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 207, 1951. (Syn. *Mollisiopsis subcinerea* Rehm).
- Mucor recurvus* E. E. Butler in *Mycologia*, 44, p. 561, 1952 from diseased *Fragaria* roots.—Minnesota, U.S.A.
- MURANGIUM* Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 367, 1951.—Discomycetes.
- *sequoiae* (Plow.) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 368, 1951. (Syn. *Cenangium sequoiae* Plow.).
- Mycena flos-nivium* Kühner in *Bull. Soc. Nat. Oyonnaz*, 6, p. 71, 1952.—France.

Mycenella funebris Singer in *Sydowia*, 6, p. 213, 1952.—Argentina.

Mycosphaerella elymifoliae Munk in *Dansk. bot. Ark.*, 14, No. 8, p. 2, 1952 on dead *Elymus arenarius*.—Denmark.

— *koldingensis* Munk in *Dansk. bot. Ark.*, 14, No. 8, p. 1, 1952 on dead *Geum rivale*.—Denmark.

— *larsenii* Munk in *Dansk. bot. Ark.*, 14, No. 8, p. 3, 1952 on dead *Geum urbanum*.—Denmark.

**Mycosyrinx globosa* Viennot-Bourgin in *Rev. int. Bot. appl.*, 32, p. 264, 1952 on *Cissus*.—French Congo.

Nectria submersa Kobayasi in *J. Jap. Bot.*, 27, p. 185, 1952 from water.—Japan.

Octojuga chionea (Pers.) Pilát, *Agaric. Europae. clavis dichot.*, p. 224, 1951. (Syn. *Pleurotus chioneus* Pers.).

Oedocephalum coprophilum Kobayasi apud Kominami, Kobayasi & Tubaki in *Nagaoa*, 1, p. 8, 1952 from dung.—Japan.

Oidioidenron ambiguum (Peyronel) Malan in *Nuovo G. bot. ital.*, 56, p. 738, 1949. (Syn. *Dicyma ambigua* Peyronel).

Olpidiopsis gillii (de Wildeman) Friedmann in *Ost. bot. Z.*, 99, p. 209, 1952. (Syn. *Olpidium gillii* de Wildeman).

**Omphalia aulacomnii* Schaeffer in Pilát, *Agaric. Europae. clavis dichot.*, p. 174, 1951.—Europe.

— *barbularum* Romagnesi in *Rev. Mycologie*, N.S., 17, p. 44, 1952 among *Barbula*.—France.

— *galericolor* Romagnesi in *Rev. Mycologie*, N.S., 17, p. 45, 1952 among *Barbula*.—France.

— *roseotincta* Pearson in *Trans. Brit. mycol. Soc.*, 35, p. 105, 1952.—England.

Omphalina defibulata Singer in *Sydowia*, 6, p. 190, 1952.—Argentina.

— *griseopallida* (Desm.) Quel. forma *tetraspora* Singer in *Sydowia*, 6, p. 189, 1952.—Argentina.

Ophiostoma coffeae (Zimmerm.) von Arx in *Leeuwenhoek ned. Tijdschr.*, 18, p. 210, 1952. (Syn. *Rostrella coffeae* Zimmerm.).

— *leptographoides* (Davidson) von Arx in *Leeuwenhoek ned. Tijdschr.*, 18, p. 211, 1952. (Syn. *Ceratostomella* (Grossmannia) *leptographoides* Davidson).

— *lunae* (Kitajima) von Arx in *Leeuwenhoek ned. Tijdschr.*, 18, p. 211, 1952. (Syn. *Endoconidiophora lunae* Kitajima).

— *microsporum* (Davidson) von Arx in *Leeuwenhoek ned. Tijdschr.*, 18, p. 211, 1952. (Syn. *Ceratostomella* (*Ophiostoma*) *microspora* Davidson).

— *montium* (Rumbold) von Arx in *Leeuwenhoek ned. Tijdschr.*, 18, p. 211, 1952. (Syn. *Ceratostomella montium* Rumbold).

— *multiannulatum* (Hedg. & Davidson) von Arx in *Leeuwenhoek ned. Tijdschr.*, 18, p. 211, 1952. (Syn. *Ceratostomella multiannulata* Hedg. & Davidson).

— *obscurum* (Davidson) von Arx in *Leeuwenhoek ned. Tijdschr.*, 18, p. 211, 1952. (Syn. *Ceratostomella obscura* Davidson).

— *piceaperdum* (Rumbold) von Arx in *Leeuwenhoek ned. Tijdschr.*, 18, p. 211, 1952. (Syn. *Ceratostomella piceaperda* Rumbold).

— *pseudotsugae* (Rumbold) von Arx in *Leeuwenhoek ned. Tijdschr.*, 18, p. 211, 1952. (Syn. *Ceratostomella pseudotsugae* Rumbold).

- *radicolum* (Bliss) von Arx in *Leeuwenhoek ned. Tijdschr.*, 18, p. 211, 1952. (Syn. *Ceratostomella radicola* Bliss).
- *rostricylindricum* (Davidson) von Arx in *Leeuwenhoek ned. Tijdschr.*, 18, p. 212, 1952. (Syn. *Ceratostomella* (*Ophiostoma*) *rostricylindrica* Davidson).
- *serpens* (Goid.) von Arx in *Leeuwenhoek ned. Tijdschr.*, 18, p. 211, 1952. (Syn. *Grosmannia serpens* Goid.).
- *variosporum* (Davidson) von Arx in *Leeuwenhoek ned. Tijdschr.*, 18, p. 212, 1952. (Syn. *Endoconidiophora variospora* Davidson).
- *virescens* (Davidson) von Arx in *Leeuwenhoek ned. Tijdschr.*, 18, p. 212, 1952. (Syn. *Endoconidiophora virescens* Davidson).
- Orbicula parietina** (Schrader ex Fr.) Hughes in *Mycol. Pap.* 42, p. 1, 1951. (Syn. *Didymium parietinum* Schrad. ex Fr.).
- Orbilla cruenta** (Schw.) Seaver, *The North American Cup-Fungi* (*Inoperculates*), p. 158, 1951. (Syn. *Peziza cruenta* Schw.).
- *cucurbitae* (Gerard) Seaver, *The North American Cup-Fungi* (*Inoperculates*), p. 155, 1951. (Syn. *Peziza cucurbitae* Ger.).
- *diaphanula* (Cooke) Seaver, *The North American Cup-Fungi* (*Inoperculates*), p. 153, 1951. (Syn. *Peziza diaphanula* Cooke).
- *fairmani* (Rehm) Seaver, *The North American Cup-Fungi* (*Inoperculates*), p. 154, 1951. (Syn. *Pezizella fairmani* Rehm).
- *phymatodes* (Phill.) Seaver, *The North American Cup-Fungi* (*Inoperculates*), p. 156, 1951. (Syn. *Peziza phymatodes* Phill.).
- *pulviscula* (Cooke) Seaver, *The North American Cup-Fungi* (*Inoperculates*), p. 160, 1951. (Syn. *Peziza pulviscula* Cooke).
- Ovulariopsis cynarae** (Ferr. & Massa) Ciccarone in *Boll. Staz. Pat. veg. Roma*, Ser. 3, 9, p. 36, 1952. (Syn. *Oidium cynarae* Ferr. & Massa).
- Ovulinia perplexa** (Lawrence) Seaver, *The North American Cup-Fungi* (*Inoperculates*), p. 65, 1951. (Syn. *Sclerotinia perplexa* Lawrence).
- Panellus longinquus** (Berk.) Singer in *Sydowia*, 6, p. 209, 1952. (Syn. *Agaricus longinquus* Berk.).
- Passalora milii** (Syd.) de Vries, *Contribution to the knowledge of the Genus Cladosporium*, p. 94, 1952. (Syn. *Cladosporium milii* Syd.).
- Peridermium** (Cronartium) **appalachianum** Hepting & Cummins in *Phytopathology*, 42, p. 115, 1952 on *Pinus virginiana*.—North Carolina, U.S.A.
- Petersenia panicicola** Thirumalachar & Lacy in *Mycopathologia*, 6, p. 75, 1951 on *Panicum repens*.—India.
- Pezicula breneckleana** Seaver nom. nov., *The North American Cup-Fungi* (*Inoperculates*), p. 341, 1951. (Syn. *Cenangium rosae* Sacc. non Schw.).
- *ocellata* (Pers.) Seaver, *The North American Cup-Fungi* (*Inoperculates*), p. 345, 1951. (Syn. *Peziza ocellata* Pers.).
- *olivascens* (Rehm) Seaver, *The North American Cup-Fungi* (*Inoperculates*), p. 339, 1951. (Syn. *Dermatea olivascens* Rehm).
- *phyllophila* (Peck) Seaver, *The North American Cup-Fungi* (*Inoperculates*), p. 350, 1951. (Syn. *Dermatea phyllophila* Peck). [See also *P. phyllophila* (Desm.) Karst., *Bidr. Fint. Nat. Folk.* 19, p. 167, 1871.]
- populi** (Thompson) Seaver, *The North American Cup-Fungi* (*Inoperculates*), p. 346, 1951. (Syn. *Neofabraea populi* Thompson).
- Phaeosphaeria japonica** Naito in *Sci. Rep. Kagoshima Univ.*, 1, p. 72, 1952 on *Livistona subglobosa*.—Japan.
- Phleospora panici** H. C. Greene in *Trans. Wis. Acad. Sci. Arts Lett.*, 41, p. 126, 1952 on *Panicum praecocius*.—Wisconsin, U.S.A.
- Phragmidella heterophragmae** (Mundkur & Thirumalachar) Thirumalachar & Mundkur in *Indian Phytopath.*, 2, p. 240, 1949. (Syn. *Santapaella heterophragmae* Mundkur & Thirumalachar).
- *Phyllosticta crassicaulis** Lossa in *Coll. bot., Barcinone*, 3, p. 151, 1952 on *Silene crassicaulis*.—Spain.
- *sequoiae* Naito in *Sci. Rep. Kagoshima Univ.*, 1, p. 74, 1952 on *Sequoia sempervirens*.—Japan.
- Phytophthora primulae** Tomlinson in *Trans. Brit. mycol. Soc.*, 35, p. 233, 1952 on *Primula polyantha*.—England.
- PLEIOCHAETA** (Sacc.) Hughes in *Mycol. Pap.* 36, p. 39, 1951. (Syn. *Ceratophorum* subgen. *Pleiochaeta* Sacc.).
- *albizziae* (Petch) Hughes in *Mycol. Pap.* 36, p. 39, 1951. (Syn. *Ceratophorum albizziae* Petch).
- *setosa* (Kirchner) Hughes in *Mycol. Pap.* 36, p. 39, 1951. (Syn. *Ceratophorum setosum* Kirchner).
- Pleomassaria acericola** Petrak in *Sydowia*, 6, p. 10, 1952 on dead *Acer*.—Pennsylvania, U.S.A.
- *helvetica* Petrak in *Sydowia*, 6, p. 9, 1952 on dead *Cytisus laburnum*.—Switzerland.
- Pleospora gaeumanni** Müller in *Ber. schweiz. bot. Ges.*, 61, p. 165, 1951 on dead grass stems. —Switzerland.
- *herbarum* Rabenh. var. *herbarum* in *Lloydia*, 15, p. 82, 1952 on *Allium*.—Europe.
- *hippophaes* Larsen in *Dansk. bot. Ark.*, 14, No. 7, p. 36, 1952 on dead *Hippophaes rhamnoides*.—Denmark.
- *laricina* Rehm var. *laricina* in *Lloydia*, 15, p. 94, 1952 on *Larix*.—Europe.
- var. *nitida* (Ellis & Ev.) Wehmeyer in *Lloydia*, 15, p. 95, 1952. (Syn. *Teichospora nitida* Ellis & Ev.).
- *media* Niessl var. *acuta* Wehmeyer in *Lloydia*, 15, p. 78, 1952 on *Juncus*.—Europe.
- var. *media* in *Lloydia*, 15, p. 75, 1952. —N. & S. America, Europe.
- var. *obtusata* Wehmeyer in *Lloydia*, 15, p. 78, 1952 on *Herniaria*.—Germany.
- *obtusata* (Fuckel) Höhn. var. *macrocarpa* Wehmeyer in *Lloydia*, 15, p. 93, 1952 on *Sorbus*.—Sweden.
- var. *obtusata* in *Lloydia*, 15, p. 92, 1952 on *Ephedra*, pine wood and pasteboard. —Europe, Argentina.
- *richtiphensis* Ellis & Ev. var. *pallida* Wehmeyer in *Lloydia*, 15, p. 73, 1952 on *Aster*.—Washington, U.S.A.
- var. *richtiphensis* in *Lloydia*, 15, p. 73, 1952 on *Helianthus*.—Colorado, U.S.A.
- *rubicunda* Niessl var. *americana* Wehmeyer in *Mycologia*, 44, p. 645, 1952 on *Pedicularis latifolia*.—Washington, U.S.A.
- *vulgaris* Niessl var. *ferruginea* Wehmeyer in *Lloydia*, 15, p. 72, 1952 on *Penstemon*.—Wyoming, U.S.A.
- var. *vulgaris* in *Lloydia*, 15, p. 71, 1952. —N. & S. America, Europe.
- Pleuroflammula bruchii** (Speg.) Singer in

- Lilloa*, 23, p. 218, 1950. (Syn. *Crepidotus bruckii* Speg.).
- Pleurotus sutherlandii* Singer in *Sydowia*, 6, p. 211, 1952 on dead *Nothofagus pumilio*.—Argentina.
- Pluteus carneipes* Kühner in *Bull. mens. Soc. linn. Lyon*, 19, p. 102, 1950.—France.
- defibulatus* Singer in *Sydowia*, 6, p. 222, 1952 on dead trunks of *Nothofagus*.—Argentina.
- leptotoides* Pearson in *Trans. Brit. mycol. Soc.*, 35, p. 109, 1952.—England.
- spægazzinianus* Singer in *Sydowia*, 6, p. 221, 1952 on trunks of *Nothofagus*.—Argentina.
- splendidus* Pearson in *Trans. Brit. mycol. Soc.*, 35, p. 110, 1952.—England.
- Podosphaera clandestina* (Wallr. ex Fr.) Lév. var. *tridactyla* (Wallr.) W. B. Cooke in *Mycologia*, 44, p. 572, 1952. (Syn. *P. oxyanthae* var. *tridactyla* (Wallr.) Salmon).
- Poromyces violacella* (Speg.) Singer in *Lilloa*, 23, p. 200, 1950. (Syn. *Collybia violacella* Speg.).
- PORPOLOMA** Singer in *Sydowia*, 6, p. 198, 1952.—Agaricales. Type *P. sejunctum*.
- portentosum* Singer in *Sydowia*, 6, p. 199, 1952.—Argentina.
- sejunctum* Singer in *Sydowia*, 6, p. 198, 1952.—Argentina.
- terreum* Singer in *Sydowia*, 6, p. 201, 1952.—Argentina.
- Psathyra acutilamella* (Favre) Pilát, *Agaric. Europae. clavis dichot.*, p. 387, 1951. (Syn. *Psathyrella acutilamella* Favre).
- Psathyrella fatua* (Fr.) Pearson in *Trans. Brit. mycol. Soc.*, 35, p. 119, 1952. (Syn. *Psathyra fatua* Fr.).
- fusca* (Schum. ex Lange) Pearson in *Trans. Brit. mycol. Soc.*, 35, p. 120, 1952. (Syn. *Psathyra fusca* (Schum.) Lange).
- microspora* (Imai) Hongo in *J. Jap. Bot.*, 27, p. 194, 1952. (Syn. *Psathyra microspora* Imai).
- multissima* (Imai) Hongo in *J. Jap. Bot.*, 27, p. 193, 1952. (Syn. *Psathyra multissima* Imai).
- pygmaea* (Bull. ex Fr.) Pearson in *Trans. Brit. mycol. Soc.*, 35, p. 120, 1952. (Syn. *Drosophila pygmaea* (Bull. ex Fr.) Quel.).
- Pseudotrachia minor* Munk in *Dansk. bot. Ark.*, 14, No. 8, p. 7, 1952 on *Diaporthe larseniana*.—Denmark.
- Puccinia agropyricola* Hiratsuka f. nom. nov. in *Bot. Mag., Tokyo*, 64, p. 221, 1951. (Syn. *Rostrupia miyabeana* Ito non *P. miyabeana* Miyake).
- baphiae* Viennot-Bourgin in *Bull. Soc. mycol. Fr.*, 67, p. 431, 1952 on *Baphia pubescens*.—Ivory Coast.
- caricina* DC. var. *uliginosa* (Juel) Jøstad in *Skr. norske Vidensk. Akad.*, 1951, No. 2, p. 30, 1952. (Syn. *P. uliginosa* Juel).
- crepidis-integrae* Hiratsuka f. in *Mem. Fac. Agric. Tokyo Univ.* 1, p. 61, 1952 on *Crepidium lanceolatum*.—Japan.
- digitariae-velutinae* Viennot-Bourgin in *Bull. Soc. mycol. Fr.*, 67, p. 432, 1952 on *Digitaria velutina*.—Ivory Coast.
- hydrocotyles* (Link) Cooke var. *tristanensis* Jøstad in *Results Norweg. Exped. T. da Cunha* 14, p. 8, 1947 on *Hydrocotyle capitata*.—Tristan da Cunha.
- *—*ruttneri* Fischer in *PflSchBer.*, 9, p. 21, 1952 on *Petasites* and *Carex gracilis*.—Austria.
- virectae* Viennot-Bourgin in *Bull. Soc. mycol. Fr.*, 67, p. 432, 1952 on *Virecta multiflora*.—Ivory Coast.
- Pucciniastrum vaccinii** (Wint.) Jøstad in *Skr. norske Vidensk. Akad.*, 1951, No. 2, p. 55, 1952. (Syn. *Melampsora vaccinii* Wint.).
- Pullularia werneckii* (Horta) de Vries, *Contribution to the knowledge of the Genus Cladosporium*, p. 101, 1952. (Syn. *Cladosporium werneckii* Horta).
- Ramularia nivos** (Ellis & Ev.) W. B. Cooke & Shaw in *Lloydia*, 15, p. 127, 1952. (Syn. *Cercospora nivos* Ellis & Ev.).
- Rhizophydium achnanthis** Friedmann in *Öst. bot. Z.*, 99, p. 181, 1952 on *Achnanthes affinis*.—Germany.
- melosirae* Friedmann in *Öst. bot. Z.*, 99, p. 179, 1952 on *Melosira varians*.—Germany.
- Rhodophyllus argentinus** (Speg.) Singer in *Lilloa*, 23, p. 228, 1950. (Syn. *Claudopus argentinus* Speg.).
- pampicola* (Speg.) Singer in *Lilloa*, 229, 1950. (Syn. *Naucoria pampicola* Speg.).
- subgoniosporus* (Speg.) Singer in *Lilloa*, 23, p. 229, 1950. (Syn. *Collybia subgoniospora* Speg.).
- Rhodotorula marina** Phaff, Mrak, & Williams in *Mycologia*, 44, p. 436, 1952 from *Peneaus satiferus*.—Texas.
- peneaus* Phaff, Mrak, & Williams in *Mycologia*, 44, p. 438, 1952 from *Peneaus setiferus*.—Texas.
- pilimanae* Hedrick & Burke in *Mycopathologia*, 6, p. 94, 1951 from *Drosophila pilimanae*.—Hawaii.
- texensis* Phaff, Mrak, & Williams in *Mycologia*, 44, p. 437, 1952 from *Peneaus setiferus*.—Texas.
- RHOPALOCONIDIUM** Petrak in *Sydowia*, 6, p. 300, 1952.—Hyphomycetes.
- asiminae* (Ell. & Morg.) Petrak in *Sydowia*, 6, p. 301, 1952. (Syn. *Phleospora asiminae* Ell. & Morg.).
- Rosenscheldiella phoradendri** Limber & Jenkins in *Mycologia*, 44, p. 560, 1952 on *Phoradendron robustissimum*.—El Salvador, Central America.
- ROSTROSPORA** C. V. Subramanian & K. Ramakrishnan in *J. Madras Univ.*, Sect. B, 22, p. 67, 1952.—Melanconiales.
- ciliata* (T. S. & K. Ramakrishnan) C. V. Subramanian & K. Ramakrishnan in *J. Madras Univ.*, Sect. B, 22, p. 67, 1952. (Syn. *Colletotrichum ciliatum* T. S. & K. Ramakrishnan).
- Russula alpina** (Blytt) Möll. & Schaeff. in Schaeff., *Russula-Monographie*, p. 222, 1952. (Syn. not cited).
- aosma* Singer in *Kew Bull.*, 1952, p. 298, 1952.—Trinidad.
- cessans* A. A. Pearson in *Naturalist, Lond.*, 1950, p. 101, 1950 under *Pinus sylvestris*.—England.
- chlorantha* Zvára in Schaeff., *Russula-Monographie*, p. 209, 1952.—Czechoslovakia.
- *—*dennisii* Singer in *Kew Bull.*, 1952, p. 296, 1952.—Trinidad.
- erubescens* Zvára in Schaeff., *Russula-Monographie*, p. 108, 1952.—Europe.
- fragilis* Fr. var. *carminea* Schaeff., *Russula-Monographie*, p. 216, 1952.—Europe.
- integra* Fr. var. *aurantiaca* Schaeff., *Russula-Monographie*, p. 161, 1952.—Europe.

- *— *kauffmanii* Schaeff., *Russula-Monographie*, p. 95, 1952.—?U.S.A.
- *laeta* Möll. & Schaeff. in Schaeff., *Russula-Monographie*, p. 162, 1952.—Europe.
- *metachromatica* Singer in *Kew Bull.*, 1952, p. 297, 1952.—Venezuela.
- *odorata* Romagnesi in *Bull. mens. Soc. linn. Lyon*, 19, p. 76, 1950.—France.
- *puellula* Ebbesen, Möll. & Schaeff. in Schaeff., *Russula-Monographie*, p. 118, 1952.—Denmark.
- *puiggarii* (Speg.) Singer in *Lilloa*, 23, p. 239, 1950. (Syn. *Clitocybe puiggarii* Speg.).
- *querceti* Haas & Schaeff. 'n. subsp.' in Schaeff., *Russula-Monographie*, p. 164, 1952.—Germany.
- *rhodopoda* Zvára forma *compactior* Schaeff., *Russula-Monographie*, p. 231, 1952.—Europe.
- *striatella* Schaeff., *Russula-Monographie*, p. 185, 1952.—Europe.
- *venezueliana* Singer in *Kew Bull.*, 1952, p. 295, 1952.—Venezuela.
- *vinosopurpurea* Schaeff., *Russula-Monographie*, p. 260, 1952.—Europe.
- *zonatula* Ebbesen & Schaeff. in Schaeff., *Russula-Monographie*, p. 127, 1952.—Denmark.
- SABOURAUDIELLA** Boedijn in *Mycopathologia*, 6, p. 123, 1951.—Trichophytonae. Type, *S. purpurea*.
- *interdigitalis* (Priestley) Boedijn in *Mycopathologia*, 6, p. 125, 1951. (Syn. *Trichophyton interdigitale* Priestley).
- *purpurea* (Bang) Boedijn in *Mycopathologia*, 6, p. 123, 1951. (Syn. *Trichophyton purpureum* Bang).
- *rubra* (Castell.) Boedijn in *Mycopathologia*, 6, p. 125, 1951. (Syn. *Epidermophyton rubrum* Castellani).
- Saccharomyces acidifaciens** (Nickerson) Lodder & Kreger-Van Rij, *The Yeasts*, p. 214, 1952. (Syn. *Zygosaccharomyces acidifaciens* Nick.).
- *bisporus* (Naganishi) Lodder & Kreger-Van Rij, *The Yeasts*, p. 194, 1952. Syn. *Zygosaccharomyces bisporus* Nag.).
- *delbruecki* var. *mongolicus* (Saito) Lodder & Kreger-Van Rij, *The Yeasts*, p. 173, 1952. (Syn. *Zygosaccharomyces mongolicus* Saito).
- *elegans* Lodder & Kreger-Van Rij, *The Yeasts*, p. 668, 1952 from apple juice.—Holland.
- *fermentati* (Saito) Lodder & Kreger-Van Rij, *The Yeasts*, p. 200, 1952. (Syn. *Torulaspora fermentati* Saito).
- *florentinus* (Castelli) Lodder & Kreger-Van Rij, *The Yeasts*, p. 213, 1952. (Syn. *Zygosaccharomyces florentinus* Castelli).
- I — *fructuum* Lodder & Kreger-Van Rij, *The Yeasts*, p. 668, 1952 from fruit juice.—Holland.
- F — *mellis* (Fabian & Quinet) Lodder & Kreger-Van Rij, *The Yeasts*, p. 208, 1952. (Syn. *Zygosaccharomyces mellis* Fabian & Quinet).
- R — *pastori* (Guill.) Lodder & Kreger-Van Rij, *The Yeasts*, p. 197, 1952. (Syn. *Zygosaccharomyces pastori* Guill.).
- *rosei* (Guill.) Lodder & Kreger-Van Rij, *The Yeasts*, p. 187, 1952. (Syn. *Torulaspora rosei* Guill.).
- R — *rouxii* Boutroux var. *polymorphus* (Kroem. & Krumbh.) Lodder & Kreger-Van Rij, *The Yeasts*, p. 142, 1952. (Syn. *Zygosaccharomyces polymorphus* Kroem. & Krumbh.).
- *steineri* Lodder & Kreger-Van Rij nom. nov., *The Yeasts*, p. 668, 1952. (Syn. *S. chodati* Steiner non Schweizer).
- *veronae* Lodder & Kreger-Van Rij, *The Yeasts*, p. 669, 1952 from grapes.—Italy.
- ***Sarcodon abietinum** Heim in *Rev. Myc.*, Paris, N.S., 8, Suppl. 1, p. 10, 1943 and *Bull. Soc. mycol. Fr.*, 67, part 4, [page unnumbered], atlas, pl. 99, 1952.—France.
- Sclerotinia temulenta** (Prill. & Delacr.) Seaver, *The North American Cup-Fungi* (Inoperculates), p. 76, 1951. [See also *S. temulenta* (Pr. & Del.) Rehm apud Hoehn., *Ann. Myc.*, 1, p. 406, 1903.]
- SERENOMYCES** Petrak in *Sydowia*, 6, p. 296, 1952.—Ceratostomataceae.
- *shearii* Petrak in *Sydowia*, 6, p. 296, 1952 on dead leaves of *Serenoa serrulata*.—Florida, U.S.A.
- Setella halophila** E. Fisher in *Proc. roy. Soc. Vict.*, N.S., 62, p. 129, 1950 on *Aegiceras corniculatum*.—Queensland, Australia.
- Shearia acericola** Petrak in *Sydowia*, 6, p. 11, 1952 on *Acer*.—Pennsylvania, U.S.A.
- SHEARIELLA** Petrak in *Sydowia*, 6, p. 302, 1952.—Sphaeropsidales.
- *carbonacea* Petrak in *Sydowia*, 6, p. 303, 1952 on dead branches.—Hawaii.
- Sirobasidium indicum** K. Ramakrishnan & C. V. Subramanian in *J. Madras Univ.*, Sect. B, 21, p. 304, 1951 on dead twigs.—India.
- Sphaceloma magnoliae** Jenkins & Miller in *J. Wash. Acad. Sci.*, 42, p. 323, 1952 on *Magnolia grandiflora*.—Georgia, U.S.A.
- Sphaelotheca themedicola** Ling in *Sydowia*, 5, p. 44, 1951 on *Themeda gigantea*.—Philippines. Included in error under *Leptosphaeria* in this Index, 2, 57.
- SPHAERANGIUM** Seaver nom. nov., *The North American Cup-Fungi* (Inoperculates), p. 308, 1951. (Syn. *Phaeangium* Sacc. non Pat.).
- *magnisporum* (Cash & Stevenson) Seaver, *The North American Cup-Fungi* (Inoperculates), p. 309, 1951. (Syn. *Phaeangium magnisporum* Cash & Stevenson).
- *tetrasporum* (Ellis) Seaver, *The North American Cup-Fungi* (Inoperculates), p. 308, 1951. (Syn. *Dermatea tetraspora* Ellis).
- *tiliae* Seaver, *The North American Cup-Fungi* (Inoperculates), p. 309, 1951 on *Tilia heterophylla*.—Georgia, U.S.A.
- Sphaerophragmium milletiae** Viennot-Bourgin in *Bull. Soc., mycol. Fr.*, 67, p. 433, 1952 on *Milletia stapfiana*.—Ivory Coast.
- *monodora* Viennot-Bourgin in *Bull. Soc. mycol. Fr.*, 67, p. 433, 1952 on *Monodora tenuifolia*.—Ivory Coast.
- Sphaerotheca macularis** (Wallr. ex Fr.) W. B. Cooke in *Mycologia*, 44, p. 572, 1952. (Syn. *Erysiphe macularis* Wallr. ex Fr.).
- var. *fuliginea* (Schlecht. ex Fr.) W. B. Cooke in *Mycologia*, 44, p. 572, 1952. (Syn. *S. humuli* var. *fuliginea* (Schlecht.) Salmon).
- Sphaerulina cucurbitae** Naito in *Sci. Rep. Kagoshima Univ.*, 1, p. 71, 1952 on *Cucurbita moschata* var. *toonasa*.—Japan.
- Sporodesmium subulatum** (Cooke & Ellis) Hughes in *Mycol. Pap.* 36, p. 31, 1951. (Syn. *Ceratophorum subulatum* Cooke & Ellis).
- ***SPOROPHORA** Lutteraan in *Rev. Biol. gén.*

- thor. appl.*, 2, p. 2, 1952. Hyphomycetes, 'Sporophorées'.
- *—*toruliformis* Luteraan in *Rev. Biol. gén. thor. appl.*, 2, p. 2, 1952.—France.
 - Stagonospora recedens* (Massal.) Jones & Weimer forma *trifolii-alexandri* Ciccarone in *Ann. Sper. agr.*, N.S. 6, p. 11, 1952 on *Trifolium alexandrinum*.—Italy.
 - STEVENSONULA Petrak in *Sydowia*, 6, p. 1, 1952.—Fungi Imperfecti.
 - ciliata* Petrak in *Sydowia*, 6, p. 2, 1952 on dead *Baccharis halimifolia*.—Florida, U.S.A.
 - Synchytrium hibisci* Gupta & Sinha in *Indian Phytopath.*, 4, p. 8, 1951 on *Hibiscus esculentus*.—India.
 - melongenae* Gupta & Sinha in *Indian Phytopath.*, 4, p. 8, 1951 on *Solanum melongena*.—India.
 - phaseoli-radiati* Sinha & Gupta in *Indian Phytopath.*, 4, p. 7, 1951 on *Phaseolus radiatus*.—India.
 - sesami* Sinha & Gupta in *Indian Phytopath.*, 4, p. 8, 1951 on *Sesamum indicum*.—India.
 - vernoniae* Gupta & Sinha in *Indian Phytopath.*, 4, p. 9, 1951 on *Vernonia patula*.—India.
 - Telimena foreau* Moreau in *Bull. Soc. bot. Fr.*, 98, p. 209, 1951 on *Anaptychia speciosa*.—India.
 - TETRAPOSPORIUM Hughes. Given erroneously as TETRAPOSPORUM in this *Index*, 2, p. 63.
 - Thecaphora aterrima* Tul. var. *fimbriatylidis* (Mundk. & Thirum.) Mundk. & Thirumalachar, *Ustilaginales of India*, p. 58, 1952. (Syn. *Thecaphora fimbriatylidis* Mundk. & Thirum.).
 - Tilletia pulcherrima* Ell. & Gall. var. *brachiariae* Pavgi & Thirumalachar in *Mycologia*, 44, p. 323, 1952 on *Bracharia distachya*.—India.
 - setaricola* Pavgi & Thirumalachar in *Mycologia*, 44, p. 321, 1952 on *Setaria intermedia*.—India.
 - Tilletiopsis cremea* Tubaki in *Nagaoa*, 1, p. 30, 1952 on leaves.—Japan.
 - ilacina* Tubaki in *Nagaoa*, 1, p. 29, 1952 on *Acer* & *Cornus controversa*.—Japan.
 - minor* Nyland var. *flava* Tubaki in *Nagaoa*, 1, p. 28, 1952 on *Acer*.—Japan.
 - Tolyposporium andropogonis* Patel & Kulkarni apud Patel, Gokhale, & Kulkarni in *Indian Phytopath.*, 4, p. 65, 1951 on *Andropogon triticus*.—India.
 - restifaciens* D. E. Shaw in *Proc. Linn. Soc. N.S.W.*, 77, p. 145, 1952 on *Stipa aristiglumis*.—New South Wales, Australia.
 - Torulopsis anomala* Lodder & Kreger-Van Rij, *The Yeasts*, p. 670, 1952 from cucumber brine.—U.S.A.
 - ernobii* Lodder & Kreger-Van Rij, *The Yeasts*, p. 671, 1952 from *Ernobius mollis*.—Germany.
 - etchellsii* Lodder & Kreger-Van Rij, *The Yeasts*, p. 670, 1952 from cucumber brine.—U.S.A.
 - famata* (Harrison) Lodder & Kreger-Van Rij, *The Yeasts*, p. 417, 1952. (Syn. *Mycotorula famata* Harrison).
 - globosa* (Olson & Hammer) Lodder & Kreger-Van Rij, *The Yeasts*, p. 426, 1952. (Syn. *Torula globosa* Olson & Hammer).
 - inconspicua* Lodder & Kreger-Van Rij, *The Yeasts*, p. 671, 1952 from human sputum.—Holland.
 - lactis-condensi* (Hammer) Lodder & Kreger-Van Rij, *The Yeasts*, p. 409, 1952. (Syn. *Torula lactis-condensi* Hammer).
 - magnoliae* Lodder & Kreger-Van Rij, *The Yeasts*, p. 671, 1952 from *Magnolia* flower.—Holland.
 - pinus* Lodder & Kreger-Van Rij, *The Yeasts*, p. 671, 1952 from pine heartwood.—Sweden.
 - pintolopesii* van Uden in *Arch. Microbiol.*, 17, p. 207, 1952 from *Mus musculus*.—Portugal.
 - sake* (Saito & Ota) Lodder & Kreger-Van Rij, *The Yeasts*, p. 425, 1952. (Syn. *Euturolopsis sake* Saito & Ota).
 - stellata* (Kr. & Krumbh.) Lodder var. *cambresieri* Lodder & Kreger-Van Rij, *The Yeasts*, p. 670, 1952 from gum.—Belgium.
 - versatilis* (Etchells & Bell) Lodder & Kreger-Van Rij, *The Yeasts*, p. 427, 1952. (Syn. *Brettanomyces versatilis* Etchells & Bell).
 - Trenomyces aquaticus* Eichler in *Fedde Repert.*, 54, p. 195, 1952 on *Cinclous cinci*.—Germany.
 - guaraunae* Eichler in *Fedde Repert.*, 54, p. 196, 1952 on *Ardeicola guaranae*.—Brazil.
 - helveticus* Eichler in *Fedde Repert.*, 54, p. 198, 1952 on *Myrsidea cucullaris*.—Switzerland.
 - keleri* Eichler in *Fedde Repert.*, 54, p. 200, 1952 on *Gliricola mesomydis*.—Brazil.
 - thaxteri* Eichler in *Fedde Repert.*, 54, p. 201, 1952 on *Lumaceps inaequalis*.—Germany.
 - Trichobelonium leucorrhodinum* (Mont.) Seaver, *The North American Cup-Fungi (Inoperculates)*, p. 161, 1951. (Syn. *Peziza leucorrhodina* Mont.).
 - Trichocladium opacum* (Corda) Hughes in *Trans. Brit. mycol. Soc.*, 35, p. 154, 1952. (Syn. *Sporodesmium opacum* Corda).
 - Tricholoma alpestris* (Britz.) Pilát, *Agaric. Europae. clavis dichot.*, p. 156, 1951. (Syn. *Agaricus alpestris* Britz.).
 - cortinatum* Singer in *Sydowia*, 6, p. 192, 1952.—Argentina.
 - fagnani* Singer in *Sydowia*, 6, p. 194, 1952.—Argentina.
 - favrei* (Haller & Haller) Pilát, *Agaric. Europae. clavis dichot.*, p. 149, 1951. (Syn. *Lyophyllum favrei* Haller & Haller).
 - naucoria* (Murr.) Pilát, *Agaric. Europae. clavis dichot.*, p. 155, 1951. (Syn. *Melanoleuca naucoria* Murr.).
 - pseudolilaceum* (Singer) Pilát, *Agaric. Europae. clavis dichot.*, p. 156, 1951. (Syn. *Calocybe pseudolilacea* Singer).
 - rickeni* (Singer) Pilát, *Agaric. Europae. clavis dichot.*, p. 160, 1951. (Syn. *Lepista rickeni* Singer).
 - Trichophyton gallinae* (Ménin) Silva & Benham in *J. invest. Derm.*, 18, p. 453, 1952. (Syn. *Epidermophyton gallinae* Ménin). (See also *T. gallinae* (Ménin) Georg in *Mycologia*, 44, p. 474, 1952.)
 - Trichosporon behrendii* Lodder & Kreger-Van Rij, *The Yeasts*, p. 673, 1952 from sputum.—Holland.
 - cutaneum* (de Beurm., Goug. & Vauch.) Ota var. *multisporum* (Cochet) Lodder & Kreger-Van Rij, *The Yeasts*, p. 619, 1952. (Syn. *Trichosporum multisporum* Cochet).
 - var. *peneaus* Phaff, Mrak, & Williams in

- Mycologia*, 44, p. 439, 1952 from *Peneaus setiferus*.—Texas.
- *diddensii* Phaff, Mrak, & Williams in *Mycologia*, 44, p. 440, 1952 from *Peneaus setiferus*.—Texas.
- *lodderi* Phaff, Mrak, & Williams in *Mycologia*, 44, p. 441, 1952 from *Peneaus setiferus*.—Texas.
- *Trichothecium polyclonum* Drechsler in *Mycologia*, 44, p. 550, 1952 on *Arcella vulgaris*, *Pythium spinosum* and *Polyangium*.—Oregon, U.S.A.
- *Tubercularia abutilonis* Katsura in *Forsch. PflKr.*, Tokyo, 4, p. 105, 1951 on *Abutilon avicennae*.—China.
- *Uleomyces wellmanii* Jenkins & Limber in *Mycologia*, 44, p. 557, 1952 on *Phoradendron robustissimum*.—El Salvador, Central America.
- *Uncinula adunca* (Fr.) W. B. Cooke in *Mycologia*, 44, p. 573, 1952. (Syn. *Erysiphe adunca* Fr.).
- *bicornis* (Fr.) Lev. var. *tulasnei* (Fuckel) W. B. Cooke in *Mycologia*, 44, p. 572, 1952. (Syn. *U. aceris* var. *tulasnei* (Fuckel) Salmon).
- *Uredo bosqueiae* Viennot-Bourgin in *Bull. Soc. mycol. Fr.*, 67, p. 434, 1952 on *Bosqueia angolensis*.—Ivory Coast.
- *caricis-thouarsii* Jørstad in *Results Norweg. Exped. T. da Cunha*, 14, p. 10, 1947 on *Carex thouarsii*.—Tristan da Cunha.
- *markhamiae* [as 'markamiae'] Viennot-Bourgin in *Bull. Soc. mycol. Fr.*, 67, p. 434, 1952 on *Markhamia lutea*.—Ivory Coast.
- *newbouldiae* Viennot-Bourgin in *Bull. Soc. mycol. Fr.*, 67, p. 435, 1952 on *Newbouldia laevis*.—Ivory Coast.
- *Uromyces aspiliella* Viennot-Bourgin in *Bull. Soc. mycol. Fr.*, 67, p. 435, 1952 on *Aspilia latifolia*.—Ivory Coast.
- *planiusculus* (Mont.) Jørstad in *Results Norweg. Exped. T. da Cunha*, 14, p. 15, 1947. (Syn. *Uredo planiuscula* Mont. in Gay).
- *yakushimensis* Hiratsuka f. & Katsuki in *Mem. Fac. Agric. Tokyo Univ.* 1, p. 53, 1952 on *Trichosanthes multiloba*.—Japan.
- *Xiphomyces caricis* Jørstad in *Results Norweg. Exped. T. da Cunha*, 14, p. 28, 1947 on *Carex insularis*.—Tristan da Cunha.
- *Zygosporium chartarum* Camposano in *Nuovo G. bot. ital.*, N.S., 58, p. 360, 1951 on paper.—Italy.

HOST INDEX

For Phanerogams see under families; for Algae, Bacteria, Fungi, Lichenes, and Pteridophyta see under those names; for animal hosts see under Insecta, Invertebrata, and Vertebrata

ACERACEAE

Acer

- *Pleomassaria acericola*
— *Shearia acericola*
— *Tilletiopsis lilacina*
— *Tilletiopsis minor* var. *flava*

ALGAE

- *Achnanthes affinis*
— *Rhizophydium achnanthis*
— *Eunotia arcus*
— *Ectrogella eunotiae*
— *Melosira varians*
— *Rhizophydium melosirae*
— *Navicula oblonga*
— *Chytridium versatile* var. *podochytrioides*

ANNONACEAE

- *Monodora tenuifolia*
— *Sphaerophragmium monodorae*

AQUIFOLIACEAE

- *Ilex aquifolium*
— *Didymella ilicis*

ARACEAE

- *Arisaema ringens* var. *praecox*
— *Aecidium satsumense*

BACTERIA

- *Polyangium*
— *Trichothecium polyclonum*

BALSAMINACEAE

- *Impatiens textori*
— *Cercospora nojimai*

BETULACEAE

- *Ostrya*
— *Midotis vestii*

BIGNONIACEAE

- *Markhamia lutea*
— *Uredo markhamiae*
— *Newbouldia laevis*
— *Uredo newbouldiae*

BURSERACEAE

- *Boswellia serrata*
— *Dasturella boswelliae*

CAPRIFOLIACEAE

- *Sambucus nigra*
— *Chaetosphaeria subcaespitosa*
— *Triosteum perfoliatum*
— *Coremium triostei*

CARYOPHYLLACEAE

- *Dianthus seguieri*
— *Heterosporium echinulatum* var. *dianthi*
— *Herniaria*

- *Pleospora media* var. *obtus*
— *Silene crassicaulis*

- *Phyllosticta crassicaulis*

COMPOSITAE

- *Leptosphaeria filiformis*
— *Aspilia latifolia*
— *Uromyces aspiliella*

Aster

- *Pleospora richtophensis* var. *pallida*

- *Baccharis halimifolia*
— *Stevensonula ciliata*

- *Crepidiastrum lanceolatum*

- *Puccinia crepidis-integrae*

Helianthus

- *Pleospora richtophensis* var. *richtophensis*

Petasites

- *Puccinia rutneri*

Vernonia patula

- *Synchytrium vernoniae*

CONIFERAE

- *Chamaecyparis nootkatensis* forma *pendula*
— *Karschia nootkatensis*

- *Cryptomeria japonica*
— *Chloroscypha cryptomeriae*

Larix

- *Pleospora laricina* var. *laricina*

CONIFERAE (continued)

- Larix decidua*
Lophium mayori
Picea abies
Diaporthe larseniana
Pinus virginiana
Peridermium (Cronartium) appalachianum
Sequoia sempervirens
Phyllosticta sequoiae

CORNACEAE

- Cornus controversa*
Tilletiopsis lilacina

CUCURBITACEAE

- Cucumis melo* var. *reticulatum*
Fusarium bulbigenum var. *cucumis*
Cucurbita moschata var. *toonas*
Sphaerulina cucurbitae
Trichosanthes multiloba
Uromyces yakushimensis

CYPERACEAE

- Carex aquatilis*
Cintractia caricis var. *acutatum*
Carex atrata
Cintractia atratae
Carex bigelowii
Cintractia limosa var. *minor*
Carex ebenea
Cintractia carpophila var. *verrucosa*
Carex gracilis
Puccinia rutneri
Carex insularis
Xiphomyces caricis
Carex oblata
Clathrospora simmonsii
Carex pensylvanica var. *pensylvanica*
Cintractia caricis var. *intermedia*
Carex pyrenaica subsp. *micropoda*
Cintractia carpophila var. *kenaica*
Carex thouarsii
Uredo caricis-thouarsii
Cladium mariscus
Didymosphaeria cladii

ELAEAGNACEAE

- Hippophaë rhamnoides*
Pleospora hippophaë

EUPHORBIACEAE

- Sebastiania klotzschiana*
Maravalia sebastianiae

FAGACEAE

- Fagus sylvaticus*
Camposporium cambrense
Chaetosphaeria fusispora
Nothofagus
Clitocybe subleptoloma
Pluteus defibulatus
Pluteus spegazzinianus
Nothofagus pumilio
Clitocybe pleurotus
Pleurotus sutherlandii

FUNGI

- Cochlonema megalosomum*
Dactylella helminthodes
Cryptospora suffusa
Calosphaeria cryptospora
Diaporthe larseniana
Pseudotrichia minor
Pythium debaryanum
Dactylella helminthodes
Pythium spinosum
Trichothecium polyctonum

GERANIACEAE

- Geranium viscosissimum*
Cercospora geranii

GINKGOACEAE

- Ginkgo biloba*
Hendersonia ginkginis

GNETACEAE

- Ephedra*
Pleospora obtusa var. *obtusa*

GRAMINEAE

- Andropogon triticeus*
Tolyposporium andropogonis
Brachiaria distachya
Tilletia pulcherrima var. *brachiariae*
Dactylis glomerata
Microthyrium nigro-annulatum
Digitaria velutina
Puccinia digitariae-velutinae
Elymus arenarius
Mycosphaerella elymifoliae
Elymus glaucus
Leptosphaeria elongata
Panicum praecoxius
Phleospora panici
Panicum repens
Petersenia panicicola
Setaria intermedia
Tilletia setaricola
Stipa aristiglumis
Tolyposporium restifaciens
Stipa californica
Clathrospora cookei
Stipa spartea
Cladosporium stipae

INSECTA

- Ardeicola guaraunae*
Trenomyces guaraunae
Cincoleus cinci
Trenomyces aquaticus
Drosophila crucigera
Candida sorbosa
Drosophila pilimanae
Rhodotorula pilimanae
Elaphrus cupreus
Laboulbenia buehlmannii
Ernobius mollis
Torulopsis ernobii
Gliricola mesomydis
Trenomyces keleri
Lunaceps inaequalis
Trenomyces thaxteri
Myrsidea cucullaris
Trenomyces helveticus
Prolabia pulchella
Filaromyces forficulae
Reticulitermes flavipes var. *santonensis*
Antennopsis gallica

INVERTEBRATA (other than Insecta)

- Arcella vulgaris*
Trichothecium polyctonum
Nematodes
Dactylella acrochaeta
Dactylella mammillata
Harposporium villiputanum
Peneaus setiferus
Rhodotorula marina
Rhodotorula peneaus
Rhodotorula texensis
Trichosporon cutaneum var. *peneaus*
Trichosporon diddensii
Trichosporon lodderi

JUGLANDACEAE

- Carya*
Discosporina commutata
Melanconis commutata

- JUNCACEAE
Juncus
 Dictyosporium prolificum
 Pleospora media var. *acuta*
- LABIATAE
Collinsonia canadensis
 Helotium rhizicola
- LAURACEAE
Beilschmiedia tawa
 Hypocrea tawa
- LEGUMINOSAE
Arachis hypogaea
 Colletotrichum manganoti
Baphia pubescens
 Puccinia baphiae
Caesalpinia pulcherrima
 Beltrania indica
Cytisus laburnum
 Pleomassaria helvetica
Millettia rhodantha
 Hapalophragmium millettiae-rhodanthae
Millettia staphiana
 Sphaerophragmium millettiae
Phaseolus radiatus
 Synchytrium phaseoli-radiati
Trifolium alexandrinum
 Stagonospora recedens forma *trifolii-alexandri*
- S LICHENES
Anaptychia speciosa
 Telimena foreau
- LILIACEAE
Allium
 Pleospora herbarum var. *herbarum*
Phormium tenax
 Hendersonia phormii
- LORANTHACEAE
Phoradendron robustissimum
 Rosenscheldiella phoradendri
 Uleomyces wellmannii
- S MAGNOLIACEAE
Magnolia
 Massaria shearii
 Torulopsis magnoliae
Magnolia grandiflora
 Sphaceloma magnoliae
Michelia chinensis
 Leptosphaerulina kiusiana
- MALVACEAE
Abutilon avicennae
 Colletotrichum pekkinensis
 Tubercularia abutilonis
Hibiscus esculentus
 Synchytrium hibisci
- MORACEAE
Bosquiea angolensis
 Uredo bosquieae
- MYRSINACEAE
Aegiceras corniculatum
 Setella halophila
Suttonia salicina
 Hypocrea toro
- I MYRTACEAE
Callistemon viminalis
 Meliola polytricha var. *queenslandica*
F Leptospermum scoparium
 Hypocrea macrospora
 Hypocrea manuka
- R OLEACEAE
Chionanthus retusus
 Cercospora chionanthi-retusi
- PALMAE
Livistona chinensis
 Graphiola cylindrica
Livistona subglobosa
 Hendersonia livistonae
 Phaeosphaeria japonica
Serenoa serrulata
 Serenomyces shearii
- PEDALIACEAE
Sesamum indicum
 Synchytrium sesami
- PLATANACEAE
Platanus noxius
 Endoconidiophora fimbriata forma *platani*
- POLYGONACEAE
Polygonum virginianum
 Helotium rhizicola
- PRIMULACEAE
Primula polyantha
 Phytophthora primulae
- PROTEACEAE
Banksia robur
 Asterina systema-solare var. *minor*
Banksia robur var. *minor*
 Asterina systema-solare var. *minor*
- PTERIDOPHYTA
Equisetum hiemale
 Didymosphaeria equiseti-hiemale
 Leptosphaeria berleseii
- RHAMNACEAE
Discaria toumatou
 Calonectria novae-zealandiae
- ROSACEAE
Fragaria
 Mucor recurvus
Geum rivale
 Mycosphaerella koldingensis
Geum urbanum
 Mycosphaerella larsenii
Sorbus
 Karstenula sorbicola
 Pleospora obtusa var. *macrocarpa*
- RUBIACEAE
Coprosma
 Actinodothidopsis nitida
Coprosma robusta
 Hypocrea coprosma
Mussaenda erythrophylla
 Hemileia mussaendae
Nertera granadensis
 Coniothyrium nerterae
Virecta multiflora
 Puccinia virectae
- SALICACEAE
Populus tremuloides
 Lachnella populicola
 Lachnella populina
- SAPINDACEAE
Euphoria longana
 Didymella euphoriae
- SCROPHULARIACEAE
Pedicularis latifolia
 Pleospora rubicunda var. *americana*
Pentstemon
 Pleospora vulgaris var. *ferruginea*
- SOLANACEAE
Solanum melongena
 Synchytrium melongenae
- STAPHYLEACEAE
Staphylea rufa
 Massarina floridana
 Massarina staphyleae

STYRACACEAE

*Styrax japonica**Cercospora fukuokaensis*

TILIACEAE

*Grewia asiatica**Cercospora greviae**Tilia heterophylla**Sphaerangium tiliae*

TYPHACEAE

*Typha latifolia**Metasphaeria bispora*

UMBELLIFERAE

*Hydrocotyle capitata**Puccinia hydrocotyles* var. *tristanensis*

VERTEBRATA

*Homo sapiens**Epidermophyton angustisporum**Mus musculus**Torulopsis pintolopesii*

VIOLACEAE

*Melicytus ramiflorus**Hypocrea novae-zealandica*

VITACEAE

*Cissus**Mycosyrinx globosa**Cissus polyantha**Goplania cissi**Parthenocissus tricuspidata**Cercospora horiana*

PRINTED IN
GREAT BRITAIN
AT THE
UNIVERSITY PRESS
OXFORD
BY
CHARLES BATEY
PRINTER
TO THE
UNIVERSITY

S

S

I

F

F

R



S

I

F

F

R

INDEX OF FUNGI

PUBLISHED SINCE THE BEGINNING OF 1940

Formerly issued as Supplements to the Review of Applied Mycology

VOL. II

PART 7

1953

- ABROTHALLOMYCES**¹ Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 75, 1952.—For the fungal element of *Abrothallus* (lichen).
- ***Absidia ginsan** Kominami, Kobayasi, & Tubaki in *Mycol. J. Nagao Inst.*, No. 2, p. 56, 1952.—Manchuria.
- ACANTHOTHECOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 75, 1952.—For the fungal element of *Acanthothecium* (lichen).
- ACAROSPOROMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 73, 1952.—For the fungal element of *Acarospora* (lichen).
- ACOLIOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 65, 1952.—For the fungal element of *Acolium* (lichen).
- ACROCORDIOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 56, 1952.—For the fungal element of *Acrocordia* (lichen).
- ACROTELLOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 59, 1952.—For the fungal element of *Acrotellum* (lichen).
- ACTINOPLACOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 63, 1952.—For the fungal element of *Actinoplaca* (lichen).
- ACTINOSPORA** Ingold in *Trans. Brit. mycol. Soc.*, 35, p. 66, 1952.—Hyphomycetes.
- megalospora** Ingold in *Trans. Brit. mycol. Soc.*, 35, p. 66, 1952 on submerged decaying twig of *Crataegus*.—England.
- Acidium anaphalis-leptophyllae** Ramakrishnan, Srinivasan, & Sundaram in *Proc. Indian Acad. Sci.*, Sect. B, 36, p. 87, 1952 on *Anaphalis leptophylla*.—India.
- clematidis-songaricae** Nevodovsky in *Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS*, 6, p. 178, 1950 on *Clematis songarica*.—U.S.S.R.
- cuspidatum** Ramakrishnan, Srinivasan, & Sundaram in *Proc. Indian Acad. Sci.*, Sect. B, 37, p. 86, 1953 on *Strobilanthes cuspidatus*.—India.
- inulae-grandis** Nevodovsky in *Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS*, 6, p. 175, 1950 on *Inula grandis*.—U.S.S.R.
- kondoriense** Kuprevicz in *Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS*, 6, p. 171, 1950 on *Ostrowskia magnifica*.—U.S.S.R.
- meliosmae-wightii** Ramakrishnan, Srinivasan, & Sundaram in *Proc. Indian Acad. Sci.*, Sect. B, 36, p. 87, 1952 on *Meliosma wightii*.—India.
- millefolii** Nevodovsky in *Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS*, 6, p. 172, 1950 on *Achillea micrantha*.—U.S.S.R.
- pavoniae-odoratae** Ramakrishnan, Srinivasan, & Sundaram in *Proc. Indian Acad. Sci.*, Sect. B, 36, p. 89, 1952 on *Pavonia odorata*.—India.
- trichodesmae** Kuprevicz in *Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS*, 6, p. 171, 1950 on *Trichodesma incana*.—U.S.S.R.
- ALECTORIOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 70, 1952.—For the fungal element of *Alectoria* (lichen).
- Aleurisma immite** (Stiles) Bogliolo & Neves in *Mycopathologia*, 6, p. 147, 1952. (Syn. *Coccidioides immitis* Stiles.)
- Aleurodiscus delicatus** Wakefield in *Trans. Brit. mycol. Soc.*, 35, p. 44, 1952 on dead leaves of *Cladium mariscus*.—England.
- ALLARTHOTHELIOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 68, 1952.—For the fungal element of *Allarthothelium* (lichen).
- Allomyces javanicus** Kniep var. **allomorphus** Indoh in *Mycol. J. Nagao Inst.*, No. 2, p. 28, 1952 from soil.—Japan.
- *—**monspeliensis** Arnaud in *Bull. Soc. mycol. Fr.*, 68, p. 184, 1952 on eggs of a batrachian.—France.
- Amanita ameghinii** (Speg.) Singer in *Sydowia*, 6, p. 344, 1952. (Syn. *Armillaria ameghinii* Speg.)
- antillana** Dennis in *Kew Bull.*, 1952, p. 459, 1952.—Trinidad.
- caesareoides** Vassiljeva in *Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS*, 6, p. 199, 1950.—U.S.S.R.
- fuliginea** Hongo in *J. Jap. Bot.*, 28, p. 69, 1953.—Japan.
- rubens** (Scop.) Quel. var. **areolata** Šmarda in *Česká Mykol.*, 2, p. 46, 1948.—Czechoslovakia.
- Amauroderma rugosum** (Blume & Nees) Imazeki in *Bull. Govt. For. Exp. Sta., Tokyo* 57, p. 99, 1952. (Syn. *Polyporus rugosus* Blume & Nees). [See also this *Index*, ii, pp. 15 and 51.]
- scopulosum** (Berk.) Imazeki in *Bull. Govt. For. Exp. Sta., Tokyo* 57, p. 99, 1952. (Syn. *Polyporus scopulosus* Berk.)
- Amphididymella clypeata** Petrak in *Sydowia*, 6, p. 399, 1952 on dead *Andromeda ferruginea*.—Florida, U.S.A.
- Amphisphaerella xylostei** (Pers.) Munk in *Dansk bot. Ark.*, 15, 2, p. 89, 1953. (Syn. *Sphaeria xylostei* Pers.)
- Anthostomella bambusicola** Deighton apud Petrak & Deighton in *Sydowia*, 6, p. 309, 1952 on *Bambusa arundinacea*.—Sierra Leone.
- punicae** Lucas & da Camara in *Agron. lusit.*, 14, p. 197, 1952 on *Punica*.—Portugal.
- ANTHRACOTHECOMYCES** Ciferri &

¹ The type species for this and similar genera are specified by name only without diagnosis and are omitted from this Index.

- Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 58, 1952.—For the fungal element of *Anthracotheceum* (lichen).
- Aphanostigme costaricensis** (Stev.) Toro in *J. Agric. Univ. P.R.*, 36, p. 70, 1952. (Syn. *Dimeriellopsis costaricensis* Stev.).
- **heterotrichi** (Toro) Toro in *J. Agric. Univ. P.R.*, 36, p. 70, 1952. (Syn. *Dimeriellopsis heterotrichi* Toro).
- Aphelaria amboinensis** (Lév.) Corner in *Ann. Bot., Lond.*, N.S., 17, p. 348, 1953. (Syn. *Thelephora amboinensis* Lév.).
- **flagelliformis** (Berk.) Corner in *Ann. Bot., Lond.*, N.S., 17, p. 350, 1953. (Syn. *Clavaria flagelliformis* Berk.).
- Apiosphaeria controversa** (Starb.) von Arx in *Ber. schweiz. bot. Ges.*, 62, p. 358, 1952. (Syn. *Apiospora controversa* Starb.).
- **topographica** (Speg.) von Arx in *Ber. schweiz. bot. Ges.*, 62, p. 359, 1952. (Syn. *Munkieella topographica* Speg.).
- Aposphaeria bambusae** Lucas & da Camara in *Agron. lusit.*, 14, p. 203, 1952 on *Bambusa*.—Portugal.
- **mesembryanthemi** da Costa & da Camara in *Portug. acta biol.*, 3, p. 296, 1952 on branches of *Mesembryanthemum*.—Portugal.
- Armillaria atkinsoniana** (Coker) Locquin in *Bull. Soc. mycol. Fr.*, 68, p. 167, 1952. [Syn. not cited].
- **beillii** (Beauseign.) Locquin in *Bull. Soc. mycol. Fr.*, 68, p. 167, 1952. [Syn. not cited].
- **cinereoconia** (Atk.) Locquin in *Bull. Soc. mycol. Fr.*, 68, p. 167, 1952. [Syn. not cited].
- **codinae** (Maire) Locquin in *Bull. Soc. mycol. Fr.*, 68, p. 167, 1952. [Syn. not cited].
- **echinocephala** (Vitt.) Locquin in *Bull. Soc. mycol. Fr.*, 68, p. 167, 1952. [Syn. not cited].
- **nana** (Singer) Locquin in *Bull. Soc. mycol. Fr.*, 68, p. 167, 1952. [Syn. not cited].
- **strobiliformis** (Vitt.) Locquin in *Bull. Soc. mycol. Fr.*, 68, p. 167, 1952. [Syn. not cited].
- **vittadinii** (Mor.) Locquin in *Bull. Soc. mycol. Fr.*, 68, p. 167, 1952. [Syn. not cited].
- ARTHOPYRENIOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 57, 1952.—For the fungal element of *Arthopyrenia* (lichen).
- ARTHOTHELIOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 68, 1952.—For the fungal element of *Arthothelium* (lichen).
- ARTHOTHELIOPSIDOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 63, 1952.—For the fungal element of *Arthotheliopsis* (lichen).
- Ascochyta caricis** W. B. Cooke & Shaw in *Mycologia*, 44, p. 799, 1952 on *Carex*.—California, U.S.A.
- **cypripedii** H. C. Greene in *Amer. Midl. Nat.*, 48, p. 50, 1952 on *Cypripedium candidum*.—Wisconsin, U.S.A.
- **heveana** Saccas in *Agron. trop.*, Nogent, 8, p. 182, 1953 on *Hevea brasiliensis*.—French Equatorial Africa.
- **rhanni** W. B. Cooke & Shaw in *Mycologia*, 44, p. 799, 1952 on *Rhamnus purshiana*.—Idaho, U.S.A.
- Aspergillus brevipes** G. Smith in *Trans. Brit. mycol. Soc.*, 35, p. 241, 1952 from soil. —Australia.
- **quadricinctus** Yuill in *Trans. Brit. mycol. Soc.*, 36, p. 57, 1953 from cardboard. —England.
- ASPICILIOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 76, 1952.—For the fungal element of *Aspicilia* (lichen).
- ASPIDOTHELIOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 60, 1952.—For the fungal element of *Aspidothelium* (lichen).
- Asterina clasterosporium** Hughes in *Mycol. Pap., C.M.I.*, 50, p. 5, 1953 on *Maba warneckei*.—Gold Coast.
- **jaundea** Hughes in *Mycol. Pap., C.M.I.*, 50, p. 6, 1953 on *Jaundea pinnata*.—Gold Coast.
- **pleioceratis** Hughes in *Mycol. Pap., C.M.I.*, 50, p. 7, 1953 on *Pleioceras barteri*.—Gold Coast.
- Asterinella raphiostylidis** Hughes in *Mycol. Pap., C.M.I.*, 50, p. 8, 1953 on *Raphiostylis beninensis*.—Togoland.
- Asteroniconum nothopegiae** Ramakrishnan, Srinivasan, & Sundaram in *Proc. Indian Acad. Sci., Sect. B*, 37, p. 93, 1953 on *Nothopegia dalzellii*.—India.
- ***Asterophora lignicola** Arnaud in *Bull. Soc. mycol. Fr.*, 68, p. 189, 1952 on wood. —France.
- ASTEROPOROMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 61, 1952.—For the fungal element of *Asteroporum* (lichen).
- ASTEROETHYRIOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 62, 1952.—For the fungal element of *Asterothyrium* (lichen).
- Astrocystis sublimbata** (Dur. & Mont.) Hughes in *Mycol. Pap., C.M.I.*, 50, p. 9, 1953. (Syn. *Sphaeria sublimbata* Dur. & Mont.).
- AULAXINOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 69, 1952.—For the fungal element of *Aulaxina* (lichen).
- BACIDIOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 65, 1952.—For the fungal element of *Bacidia* (lichen).
- BACTROSPOROMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 79, 1952.—For the fungal element of *Bactrospora* (lichen).
- Baeospora myriadophylla** (Peck) Singer forma *cavernatilis* Favre, Furrer, & Haller in *Schweiz. Z. Pilzk.*, 29, p. 172, 1951.—Switzerland.
- ***BAINIERA** Arnaud in *Bull. Soc. mycol. Fr.*, 68, p. 189, 1952.—Moniliales.
- *— **hyalina** Arnaud in *Bull. Soc. mycol. Fr.*, 68, p. 189, 1952 on dead needles of *Pinus sylvestris*.—France.
- Beauveria simplex** Mangelot, *Recherches méthodiques sur les champignons de certains bois en décomposition*, p. 40, 1952.—France.
- **virella** (Fr.) Mangelot, *Recherches méthodiques sur les champignons de certains bois en décomposition*, p. 36, 1952. (Syn. *Botrytis virella* Fr.).
- BELONIOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 58, 1952.—For the fungal element of *Belonia* (lichen).
- BELTRANIELLA** Subramanian in *Proc. Indian Acad. Sci., Sect. B*, 36, p. 227, 1952.—Dematiaceae.
- **odinae** Subramanian in *Proc. Indian Acad. Sci., Sect. B*, 36, p. 227, 1952 on dead leaves of *Odina wodier*.—India.

- BERTOSSIA** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 56, 1952.—For the fungal element of *Ciferriolichen* (lichen).
- BICILIOSPORA** Petrak in *Sydowia*, 6, p. 429, 1952.—Sphaeriales.
- velutina* Petrak in *Sydowia*, 6, p. 429, 1952 on wood.—Puerto Rico.
- BISCLADINOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 79, 1952.—For the fungal element of *Cladonia rangiferina* (lichen).
- BISEUCLADONIOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 78, 1952.—For the fungal element of *Cladonia uncialis* (lichen).
- BLASTENIOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 74, 1952.—For the fungal element of *Blastenia* (lichen).
- Blastocladiella emersonii** Cantino & Hyatt in *Leeuwenhoek ned. Tijdschr.*, 19, p. 67, 1953 from water.—Pennsylvania, U.S.A.
- Blennoria coluteae** Mitrosh. in *Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS*, 6, p. 84, 1949 on *Colutea arborescens*.—U.S.S.R.
- Blytiomyces laevis** Sparrow in *Mycologia*, 44, p. 765, 1952 on *Zygnema*.—Michigan, U.S.A.
- Boletellus floriformis** Imazeki in *Mycol. J. Nagao Inst.*, No. 2, p. 42, 1952.—Japan.
- BOMBYLIOSPOROMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 63, 1952.—For the fungal element of *Bombyliospora* (lichen).
- ***BOTRYOBOLUS** Arnaud in *Bull. Soc. mycol. Fr.*, 68, p. 184, 1952.—Entomophthorales.
- *—*parasiticus* Arnaud in *Bull. Soc. mycol. Fr.*, 68, p. 184, 1952 on an animalcule.—France.
- Botryotinia globosa** Buchwald in *Phytopath. Z.*, 20, p. 250, 1953 on *Allium ursinum*.—Germany, Denmark, and England. Stat. conid. *Botrytis globosa* Raabe.
- BOTTARIOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 62, 1952.—For the fungal element of *Bottaria* (lichen).
- ***BRACHYHELICOON** Arnaud in *Bull. Soc. mycol. Fr.*, 68, p. 208, 1952.—Moniliales.
- *—*xylogenum* Arnaud in *Bull. Soc. mycol. Fr.*, 68, p. 209, 1952 on wood.—France.
- CALENIOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 72, 1952.—For the fungal element of *Calenia* (lichen).
- ***Calonectria hederæ** Arnaud in *Bull. Soc. mycol. Fr.*, 68, p. 214, 1952 on *Hedera helix*.—France.
- CALYCIDIOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 66, 1952.—For the fungal element of *Calycidium* (lichen).
- Camarosporium propinquum** Sacc. var. *microsporum* Lucas & da Camara in *Agron. lusit.*, 14, p. 223, 1952 on *Salix*.—Portugal.
- Camptomeris crataevæ** Subramanian in *Proc. Indian Acad. Sci.*, Sect. B, 36, p. 167, 1952 on *Crataeva religiosa*.—India.
- Candelospora penicilloides** Tubaki apud Kominami, Kobayasi, & Tubaki in *Mycol. J. Nagao Inst.*, No. 2, p. 58, 1952 on *Prunus*.—Japan.
- Capnodiastrum leptaleum** (Petrak) Petrak in *Sydowia*, 6, p. 341, 1952. (Syn. *Oothecium leptaleum* Petr.).
- macarangæ* (Petrak) Petrak in *Sydowia*, 6, p. 342, 1952. (Syn. *Oothecium macarangæ* Petr.).
- stylosporum* (Cooke) Petrak in *Sydowia*, 6, p. 343, 1952. (Syn. *Asterina stylospora* Cooke).
- tremæ* (Syd.) Petrak in *Sydowia*, 6, p. 342, 1952. (Syn. *Oothecium tremæ* Syd.).
- Catenochytridium kevorkianii** Sparrow in *Rev. Soc. cubana Bot.*, 9, p. 70, 1952 from soil.—Cuba.
- Catenularia heimii** Mangelot, *Recherches méthodiques sur les champignons de certains bois en décomposition*, p. 27, 1952 on dead *Fagus sylvatica*.—France.
- Ceratobasidium terrigenum** (Bres.) Wakefield in *Trans. Brit. mycol. Soc.*, 35, p. 64, 1952. (Syn. *Corticium terrigenum* Bres.).
- Ceratocystis acoma** (Miller & Tcherntzoff) Moreau in *Rev. Mycol., Paris*, 17, Suppl. Col. No. 1, p. 22, 1952. [Syn. not cited].
- adiposa* (Butler) Moreau in *Rev. Mycol., Paris*, 17, Suppl. Col. No. 1, p. 22, 1952. [Syn. *Sphaeronema adiposum* Butl.].
- bunæ* (Kitajima) Moreau in *Rev. Mycol., Paris*, 17, Suppl. Col. No. 1, p. 22, 1952. [Syn. not cited].
- buxi* (Borissof) Moreau in *Rev. Mycol., Paris*, 17, Suppl. Col. No. 1, p. 22, 1952. [Syn. *Ceratostomella buxi* Borissof].
- cana* (Münch) Moreau in *Rev. Mycol., Paris*, 17, Suppl. Col. No. 1, p. 22, 1952. [Syn. *Ceratostomella cana* Münch].
- capillifera* (Hedge.) Moreau in *Rev. Mycol., Paris*, 17, Suppl. Col. No. 1, p. 22, 1952. [Syn. *Ceratostomella capillifera* Hedge.].
- castaneæ* (Vanine & Solov.) Moreau in *Rev. Mycol., Paris*, 17, Suppl. Col. No. 1, p. 22, 1952. [Syn. not cited].
- catoniana* (Goidan.) Moreau in *Rev. Mycol., Paris*, 17, Suppl. Col. No. 1, p. 22, 1952. [Syn. not cited].
- coerulea* (Münch) Moreau in *Rev. Mycol., Paris*, 17, Suppl. Col. No. 1, p. 22, 1952. [Syn. *Ceratostomella coerulea* Münch].
- comata* (Miller & Tcherntzoff) Moreau in *Rev. Mycol., Paris*, 17, Suppl. Col. No. 1, p. 22, 1952. [Syn. not cited].
- fagi* (Loos) Moreau in *Rev. Mycol., Paris*, 17, Suppl. Col. No. 1, p. 22, 1952. [Syn. not cited].
- imperfecta* (Miller & Tcherntzoff) Moreau in *Rev. Mycol., Paris*, 17, Suppl. Col. No. 1, p. 22, 1952. [Syn. not cited].
- ips* (Rumb.) Moreau in *Rev. Mycol., Paris*, 17, Suppl. Col. No. 1, p. 22, 1952. [Syn. *Ceratostomella ips* Rumb.].
- major* (van Beyma) Moreau in *Rev. Mycol., Paris*, 17, Suppl. Col. No. 1, p. 18, 1952. [Syn. *Ceratostomella major* van Beyma].
- merolinensis* (Georgev.) Moreau in *Rev. Mycol., Paris*, 17, Suppl. Col. No. 1, p. 22, 1952. [Syn. *Ceratostomella merolinensis* Georgev.].
- microcarpa* (Karst.) Moreau in *Rev. Mycol., Paris*, 17, Suppl. Col. No. 1, p. 22, 1952. [Syn. *Ceratostomella microcarpa* Karst.].
- moniliformis* (Hedge.) Moreau in *Rev. Mycol., Paris*, 17, Suppl. Col. No. 1, p. 22, 1952. [Syn. *Ceratostomella moniliformis* Hedge.].
- paradoxa* (Dade) Moreau in *Rev. Mycol.*,

- Paris, 17, Suppl. Col. No. 1, p. 22, 1952. [Syn. *Ceratostomella paradoxa* Dade].
- *penicillata* (Grossm.) Moreau in *Rev. Mycol.*, Paris, 17, Suppl. Col. No. 1, p. 22, 1952. [Syn. not cited].
 - *piceaperda* (Rumb.) Moreau in *Rev. Mycol.*, Paris, 17, Suppl. Col. No. 1, p. 22, 1952. [Syn. not cited].
 - *pilifera* (Fr.) Moreau in *Rev. Mycol.*, Paris, 17, Suppl. Col. No. 1, p. 22, 1952. [Syn. *Ceratostomella pilifera* (Fr.) Wint.].
 - *pini* (Münch) Moreau in *Rev. Mycol.*, Paris, 17, Suppl. Col. No. 1, p. 22, 1952. [Syn. *Ceratostomella pini* Münch].
 - *pluriannulata* (Hedgec.) Moreau in *Rev. Mycol.*, Paris, 17, Suppl. Col. No. 1, p. 22, 1952. [Syn. *Ceratostomella plurianulata* Hedgec.].
 - *polonica* (Siemaszko) Moreau in *Rev. Mycol.*, Paris, 17, Suppl. Col. No. 1, p. 22, 1952. [Syn. not cited].
 - *pseudotsugae* (Rumb.) Moreau in *Rev. Mycol.*, Paris, 17, Suppl. Col. No. 1, p. 22, 1952. [Syn. not cited].
 - *querci* (Georgev.) Moreau in *Rev. Mycol.*, Paris, 17, Suppl. Col. No. 1, p. 22, 1952. [Syn. *Ceratostomella quercus* Georgev.].
 - *radicicola* (Bliss) Moreau in *Rev. Mycol.*, Paris, 17, Suppl. Col. No. 1, p. 22, 1952. [Syn. *Ceratostomella radicicola* Bliss].
 - *schrenkiana* (Hedgec.) Moreau in *Rev. Mycol.*, Paris, 17, Suppl. Col. No. 1, p. 22, 1952. [Syn. *Ceratostomella schrenkiana* Hedgec.].
 - *serpens* (Goidan.) Moreau in *Rev. Mycol.*, Paris, 17, Suppl. Col. No. 1, p. 22, 1952. [Syn. not cited].
 - *stenoceras* (Robak) Moreau in *Rev. Mycol.*, Paris, 17, Suppl. Col. No. 1, p. 22, 1952. [Syn. *Ceratostomella stenoceras* Robak].
 - *ulmi* (Buisn.) Moreau in *Rev. Mycol.*, Paris, 17, Suppl. Col. No. 1, p. 22, 1952. [Syn. *Ceratostomella ulmi* Buisn.].
 - *variospora* (Davids.) Moreau in *Rev. Mycol.*, Paris, 17, Suppl. Col. No. 1, p. 22, 1952. [Syn. *Endoconidiophora variospora* Davids.].
 - *virescens* (Davids.) Moreau in *Rev. Mycol.*, Paris, 17, Suppl. Col. No. 1, p. 22, 1952. [Syn. *Endoconidiophora virescens* Davids.].
- Ceratospheeria subferruginea** (Fuckel) Munk in *Dansk bot. Ark.*, 15, 2, p. 69, 1953. (Syn. *Zignoella subferruginea* (Fuckel) Sacc.).
- Ceratosporella stipitata** (Goid.) Hughes in *Trans. Brit. mycol. Soc.*, 35, p. 243, 1952. (Syn. *Speira stipitata* Goidanich).
- Cercospora adenostemmae** Togashi & Katsuki in *Bot. Mag., Tokyo*, 65, p. 18, 1952 on *Adenostemma viscosum*.—Japan.
- *amphicarpaeae* Togashi & Katsuki in *Ann. phytopath. Soc. Japan*, 17, p. 5, 1952 on *Amphicarpaea trisperma*.—Japan.
 - *barleriicola* Payak in *Indian Phytopath.*, 2, p. 191, 1949 on *Barleria cristata*.—India.
 - *chloroxyli* Ramakrishnan & Reddy in *Proc. Indian Acad. Sci.*, Sect. B, 35, p. 121, 1952 on *Chloroxylon swietenia*.—India.
 - *cissi-japonicae* Hori apud Togashi & Katsuki in *Bot. Mag., Tokyo*, 65, p. 19, 1952 on *Cissus japonica*.—Japan.
 - *corylopsidis* Togashi & Katsuki in *Bot. Mag., Tokyo*, 65, p. 20, 1952 on *Corylopsis pauciflora*.—Japan.
 - *ehretiae* Togashi & Katsuki in *Bot. Mag., Tokyo*, 65, p. 20, 1952 on *Ehretia thyrsoiflora*.—Japan.
 - *euptelaeae* Togashi & Katsuki in *Bot. Mag., Tokyo*, 65, p. 21, 1952 on *Euptelaea polyandra*.—Japan.
 - *hederae* Togashi & Katsuki in *Bot. Mag., Tokyo*, 65, p. 21, 1952 on *Hedera rhombea*.—Japan.
 - *houituyinae* Togashi & Katsuki in *Bot. Mag., Tokyo*, 65, p. 21, 1952 on *Houttuynia cordata*.—Japan.
 - *kadsurae* Togashi & Katsuki in *Bot. Mag., Tokyo*, 65, p. 22, 1952 on *Kadsura japonica*.—Japan.
 - *nothopegiae* Ramakrishnan, Srinivasan, & Sundaram in *Proc. Indian Acad. Sci.*, Sect. B, 37, p. 94, 1953 on *Nothopegia dalzellii*.—India.
- * *palmicola* Speg. forma *stilbacea* Moreau in *Rev. Mycol.*, Paris, 12, Suppl. Col. No. 2, p. 38, 1947 on *Elaeis guineensis*.—French West Africa. [= *Helminthosporium stilbaceum* (Moreau) Hughes, this *Index*, ii, p. 79.]
- *pellioniae* Togashi & Katsuki in *Bot. Mag., Tokyo*, 65, p. 22, 1952 on *Pellionia scabra*.—Japan.
 - *perillulae* Togashi & Katsuki in *Bot. Mag., Tokyo*, 65, p. 24, 1952 on *Perillula reptans*.—Japan.
 - *picrasmae* Togashi & Katsuki in *Bot. Mag., Tokyo*, 65, p. 24, 1952 on *Picrasma aianthoides*.—Japan.
 - *securinegae* Togashi & Katsuki in *Ann. phytopath. Soc. Japan*, 17, p. 7, 1952 on *Securinega fluegeoides*.—Japan.
 - *seleni-gmelini* (Sacc. & Scalia) Chupp apud Togashi & Katsuki in *Bot. Mag., Tokyo*, 65, p. 24, 1952. (Syn. *C. apii* var. *seleni-gmelini* Sacc. & Scalia).
 - *togashiana* Katsuki & Urasawa in *Ann. phytopath. Soc. Japan*, 15, p. 144, 1951 on *Ophiopogon japonicus*.—Japan.
 - *yakushimensis* Togashi & Katsuki in *Bot. Mag., Tokyo*, 65, p. 25, 1952 on *Hydrangea kawagoeana*.—Japan.
 - *zingiberi* Togashi & Katsuki in *Bot. Mag., Tokyo*, 65, p. 25, 1952 on *Zingiber mioga*.—Japan.
- Cercosporella acerina** (? Hartig) Arnaud in *Bull. Soc. mycol. Fr.*, 68, p. 206, 1952. (Syn. ? *Cercospora acerina* Hartig).
- Ceriospora sandwicensis** Petrak in *Sydowia*, 6, p. 363, 1952 on *Gunnera*.—Hawaii.
- CHAENOTHECOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 67, 1952.—For the fungal element of *Chaenotheca* (lichen).
- Chaetapiospora rhododendri** (Tengwall) von Arx in *Ber. schweiz. bot. Ges.*, 62, p. 359, 1952. (Syn. *Venturia rhododendri* Tengwall).
- Chaetospheeria fusispora** Larsen, 1952 (this *Index*, ii, p. 98). See also *C. fusispora* (Kawamura) Hino, *Bull. Miyazaki Coll. Agric. For.*, No. 4, p. 191, 1932.
- Chaetotrichum floridanum** Petrak in *Sydowia*, 6, p. 405, 1952 on *Persea pubescens*.—Florida, U.S.A.
- Chaetotyphula gelatinosa** Corner in *Ann. Bot., Lond.*, N.S., 17, p. 352, 1953.—Panama.
- *tetraspora* Corner in *Ann. Bot., Lond.*, N.S., 17, p. 353, 1953 on dead leaves.—Brazil.
- CHIODECTONOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 72, 1952.—For the fungal element of *Chiodecton* (lichen).
- Chytridium citrifforme** Sparrow in *Rev. Soc.*

- cubana* Bot., 9, p. 68, 1952 on pollen of *Pinus caribaea*.—Cuba.
- surirellae* Friedmann in *Öst. bot. Z.*, 100, p. 7, 1953 on *Surirella ovata*.—Austria.
- Ciboria subvillosula* (Rehm) Švrček in *Česká Mykol.*, 5, p. 45, 1951. (Syn. *Ombrophila subvillosula* Rehm).
- CILIOPLEA** Munk in *Dansk bot. Ark.*, 15, 2, p. 113, 1953.—Pyrenomycetes.
- coronata* (Niessl) Munk in *Dansk bot. Ark.*, 15, 2, p. 113, 1953. (Syn. *Pleospora coronata* Niessl).
- CLADINOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 79, 1952.—For the fungal element of *Cladonia sylvatica* (lichen).
- **Cladobotryum elegans* Arnaud in *Bull. Soc. mycol. Fr.*, 68, p. 191, 1952 on bark, &c.—France.
- Cladochytrium taianum* Shen & Siang in *Sci. Rep. nat. Tsing Hua Univ.*, Ser. B, 3, p. 183, 1948 on dead grass.—China.
- Cladosporium artemisiae** Greene in *Amer. Midl. Nat.*, 48, p. 757, 1952 on *Artemisia caudata*.—Wisconsin, U.S.A.
- banaticum* Săvulescu in *Bul. ūti. Sect. ūti. biol.*, 3, p. 227, 1951 on *Dianthus kitaibelii*.—Rumania.
- trichophilum* Greene in *Amer. Midl. Nat.*, 48, p. 756, 1952 on *Lonicera hirsuta*.—Wisconsin, U.S.A.
- Clavaria pulcherrima* Vassiljeva in *Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS*, 6, p. 190, 1950.—U.S.S.R.
- Claviceps maximensis* Theis in *Mycologia*, 44, p. 792, 1952 on *Panicum maximum*.—Puerto Rico.
- Clitocybe bicolor* (Baker & Dale) Dennis in *Kew Bull.*, 1952, p. 490, 1952. (Syn. *Omphalia bicolor* Baker & Dale).
- jamaicensis* (Murr.) Dennis in *Kew Bull.*, 1952, p. 489, 1952. (Syn. *Melanoleuca jamaicensis* Murr.).
- ***CLITOPILINA** Arnaud in *Bull. Soc. mycol. Fr.*, 67, p. 194, 1951.—Thelephoraceae.
- *—*striata* Arnaud in *Bull. Soc. mycol. Fr.*, 67, p. 194, 1951 on wood.—France.
- **Clonostachys cylindrospora* Arnaud in *Bull. Soc. mycol. Fr.*, 68, p. 196, 1952 on wood.—France.
- Coccomyces cocoes* Dennis in *Kew Bull.*, 1953, p. 50, 1953 on fallen leaves of *Cocos nucifera*.—Gold Coast.
- COENOSPHERIA** Munk in *Dansk bot. Ark.*, 15, 2, p. 133, 1953.—Pyrenomycetes.
- diaporthides* Munk in *Dansk bot. Ark.*, 15, 2, p. 134, 1953 on dead stem of *Sarothamnus scoparius*.—Denmark.
- COLLEMOPSISIDIOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 76, 1952.—For the fungal element of *Collempsidium* (lichen).
- Colletotrichum oligotrichum* Dias & da Camara in *Agron. lusit.*, 14, p. 121, 1952 on *Passiflora coerulea*.—Portugal.
- COLUMNOSPHERIA** Munk in *Dansk bot. Ark.*, 15, 2, p. 103, 1953.—Pyrenomycetes.
- sarothamni* Munk in *Dansk bot. Ark.*, 15, 2, p. 103, 1953 on *Sarothamnus scoparius*.—Denmark.
- Conidiobolus adieretus* Drechsler in *J. Wash. Acad. Sci.*, 43, p. 42, 1953 on decaying leaves of *Quercus* and other trees.—Maryland, Virginia, and New Hampshire, U.S.A.
- firmipilleus* Drechsler in *Amer. J. Bot.*, 40, p. 104, 1953 from decaying *Quercus* leaves.—Virginia, U.S.A.
- heterosporus* Drechsler in *Amer. J. Bot.*, 40, p. 107, 1953 from leaf mould.—Maryland, U.S.A.
- lamprauges* Drechsler in *J. Wash. Acad. Sci.*, 43, p. 35, 1953 on decaying *Quercus* leaves.—Virginia, U.S.A.
- thromboides* Drechsler in *J. Wash. Acad. Sci.*, 43, p. 38, 1953 in leaf mould.—New Hampshire, U.S.A.
- Coniochaeta albido-mucosa* Petrak in *Sydowia*, 6, p. 352, 1952 on wood.—Maryland, U.S.A.
- CONIOCYBOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 67, 1952.—For the fungal element of *Coniocybe* (lichen).
- Coniosporium fuscum* Dias & da Camara in *Agron. lusit.*, 14, p. 122, 1952 on *Bromelia*.—Portugal.
- Coniothyrium cerealis* Müller apud Zogg in *Phytopath. Z.*, 18, p. 11, 1951 on dead *Triticum vulgare*.—Switzerland.
- heveae* Saccas in *Agron. trop.*, Nogent, 8, p. 195, 1953 on *Hevea brasiliensis*.—French Equatorial Africa.
- Conocybe hebelomatoides* Middelhoek & Reijnders in *Meded. ned. mycol. Ver.*, 30, p. vii, 1952.—Netherlands.
- CONOTREMATOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 63, 1952.—For the fungal element of *Conotrema* (lichen).
- Coriolus meleagris* (Berk.) Imazeki in *Bull. Govt. For. Exp. Sta., Tokyo* 57, p. 100, 1952. (Syn. *Polyporus meleagris* Berk.).
- meyenii* (Klotzsch) Imazeki in *Bull. Govt. For. Exp. Sta., Tokyo* 57, p. 100, 1952. (Syn. *Polyporus meyenii* Kl.).
- occidentalis* (Klotzsch) Imazeki in *Bull. Govt. For. Exp. Sta., Tokyo* 57, p. 100, 1952. (Syn. *Polystictus occidentalis* Fries).
- Corrugaria alba* Dennis in *Kew Bull.*, 1952, p. 497, 1952.—Venezuela.
- radiata* Dennis in *Kew Bull.*, 1952, p. 497, 1952.—Venezuela.
- Corticium analogum* (Bourd. & Galz.) Wakefield in *Trans. Brit. mycol. Soc.*, 35, p. 53, 1952. (Syn. *Gloeocystidium analogum* Bourd. & Galz.).
- granulosum* Wakefield nom. nov. in *Trans. Brit. mycol. Soc.*, 35, p. 54, 1952. (Syn. *Hypochnus furfuraceus* Bres. 1892, non *C. furfuraceum* Bres. 1925).
- lentum* Wakefield nom. nov. in *Trans. Brit. mycol. Soc.*, 35, p. 54, 1952. (Syn. *Gloeocystidium ochroleucum* Bres. & Torrend 1913, non *C. ochroleucum* Fr.).
- Cryptoderma cercidiphyllum* Imazeki in *Bull. For. Exp. Sta. Meguro* 42, p. 2 (of reprint), 1949 on *Cercidiphyllum japonicum*.—Japan.
- nigrolimitatum* (Romell) Imazeki & Aoshima in *Ann. phytopath. Soc. Japan*, 16, p. 88, 1952. [Syn. not cited].
- pachyphloeum* (Pat.) Imazeki in *Bull. Govt. For. Exp. Sta., Tokyo* 57, p. 101, 1952. (Syn. *Fomes pachyphloeus* Pat.).
- yamanoi* Imazeki nom. nov. in *Forsch. PflKr., Tokyo*, 4, p. 176, 1951. (Syn. *Daedalea jezoensis* Yamano, non *C. jezoense* Imazeki).
- Cryptosphaerella shearii* Petrak in *Sydowia*, 6, p. 364, 1952 on dried stems of *Phytolacca brachystachya*.—Hawaii.

- Cryptosporella corynocarpi* Dias & da Camara in *Agron. lusit.*, 14, p. 103, 1952 on *Corynocarpus laevigata*.—Portugal.
- *eugeniae* Nutman & Roberts in *Ann. appl. Biol.*, 39, p. 607, 1952 on *Eugenia aromatica*.—Zanzibar.
- CRYPTOTHELIOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 63, 1952.—For the fungal element of *Cryptothele* (lichen).
- Cyathus sinensis* Imazeki in *Bot. Mag., Tokyo*, 63, p. 96, 1950 on soil.—Japan.
- Cylindrocladium macrosporum* Sherb. var. *hederae* Arnaud nom. nov. in *Bull. Soc. mycol. Fr.*, 68, p. 205, 1952. (Syn. *Candelospora citri* Fawc. & Kl. and *Tetracytium lauri* Vanderw.).
- Cylindrosporium burkii* W. B. Cooke & Shaw in *Mycologia*, 44, p. 807, 1952 on *Lupinus burkii*.—Idaho, U.S.A.
- *fraseriae* W. B. Cooke & Shaw in *Mycologia*, 44, p. 807, 1952 on *Fraseria macrophylla*.—Colorado, U.S.A.
- Cystospora antidesmatis* Ramakrishnan & Sundaram in *Trans. Brit. mycol. Soc.*, 35, p. 26, 1952 on leaves on *Antidesma diandrum*.—India.
- Cytospora eriogoni* W. B. Cooke apud Cooke & Shaw in *Mycologia*, 44, p. 798, 1952 on *Eriogonum pyrolaeifolium*.—California, U.S.A.
- Dactylaria scaphoides* Peach in *Trans. Brit. mycol. Soc.*, 35, p. 19, 1952 on nematodes.—England.
- ***DACTYLINA** Arnaud in *Bull. Soc. mycol. Fr.*, 68, p. 203, 1952.—Moniliales. No species described.
- Daedaleopsis rubescens* (Alb. et Schw. ex Fr.) Imazeki in *Acta phytotax., Kyoto*, 13, p. 251, 1943. (Syn. *Daedalea rubescens* Fr.).
- Dasyscypha willkommii* (Hartig) Rehm var. *hahniana* (Seaver) Robak in *Medd. Vestland. forstl. Forskssta.*, 9, p. 204, 1952. (Syn. *Lachnella hahniana* Seaver).
- DENDROPLEELLA** Munk in *Dansk bot. Ark.*, 15, 2, p. 125, 1953.—Pyrenomyces.
- *hirta* (Fr.) Munk in *Dansk bot. Ark.*, 15, 2, p. 126, 1953. (Syn. *Sphaeria hirta* Fr.).
- DIAPLEELLA** Munk in *Dansk bot. Ark.*, 15, 2, p. 74, 1953.—Pyrenomyces.
- *clivensis* (Berk. & Br.) Munk in *Dansk bot. Ark.*, 15, 2, p. 75, 1953. (Syn. *Leptosphaeria clivensis* (Berk. & Br.) Sacc.).
- Diaporthe floridana* Petrak in *Sydowia*, 6, p. 400, 1952 on dead *Smilax*.—Florida, U.S.A.
- *sheariana* Petrak in *Sydowia*, 6, p. 365, 1952 on dried branches of *Acacia koa*.—Hawaii.
- Dichaena querneae* (Schw.) Petrak in *Sydowia*, 6, p. 336, 1952. (Syn. *Peziza querneae* Schw.).
- DICHAENOPSELLA** Petrak in *Sydowia*, 6, p. 375, 1952.—Sphaeropsidales.
- *querneae* Petrak in *Sydowia*, 6, p. 375, 1952 on branches of *Quercus*.—Florida, U.S.A.
- Dictyoarthrinium sacchari* (Stevenson) Damon in *Bull. Torrey bot. Cl.*, 80, p. 164, 1953. (Syn. *Tetracoccusporium sacchari* Stevenson).
- Dictyonia lophirae* Dennis in *Kew Bull.*, 1953, p. 49, 1953 on leaves of *Lophira alata*.—Sierra Leone.
- DICTYOTRICHIELLA** Munk in *Dansk bot. Ark.*, 15, 2, p. 132, 1953.—Pyrenomyces.
- *pulcherrima* Munk in *Dansk bot. Ark.*, 15, 2, p. 132, 1953 on rotten wood.—Denmark.
- Didymaria anethiana* W. B. Cooke apud Cooke & Shaw in *Mycologia*, 44, p. 805, 1952 on *Anethum graveolens*.—Oregon, U.S.A.
- DIDYMOLEPTA** Munk in *Dansk bot. Ark.*, 15, 2, p. 110, 1953.—Pyrenomyces.
- *winteriana* (Sacc.) Munk in *Dansk bot. Ark.*, 15, 2, p. 111, 1953. (Syn. *Didymella winteriana* (Sacc.) Petrak).
- DIDYMOPLEELLA** Munk in *Dansk bot. Ark.*, 15, 2, p. 109, 1953.—Pyrenomyces.
- *cladii* (Larsen & Munk) Munk in *Dansk bot. Ark.*, 15, 2, p. 109, 1953. (Syn. *Didymosphaeria cladii* Larsen & Munk).
- Didymosphaeria abutilonis* Lucas & da Camara in *Agron. lusit.*, 14, p. 198, 1952 on *Abutilon*.—Portugal.
- *jambolana* Ramakrishnan, Srinivasan, & Sundaram in *Proc. Indian Acad. Sci.*, Sect. B, 37, p. 84, 1953 on *Syzygium jambolanum*.—India.
- Didymosporium concinnum* Petrak in *Sydowia*, 6, p. 358, 1952 on bark of *Quercus*.—Virginia, U.S.A.
- DIDYMOTRICHIELLA** Munk in *Dansk bot. Ark.*, 15, 2, p. 131, 1953.—Pyrenomyces.
- *inconspicua* Munk in *Dansk bot. Ark.*, 15, 2, p. 132, 1953 on dead branches of *Lonicera periclymenum*.—Denmark.
- Diedickeia piptadeniae* Deighton apud Petrak & Deighton in *Sydowia*, 6, p. 322, 1952 on *Piptadenia elliotii*.—Sierra Leone.
- Dimerina floridana* Petrak in *Sydowia*, 6, p. 401, 1952 on *Xolisma ferrugineum*.—Florida, U.S.A.
- Diplodina carpini* Mitrosh. in *Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS*, 6, p. 84, 1949 on *Carpinus betulus*.—U.S.S.R.
- *silenes* W. B. Cooke apud Cooke & Shaw in *Mycologia*, 44, p. 800, 1952 on *Silene douglasii* var. *douglasii*.—California, U.S.A.
- *speltae* Müller apud Zogg in *Phytopath. Z.*, 18, p. 10, 1951 on dead *Triticum spelta*.—Switzerland.
- *tridentatae* W. B. Cooke & Shaw in *Mycologia*, 44, p. 800, 1952 on *Artemisia tridentata*.—Utah, U.S.A.
- DIPLOGRAMMATOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 78, 1952.—For the fungal element of *Diplogramma* (lichen).
- **Diplospora coprophila* Arnaud in *Bull. Soc. mycol. Fr.*, 68, p. 200, 1952 on dung.—France.
- ***DIPLORHYNCHUS** Arnaud in *Bull. Soc. mycol. Fr.*, 68, p. 207, 1952.—Moniliales.
- *— *biloba* Arnaud in *Bull. Soc. mycol. Fr.*, 68, p. 207, 1952 on wood.—France.
- Dipodascus aggregatus* Francke-Grosmann in *Medd. SkogsforsknInst. Stockh.*, 41, No. 6, p. 30, 1953 on wood of *Pinus sylvestris*.—Sweden.
- DIRINASTROMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 79, 1952.—For the fungal element of *Dirinastrum* (lichen).
- Discosporina carpinicola* Petrak in *Sydowia*, 6, p. 357, 1952. (State of *Melanconis carpinigera*).
- Dothiorella lonicerae* da Costa & da Camara in *Portug. acta biol.*, 3, p. 297, 1952 on branches of *Lonicera*.—Portugal.
- *pittosporina* (da Cam.) da Costa & da Camara in *Portug. acta biol.*, 3, p. 297, 1952. (Syn. *Macrophyllosticta pittosporina* da Cam.).
- *syringicola* Lucas & da Camara in *Agron.*

- lusit.*, 14, p. 204, 1952 on *Syringa vulgaris*.—Portugal.
- Drosophila albidula** Romagnesi nom. nov. in *Bull. mens. Soc. linn. Lyon*, 21, p. 151, 1952. (Syn. *Psathyrella subatomata* sensu Lange, non Karst.).
- var. **palustris** Romagnesi in *Bull. mens. Soc. linn. Lyon*, 21, p. 151, 1952.—France.
- **badiophylla** Romagnesi in *Bull. mens. Soc. linn. Lyon*, 21, p. 155, 1952.—France.
- var. **neglecta** Romagnesi in *Bull. mens. Soc. linn. Lyon*, 21, p. 155, 1952.—France.
- **exalbicans** Romagnesi in *Bull. mens. Soc. linn. Lyon*, 21, p. 155, 1952.—France.
- **fulvescens** Romagnesi in *Bull. mens. Soc. linn. Lyon*, 21, p. 153, 1952.—France.
- **impexa** Romagnesi in *Bull. mens. Soc. linn. Lyon*, 21, p. 153, 1952.—France.
- **involuta** Romagnesi in *Bull. mens. Soc. linn. Lyon*, 21, p. 156, 1952.—France.
- **laevissima** Romagnesi in *Bull. mens. Soc. linn. Lyon*, 21, p. 155, 1952.—France.
- **lutensis** Romagnesi in *Bull. mens. Soc. linn. Lyon*, 21, p. 155, 1952.—France.
- **ocellata** Romagnesi in *Bull. mens. Soc. linn. Lyon*, 21, p. 154, 1952.—France.
- **ochracea** Romagnesi in *Bull. mens. Soc. linn. Lyon*, 21, p. 152, 1952.—France.
- **opaca** Romagnesi in *Bull. mens. Soc. linn. Lyon*, 21, p. 152, 1952.—France.
- **orbitarum** Romagnesi in *Bull. mens. Soc. linn. Lyon*, 21, p. 152, 1952.—France.
- **picta** Romagnesi in *Bull. mens. Soc. linn. Lyon*, 21, p. 151, 1952.—France.
- **polycystis** Romagnesi in *Bull. mens. Soc. linn. Lyon*, 21, p. 152, 1952.—France.
- **pseudocasca** Romagnesi in *Bull. mens. Soc. linn. Lyon*, 21, p. 154, 1952.—France.
- **pseudocorrugis** Romagnesi in *Bull. mens. Soc. linn. Lyon*, 21, p. 154, 1952.—France.
- **pseudogracilis** Romagnesi in *Bull. mens. Soc. linn. Lyon*, 21, p. 152, 1952.—France.
- **reticulata** Romagnesi in *Bull. mens. Soc. linn. Lyon*, 21, p. 154, 1952.—France.
- **squamosa** (Karst.) Romagnesi var. **ochrospora** Romagnesi in *Bull. mens. Soc. linn. Lyon*, 21, p. 153, 1952.—France.
- **stellata** Romagnesi in *Bull. mens. Soc. linn. Lyon*, 21, p. 152, 1952.—France.
- var. **orbicularis** Romagnesi *Bull. mens. Soc. linn. Lyon*, 21, p. 153, 1952.—France.
- **tephrophylla** Romagnesi in *Bull. mens. Soc. linn. Lyon*, 21, p. 154, 1952.—France.
- DUFOUREOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 69, 1952.—For the fungal element of *Dufourea* (lichen).
- ***DYONISIA** Arnaud in *Bull. Soc. mycol. Fr.*, 68, p. 212, 1952.—Moniliales. Type, *D. capitata*.
- *— **capitata** Arnaud in *Bull. Soc. mycol. Fr.*, 68, p. 213, 1952 on wood.—France.
- *— **coronata** Arnaud in *Bull. Soc. mycol. Fr.*, 68, p. 213, 1952 on wood.—France.
- Echidnodes sandwicensis** Petrak in *Sydowia*, 6, p. 366, 1952 on dead leaves of *Pandanus odoratissimus*.—Hawaii.
- Elaphomyces sulphureo-pallidus** Vacek in *Česká Mykol.*, 3, p. 57, 1949.—Czechoslovakia.
- Elvingia fiabellata** Imazeki in *Bull. Govt. For. Exp. Sta., Tokyo* 57, p. 103, 1952.—Japan.
- **mastopora** (Lév.) Imazeki in *Bull. Govt. For. Exp. Sta., Tokyo* 57, p. 104, 1952. (Syn. *Polyporus mastoporus* Lév.).
- **polyzonata** Imazeki in *Bull. Govt. For. Exp. Sta. Tokyo* 57, p. 105, 1952.—Japan.
- **williamsiana** (Murrill) Imazeki in *Bull. Govt. For. Exp. Sta., Tokyo* 57, p. 106, 1952. (Syn. *Ganoderma williamsianum* Murrill).
- ENCEPHALOGRAPHOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 78, 1952.—For the fungal element of *Encephalographa* (lichen).
- Endodothella kanarensis** Ramakrishnan & Sundaram in *Proc. Indian Acad. Sci., Sect. B*, 35, p. 111, 1952 on *Albizia odoratissima*.—India.
- ***Endomyces ascobolus** Bachinskaya & Kondratyeva in *Микробиология [Microbiology, Moscow]*, 21, p. 657, 1952 isolated from apple and cabbage.—U.S.S.R.
- ENTERODICTYONOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 80, 1952.—For the fungal element of *Enterodictyon* (lichen).
- ENTEROSTIGMATOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 73, 1952.—For the fungal element of *Enterostigma* (lichen).
- ***ENTOLOMINA** Arnaud in *Bull. Soc. mycol. Fr.*, 67, p. 194, 1951.—Thelephoraceae.
- *— **paludosa** Arnaud in *Bull. Soc. mycol. Fr.*, 67, p. 194, 1951 on dead leaves.—France.
- Entomophthora brahminae** Bose & Mehta in *Trans. Brit. mycol. Soc.*, 36, p. 55, 1953 on *Brahminia*.—India.
- Entosordaria deightonii** Petrak in *Sydowia*, 6, p. 310, 1952 on dead *Elaeis guineensis*.—Sierra Leone.
- EOLICHENOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 57, 1952.—For the fungal element of *Eolichen* (lichen).
- EPHEBOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 76, 1952.—For the fungal element of *Ephebe* (lichen).
- Eriosphaeria herbarum** Wehmeyer in *Sydowia*, 6, p. 419, 1952 on *Achillea millefolium* var. *alpicola*.—Washington State, U.S.A.
- **macrospora** Wehmeyer in *Sydowia*, 6, p. 420, 1952 on Composite stems.—Washington State, U.S.A.
- EUCLADONIOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 78, 1952.—For the fungal element of *Cladonia digitata* (lichen).
- Eudimeriolum arthrostyldicola** (Stev.) Toro in *J. Agric. Univ. P.R.*, 36, p. 71, 1952. (Syn. *Dimeriopsis arthrostyldicola* Stev.).
- **dominicanum** (Toro) Toro in *J. Agric. Univ. P.R.*, 36, p. 72, 1952. (Syn. *Dimerina dominicana* Toro).
- EVERNIOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 70, 1952.—For the fungal element of *Evernia* (lichen).
- Excipulella conglutinata** (Ell. & Ev.) Wehmeyer in *Sydowia*, 6, p. 435, 1952. [Syn. not cited].
- FARRIOLLOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 73, 1952.—For the fungal element of *Farriolla* (lichen).
- Favolaschia fusijanensis** Kobayasi in *J.*

- Hattori bot. Lab.*, 8, p. 2, 1952 on bamboo culms.—Japan.
- *nipponica* Kobayasi in *J. Hattori bot. Lab.*, 8, p. 1, 1952 on bamboo culms.—Japan.
- *phyllostachydis* Imazeki & Kobayasi apud Kobayasi in *J. Hattori bot. Lab.*, 8, p. 2, 1952 on bamboo culms.—Japan.
- Favolus russiceps* (Berk.) Imazeki in *Bull. Govt. For. Exp. Sta.*, Tokyo 57, p. 109, 1952. (Syn. *Polyporus russiceps* Berk.).
- **FLAHAULTIA* Arnaud in *Bull. Soc. mycol. Fr.*, 67, p. 195, 1951.—Moniliales.
- *— *hyalina* Arnaud in *Bull. Soc. mycol. Fr.*, 67, p. 195, 1951 on *Sebacina* and other fungi.—France.
- Fomes ajazi* Hussain in *Mycologia*, 44, p. 823, 1952 on *Lonicera quinquelocularis*.—Pakistan.
- *— *robustus* Karst. forma *abietis* Baxter in *Pap. Mich. Acad. Sci.*, 37, p. 103, 1952 on *Abies*.—Colorado, U.S.A.
- forma *juniperinus* (Murr.) Baxter in *Pap. Mich. Acad. Sci.*, 37, p. 103, 1952. (Syn. *Fuscoporia juniperina* Murr.).
- Fomitopsis albo-marginata* (Lév.) Imazeki in *Bull. Govt. For. Exp. Sta.*, Tokyo 57, p. 110, 1952. (Syn. *Polyporus albo-marginatus* Lév.).
- *caliginosa* (Berk.) Imazeki in *Bull. Govt. For. Exp. Sta.*, Tokyo 57, p. 110, 1952. (Syn. *Polyporus caliginosus* Berk.).
- *castanea* Imazeki in *Bull. For. Exp. Sta. Meguro* 42, p. 1 (of reprint), 1949 on trunk of chestnut tree.—Japan.
- *insularis* (Murrill) Imazeki in *Acta phytotax.*, Kyoto, 13, p. 253, 1943. (Syn. *Trametes insularis* Murrill).
- *vinosa* (Berk.) Imazeki in *Bull. Govt. For. Exp. Sta.*, Tokyo 57, p. 111, 1952. (Syn. *Polyporus vinosus* Berk.).
- Fusicladiella melaena* (Fuekel) Hughes in *Mycol. Pap.*, C.M.I., 49, p. 21, 1952. (Syn. *Ramularia melaena* Fuekel).
- **FUSICLADINA* Arnaud in *Bull. Soc. mycol. Fr.*, 68, p. 200, 1952.—Moniliales.
- *— *lasiosphaeriae* Arnaud in *Bull. Soc. mycol. Fr.*, 68, p. 200, 1952 in company with *Lasiosphaeria*.—France.
- Fusicoccum corynocarpi* Dias & da Camara in *Agron. lusit.*, 14, p. 107, 1952 on *Corynocarpus laevigata*.—Portugal.
- *spiraeae* Mitrosh. in *Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS*, 6, p. 83, 1949 on *Spiraea chamaedryfolia*.—U.S.S.R.
- **Fusidium longisporum* Arnaud in *Bull. Soc. mycol. Fr.*, 68, p. 194, 1952 on wood.—France.
- GAEUMANNOMYCES** von Arx & Olivier in *Trans. Brit. mycol. Soc.*, 35, p. 32, 1952.—Pyrenomycetes.
- *graminis* (Sacc.) von Arx & Olivier in *Trans. Brit. mycol. Soc.*, 35, p. 32, 1952. (Syn. *Rhaphidophora graminis* Sacc.).
- Galactinia succosella* Le Gal & Romagnesi (this *Index*, i, p. 183). Citation should be *Rev. Mycol.*, Paris, N.S., 5, p. 109, 1940.
- **Galerina nana* (Petri) Kühn. forma *bohémica* Singer in *Acta Inst. bot. Acad. Sci. URSS*, Ser. II, 6, p. 467, 1950.—U.S.S.R.
- *vittaeformis* (Fr.) Singer in *Acta Inst. bot. Acad. Sci. URSS*, Ser. II, 6, p. 472, 1950. (Syn. *Agaricus vittaeformis* Fr.).
- Geaster atratus* Šmarda in *Česká Mykol.*, 1, p. 74, 1947.—Czechoslovakia.
- GEISLERIOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 59, 1952.—For the fungal element of *Geisleria* (lichen).
- **Geotrichum cyphellae* Arnaud in *Bull. Soc. mycol. Fr.*, 68, p. 192 on *Cyphella albobivialis*.—France.
- *dulcitum* (Berkh.) Windisch in *Beitr. Biol. Pfl.*, 29, p. 156, 1952. (Syn. *Oospora dulcita* Berkh.).
- *gracile* (Weigmann & Wolff) Windisch in *Beitr. Biol. Pfl.*, 29, p. 159, 1952. (Syn. *Oidium gracile* Weigmann & Wolff).
- *— *hirtum* Windisch in *Beitr. Biol. Pfl.*, 29, p. 164, 1952 from milk.—Germany.
- GEOTUS** Pilát & Švrček in *Česká Mykol.*, 7, p. 9, 1953.—Leptotaceae.
- *glaucus* (Batsch.) Pilát & Švrček in *Česká Mykol.*, 7, p. 10, 1953. (Syn. *Agaricus glaucus* Batsch.).
- GIACOMINIA** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 57, 1952.—For the fungal element of *Santessoniolichen* (lichen).
- Gloeosporium arctostaphyli* W. B. Cooke & Shaw in *Mycologia*, 44, p. 806, 1952 on *Arctostaphylos uva-ursi* var. *coactilis*.—Idaho, U.S.A.
- *ceanothi* H. C. Greene in *Amer. Midl. Nat.*, 48, p. 756, 1952 on *Ceanothus americanus*.—Wisconsin, U.S.A.
- *corni* H. C. Greene in *Amer. Midl. Nat.*, 48, p. 756, 1952 on *Cornus femina*.—Wisconsin, U.S.A.
- *desmodii* H. C. Greene in *Amer. Midl. Nat.*, 48, p. 755, 1952 on *Desmodium canadense*.—Wisconsin, U.S.A.
- *iliamnae* W. B. Cooke & Shaw in *Mycologia*, 44, p. 806, 1952 on *Iliamna rivularis*.—Oregon, U.S.A.
- *pentstemonicola* H. C. Greene in *Amer. Midl. Nat.*, 48, p. 755, 1952 on *Pentstemon hirsutus*.—Wisconsin, U.S.A.
- Gloeotulasnella aggregata* Olive in *Bull. Torrey bot. Cl.*, 80, p. 40, 1953 on wood.—N. Carolina, U.S.A.
- *caroliniana* Olive in *Bull. Torrey bot. Cl.*, 80, p. 41, 1953 on wood.—N. Carolina, U.S.A.
- **Glomerella lagenaria* Watanabe & Tamura (as '(Pass.) Watanabe & Tamura') in *Ann. phytopath. Soc. Japan*, 16, p. 140, 1952.—Japan. Perfect state of *Colletotrichum lagenarium* (Pass.) Ellis & Halst.
- *pezizoidea* Petrak in *Sydowia*, 6, p. 366, 1952 on dead leaves of *Cheirodendron*.—Hawaii.
- GLYP-OLECHIOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 79, 1952.—For the fungal element of *Glypholecia* (lichen).
- GLYPHOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 79, 1952.—For the fungal element of *Glyphis* (lichen).
- GOIDANICHIOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 56, 1952.—For the fungal element of *Goidanichia* (lichen).
- Gomphidius purpurascens* Vassiljeva in *Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS*, 6, p. 193, 1950.—U.S.S.R.
- **Gonatobotrys ramosissima* Arnaud in *Bull. Soc. mycol. Fr.*, 68, p. 187, 1952 on wood.—France.
- GONGRONELLA** Ribaldi in *Riv. Biol. gen.*, N.S., 44, p. 164, 1952.—Mortierellaceae.
- *urceolifera* Ribaldi in *Riv. Biol. gen.*, N.S., 44, p. 164, 1952 from soil.—Italy.

- GONOHYMENIOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 63, 1952.—For the fungal element of *Gonohymenia* (lichen).
- GRAPHINOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 76, 1952.—For the fungal element of *Graphina* (lichen).
- Guignardia caryophyllea** (Cooke & Harkn.) Wehmeyer in *Sydowia*, 6, p. 420, 1952. (Syn. *Sphaerella caryophyllea* Cooke & Harkn.).
- **rugosa** Ramakrishnan, Srinivasan, & Sundaram in *Proc. Indian Acad. Sci.*, Sect. B, 37, p. 85, 1953 on *Rubus rugosus*.—India.
- GYMNODERMATOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 67, 1952.—For the fungal element of *Gymnoderma* (lichen).
- GYMNOGRAPHOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 68, 1952.—For the fungal element of *Gymnographa* (lichen).
- Gyromitra ussuriensis** Vassiljeva in *Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS*, 6, p. 189, 1950 on dead *Pinus korajensis* and *Betula costata*.—U.S.S.R.
- Gyroporus punctatus** Vassiljeva in *Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS*, 6, p. 193, 1950.—U.S.S.R.
- GYROSTOMOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 77, 1952.—For the fungal element of *Gyrostomum* (lichen).
- HAEMATOMMATOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 72, 1952.—For the fungal element of *Haematomma* (lichen).
- HAPLOPYRENULOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 61, 1952.—For the fungal element of *Haplopyrenula* (lichen).
- ***Helicocephalum megalosporum** Arnaud in *Bull. Soc. mycol. Fr.*, 68, p. 208, 1952 on debris.—France.
- ***Heliscus versailensis** Arnaud in *Bull. Soc. mycol. Fr.*, 68, p. 212, 1952 on wood.—France.
- HELMINTHOCARPONOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 75, 1952.—For the fungal element of *Helminthocarpon* (lichen).
- Helminthosporium abietis** W. B. Cooke & Shaw in *Mycologia*, 44, p. 808, 1952 on *Abies*.—Washington, U.S.A.
- **dorycarpum** Mont. var. **amazoniae** Hughes in *Mycol. Pap., C.M.I.*, 50, p. 24, 1953 on *Amazonia psycotriac*.—Togoland.
- Hendersonia merriltensis** Petrak in *Sydowia*, 6, p. 404, 1952 on dead Gramineae.—Florida, U.S.A.
- Hendersonulina trubicola** (Sacc.) Lucas & da Camara in *Agron. lusit.*, 14, p. 222, 1952. (Syn. *Hendersonia trubicola* Sacc.).
- HEPPIOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 77, 1952.—For the fungal element of *Heppia* (lichen).
- Hermatomyces sphaericus** (Sacc.) Hughes in *Mycol. Pap., C.M.I.*, 50, p. 100, 1953. (Syn. *Stemphylium sphaericum* Sacc.).
- Heterochaete brasiliensis** Bodman in *Lloydia*, 15, p. 210, 1953.—Brazil.
- **mussooriensis** Bodman in *Lloydia*, 15, p. 221, 1953.—India.
- **sanctae-martae** Bodman in *Lloydia*, 15, p. 226, 1953.—Colombia.
- **subgelatinosa** Bodman in *Lloydia*, 15, p. 228, 1953.—Panama.
- **tremellispora** (Möhl.) Bodman in *Lloydia*, 15, p. 228, 1953. (Syn. *Exidiopsis tremellispora* Möhl.).
- **verruculosa** (Möhl.) Bodman in *Lloydia*, 15, p. 229, 1953. (Syn. *Exidiopsis verruculosa* Möhl.).
- Heterosporium terrestre** R. G. Atkinson in *Mycologia*, 44, p. 813, 1952 from soil.—Ontario, Canada.
- HOLOSPOROMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 60, 1952.—For the fungal element of *Holospora* (lichen).
- HOMOPSELLOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 70, 1952.—For the fungal element of *Homopsella* (lichen).
- Hormomitaria albidula** Corner in *Ann. Bot., Lond., N.S.*, 17, p. 362, 1953 on dead wood.—Brazil.
- Hyaloscypha reticulata** Vacek in *Česká Mykol.*, 2, p. 119, 1948.—Czechoslovakia.
- Hydnangium carneum** Wallr. var. **xanthosporum** Hawker in *Trans. Brit. mycol. Soc.*, 35, p. 281, 1952.—Wales.
- Hydnum schestunovii** Nikol. in *Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS*, 6, p. 87, 1949 on *Quercus pedunculata*.—U.S.S.R.
- Hygrophoropsis purpurascens** (Berk. & Curt.) Dennis in *Kew Bull.*, 1952, p. 491, 1952. (Syn. *Marasmius purpurascens* Berk. & Curt.).
- Hymenogaster luteus** Vitt. forma **trigonosporus** Vacek in *Česká Mykol.*, 2, p. 10, 1948.—Czechoslovakia.
- HYMENOPLEELLA** Munk in *Dansk bot. Ark.*, 15, 2, p. 89, 1953.—Pyrenomyces.
- **hippophaes** (Fabre) Munk in *Dansk bot. Ark.*, 15, 2, p. 90, 1953. (Syn. *Melanomma hippophaes* Fabre).
- ***Hypochnus capnophilus** Arnaud in *Bull. Soc. mycol. Fr.*, 67, p. 194, 1951 on *Capnodium meridionale*.—France.
- Hypoderma viburni** Ramakrishnan, Srinivasan, & Sundaram in *Proc. Indian Acad. Sci.*, Sect. B, 37, p. 85, 1953 on *Viburnum erubescens*.—India.
- Hysterium rosmarini** Dias & da Camara in *Agron. lusit.*, 14, p. 106, 1952 on *Rosmarinus officinalis*.—Portugal.
- Inocybe aureostipes** Y. Kobayasi in *Mycol. J. Nagao Inst.*, No. 2, p. 95, 1952.—Japan.
- **avellanea** Y. Kobayasi in *Mycol. J. Nagao Inst.*, No. 2, p. 94, 1952.—Japan.
- **calospora** Quél. forma **minor** Y. Kobayasi in *Mycol. J. Nagao Inst.*, No. 2, p. 114, 1952.—Japan.
- **coerulescens** Y. Kobayasi in *Mycol. J. Nagao Inst.*, No. 2, p. 104, 1952.—Japan.
- **geophylla** (Fr.) Quél. forma **squamosa** Y. Kobayasi in *Mycol. J. Nagao Inst.*, No. 2, p. 87, 1952.—Japan.
- **inaensis** Y. Kobayasi in *Mycol. J. Nagao Inst.*, No. 2, p. 109, 1952.—Japan.
- **ilacina** (Boud.) Kauffm. forma **violacea** Y. Kobayasi in *Mycol. J. Nagao Inst.*, No. 2, p. 88, 1952.—Japan.
- **lutea** Y. Kobayasi & Hongo apud Y. Kobayasi in *Mycol. J. Nagao Inst.*, No. 2, p. 103, 1952.—Japan.

- *montana* Y. Kobayasi in *Mycol. J. Nagao Inst.*, No. 2, p. 97, 1952.—Japan.
- *neoflocculosa* Y. Kobayasi in *Mycol. J. Nagao Inst.*, No. 2, p. 85, 1952.—Japan.
- *neomicrospora* Y. Kobayasi in *Mycol. J. Nagao Inst.*, No. 2, p. 82, 1952.—Japan.
- *neoumbrina* Y. Kobayasi in *Mycol. J. Nagao Inst.*, No. 2, p. 106, 1952.—Japan.
- *nikkoensis* Y. Kobayasi in *Mycol. J. Nagao Inst.*, No. 2, p. 111, 1952.—Japan.
- *nodulosopora* Y. Kobayasi in *Mycol. J. Nagao Inst.*, No. 2, p. 113, 1952.—Japan.
- *ozeensis* Y. Kobayasi in *Mycol. J. Nagao Inst.*, No. 2, p. 84, 1952.—Japan.
- *phaeosticta* Furrer-Ziogas in *Schweiz. Z. Pilzk.*, 30, p. 176, 1952.—Switzerland.
- *polycystidiata* Y. Kobayasi in *Mycol. J. Nagao Inst.*, No. 2, p. 101, 1952.—Japan.
- *rimosa* (Fr.) Quel. forma *squarrosa* Y. Kobayasi in *Mycol. J. Nagao Inst.*, No. 2, p. 90, 1952.—Japan.
- *senkawaensis* Y. Kobayasi in *Mycol. J. Nagao Inst.*, No. 2, p. 107, 1952.—Japan.
- *sphaerospora* Y. Kobayasi in *Mycol. J. Nagao Inst.*, No. 2, p. 80, 1952.—Japan.
- *squamulosa* Y. Kobayasi in *Mycol. J. Nagao Inst.*, No. 2, p. 100, 1952.—Japan.
- *tabacina* Furrer-Ziogas in *Schweiz. Z. Pilzk.*, 30, p. 173, 1952.—Switzerland.
- *titibuensis* Y. Kobayasi in *Mycol. J. Nagao Inst.*, No. 2, p. 110, 1952.—Japan.
- *umbrinella* Bres. forma *pallidula* Y. Kobayasi in *Mycol. J. Nagao Inst.*, No. 2, p. 97, 1952.—Japan.
- Irene uapacicola* Hughes in *Mycol. Pap., C.M.I.*, 50, p. 30, 1953 on *Uapaca*.—Gold Coast.
- Irpex foliaceo-dentatus* Nikol. in *Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS*, 6, p. 85, 1949 on *Fagus orientalis*.—U.S.S.R.
- Ischnoderma novo-guineense* Imazeki in *Bull. Govt. For. Exp. Sta., Tokyo* 57, p. 112, 1952.—Japan.
- Isthmospora trichophila* (Atk.) Damon in *Bull. Torrey bot. Cl.*, 80, p. 160, 1953. (Syn. *Spegazzinia trichophila* Atk.).
- **JACOBIA* Arnaud in *Bull. Soc. mycol. Fr.*, 67, p. 195, 1951.—Moniliales.
- *— *conspicua* Arnaud in *Bull. Soc. mycol. Fr.*, 67, p. 195, 1951 on *Lasiosphaeria ovina*.—France.
- JATTAEOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 61, 1952.—For the fungal element of *Jattaeolichen* (lichen).
- JENMANIOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 76, 1952.—For the fungal element of *Jenmania* (lichen).
- Karstenula alnicola* Petrak in *Sydowia*, 6, p. 353, 1952 on dead *Alnus*.—Maryland, U.S.A.
- KERATINOMYCES** Vanbreuseghem in *Bull. Acad. Belg. Cl. Sci.*, 38, p. 1075, 1952.—Dermatophytes.
- *ajelloi* Vanbreuseghem in *Bull. Acad. Belg. Cl. Sci.*, 38, p. 1075, 1952 in soil.—Belgium.
- Kirschsteiniella californica* Petrak in *Sydowia*, 6, p. 353, 1952 on wood.—California, U.S.A.
- Kmetia corticola* W. B. Cooke apud Cooke & Shaw in *Mycologia*, 44, p. 808, 1952 on *Abies magnifica* var. *shastensis*.—California, U.S.A.
- Krombolzia extremiorientalis* Vassiljeva in *Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS*, 6, p. 191, 1950.—U.S.S.R.
- Kuehneola trichosanthes* (Petch) Ramakrishnan & Sundaram in *Proc. Indian Acad. Sci., Sect. B*, 35, p. 114, 1952. (Syn. *Uredo trichosanthes* Petch).
- LACELLINOPSIS** Subramanian in *Proc. Indian Acad. Sci., Sect. B*, 37, p. 103, 1953.—Dematiaceae.
- *sacchari* Subramanian in *Proc. Indian Acad. Sci., Sect. B*, 37, p. 104, 1953 on dead *Saccharum officinarum*.—India.
- Lachnella africanus* (Pat.) Locquin in *Bull. Soc. mycol. Fr.*, 68, p. 166, 1952. [Syn. not cited].
- *asperifolius* (Pat.) Locquin in *Bull. Soc. mycol. Fr.*, 68, p. 166, 1952. [Syn. not cited].
- *bicolor* (Pat. & Demange) Locquin in *Bull. Soc. mycol. Fr.*, 68, p. 166, 1952. [Syn. not cited].
- *carneioruber* (Singer) Locquin in *Bull. Soc. mycol. Fr.*, 68, p. 166, 1952. [Syn. not cited].
- *congoanus* (Pat.) Locquin in *Bull. Soc. mycol. Fr.*, 68, p. 166, 1952. [Syn. not cited].
- *craterellus* (Dur. & Lév.) Locquin in *Bull. Soc. mycol. Fr.*, 68, p. 166, 1952. [Syn. not cited].
- *fasciculata* (Schw.) Locquin in *Bull. Soc. mycol. Fr.*, 68, p. 166, 1952. [Syn. not cited].
- *fragilis* (Pat.) Locquin in *Bull. Soc. mycol. Fr.*, 68, p. 166, 1952. [Syn. not cited].
- *galeatus* (Berk. & Curt.) Locquin in *Bull. Soc. mycol. Fr.*, 68, p. 166, 1952. [Syn. not cited].
- *hiliputianus* (Mont.) Locquin in *Bull. Soc. mycol. Fr.*, 68, p. 166, 1952. [Syn. not cited].
- *niduliformis* (Murr.) Locquin in *Bull. Soc. mycol. Fr.*, 68, p. 166, 1952. [Syn. not cited].
- *pachytrichus* (Sing.) Locquin in *Bull. Soc. mycol. Fr.*, 68, p. 166, 1952. [Syn. not cited].
- Lactarius aurantiaco-ochraceus* Vassiljeva in *Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS*, 6, p. 196, 1950.—U.S.S.R.
- *grandisporus* Vassiljeva in *Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS*, 6, p. 195, 1950.—U.S.S.R.
- *hradecensis* Schaef. in *Česká Mykol.*, 2, p. 85, 1948.—Czechoslovakia.
- *violaceomarginatus* Vassiljeva in *Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS*, 6, p. 196, 1950.—U.S.S.R.
- LAHMOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 66, 1952.—For the fungal element of *Lahmia* (lichen).
- LAUREROMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 62, 1952.—For the fungal element of *Laurera* (lichen).
- LECANACTIOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 74, 1952.—For the fungal element of *Lecanactis* (lichen).
- Lembosia anogeissi* Hughes in *Mycol. Pap., C.M.I.*, 50, p. 32, 1953 on *Anogeissus schimperi*.—Ivory Coast.
- Lepiota armillarioides* Dennis in *Kew Bull.*, 1952, p. 486, 1952.—Trinidad.
- *azalearum* (Murr.) Dennis in *Kew Bull.*, 1952, p. 474, 1952. (Syn. *Cortinellus azalearum* Murr.).
- *bakeri* Dennis in *Kew Bull.*, 1952, p. 483, 1952.—Trinidad.

- *citriodora* Dennis in *Kew Bull.*, 1952, p. 483, 1952.—Trinidad.
- *erinana* Dennis in *Kew Bull.*, 1952, p. 484, 1952.—Trinidad.
- *micropholis* (Berk. & Br.) Sacc. var. *lactea* (Murr.) Dennis in *Kew Bull.*, 1952, p. 472, 1952. (Syn. *L. lactea* Murr.).
- *minima* (Berk.) Dennis in *Kew Bull.*, 1952, p. 465, 1952. (Syn. *Hiatalula minima* Berk.).
- *nigropunctata* Dennis in *Kew Bull.*, 1952, p. 466, 1952.—Trinidad.
- var. *lutea* Dennis in *Kew Bull.*, 1952, p. 466, 1952.—Trinidad.
- *ochraceo-aurantiaca* Dennis in *Kew Bull.*, 1952, p. 487, 1952.—Trinidad.
- *pseudoroseola* Dennis in *Kew Bull.*, 1952, p. 476, 1952.—Venezuela.
- *quinamana* Dennis in *Kew Bull.*, 1952, p. 474, 1952.—Trinidad.
- *roseolamellata* Dennis in *Kew Bull.*, 1952, p. 466, 1952.—Trinidad.
- *sipariana* Dennis in *Kew Bull.*, 1952, p. 488, 1952.—Trinidad.
- *subamanitiformis* Dennis in *Kew Bull.*, 1952, p. 476, 1952.—Trinidad.
- *subgranulosa* Murr. var. *major* Dennis in *Kew Bull.*, 1952, p. 478, 1952.—Venezuela.
- *tobagensis* Dennis in *Kew Bull.*, 1952, p. 473, 1952.—Tobago.
- LEPTOGYDIOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 65, 1952.—For the fungal element of *Leptogidium* (lichen).
- Leptomassaria anisophylleae** Petrak in *Sydowia*, 6, p. 309, 1952 on *Anisophyllea laurina*.—Sierra Leone.
- *quercina* Petrak in *Sydowia*, 6, p. 354, 1952 on dead *Quercus*.—Maryland, U.S.A.
- LEPTOMYCORHAPHIS** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 58, 1952.—For the fungal element of *Leptorhaphis* (lichen).
- LEPTORHAPHIOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 58, 1952.—For the fungal element of *Leptorhaphis* (lichen).
- Leptosphaeria amorphae** Mitrosh. in *Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS*, 6, p. 82, 1949 on *Amorpha fruticosa*.—U.S.S.R.
- *penniseticola* Deighton apud Petrak & Deighton in *Sydowia*, 6, p. 311, 1952 on *Pennisetum purpureum*.—Sierra Leone.
- Leptothyrella graminis** Wehmeyer in *Sydowia*, 6, p. 436, 1952 on *Muhlenbergia filiformis*.—Washington State, U.S.A.
- Leptotus queletii** Pilát & Svrček nom. nov. in *Česká Mykol.*, 7, p. 12, 1953. (Syn. *Dictyolus glaucus* sensu Quélet et al., non '*Agaricus glaucus* Batsch').
- Leucoagaricus fanthinophaeus** Locquin in *Bull. Soc. mycol. Fr.*, 68, p. 177, 1952.—France.
- Leucocoprinus flos-sulphuris** (Schnitz.) Cejp in *Česká Mycol.*, 2, p. 78, 1948. (Syn. *Agaricus flos-sulphuris* Schnitz.).
- var. *incertus* (Mattir.) Cejp in *Česká Mycol.*, 2, p. 82, 1948. (Syn. *Lepiota incerta* Mattir.).
- *otsuensis* Hongo in *J. Jap. Bot.*, 28, p. 70, 1953.—Japan.
- Limacium camarophyllum** (Alb. & Schw. ex Fr.) Herink in *Česká Mykol.*, 3, p. 109, 1949. (Syn. *Agaricus camarophyllus* Alb. & Schw. ex Fr.).
- subsp. *calophyllum* (Karst.) Herink in *Česká Mykol.*, 3, p. 109, 1949. [Syn. not cited].
- subsp. *marzuolum* (Fr.) Herink in *Česká Mykol.*, 3, p. 109, 1949. (Syn. *Agaricus marzuolum* Fr.).
- Linocarpon cajani** Deighton apud Petrak & Deighton in *Sydowia*, 6, p. 312, 1952 on dead *Cajanus cajan*.—Sierra Leone.
- *cariceti* (Berk. & Br.) Petrak in *Sydowia*, 6, p. 387, 1952. (Syn. *Sphaeria cariceti* Berk. & Br.).
- *elaeidis* Petrak in *Sydowia*, 6, p. 312, 1952 on dead *Elaeis guineensis*.—Sierra Leone.
- *eucryptum* (Berk. & Br.) Petrak in *Sydowia*, 6, p. 387, 1952. (Syn. *Sphaeria eucrypta* Berk. & Br.).
- *halimum* (Diehl & Mounce) Petrak in *Sydowia*, 6, p. 388, 1952. (Syn. *Ophiobolus halimus* Diehl & Mounce).
- *maritimum* (Sacc.) Petrak in *Sydowia*, 6, p. 388, 1952. (Syn. *Rhaphidophora maritima* Sacc.).
- *medusa* (Ell. & Ev.) Petrak in *Sydowia*, 6, p. 388, 1952. (Syn. *Ophiobolus medusa* Ell. & Ev.).
- *oryzinum* (Sacc.) Petrak in *Sydowia*, 6, p. 387, 1952. (Syn. *Ophiobolus oryzinus* Sacc.).
- *versisporum* (Ell. & Mart.) Petrak in *Sydowia*, 6, p. 388, 1952. (Syn. *Ophiobolus versisporus* Ell. & Mart.).
- LITHOGRAPHOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 68, 1952.—For the fungal element of *Lithographa* (lichen).
- LLANOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 74, 1952.—For the fungal element of *Llanolichen* (lichen).
- LOPADIOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 64, 1952.—For the fungal element of *Lopadium* (lichen).
- LOPADIOPSISOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 62, 1952.—For the fungal element of *Lopadiopsis* (lichen).
- Lophodermium castellani** Graniti in *Nuovo G. bot. ital.*, N.S., 59, p. 40, 1952 on *Sesleria disticha* and *S. caerulea*.—Italy.
- Loramycetes macrospora** Ingold & Chapman in *Trans. Brit. mycol. Soc.*, 35, p. 270, 1952 on dead *Equisetum limosum*.—England.
- MACRAEA** Subramanian in *Proc. Indian Acad. Sci.*, Sect. B, 36, p. 164, 1952.—Moniliales. Type, *M. crataevae*.
- *crataevae* (Syd.) Subramanian in *Proc. Indian Acad. Sci.*, Sect. B, 36, p. 164, 1952. (Syn. *Napicladium crataevae* Syd.).
- *punjabensis* Subramanian in *Proc. Indian Acad. Sci.*, Sect. B, 36, p. 166, 1952 on leaves of *Crataeva religiosa*.—India.
- Macrothoma chrysothamni** W. B. Cooke apud Cooke & Shaw in *Mycologia*, 44, p. 797, 1952 on *Chrysothamnus nauseosus* var. *occidentalis*.—California, U.S.A.
- Macrophylllosticta coryneoides** Dias & da Camara in *Agron. lusit.*, 14, p. 107, 1952 on *Silene inflata*.—Portugal.
- *ensetes* (Sacc. & Scal.) Dias & da Camara in *Agron. lusit.*, 14, p. 108, 1952. (Syn. *Macrothoma ensetes* Sacc. & Scal.).
- *heterospora* Lucas & da Camara in *Agron.*

- lusit.*, 14, p. 206, 1952 on *Smilax aspera*.—Portugal.
- *sterculiæ* da Costa & da Camara in *Portug. acta biol.*, 3, p. 299, 1952 on *Sterculia diversifolia* var. *occidentalis*.—Portugal.
- *ulcinjensis* (Bubák) da Costa & da Camara in *Portug. acta biol.*, 3, p. 299, 1952. (Syn. *Macrophoma ulcinjensis* Bub.).
- ***MAGDALAENAEA** Arnaud in *Bull. Soc. mycol. Fr.*, 68, p. 209, 1952.—Moniliales.
- *— **monogramma** Arnaud in *Bull. Soc. mycol. Fr.*, 68, p. 209, 1952 on wood.—France.
- MAGNUSSONIOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 56, 1952.—For the fungal element of *Magnussoniolithen* (lichen).
- Marasmiellus laschiopsis** Singer apud Dennis in *Kew Bull.*, 1953, p. 41, 1953.—Trinidad.
- Marasmius acicola** Romagnesi in *Bull. Soc. mycol. Fr.*, 68, p. 139, 1952.—France.
- **alniphilus** Favre in *Ber. schweiz. bot. Ges.*, 62, p. 410, 1952 on dead leaves of *Alnus viridis*.—France.
- **brassicolens** Romagnesi in *Bull. Soc. mycol. Fr.*, 68, p. 139, 1952.—France.
- **hybridus** Kühner & Romagnesi apud Romagnesi in *Bull. Soc. mycol. Fr.*, 68, p. 140, 1952.—France.
- ***MARIANNAEA** Arnaud in *Bull. Soc. mycol. Fr.*, 68, p. 196, 1952.—Moniliales.
- *— **elegans** Arnaud in *Bull. Soc. mycol. Fr.*, 68, p. 196, 1952 on wood.—France.
- MARONEOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 73, 1952.—For the fungal element of *Maronea* (lichen).
- Marssonina gloeodes** (H. C. Greene) H. C. Greene in *Amer. Midl. Nat.*, 48, p. 53, 1952. (Syn. *Marsonia gloeodes* H. C. Greene).
- MASSALONGOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 71, 1952.—For the fungal element of *Massalongia* (lichen).
- Massarina berchemiae** Petrak in *Sydowia*, 6, p. 355, 1952 on dead *Berchemia scandens*.—Louisiana, U.S.A.
- MATTICKIOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 71, 1952.—For the fungal element of *Mattickio-lichen* (lichen).
- MELAMPYDIOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 70, 1952.—For the fungal element of *Melampyrium* (lichen).
- Melanconis carpinigera** (Berk. & Curt.) Petrak in *Sydowia*, 6, p. 355, 1952. (Syn. *Diatrype carpinigera* Berk. & Curt.).
- Melanconium lycopersici** Orillo in *Philipp. Agric.*, 35, p. 339, 1952 on *Lycopersicon esculentum*.—Philippines.
- Melanoleuca parisorum** Haller nom. nov. in *Schweiz. Z. Pilzk.*, 31, p. 42, 1953. (Syn. *M. enista* sensu Heim & Romag., non Fries).
- MELANOTHECOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 62, 1952.—For the fungal element of *Melanotheca* (lichen).
- Melanotus cassiacolor** (Berk.) Singer in *Sydowia*, 6, p. 348, 1952. (Syn. *Crepidotus cassiacolor* (Berk.) Sacc.).
- MELASPILEOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 69, 1952.—For the fungal element of *Melaspilea* (lichen).
- Meliola capensis** (Kalechbr. & Cooke) Theiss. var. **pancoviæ** Hughes in *Mycol. Pap., C.M.I.*, 50, p. 33, 1953 on *Pancovia bijuga*.—Gold Coast.
- **cryptica** Hughes in *Mycol. Pap., C.M.I.*, 50, p. 34, 1953 on *Chrysophyllum albidum*.—Gold Coast.
- **togoensis** Hughes in *Mycol. Pap., C.M.I.*, 50, p. 37, 1953 on *Trichilia heudelotii*.—Togoland.
- var. **angulata** Hughes in *Mycol. Pap. C.M.I.*, 50, p. 38, 1953 on *Trichilia prieuriana*.—Gold Coast.
- **trichostroma** (Kunze) Toro in *J. Agric. Univ. P.R.*, 36, p. 62, 1952. (Syn. *Sphaeria trichostroma* Kunze).
- **triplochitonis** Hughes in *Mycol. Pap., C.M.I.*, 50, p. 39, 1953 on *Triplochiton scleroxylen*.—Gold Coast.
- Metasphaeria leonensis** Petrak in *Sydowia*, 6, p. 313, 1952 on dead *Bambusa vulgaris*.—Sierra Leone.
- Microdiplodia bonnayae** Petrak in *Sydowia*, 6, p. 360, 1952 on *Bonnaya coulteri*.—California, U.S.A.
- MICROGLAENOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 59, 1952.—For the fungal element of *Microglæna* (lichen).
- MICROGRAPHOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 77, 1952.—For the fungal element of *Micrographa* (lichen).
- Microhaplosporella broussetiae** Dias & da Camara in *Agron. lusit.*, 14, p. 114, 1952 on *Broussonetia papyrifera*.—Portugal.
- MICROHENDERSONULA** Dias & da Camara in *Agron. lusit.*, 14, p. 118, 1952.—Sphaeropsidales.
- **cestri** Dias & da Camara in *Agron. lusit.*, 14, p. 118, 1952 on *Cestrum fasciculatum*.—Portugal.
- Micromphale brevipes** (Berk. & Rav.) Singer apud Dennis in *Kew Bull.*, 1953, p. 42, 1953. (Syn. *Marasmius brevipes* Berk. & Rav.).
- Micropeltis strophanthi** Müller in *Ber. schweiz. bot. Ges.*, 62, p. 104, 1952 on *Strophanthus sarmentosus*.—Angola, Africa.
- Microporus rhinocerotis** (Cooke) Imazeki in *Bull. Govt. For. Exp. Sta., Tokyo* 57, p. 113, 1952. (Syn. *Fomes rhinocerotis* Cooke).
- **sacer** (Fr.) Imazeki in *Bull. Govt. For. Exp. Sta., Tokyo* 57, p. 113, 1952. (Syn. *Polystictus sacer* Fr.).
- Microstroma delonicis** Ramakrishnan, Srinivasan, & Sundaram in *Proc. Indian Acad. Sci., Sect. B*, 36, p. 94, 1952 on *Delonix elata*.—India.
- MICROTIELIOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 59, 1952.—For the fungal element of *Microthelia* (lichen).
- MICROTIELIOPSIDOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 61, 1952.—For the fungal element of *Microtheliopsis* (lichen).
- Mirandia cordicola** (P. Henn.) Toro in *J. Agric. Univ. P.R.*, 36, p. 70, 1952. (Syn. *Dimerosporium cordicolum* P. Henn.).
- ***MIRANDINA** Arnaud in *Bull. Soc. mycol. Fr.*, 68, p. 205, 1952.—Moniliales. Type, *M. corticola*.
- *— **brachyspora** Arnaud in *Bull. Soc. mycol. Fr.*, 68, p. 206, 1952 on bark.—France.

- *—*corticola* Arnaud in *Bull. Soc. mycol. Fr.*, 68, p. 206, 1952 on bark.—France.
- Monascostroma typhae* (Schroet.) Munk in *Dansk bot. Ark.*, 15, 2, p. 108, 1953. (Syn. *Phaeosphaerella typhae* (Schroet.) Sacc.).
- Monochaetia rhododendri* Yoshii in *Forsch. PflKr.*, Tokyo, 4, p. 180, 1951 on *Rhododendron linearifolium* var. *macrosepalum*.—Japan.
- rhododendricola* Yoshii in *Forsch. PflKr.*, Tokyo, 4, p. 182, 1951 on *Rhododendron obtusum* var. *kaempferi*.—Japan.
- MORIOLOMYCES* Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 60, 1952.—For the fungal element of *Moriola* (lichen).
- Mucor saprophilus* Novot. in *Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS*, 6, p. 160, 1950 in water.—U.S.S.R.
- stagnalis* Novot. in *Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS*, 6, p. 158, 1950 in water.—U.S.S.R.
- Mucronella flava* Corner in *Ann. Bot., Lond.*, N.S., 17, p. 356, 1953 on dead wood.—Iowa, U.S.A.
- MUELLERELLOMYCES* Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 60, 1952.—For the fungal element of *Muellerella* (lichen).
- Mycena acicula* (Fr.) Quél. var. *longispora* Dennis in *Kew Bull.*, 1952, p. 498, 1952.—Trinidad.
- metata* (Fr.) Quél. forma *sphagnicola* Kotlaba in *Česká Mykol.*, 6, p. 75, 1952.—Czechoslovakia.
- minima* Dennis in *Kew Bull.*, 1952, p. 498, 1952.—Trinidad.
- typhae* (Schweers) Kotlaba in *Česká Mykol.*, 7, p. 44, 1953. (Syn. *Omphalia typhae* Schweers).
- umbilicata* Dennis (this *Index*, ii, p. 83). See *M. umbilicata* Métrod (ibid., ii, p. 6).
- MYCOARTHOPYRENIA* Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 57, 1952.—For the fungal element of *Arthopyrenia* (lichen).
- MYCOBLASTOMYCES* Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 64, 1952.—For the fungal element of *Mycoblastus* (lichen).
- MYCOCIFERRIA* Tomaselli apud Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 56, 1952.—For the fungal element of *Ciferriolichen* (lichen).
- MYCOLEPTORHAPHIS* Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 58, 1952.—For the fungal element of *Leptorhaphis* (lichen).
- Mycosphaerella meliosmae* Ramakrishnan, Srinivasan, & Sundaram in *Proc. Indian Acad. Sci.*, Sect. B, 37, p. 86, 1953 on *Meliosma wightii*.—India.
- rosigena* (Ell. & Ev.) Stev. & Roldan var. *madagascariensis* (Bouriquet) Wallace in *Rep. Dep. Agric. Tanganyika*, 1950, p. 171, 1952. [Syn. *Sphaerella rosigena* Ell. & Ev. var. *madagascariensis* Bouriquet].
- schisandrae* Mitrosh. in *Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS*, 6, p. 82, 1949 on *Schizandra chinensis*.—U.S.S.R.
- MYCOTHELOCARPON* Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 72, 1952.—For the fungal element of *Thelocarpon* (lichen).
- MYRIOSTIGMELLA* Arnaud nom. nov. in *Bull. Soc. mycol. Fr.*, 68, p. 221, 1952. (Syn. *Myriostigma* Arn., non Krempel.). No species listed.
- MYXODICTYONOMYCES* Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 69, 1952.—For the fungal element of *Myxodictyon* (lichen).
- **MYXODOCHIUM* Arnaud in *Bull. Soc. mycol. Fr.*, 67, p. 196, 1951.—Moniliales.
- *—*hyalinum* Arnaud in *Bull. Soc. mycol. Fr.*, 67, p. 196, 1951 on wood.—France.
- Naematoloma ferrei* (Bres.) Singer forma *luteum* (Hongo) Hongo in *J. Jap. Bot.*, 27, p. 372, 1952. (Syn. *Stropharia rugosoannulata* Farlow forma *lutea* Hongo).
- NARASIMHANIA* Thirumalachar & Pavgi in *Sydowia*, 6, p. 390, 1952.—Ustilaginales.
- alismatis* Pavgi & Thirumalachar in *Sydowia*, 6, p. 390, 1952 on *Alisma*.—India.
- Naucoria rubi* (Berk.) Singer in *Sydowia*, 6, p. 348, 1952. (Syn. *Crepidotus rubi* (Berk.) Sacc.).
- NAUMOVIELLA* Novot. in *Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS*, 6, p. 155, 1950.—Mortierellaceae.
- nivea* Novot. in *Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS*, 6, p. 156, 1950 in water.—U.S.S.R.
- Nematostoma pycnothymi* Petrak in *Sydowia*, 6, p. 402, 1952 on *Pycnothymus rigidus*.—Florida, U.S.A.
- NORMANDINOMYCES* Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 58, 1952.—For the fungal element of *Normandina* (lichen).
- **NYCTALINA* Arnaud in *Bull. Soc. mycol. Fr.*, 68, p. 189, 1952.—Moniliales.
- *—*lignicola* Arnaud in *Bull. Soc. mycol. Fr.*, 68, p. 190, 1952 on mycelium.—France.
- Octaviania asterosperma* Vitt. forma *mutabilis* Vacek in *Česká Mykol.*, 2, p. 69, 1948.—Czechoslovakia.
- **Olpidiopsis? vuilleminiae* Arnaud in *Bull. Soc. mycol. Fr.*, 68, p. 182, 1952 on *Corticium comedens*.—France.
- Omphalina cyathiformis* (Berk. & Curt.) Dennis in *Kew Bull.*, 1952, p. 494, 1952. (Syn. *Marasmius cyathiformis* Berk. & Curt.).
- cylindrospora* Dennis in *Kew Bull.*, 1952, p. 494, 1952.—Trinidad.
- euomphalos* (Berk.) Dennis in *Kew Bull.*, 1952, p. 495, 1952. (Syn. *Agaricus euomphalos* Berk.).
- var. *lutea* Dennis in *Kew Bull.*, 1952, p. 496, 1952.—Trinidad.
- viridifusca* (Berk. & Curt.) Dennis in *Kew Bull.*, 1952, p. 493, 1952. (Syn. *Marasmius viridifuscus* Berk. & Curt.).
- Onnia incisa* (Lloyd) Imazeki in *Bull. Govt. For. Exp. Sta., Tokyo* 57, p. 114, 1952. (Syn. *Polystictus incisus* Lloyd).
- **Oospora chalaroides* Arnaud in *Bull. Soc. mycol. Fr.*, 68, p. 195, 1952 on paper.—France.
- *—*lasiosphaeriae* Arnaud in *Bull. Soc. mycol. Fr.*, 68, p. 195, 1952 on *Lasiosphaeria*.—France.
- *—*stercorea* Arnaud in *Bull. Soc. mycol. Fr.*, 68, p. 195, 1952 on dung.—France.
- *—*tholisporea* Arnaud in *Bull. Soc. mycol. Fr.*, 68, p. 195, 1952 on stroma of *Gibberella*.—France.

- OPEGRAPHELLOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 77, 1952.—For the fungal element of *Opegraphella* (lichen).
- Ophiobolus constrictus** Müller in *Ber. schweiz. bot. Ges.*, 62, p. 317, 1952 on dead *Carduus nutans*.—Switzerland.
- **gracilis** (Niessl) Müller in *Ber. schweiz. bot. Ges.*, 62, p. 336, 1952. (Syn. *Lasiosphaeria gracilis* Niessl).
- **mayorii** Müller in *Ber. schweiz. bot. Ges.*, 62, p. 327, 1952 on dead *Phaca alpina*.—Switzerland.
- **volkartii** Müller in *Ber. schweiz. bot. Ges.*, 62, p. 313, 1952 on dead *Peucedanum ostruthium*.—Switzerland.
- ***OPHIODENDRON** Arnaud in *Bull. Soc. mycol. Fr.*, 68, p. 208, 1952.—Moniliales.
- *— **laocooni** Arnaud in *Bull. Soc. mycol. Fr.*, 68, p. 208, 1952 on dead leaves of *Quercus*.—France.
- Ophiostoma moniliforme** (Hedge.) H. & P. Syd. forma **davidsonii** (Hedge.) Luc nom. nov. in *Rev. Mycol., Paris*, 17, Suppl. Col. No. 1, p. 12, 1952. (Syn. *Endoconidiophora moniliformis* sensu Davidson).
- forma **theobromae** Luc in *Rev. Mycol., Paris*, 17, Suppl. Col. No. 1, p. 13, 1952 on root of *Theobroma*.—Madagascar.
- forma **pycnanthi** Luc in *Rev. Mycol., Paris*, 17, Suppl. Col. No. 1, p. 12, 1952 on wood of *Pycnanthus kombo*.—French Cameroons.
- ORPHNIOSPOROMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 64, 1952.—For the fungal element of *Orphniospora* (lichen).
- ***OSTEOMORPHA** Arnaud in *Bull. Soc. mycol. Fr.*, 68, p. 192, 1952.—Moniliales.
- *— **fragilis** Arnaud in *Bull. Soc. mycol. Fr.*, 68, p. 192, 1952.—France.
- Oudemansiella brunneomarginata** Vassiljeva in *Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS*, 6, p. 197, 1950.—U.S.S.R.
- Ovularia lupini** W. B. Cooke & Shaw in *Mycologia*, 44, p. 802, 1952 on *Lupinus*.—Colorado, U.S.A.
- Oxydothis elaeicola** Petrak in *Sydowia*, 6, p. 314, 1952 on dead *Elaeis guineensis*.—Sierra Leone.
- **pandanicola** (Syd.) Petrak in *Sydowia*, 6, p. 367, 1952. (Syn. *Didymella pandanicola* Syd.).
- **parvula** (Syd.) Petrak in *Sydowia*, 6, p. 314, 1952. (Syn. *Merrilliopectis parvula* Syd.).
- **sabalensis** (Cooke) Petrak in *Sydowia*, 6, p. 403, 1952. (Syn. *Sphaeria sabalensis* Cooke).
- Panus luteus** Dennis in *Kew Bull.*, 1953, p. 44, 1953 on wood.—Trinidad.
- PAPULARIOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 56, 1952.—For the fungal element of *Papulare* (lichen).
- PARMENTARIOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 61, 1952.—For the fungal element of *Parmentaria* (lichen).
- Parodiopsis lophirae** Deighton apud Petrak & Deighton in *Sydowia*, 6, p. 315, 1952 on *Lophira alata*.—Sierra Leone.
- PECCANIOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 63, 1952.—For the fungal element of *Peccania* (lichen).
- ***Pedilospora? macrospora** Arnaud in *Bull. Soc. mycol. Fr.*, 68, p. 212, 1952 on wood.—France.
- *— **tricornis** Arnaud in *Bull. Soc. mycol. Fr.*, 68, p. 210, 1952 on wood.—France.
- Peltosphaeria californica** Petrak in *Sydowia*, 6, p. 357, 1952 on wood.—California, U.S.A.
- **sandwicensis** Petrak in *Sydowia*, 6, p. 368, 1952 on wood of *Myoporum sandwicense*.—Hawaii.
- Penicillium albocinerascens** Chalabuda [non (Maubl.) Biourge] in *Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS*, 6, p. 166, 1950 in soil.—U.S.S.R.
- **arenicola** Chalabuda in *Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS*, 6, p. 162, 1950 in soil.—U.S.S.R.
- **bilaji** Chalabuda in *Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS*, 6, p. 165, 1950 in soil.—U.S.S.R.
- **cinereoatrum** Chalabuda in *Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS*, 6, p. 167, 1950 in soil.—U.S.S.R.
- **cremeogriseum** Chalabuda in *Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS*, 6, p. 168, 1950 in soil.—U.S.S.R.
- **glaucocinerascens** Chalabuda in *Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS*, 6, p. 165, 1950 in soil.—U.S.S.R.
- **glaucolanosum** Chalabuda in *Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS*, 6, p. 167, 1950 in soil.—U.S.S.R.
- **kurssanovii** Chalabuda in *Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS*, 6, p. 164, 1950 in soil.—U.S.S.R.
- **pidoplitschkanum** Chalabuda in *Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS*, 6, p. 161, 1950 in soil.—U.S.S.R.
- Peniophora incrassata** Malençon in *Bull. Soc. mycol. Fr.*, 68, p. 316, 1952 on dead wood of *Cedrus atlantica*.—France.
- **reticulata** Wakefield in *Trans. Brit. mycol. Soc.*, 35, p. 57, 1952 on rotten coniferous wood.—England.
- Penzigia leonensis** Deighton apud Petrak & Deighton in *Sydowia*, 6, p. 315, 1952 on dead *Alchornea cordifolia*.—Sierra Leone.
- PERFORARIOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 80, 1952.—For the fungal element of *Perforaria* (lichen).
- Peronospora esporaussensis** Mayor in *Ber. schweiz. bot. Ges.*, 62, p. 481, 1952 on *Lotus angustissimus*.—France.
- **viennoti** Mayor in *Ber. schweiz. bot. Ges.*, 62, p. 478, 1952 on *Sarothamnus scoparius*.—France.
- PETRAKOMYCES** Subramanian & Ramakrishnan in *Proc. Indian Acad. Sci.*, Sect. B, 37, p. 112, 1953.—Sphaeropsidales.
- **indicus** Subramanian & Ramakrishnan in *Proc. Indian Acad. Sci.*, Sect. B, 37, p. 112, 1953 on *Bambusa*.—India.
- ***PEYRONELINA** Arnaud in *Bull. Soc. mycol. Fr.*, 68, p. 213, 1952.—Moniliales.
- *— **glomerulata** Arnaud in *Bull. Soc. mycol. Fr.*, 68, p. 213, 1952 on *Lasiosphaeria*.—France.
- PEYRONELLULA** Malan in *Mycopathologia*, 6, p. 173, 1952.—Plectomycetes.
- **mirabilis** Malan in *Mycopathologia*, 6, p. 173, 1952 on damp soil.—Italy. Conidial state *Cephalosporium mirabilis* Malan.

- PHAEOPHELARIA** Corner in *Ann. Bot., Lond.*, N.S., 17, p. 357, 1953.—Clavariaceae.
- *australiensis* Corner in *Ann. Bot., Lond.*, N.S., 17, p. 357, 1953 on wood.—Australia.
- Phaeobotryosphaeria fusca** (N. E. Stev.) Petrak. in *Sydowia*, 6, p. 317, 1952. (Syn. *Physalospora fusca* N. E. Stev.).
- *leonensis* Petrak in *Sydowia*, 6, p. 316, 1952 on dead *Lonicera japonica*.—Sierra Leone.
- Phaeodimeriella meliolinae** (Toro) Toro in *J. Agric. Univ. P.R.*, 36, p. 79, 1952. (Syn. *Chaetostigmella meliolinae* Toro).
- *parasitica* (Toro) Toro in *J. Agric. Univ. P.R.*, 36, p. 79, 1952. (Syn. *Chaetostigmella parasitica* Toro).
- Phaeodothiora palmarum** (Höhn.) Petrak in *Sydowia*, 6, p. 317, 1952. (Syn. *Monographus palmarum* Höhn.).
- PHAEOGRAPHIDOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 76, 1952.—For the fungal element of *Phaeographis* (lichen).
- PHAEOGRAPHINOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 76, 1952.—For the fungal element of *Phaeographina* (lichen).
- Phakopsora chorisandrae** Ramakrishnan & Reddy in *Proc. Indian Acad. Sci.*, Sect. B, 35, p. 115, 1952 on *Chorisandra pinnata*.—India.
- *mangalorica* Ramakrishnan & Sundaram in *Proc. Indian Acad. Sci.*, Sect. B, 35, p. 118, 1952 on *Desmodium triquetrum*.—India.
- Phellinus dependens** (Murrill) Imazeki in *Bull. Govt. For. Exp. Sta.*, Tokyo 57, p. 114, 1952. (Syn. *Pyropolyporus dependens* Murrill).
- *mangrovicus* (Imazeki) Imazeki in *Bull. Govt. For. Exp. Sta.*, Tokyo 57, p. 114, 1952. (Syn. *Fomes mangrovicus* Imaz.).
- *senex* (Nees & Mont.) Imazeki in *Bull. Govt. For. Exp. Sta.*, Tokyo 57, p. 115, 1952. (Syn. *Polyporus senex* Nees & Mont.).
- Phellorinia stepnovskii** Sossin in *Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS*, 6, p. 185, 1950.—U.S.S.R.
- PHILIPPIREGIS** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 57, 1952.—For the fungal element of *Polyblastidea* (lichen).
- PHLOEOPECCANIOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 76, 1952.—For the fungal element of *Phloeopeccania* (lichen).
- PHLYCTELOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 69, 1952.—For the fungal element of *Phlyctella* (lichen).
- Phlyctidium tenue** Sparrow in *Mycologia*, 44, p. 760, 1952 on *Zygnema*.—Michigan, U.S.A.
- Phlyctochytrium longicollum** Sparrow in *Mycologia*, 44, p. 763, 1952 on *Euglena*.—Michigan, U.S.A.
- *papillatum* Sparrow in *Mycologia*, 44, p. 764, 1952 on pine pollen.—Michigan, U.S.A.
- Phoma eriogoni** W. B. Cooke apud Cooke & Shaw in *Mycologia*, 44, p. 797, 1952 on *Eriogonum marifolium*.—California, U.S.A.
- *lunulatospora* Weymeyer in *Sydowia*, 6, p. 437, 1952 on herbaceous stems.—Washington State, U.S.A.
- *pedicularis* var. *minor* Weymeyer in *Sydowia*, 6, p. 437, 1952 on *Pedicularis*.—Washington State, U.S.A.
- *raetica* Müller apud Zogg in *Phytopath. Z.*, 18, p. 11, 1951 on *Hordeum distichum*.—Switzerland.
- *siliquastrum* Desm. var. *arabidis-hirsutae* Bernaux in *Bull. Soc. mycol. Fr.*, 68, p. 393, 1952 on *Arabis hirsuta*.—France.
- Phomopsis celottii** (Sacc.) Lucas & da Camara in *Agron. lusit.*, 14, p. 210, 1952. (Syn. *Phoma celottii* Sacc.).
- *chamaecristae* Petrak in *Sydowia*, 6, p. 405, 1952 on dead branches of *Chamaecrista brachiana*.—Florida, U.S.A.
- *chrysanthemi* (Vogl.) da Costa & da Camara in *Portug. acta biol.*, 3, p. 301, 1952. (Syn. *Phoma chrysanthemi* Vogl.).
- *hydrangeae* Lucas & da Camara in *Agron. lusit.*, 14, p. 211, 1952 on *Hydrangea hortensis*.—Portugal.
- *iridina* (Maire & Sacc.) Lucas & da Camara in *Agron. lusit.*, 14, p. 211, 1952. (Syn. *Phoma agapanthi* (Thüm.) Sacc. subsp. *iridina* Maire & Sacc.).
- *mandevillae* da Costa & da Camara in *Portug. acta biol.*, 3, p. 302, 1952 on branches of *Mandevilla laxa*.—Portugal.
- *neriicola* (Pat.) da Costa & da Camara in *Portug. acta biol.*, 3, p. 302, 1952. (Syn. *Phoma neriicola* Pat.).
- *parietariae* (Allesch.) da Costa & da Camara in *Portug. acta biol.*, 3, p. 302, 1952. (Syn. *Phoma parietariae* Allesch.).
- *polygalae-myrtifoliae* (P. Henn.) Dias & da Camara in *Agron. lusit.*, 14, p. 111, 1952. (Syn. *Phoma polygalae-myrtifoliae* P. Henn.).
- *pterocarpi* Hughes in *Mycol. Pap., C.M.I.*, 50, p. 54, 1953 on *Pterocarpus erinaceus*.—Togoland.
- *tipuanae* (F. Tassi) Lucas & da Camara in *Agron. lusit.*, 14, p. 213, 1952. (Syn. *Phoma tipuanae* Tassi).
- Phyllachora carpodini** Hughes in *Mycol. Pap., C.M.I.*, 50, p. 54, 1953 on *Carpodinus barteri*.—Gold Coast.
- *leptoderridis* Deighton apud Petrak & Deighton in *Sydowia*, 6, p. 318, 1952 on dead leaves of *Leptoderris*.—Sierra Leone.
- Phyllosticta cladrastidis** Mitrosh. in *Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS*, 6, p. 83, 1949 on *Cladrastis amurensis*.—U.S.S.R.
- *eriogoni* W. B. Cooke apud Cooke & Shaw in *Mycologia*, 44, p. 797, 1952 on *Eriogonum elatum*.—Washington, U.S.A.
- *erythronii* W. B. Cooke & Shaw in *Mycologia*, 44, p. 796, 1952 on *Erythronium parviflorum*.—Wyoming, U.S.A.
- *favillensis* H. C. Greene in *Amer. Midl. Nat.*, 48, p. 50, 1952 on *Silphium integrifolium*.—Wisconsin, U.S.A.
- *hosackiae* W. B. Cooke apud Cooke & Shaw in *Mycologia*, 44, p. 796, 1952 on *Lotus douglasii*.—Washington, U.S.A.
- *lactucicola* (as 'lactuaccola') Hara & Ogawa in *Ann. phytopath. Soc. Japan*, 16, p. 183, 1952 on *Lactuca sativa*.—Japan.
- *madisonensis* H. C. Greene nom. nov. in *Amer. Midl. Nat.*, 48, p. 50, 1952. (Syn. *P. solidaginicola* H. C. Greene 1944, non Tehon & Daniels).
- *maiantherni* W. B. Cooke apud Cooke & Shaw in *Mycologia*, 44, p. 795, 1952 on *Maianthemum dilatatum*.—Washington, U.S.A.
- *pennsylvanica* H. C. Greene in *Amer. Midl. Nat.*, 48, p. 49, 1952 on *Prunus pennsylvanica*.—Wisconsin, U.S.A.
- *philodendri* Allesch. forma *ellipticospora*

- Lucas & da Camara in *Agron. lusit.*, 14, p. 214, 1952 on *Monstera deliciosa*.—Portugal.
- *schizandrae* Mitrosh. in *Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS*, 6, p. 83, 1949 on *Schizandra chinensis*.—U.S.S.R.
- *wulfeniae* H. C. Greene in *Amer. Midl. Nat.*, 48, p. 49, 1952 on *Wulfenia bullii*.—Wisconsin, U.S.A.
- Physalospora clerodendri** Ramakrishnan in *Proc. Indian Acad. Sci., Sect. B*, 35, p. 112, 1952 on *Clerodendron infortunatum*.—India.
- *macluriae* Mitrosh. in *Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS*, 6, p. 82, 1949 on *Maclura aurantiaca*.—U.S.S.R.
- Pirottaea glauco-viridis** Vacek in *Česká Mykol.*, 4, p. 44, 1950. —Czechoslovakia.
- Pistillaria trisporea** Corner in *Ann. Bot., Lond., N.S.*, 17, p. 358, 1953 on dead leaves of *Fraxinus*.—Iowa, U.S.A.
- *tucumanensis* (Speg.) Corner in *Ann. Bot., Lond., N.S.*, 17, p. 360, 1953. (Syn. *Typhula tucumanensis* Speg.).
- PLACOTHELIOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia, Ser. 5*, 10, p. 60, 1952.—For the fungal element of *Placothelium* (lichen).
- PLACYNTHIOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia, Ser. 5*, 10, p. 72, 1952.—For the fungal element of *Placynthium* (lichen).
- Planctomyces stranskae** Wawrik in *Sydowia*, 6, p. 448, 1952 in plankton.—Europe.
- *subulatus* Wawrik in *Sydowia*, 6, p. 448, 1952 in plankton.—Europe.
- Platycarpium caulicola** Wehmeyer in *Sydowia*, 6, p. 438, 1952 on *Anaphalis margaritacea*.—U.S.A.
- Platyglöea subvestita** Olive in *Bull. Torrey bot. Cl.*, 80, p. 33, 1953 on wood.—N. Carolina, U.S.A.
- PLATYGRAPHOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia, Ser. 5*, 10, p. 75, 1952.—For the fungal element of *Platygrapha* (lichen).
- Pleospora chloes** (Clem.) Petrak in *Sydowia*, 6, p. 337, 1952. (Syn. *Graphyllum chloes* Clem.).
- *dakotensis* (Rehm) Petrak in *Sydowia*, 6, p. 337, 1952. (Syn. *Graphyllum dakotense* Rehm.).
- *PLEUROBASIDIUM** Arnaud in *Bull. Soc. mycol. Fr.*, 67, p. 193, 1951.—Thelephoraceae.
- * — *telae* Arnaud in *Bull. Soc. mycol. Fr.*, 67, p. 194, 1951 on cloth.—France.
- *PLEUROCATENA** Arnaud in *Bull. Soc. mycol. Fr.*, 68, p. 195, 1952.—Moniliales.
- * — *acicularis* Arnaud in *Bull. Soc. mycol. Fr.*, 68, p. 195, 1952 on *Phiale albidula*.—France.
- PLEUROCYBOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia, Ser. 5*, 10, p. 62, 1952.—For the fungal element of *Pleurocybe* (lichen).
- Pleuroflammula flavomarginata** (Berk. & Br.) Singer in *Sydowia*, 6, p. 349, 1952. (Syn. *Crepidotus flavomarginatus* (Berk. & Br.) Sacc.).
- Pleurotus brunnescens** (Earle) Dennis in *Kew Bull.*, 1953, p. 33, 1953. (Syn. *Micromphale brunnescens* Earle).
- *distantifolius* (Murrill) Dennis in *Kew Bull.*, 1953, p. 32, 1953. (Syn. *Scytinotus distantifolius* Murrill).
- *eugrammus* (Mont.) Dennis in *Kew Bull.*, 1953, p. 35, 1953. (Syn. *Agaricus eugrammus* Mont.).
- *hygrophanus* (Mont.) Dennis in *Kew Bull.*, 1953, p. 36, 1953. (Syn. *Panus hygrophanus* Mont.).
- Plicaria hyalino-alba** (Speg.) Vacek in *Česká Mykol.*, 4, p. 11, 1940. (Syn. *Humaria hyalino-alba* Speg.).
- Podoconis bicolor** Hughes in *Mycol. Pap., C.M.I.*, 50, p. 56, 1953 on *Cissus oreophila*.—Gold Coast.
- *flagellata* Hughes in *Mycol. Pap., C.M.I.*, 50, p. 57, 1953 on wood.—Gold Coast.
- *macrura* (Sacc.) Hughes in *Mycol. Pap., C.M.I.*, 50, p. 58, 1953. (Syn. *Helminthosporium macrurum* Sacc.).
- *parva* Hughes in *Mycol. Pap., C.M.I.*, 50, p. 59, 1953 on dead *Rauwolfia vomitoria*.—Sierra Leone.
- Podoscypha involuta** (Klotzsch) Imazeki in *Bull. Govt. For. Exp. Sta., Tokyo* 57, p. 98, 1952. (Syn. *Stereum involutum* Kl.).
- POLYBLASTIOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia, Ser. 5*, 10, p. 58, 1952.—For the fungal element of *Polyblastia* (lichen).
- Polyporellus hemicapnodes** (Berk. & Br.) Imazeki in *Bull. Govt. For. Exp. Sta., Tokyo* 57, p. 115, 1952. (Syn. *Polyporus hemicapnodes* Berk. & Br.).
- *murinus* Imazeki in *Bull. Govt. For. Exp. Sta., Tokyo* 57, p. 115, 1952.—Japan.
- *obovatus* (Junghun) Imazeki in *Bull. Govt. For. Exp. Sta., Tokyo* 57, p. 116, 1952. (Syn. *Polyporus obovatus* Jungh.).
- *satakei* Imazeki in *Bull. Govt. For. Exp. Sta., Tokyo* 57, p. 116, 1952.—Japan.
- *stereinus* (Berk. & Curt.) Imazeki in *Bull. Govt. For. Exp. Sta., Tokyo* 57, p. 117, 1952. (Syn. *Polyporus stereinus* Berk. & Curt.).
- *subdealbatus* (Murrill) Imazeki in *Bull. Govt. For. Exp. Sta., Tokyo* 57, p. 117, 1952. (Syn. *Microporellus subdealbatus* Murrill).
- Polyporus tepetitensis** (Murr.) Lowe in *Pap. Mich. Acad. Sci.*, 37, p. 51, 1952. [Syn. *Coriolus tepetitensis* Murr.].
- Poria laevigata** (Fr.) Cooke forma *prunicola* (Murr.) Baxter in *Pap. Mich. Acad. Sci.*, 37, p. 98, 1952. (Syn. *P. prunicola* Murr.).
- *rhizomorpha* Bagchee in *Indian For.*, 79, p. 22, 1953 on *Gmelina arborea*.—India and Pakistan.
- Porphyrellus atrobrunneus** Vassiljeva in *Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS*, 6, p. 192, 1950.—U.S.S.R.
- Protodonia oligacantha** Martin in *J. Wash. Acad. Sci.*, 43, p. 16, 1953 on dead *Populus trichocarpa*.—British Columbia, Canada.
- PSEUDACOLIOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia, Ser. 5*, 10, p. 65, 1952.—For the fungal element of *Pseudocolium* (lichen).
- Pseudobaeospora cygnea** (Lange) Locquin in *Bull. Soc. mycol. Fr.*, 68, p. 169, 1952. [Syn. not cited].
- *serena* (Fr.) Locquin in *Bull. Soc. mycol. Fr.*, 68, p. 169, 1952. [Syn. not cited].
- *sericifera* Locquin nom. nov. in *Bull. Soc. mycol. Fr.*, 68, p. 169, 1952. (Syn. *Lepiota sericea* Cool.).
- Pseudomassaria agrifolia** (Ellis & Ev.) von Arx in *Ber. schweiz. bot. Ges.*, 62, p. 354, 1952. (Syn. *Physalospora agrifolia* Ellis & Ev.).
- *calophylli* (Frag. & Cif.) von Arx in *Ber.*

- schweiz. bot. Ges.*, **62**, p. 355, 1952. (Syn. *Physalospora calophylli* Frag. & Cif.).
- *corni* (Sow.) von Arx in *Ber. schweiz. bot. Ges.*, **62**, p. 349, 1952. (Syn. *Sphaeria corni* Sow.).
- *fallax* (Petrak) von Arx in *Ber. schweiz. bot. Ges.*, **62**, p. 349, 1952. (Syn. *Apiosporina fallax* Petrak.).
- *necans* (Rehm) von Arx in *Ber. schweiz. bot. Ges.*, **62**, p. 352, 1952. (Syn. *Physalospora necans* Rehm.).
- *polystigma* (Ellis & Ev.) von Arx in *Ber. schweiz. bot. Ges.*, **62**, p. 352, 1952. (Syn. *Sphaerella polystigma* Ellis & Ev.).
- *quercifolia* (Ellis & Ev.) von Arx in *Ber. schweiz. bot. Ges.*, **62**, p. 353, 1952. (Syn. *Physalospora quercifolia* Ellis & Ev.).
- *sepincolaeformis* (de Not.) von Arx in *Ber. schweiz. bot. Ges.*, **62**, p. 350, 1952. (Syn. *Sphaerella sepincolaeformis* de Not.).
- *thistletonia* (Cooke) von Arx in *Ber. schweiz. bot. Ges.*, **62**, p. 355, 1952. (Syn. *Physalospora thistletonia* Cooke.).
- PSEUDOTYPHULA** Corner in *Ann. Bot. Lond.*, N.S., **17**, p. 366, 1953.—Clavariaceae. Type, *P. ochracea*.
- *ochracea* Corner in *Ann. Bot. Lond.*, N.S., **17**, p. 366, 1953 on dead wood.—Belgian Congo.
- *tenuipes* (Lloyd) Corner in *Ann. Bot. Lond.*, N.S., **17**, p. 367, 1953. (Syn. *Mucronella tenuipes* Lloyd).
- PSOROGLAENOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, **10**, p. 59, 1952.—For the fungal element of *Psoroglaena* (lichen).
- PSOROMATOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, **10**, p. 62, 1952.—For the fungal element of *Psoroma* (lichen).
- PSOROTICHOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, **10**, p. 77, 1952.—For the fungal element of *Psorotichia* (lichen).
- PTERYGIOPSISIDOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, **10**, p. 76, 1952.—For the fungal element of *Pterygiopsis* (lichen).
- PTYCHOGRAPHOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, **10**, p. 78, 1952.—For the fungal element of *Ptychographa* (lichen).
- Puccinia agropyricola* Hiratsuka f. nom. nov. in *Bot. Mag., Tokyo*, **64**, p. 221, 1951. (Syn. *Rostrupia miyabeana* Ito, non *P. miyabeana* T. Miyake.).
- *alatafica* Nevodovsky in *Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS*, **6**, p. 179, 1950 on *Ferula alatafica*.—U.S.S.R.
- *arenariae-griffithii* Kuprevicz in *Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS*, **6**, p. 170, 1950 on *Arenaria griffithii*.—U.S.S.R.
- *chloridis-incompletae* Ramakrishnan, Srinivasan, & Sundaram in *Proc. Indian Acad. Sci.*, Sect. B, **36**, p. 91, 1952 on *Chloris incompleta*.—India.
- *consersa* Diet. var. *paramensis* (Mayor) Baxter in *Mycologia*, **45**, p. 124, 1953. (Syn. *P. paramensis* Mayor).
- *croci* Gümman & Terrier in *Ber. schweiz. bot. Ges.*, **62**, p. 301, 1952 on *Crocus versicolor*.—France.
- *gymnopetali-wightii* Ramakrishnan, Srinivasan, & Sundaram in *Proc. Indian Acad. Sci.*, Sect. B, **36**, p. 90, 1952 on *Gymnopetalum wightii*.—India.
- *kunthiana* Ramakrishnan, Srinivasan, & Sundaram in *Proc. Indian Acad. Sci.*, Sect. B, **37**, p. 88, 1953 on *Isachne kunthiana*.—India.
- *mitoensis* Baxter in *Mycologia*, **45**, p. 129, 1953 on *Salvia punctata* var. *glabra*.—Peru.
- *oreophilae* Nevodovsky & Golov. apud Nevodovsky in *Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS*, **6**, p. 181, 1950 on *Phlomis oreophila*.—U.S.S.R.
- *pectiniformis* Ramakrishnan, Srinivasan, & Sundaram in *Proc. Indian Acad. Sci.*, Sect. B, **37**, p. 89, 1953 on *Venonia pectiniformis*.—India.
- *ramni* Kuprevicz [non Wettst. 1886] in *Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS*, **6**, p. 169, 1950 on *Rhamnus dolichophylla*.—U.S.S.R.
- *striatifera* Baxter in *Mycologia*, **45**, p. 132, 1953 on *Salvia revoluta*.—Peru.
- *tranzschelliana* Brezhn. in *Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS*, **6**, p. 80, 1949 on *Tragopogon brevirostris* and *Carex colchica*.—U.S.S.R.
- *valerianicola* Lindquist in *Rev. Fac. Agron. La Plata*, **28**, p. 94, 1951 on *Valeriana Ruiz-lealii*.—Argentina.
- PYCNOTHELIOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, **10**, p. 78, 1952.—For the fungal element of *Cladonia papillaria* (lichen).
- PYRENASTROMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, **10**, p. 61, 1952.—For the fungal element of *Pyrenastrum* (lichen).
- PYRENIDIOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, **10**, p. 58, 1952.—For the fungal element of *Pyrenidium* (lichen).
- Pyrenochaeta oligotricha* Dias & da Camara in *Agron. lusit.*, **14**, p. 113, 1952 on *Acacia*.—Portugal.
- Pyrenophora alternarina* Whitehead & Dickson in *Mycologia*, **44**, p. 748, 1952 on decaying *Avena sativa*.—Wisconsin, U.S.A.
- *secalis* Whitehead & Dickson in *Mycologia*, **44**, p. 752, 1952 on decaying *Secale cereale*.—Wisconsin, U.S.A.
- PYRENOPHOROMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, **10**, p. 56, 1952.—For the fungal element of *Pyrenophorum* (lichen).
- PYRENOTHAMNIOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, **10**, p. 59, 1952.—For the fungal element of *Pyrenothamnium* (lichen).
- PYRGIDIOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, **10**, p. 66, 1952.—For the fungal element of *Pyrgidium* (lichen).
- PYRGILLOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, **10**, p. 75, 1952.—For the fungal element of *Pyrgillus* (lichen).
- RAESAENENIOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, **10**, p. 59, 1952.—For the fungal element of *Raesaeneniolichen* (lichen).
- Ramularia lathyri* W. B. Cooke & Shaw in *Mycologia*, **44**, p. 803, 1952 on *Lathyrus latifolius*.—Washington, U.S.A.
- *orogeniae* W. B. Cooke & Shaw in *Mycologia*, **44**, p. 803, 1952 on *Orogenia lineariifolia*.—Washington, U.S.A.

- *polemonii* W. B. Cooke & Shaw in *Mycologia*, 44, p. 804, 1952 on *Polemonium californicum*.—Washington, U.S.A.
- *synthyridis* W. B. Cooke apud Cooke & Shaw in *Mycologia*, 44, p. 804, 1952 on *Synthyris reniformis*.—Washington, U.S.A.
- *trillii* W. B. Cooke & Shaw in *Mycologia*, 44, p. 805, 1952 on *Trillium ovatum*.—Idaho, U.S.A.
- Ravenelia coiminatorica** Ramakrishnan & Sundaram in *Proc. Indian Acad. Sci.*, Sect. B, 35, p. 119, 1952 on *Phyllanthus urinaria*.—India.
- *prospodicola* Lindquist in *Rev. Fac. Agron. La Plata*, 28, p. 82, 1951 on *Prosopis calputaco*.—Argentina.
- REINKELLOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 75, 1952.—For the fungal element of *Reinkella* (lichen).
- RHABDOPSOROMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 60, 1952.—For the fungal element of *Rhabdopsora* (lichen).
- Rhabdospira schizandrae** Mitrosh. in *Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS*, 6, p. 84, 1949 on *Schizandra chinensis*.—U.S.S.R.
- Rhinocladia elatior** Mangenot, *Recherches méthodiques sur les champignons de certains bois en décomposition*, p. 44, 1952.—France.
- Rhinotrichum domesticum** Balfour-Browne in *Trans. Brit. mycol. Soc.*, 35, p. 274, 1952 on damp paper and wall plaster.—England.
- * — *stellatum* Arnaud in *Bull. Soc. mycol. Fr.*, 68, p. 190, 1952 on wood.—France.
- RHIZOCARPONOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 65, 1952.—For the fungal element of *Rhizocarpon* (lichen).
- Rhizophydium bullatum** Sparrow in *Mycologia*, 44, p. 762, 1952 on pine pollen.—Michigan, U.S.A.
- *parasiticum* Shen & Siang in *Sci. Rep. nat. Tsing Hua Univ.*, Ser. B, 3, p. 181, 1948 on *Oedogonium*.—China.
- Rhizopogon graveolens** Tul. forma *sulphurea* Vacek in *Česká Mykol.*, 2, p. 69, 1948.—Czechoslovakia.
- Rhodopaxillus munduliformis** Dennis in *Kew Bull.*, 1952, p. 489, 1952.—Trinidad.
- *subisabellinus* (Murr.) Dennis in *Kew Bull.*, 1952, p. 488, 1952. (Syn. *Melanoleuca subisabellina* Murr.).
- Rhynchosphaeria floridana** Petrak in *Sydowia*, 6, p. 403, 1952 on dead *Sabal palmetto*.—Florida, U.S.A.
- *shearii* Petrak in *Sydowia*, 6, p. 369, 1952 on wood.—Hawaii.
- Rhynchostoma gnatostomatica** Dias & da Camara in *Agron. lusit.*, 14, p. 104, 1952 on *Ulex minor*.—Portugal.
- RICKELLA** Locquin nom. nov. in *Bull. Soc. mycol. Fr.*, 68, p. 168, 1952. (Syn. *Lepiotella* Rick, 1938 non Gilbert, 1936).
- Rigidoporus durus** (Junghun) Imazeki in *Bull. Govt. For. Exp. Sta., Tokyo* 57, p. 117, 1952. (Syn. *Polyporus durus* Jungh.).
- *ignosus* (Kl.) Imazeki in *Bull. Govt. For. Exp. Sta., Tokyo* 57, p. 118, 1952. (Syn. *Polyporus lignosus* Kl.).
- *rhodophaeus* (Lév.) Imazeki in *Bull. Govt. For. Exp. Sta., Tokyo* 57, p. 118, 1952. (Syn. *Polyporus rhodophaeus* Lév.).
- *zonalis* (Berk.) Imazeki in *Bull. Govt. For. Exp. Sta., Tokyo* 57, p. 119, 1952. (Syn. *Polyporus zonalis* Berk.).
- ROBAKIA** Petrak in *Sydowia*, 6, p. 372, 1952, *Sphaeropsidales*.
- *arctica* Petrak in *Sydowia*, 6, p. 372, 1952 on wood.—Norway.
- ROCCELLOGRAPHOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 77, 1952.—For the fungal element of *Roccellographa* (lichen).
- ROSTROCORONOPHORA** Munk in *Dansk bot. Ark.*, 15, 2, p. 98, 1953.—Pyrenomyces.
- *geranii* Munk in *Dansk bot. Ark.*, 15, 2, p. 98, 1953 on dead stems of *Geranium sanguineum*.—Denmark.
- Rozites flavoannulata** Vassiljeva in *Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS*, 6, p. 199, 1950.—U.S.S.R.
- Russula aeruginea** Lindblad var. *pseudo-aeruginea* Romagnesi in *Bull. Soc. linn. Lyon*, 21, p. 111, 1952.—France.
- * — *amoena* var. *intermedia* Blum in *Bull. Soc. mycol. Fr.*, 68, p. 255, 1952.—France.
- *amoenolens* Romagnesi in *Bull. Soc. linn. Lyon*, 21, p. 111, 1952.—France.
- *floccosa* Vassiljeva in *Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS*, 6, p. 194, 1950.—U.S.S.R.
- * — *grisea* var. *leucospora* Blum in *Bull. Soc. mycol. Fr.*, 68, p. 257, 1952.—France.
- *ionochlora* Romagnesi in *Bull. Soc. linn. Lyon*, 21, p. 110, 1952.—France.
- *rutila* Romagnesi. (This *Index*, 1, p. 215). [Latin diagnosis in *Bull. Soc. linn. Lyon*, 21, p. 112, 1952].
- *terenopus* Romagnesi in *Bull. Soc. linn. Lyon*, 21, p. 111, 1952.—France.
- SAGEDIOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 57, 1952.—For the fungal element of *Sagedia* (lichen).
- SAMBOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 70, 1952.—For the fungal element of *Samboia* (lichen).
- SANTESSONIOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 57, 1952.—For the fungal element of *Santesoniolichen* (lichen).
- SARCOGRAPHOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 80, 1952.—For the fungal element of *Sarcographa* (lichen).
- SARCOPIRENIOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 60, 1952.—For the fungal element of *Sarcopyrenia* (lichen).
- Sarcosoma amurense** Vassiljeva in *Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS*, 6, p. 188, 1950 on dead *Picea jezoensis*.—U.S.S.R.
- Sarcosylon deightonii** Petrak in *Sydowia*, 6, p. 319, 1952 on dead *Theobroma cacao*.—Sierra Leone.
- SCHELEROPHYTONOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 73, 1952.—For the fungal element of *Schlerophyton* (lichen).
- SCHISMATOMMATOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 72, 1952.—For the fungal element of *Schismatomma* (lichen).
- SCHIZOPELTOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 74, 1952.—For the fungal element of *Schizopelte* (lichen).
- Sclerospora dichanthicola** Thirumalachar,

- & Narasimhan in *Phytopathology*, 42, p. 598, 1952 on *Dichanthium annulatum*.—India.
- *secalina* Naumov in *Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS*, 6, p. 79, 1949 on *Secale cereale*.—U.S.S.R.
- Sclerotinia veselyi* Pilát & Svrček in *Česká Mykol.*, 1, p. 44, 1947 on dead *Equisetum limosum*.—Bohemia.
- SCOLIOSPOROMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 65, 1952.—For the fungal element of *Scoliosporium* (lichen).
- ***SCOPULA** Arnaud in *Bull. Soc. mycol. Fr.*, 68, p. 198, 1952.—Moniliales.
- *— *hyalina* Arnaud in *Bull. Soc. mycol. Fr.*, 68, p. 198, 1952 on wood.—France.
- Scopulariopsis rhodogena* Mangelnot, *Recherches méthodiques sur les champignons de certains bois en décomposition*, p. 25, 1952.—France.
- Sepedonium albo-griseum* Balfour-Browne in *Trans. Brit. mycol. Soc.*, 35, p. 276, 1952 on damp plaster and wallpaper.—England.
- Septoria anychiae* H. C. Greene in *Amer. Midl. Nat.*, 48, p. 52, 1952 on *Anychia canadensis*.—Wisconsin, U.S.A.
- *jasioneicola* Urries in *An. Jard. bot. Madr.*, 11, p. 159, 1953 on *Jasione montana*.—Spain.
- *lapsanae* Bernaux in *Bull. Soc. mycol. Fr.*, 68, p. 396, 1952 on *Lapsana communis*.—France.
- *scorzonellae* W. B. Cooke & Shaw in *Mycologia*, 44, p. 801, 1952 on *Scorzonella nutans*.—Washington, U.S.A.
- *tellimae* W. B. Cooke & Shaw in *Mycologia*, 44, p. 801, 1952 on *Tellima parviflora*.—Washington, U.S.A.
- Siroscyphellina lupini* Wehmeyer in *Sydowia*, 6, p. 440, 1952 on *Lupinus subalpinus*.—U.S.A.
- SOROLINELLOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 64, 1952.—For the fungal element of *Solorinella* (lichen).
- Sorosporium brachiariae-ramosae* Ramakrishnan in *Proc. Indian Acad. Sci.*, Sect. B, 35, p. 113, 1952 on *Brachiaria ramosa*.—India.
- Spegazzinia tessartha* (Berk. & Curt.) Sacc. var. *deightonii* Hughes in *Mycol. Pap.*, C.M.I., 50, p. 65, 1953 on dead *Saccharum officinarum*.—Gold Coast.
- Sphaelotheca constantineanui* Săvulescu in *Bul. Şti. Sect. Şti. biol.*, 3, p. 214, 1951 on *Alopecurus aequalis*.—Rumania.
- *mysorensis* Pavgi & Thirumalachar in *Sydowia*, 6, p. 394, 1952 on *Capillipedium hugelii*.—India.
- *tragi* Săvulescu in *Bul. Şti. Sect. Şti. biol.*, 3, p. 215, 1951 on *Tragus racemosus*.—Rumania.
- Sphaerographium dombeyae* Dias & da Camara in *Agron. lusit.*, 14, p. 119, 1952 on *Dombeya*.—Portugal.
- SPHAEROPHOROMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 66, 1952.—For the fungal element of *Sphaerophoron* (lichen).
- Sphaeropsis vaccinii* W. B. Cooke & Shaw in *Mycologia*, 44, p. 798, 1952 on *Vaccinium ovatum*.—Washington, U.S.A.
- SPHECONISCOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 59, 1952.—For the fungal element of *Spheconisca* (lichen).
- SPIROGRAPHOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 69, 1952.—For the fungal element of *Spirographa* (lichen).
- **Sporendonema roseum* Grove var. *album* Arnaud in *Bull. Soc. mycol. Fr.*, 68, p. 192, 1952 on soil.—France.
- Sporidesmium bakeri* Syd. var. *maydicum* (Sacc.) Hughes in *Mycol. Pap.*, C.M.I., 50, p. 68, 1953. (Syn. *Clasterosporium maydicum* Sacc.).
- var. *sacchari* (Speg.) Hughes in *Mycol. Pap.*, C.M.I., 50, p. 69, 1953. (Syn. *Stigmella sacchari* Speg.).
- **Sporobolomyces holsaticus* Windisch in *Arch. Mikrobiol.*, 14, p. 289, 1949, from a culture.—Germany.
- ***SPOROCEPHALUM** Arnaud in *Bull. Soc. mycol. Fr.*, 68, p. 187, 1952.—Moniliales.
- *— *peniophorae* Arnaud in *Bull. Soc. mycol. Fr.*, 68, p. 189, 1952 on *Peniophora longispora*.—France.
- Sporotrichum uvarum* (Karamb.) Windisch in *Beitr. Biol. Pfl.*, 29, p. 161, 1952. (Syn. *Oospora uvarum* Karamb.).
- Stagonopsis ulicis* Dias & da Camara in *Agron. lusit.*, 14, p. 120, 1952 on *Ulex minor*.—Portugal.
- Stagonospora polyspora* Lucas & da Camara in *Agron. lusit.*, 14, p. 222, 1952 on *Lippia citriodora*.—Portugal.
- *spiculisperma* H. C. Greene in *Amer. Midl. Nat.*, 48, p. 50, 1952 on *Stipa spartea*.—Wisconsin, U.S.A.
- *thaspiae* (Ell. & Ev.) H. C. Greene in *Amer. Midl. Nat.*, 48, p. 52, 1952. (Syn. *Ascochyta thaspiae* Ell. & Ev.).
- *— *urenae* Guillemat in *Cotton Fibres trop.*, 7, p. 141, 1952 on *Urena lobata*.—French Equatorial Africa.
- *verbenae* H. C. Greene in *Amer. Midl. Nat.*, 48, p. 52, 1952 on *Verbena stricta*.—Wisconsin, U.S.A.
- STEREOCLAMYDOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 61, 1952.—For the fungal element of *Stereoclamys* (lichen).
- Stereum pekinense* Imazeki in *Acta phytotax.*, Kyoto, 13, p. 247, 1943.—Japan.
- Stevensula meliolae* (Stev.) Toro in *J. Agric. Univ. P.R.*, 36, p. 80, 1952. (Syn. *Perisporium meliolae* Stev.).
- *meliolicola* (Syd.) Toro in *J. Agric. Univ. P.R.*, 36, p. 80, 1952. (Syn. *Chaetosphaeria meliolicola* Syd.).
- STIGMATOMASSARIA** Munk in *Dansk bot. Ark.*, 15, 2, p. 126, 1953.—Pyrenomyces.
- *pupula* (Fr.) Munk in *Dansk bot. Ark.*, 15, 2, p. 127, 1953. (Syn. *Massaria pupula* (Fr.) Tul.).
- Stigmata maculata* (Cooke) Hughes in *Mycol. Pap.*, C.M.I., 49, p. 11, 1952. (Syn. *Clasterosporium maculatum* Cooke).
- *palmivora* (Sacc.) Hughes in *Mycol. Pap.*, C.M.I., 49, p. 13, 1952. (Syn. *Exosporium palmivorum* Sacc.).
- *platani-racemosae* (Dearn. & Barth.) Hughes in *Mycol. Pap.*, C.M.I., 49, p. 9, 1952. (Syn. *Stigmella platani-racemosae* Dearn. & Barth.).
- *pulviniformis* (Syd.) Hughes in *Mycol. Pap.*, C.M.I., 49, p. 24, 1952. (Syn. *Brachysporium pulviniforme* Syd.).
- Stigmopeltis graminicola* Wehmeyer in

- Sydowia*, 6, p. 442, 1952 on *Elymus glaucus*.—Washington State, U.S.A.
- Stilbospora grewiae** Ramakrishnan, Srinivasan, & Sundaram in *Proc. Indian Acad. Sci., Sect. B*, 37, p. 94, 1953 on *Grewia asiatica*.—India.
- Strasseria sequoiae** Dias & da Camara in *Agron. lusit.*, 14, p. 113, 1952 on *Sequoia*.—Portugal.
- STRIGULOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 61, 1952.—For the fungal element of *Strigula* (lichen).
- Stropharia rugosoannulata** Farlow forma *lutea* Hongo in *J. Jap. Bot.*, 27, p. 371, 1952.—Japan.
- Stylopaga cymosa** Duddington in *Ann. Bot., Lond.*, N.S., 17, p. 129, 1953 on amoebae.—England.
- Suillus grevillei** (Kl.) Imazeki in *Mycol. J. Nagao Inst.*, No. 2, p. 33, 1952. (Syn. *Boletus grevillei* Kl.).
- viscidus** (L. ex Fr.) Imazeki in *Mycol. J. Nagao Inst.*, No. 2, p. 34, 1952. (Syn. *Boletus viscidus* L. ex Fr.).
- SYNARTHONIOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 79, 1952.—For the fungal element of *Synarthonia* (lichen).
- Synchytrium akshaiberi** Lingappa in *Mycologia* 45, p. 292, 1953 on *Solanum melongena*.—India.
- asterum** Cook in *Mycologia*, 45, p. 106, 1953 on *Aster*.—Louisiana, U.S.A.
- bigoniae** Cook in *Mycologia*, 45, p. 109, 1953 on *Bignonia capreolata*.—Louisiana, U.S.A.
- callicarpae** Cook in *Mycologia*, 45, p. 110, 1953 on *Callicarpa americana*.—Louisiana, U.S.A.
- cardiospermi** Cook in *Mycologia*, 45, p. 108, 1953 on *Cardiospermum halicacabum*.—Louisiana, U.S.A.
- carpini** Cook in *Mycologia*, 45, p. 109, 1953 on *Carpinus*.—Louisiana, U.S.A.
- clematidis** Cook in *Mycologia*, 45, p. 109, 1953 on *Clematis*.—Louisiana, U.S.A.
- cocculi** Cook in *Mycologia*, 45, p. 106, 1953 on *Cocculus carolinus*.—Louisiana, U.S.A.
- cookii** Lingappa in *Mycologia*, 45, p. 291, 1953 on *Alysicarpus moniliferus*.—India.
- corni** Cook in *Mycologia*, 45, p. 104, 1953 on *Cornus drummondii*.—Louisiana, U.S.A.
- duchesneae** Cook in *Mycologia*, 45, p. 104, 1953 on *Duchesnea indica*.—Louisiana, U.S.A.
- erectitis** Cook in *Mycologia*, 45, p. 109, 1953 on *Erectites hieracifolia*.—Louisiana, U.S.A.
- fraxini** Cook in *Mycologia*, 45, p. 112, 1953 on *Fraxinus*.—Louisiana, U.S.A.
- gonolobi** Cook in *Mycologia*, 45, p. 108, 1953 on *Gonolobus*.—Louisiana, U.S.A.
- ilicicola** Cook in *Mycologia*, 45, p. 108, 1953 on *Ilex vomitoria* and *I. decidua*.—Louisiana, U.S.A.
- laevis** (Canter) Karling in *Mycologia*, 45, p. 278, 1953. [Syn. *Micromyces laevis* Canter].
- liquidambaris** Cook in *Mycologia*, 45, p. 108, 1953 on *Liquidambar styraciflua*.—Louisiana, U.S.A.
- longispinosus** (Couch) Karling in *Mycologia*, 45, p. 278, 1953. (Syn. *Micromyces longispinosus* Couch).
- meliloti** Lingappa in *Mycologia*, 45, p. 293, 1953 on *Melilotus indica*.—India.
- *—**millingtonicola** Safeulla & Govindu in *Curr. Sci.*, 21, p. 319, 1952 on *Millingtonia hortensis*.—India.
- mittellae** Cook in *Mycologia*, 45, p. 112, 1953 on *Mitchella repens*.—Louisiana, U.S.A.
- ovalis** (Rieth) Karling in *Mycologia*, 45, p. 278, 1953. (Syn. *Micromyces ovalis* Rieth).
- parthenocissi** Cook in *Mycologia*, 45, p. 103, 1953 on *Parthenocissus quinquefolia*.—Louisiana, U.S.A.
- petersenii** (Scherff.) Karling in *Mycologia*, 45, p. 278, 1953. [Syn. not cited].
- polygoni** Cook in *Mycologia*, 45, p. 110, 1953 on *Polygonum*.—Louisiana, U.S.A.
- spirogyrae** (Skvort.) Karling in *Mycologia*, 45, p. 278, 1953. [Syn. not cited].
- tecomae** Cook in *Mycologia*, 45, p. 110, 1953 on *Tecoma radicans*.—Louisiana, U.S.A.
- trachelospermi** Cook in *Mycologia*, 45, p. 112, 1953 on *Trachelospermum deformis*.—Louisiana, U.S.A.
- ulmi** Cook in *Mycologia*, 45, p. 114, 1953 on *Ulmus*.—Louisiana, U.S.A.
- urticae** Cook in *Mycologia*, 44, p. 827, 1952 on *Urtica chamaedryoides*.—Louisiana, U.S.A.
- violae** Cook in *Mycologia*, 45, p. 114, 1953 on *Viola*.—Louisiana, U.S.A.
- zygogonii** (Dang.) Karling in *Mycologia*, 45, p. 278, 1953. (Syn. *Micromyces zygogonii* Dang.).
- *? **Tetracrium puttemansii** Arnaud in *Bull. Soc. mycol. Fr.*, 68, p. 210, 1952 on *Sida urens*.—Brazil.
- THELENIDIOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 57, 1952.—For the fungal element of *Thelenidia* (lichen).
- THELIDIOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 59, 1952.—For the fungal element of *Thelidium* (lichen).
- THELOCARPONOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 72, 1952.—For the fungal element of *Thelocarpon* (lichen).
- THELOPSIDOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 60, 1952.—For the fungal element of *Thelopsis* (lichen).
- THELOSCHISTOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 74, 1952.—For the fungal element of *Theloschistes* (lichen).
- THERMUTOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 65, 1952.—For the fungal element of *Thermutis* (lichen).
- THOLURNOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 66, 1952.—For the fungal element of *Tholurna* (lichen).
- Thyridaria koeae** Petrak in *Sydowia*, 6, p. 369, 1952 on wood of *Acacia koa*.—Hawaii.
- leonensis** Petrak in *Sydowia*, 6, p. 320, 1952 on dead *Thevetia nerifolia*.—Sierra Leone.
- TICOMYCES** Toro nom. nov. in *J. Agric. Univ. P.R.*, 36, p. 48, 1952. (Syn. *Tonduzia* Stev. 1927, non Boeck. 1895, nec Pittier 1908).
- psychotriae** (Stev.) Toro in *J. Agric. Univ. P.R.*, 36, p. 49, 1952. (Syn. *Tonduzia psychotriae* Stev.).
- Tilletia digitariicola** Pavgi & Thirumalachar

- in *Sydowia*, 6, p. 393, 1952 on *Digitaria royleana*.—India.
- perotidis* Thirumalachar & Pavgi in *Sydowia*, 6, p. 392, 1952 on *Perotis indica*.—India.
- TITAEAE acarifera** (Höhnelt) Damon in *J. Wash. Acad. Sci.*, 42, p. 367, 1952. (Syn. *Araneomyces acariferus* Höhnelt).
- miconiae* (Stevens) Damon in *J. Wash. Acad. Sci.*, 42, p. 367, 1952. (Syn. *Monogrammia miconiae* Stevens).
- ***TITAEELLA** Arnaud in *Bull. Soc. mycol. Fr.*, 67, p. 196, 1951.—Moniliales.
- capnophila* Arnaud in *Bull. Soc. mycol. Fr.*, 67, p. 196, 1951 on *Capnodium meridionale*.—France.
- TOMASELLIELLOMYCES** Ciferri apud Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 68, 1952.—For the fungal element of *Tomaselliella* (lichen).
- TOMASELLIOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 62, 1952.—For the fungal element of *Tomaselliella* (lichen).
- TRACHYDERMA** Imazeki in *Bull. Govt. For. Exp. Sta., Tokyo* 57, p. 97, 1952.—Polyporaceae. Type, *T. tsunodae*.
- subresinosum* (Murrill) Imazeki in *Bull. Govt. For. Exp. Sta., Tokyo* 57, p. 119, 1952. (Syn. *Fomes subresinosus* Murrill).
- tsunodae* (Yasuda) Imazeki in *Bull. Govt. For. Exp. Sta., Tokyo* 57, p. 97, 1952.—[Syn. not cited].
- TRAMETELLA** Pinto-Lopes in 'Polyporaceae' (ex. Mem. Soc. broteriana, 8), p. 164, 1952. Based on *Trametes hispida* (Bagl.) Fr. and its subsp. *trogii* (Berk.) Bourd. & Galz.
- Trametes beckeri** (Berk.) Imazeki in *Acta phytotax., Kyoto*, 13, p. 254, 1943. (Syn. *Lenzites beckeri* Berk.).
- leonina* (Klotzsch) Imazeki in *Bull. Govt. For. Exp. Sta., Tokyo* 57, p. 120, 1952. (Syn. *Polystichus leoninus* Kl.).
- salmonia* Imazeki in *Bull. Govt. For. Exp. Sta., Tokyo* 57, p. 120, 1952.—Japan.
- TREMOTYLIOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 77, 1952.—For the fungal element of *Tremotylum* (lichen).
- TRICHODELITISCHIA** Munk in *Dansk bot. Ark.*, 15, 2, p. 109, 1953.—Pyrenomyces.
- bisporula* (Crouan) Munk in *Dansk bot. Ark.*, 15, 2, p. 109, 1953. (Syn. *Hormospora bisporula* Crouan).
- TRICHOMETASPHERA** Munk in *Dansk bot. Ark.*, 15, 2, p. 135, 1953.—Pyrenomyces.
- dianthi* (E. Rostr.) Munk in *Dansk bot. Ark.*, 15, 2, p. 135, 1953. (Syn. *Metasphaeria dianthi* E. Rostr.).
- Trichosporium tingens** Lagerb. & Melin var. *macrosporum* Francke-Grosmann in *Medd. Skogsforskn. Inst. Stockh.*, 41, No. 6, p. 27, 1953 on wood of *Pinus sylvestris*.—Sweden.
- ***Trichosporon undulatum** Windisch in *Beitr. Biol. Pfl.*, 29, p. 147, 1952 from milk.—Germany.
- TRICHOTHELIOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 61, 1952.—For the fungal element of *Trichothelium* (lichen).
- Trichothyrium hansfordii** Hughes in *Mycol. Pap., C.M.I.*, 50, p. 83, 1953 on *Meliola*.—Gold Coast.
- reptans* (Berk. & Curt.) Hughes in *Mycol. Pap., C.M.I.*, 50, p. 85, 1953. (Syn. *Asterina reptans* Berk. & Curt.).
- ugandense* (Hansf.) Hughes in *Mycol. Pap., C.M.I.*, 50, p. 96, 1953. (Syn. *Loranthomyces ugandensis* Hansf.).
- Trimmatostroma pini** W. B. Cooke apud Cooke & Shaw in *Mycologia*, 44, p. 808, 1952 on *Pinus monticola*.—Washington, U.S.A.
- TRYPETHELIOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 62, 1952.—For the fungal element of *Trypethium* (lichen).
- Tuber excavatum** Vitt. forma *globispora* Vacek in *Česká Mykol.*, 2, p. 69, 1948.—Czechoslovakia.
- TYLOPHORELLOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 73, 1952.—For the fungal element of *Tylophorella* (lichen).
- Tympanis abietina** Groves in *Canad. J. Bot.*, 30, p. 599, 1952 on *Abies balsamea*.—Ontario, Canada.
- amelanchieris* Groves in *Canad. J. Bot.*, 30, p. 617, 1952 on *Amelanchier*.—Ontario, Canada.
- diospyri* Groves in *Canad. J. Bot.*, 30, p. 620, 1952 on *Diospyros virginiana*.—Georgia, U.S.A.
- forsythiae* Groves in *Canad. J. Bot.*, 30, p. 628, 1952 on *Forsythia*.—New Jersey, U.S.A.
- hansbroughiana* Groves in *Canad. J. Bot.*, 30, p. 602, 1952 on *Pseudotsuga taxifolia*.—Massachusetts, U.S.A.
- hydrangeae* Groves in *Canad. J. Bot.*, 30, p. 627, 1952 on *Hydrangea*.—Washington, U.S.A.
- magnoliae* Groves in *Canad. J. Bot.*, 30, p. 618, 1952 on *Magnolia*.—New Jersey, U.S.A.
- mallicola* Groves in *Canad. J. Bot.*, 30, p. 637, 1952 on *Pyrus malus*.—Massachusetts, U.S.A.
- piceae* Groves in *Canad. J. Bot.*, 30, p. 590, 1952 on *Picea glauca*.—Ontario, Canada.
- piceina* Groves in *Canad. J. Bot.*, 30, p. 601, 1952 on *Picea glauca*.—Quebec, Canada.
- prunicola* Groves in *Canad. J. Bot.*, 30, p. 614, 1952 on *Prunus*.—Ontario, Canada.
- pseudotsugae* Groves in *Canad. J. Bot.*, 30, p. 585, 1952 on *Pseudotsuga taxifolia*.—California.
- rehmiana* Groves nom. nov. in *Canad. J. Bot.*, 30, p. 638, 1952. (Syn. *T. truncatula* sensu Rehm 1889, non *Peziza truncatula* Pers. ex Fr. 1822).
- rhoina* Groves in *Canad. J. Bot.*, 30, p. 619, 1952 on *Rhus typhina*.—New Hampshire, U.S.A.
- salicina* Groves in *Canad. J. Bot.*, 30, p. 629, 1952 on *Salix*.—Quebec, Canada.
- sorbi* Groves in *Canad. J. Bot.*, 30, p. 636, 1952 on *Sorbus americana*.—Ontario, Canada.
- tsugae* Groves in *Canad. J. Bot.*, 30, p. 595, 1952 on *Tsuga canadensis*.—Ontario, Canada.
- UMBILICARIOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 66, 1952.—For the fungal element of *Umbilicaria* (lichen).
- URCEOLARIOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 68, 1952.—For the fungal element of *Urceolaria* (lichen).
- Uredo acalyphae-fruticosae** (as 'acalyphae-fruticosae') Ramakrishnan, Srinivasan, &

- Sundaram in *Proc. Indian Acad. Sci.*, Sect. B, 36, p. 93, 1952 on *Acalypha fruticosa*.—India.
- *monninae* Lindquist in *Rev. Fac. Agron. La Plata*, 28, p. 86, 1951 on *Monnina dactylocarpa*.—Argentina.
- Urocystis arrhenatheri* (Kuprewitz) Săvulescu in *Bul. şti. Sect. Şti. biol.*, 3, p. 217, 1951. (Syn. *Tubercinia arrhenatheri* Kuprewitz).
- *irregularis* (Wint.) Săvulescu in *Bul. şti. Sect. Şti. biol.*, 3, p. 220, 1951. (Syn. *Urocystis sorosporoides* var. *irregularis* Winter).
- Uromyces amphiphys-insculptae* Ramakrishnan, Srinivasan, & Sundaram in *Proc. Indian Acad. Sci.*, Sect. B, 36, p. 92, 1952 on *Amphiphys insculpta*.—India.
- *arenariae-grandiflorae* Viennot-Bourgin in *Rev. Path. vég.*, 31, p. 187, 1952 on *Arenaria grandiflora*.—France.
- *astragali-lasiosemi* Kuprevicz in *Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS*, 6, p. 170, 1950 on *Astragalus lasiosemi*.—U.S.S.R.
- *azukicola* Hirata in *Ann. phytopath. Soc. Japan*, 16, p. 18, 1952 on *Phaseolus angularis*.—Japan.
- *brominus* Gutsevich, *Обзор Ржавчинных Грибов Крыма* [Survey of Rust Fungi of Crimea], p. 35, 1952 on *Bromus riparius*.—Crimea.
- *sphaerophysae* Pospelov ex Nevodovsky in *Not. Syst. Crypt. Inst. Bot. Acad. Sci. URSS*, 6, p. 183, 1950 on *Swainsonia salsula*.—U.S.S.R.
- *volkartii* Gümman & Terrier in *Ber. schweiz. bot. Ges.*, 62, p. 299, 1952 on *Trisetum flavescens*.—Switzerland.
- Ustilaginoidea oplismeni* Ramakrishnan & Sundaram in *Proc. Indian Acad. Sci.*, Sect. B, 35, p. 112, 1952 on *Oplismenus burmannii*.—India.
- Ustilago poae-bulbosae* Săvulescu in *Bul. şti. Sect. Şti. biol.*, 3, p. 213, 1951 on *Poa bulbosa*.—Rumania.
- Valsaria leonensis* Deighton apud Petrak & Deighton in *Sydowia*, 6, p. 321, on dead *Tecoma stans*.—Sierra Leone.
- VARICELLARIOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 80, 1952.—For the fungal element of *Varicellaria* (lichen).
- Venturia sporoboli* H. C. Greene in *Amer. Midl. Nat.*, 48, p. 753, 1952 on *Sporobolus cryptandrus*.—Wisconsin, U.S.A.
- Vialaea minutella* Petrak in *Sydowia*, 6, p. 370, 1952 on wood of *Mangifera indica*.—Hawaii.
- Vizella gomphispora* (Berk. & Br.) Hughes in *Mycol. Pap., C.M.I.*, 50, p. 97, 1953. (Syn. *Micropeltis gomphispora* Berk. & Br.).
- *hendrickxii* (Hansf.) Hughes in *Mycol. Pap., C.M.I.*, 50, p. 99, 1953. (Syn. *Entopeltis hendrickxii* Hansf.).
- *interrupta* (Winter) Hughes in *Mycol. Pap., C.M.I.*, 50, p. 99, 1953. (Syn. *Asterina interrupta* Winter).
- Xerocomus astereicola* Imazeki in *Mycol. J. Nagao Inst.*, No. 2, p. 35, 1952 on *Astraeus hygrometricus*.—Japan.
- **Xerula fraudulentula* Métrod in *Bull. Soc. mycol. Fr.*, 68, p. 179, 1952.—?France.
- XYLOGRAPHOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 68, 1952.—For the fungal element of *Xylographa* (lichen).
- XYLOSCHISTOMYCES** Ciferri & Tomaselli in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 68, 1952.—For the fungal element of *Xyloschistes* (lichen).
- ZUNDELULA** Thirumalachar & Narasimhan in *Sydowia*, 6, p. 409, 1952.—Ustilaginales.
- *finbristylidis* Thirumalachar & Narasimhan in *Sydowia*, 6, p. 410, 1952 on *Finbristylis*.—India.
- **Zygorhizidium planktonicum* Canter apud Canter & Lund in *Trans. Brit. mycol. Soc.*, 36, p. 34, 1953 on *Synedra acus* var. *angustissima*.—Switzerland.

HOST INDEX

For Phanerogams see under families; for Algae and Fungi see under those names; for animal hosts see under Insecta and Invertebrata

ACANTHACEAE

- Barleria cristata*
Cercospora barlericola
Strobilanthes cuspidatus
Aecidium cuspidatum

AIZOACEAE

- Mesembryanthemum*
Aposphaeria mesembryanthemi

ALGAE

- Euglena*
Phlyctochytrium longicollum
Oedogonium
Rhizophyidium parasiticum
Surirella ovata
Chytridium surirellae
Synedra acus var. *angustissima*
Zygorhizidium planktonicum
Zygnema

- Blythiomyces laevis*
Phlyctidium tenue

ALISMACEAE

- Alisma*
Narasimhania alismatis

ANACARDIACEAE

- Mangifera indica*
Vialaea minutella
Nothopegia dalzellii
Asteronium nothopegiae
Cercospora nothopegiae

ODINA

- Beltraniella odinae*
Rhus typhina
Tympanis rhoina

APOCYNACEAE

- Carpodinus barteri*
Phyllachora carpodini
Mandevilla laxa
Phomopsis mandevillae
Pleioceras barteri
Asterina pleioceratis
Rauwolfia vomitoria
Podocotis parva
Strophanthus sarmentosus
Micropeltis strophanthi
Thevetia nerifolia
Thyridaria leonensis

APOCYNACEAE (continued)

- Trachelospermum deformae*
Synchytrium trachelospermi

AQUIFOLIACEAE

- Ilex decidua*
Synchytrium ilicicola
Ilex vomitoria
Synchytrium ilicicola

ARACEAE

- Monstera deliciosa*
Phyllosticta philodendri forma *ellipticospora*

ARALIACEAE

- Cheirodendron*
Glomerella pezizoidea
Hedera helix
Calonectria hederæ
Hedera rhombea
Cercospora hederæ

ASCLEPIADACEAE

- Gonolobus*
Synchytrium gonolobi

BETULACEAE

- Alnus*
Karstenula alnicola
Alnus viridis
Marasmius alniphilus
Betula costata
Gyromitra ussuriensis
Carpinus
Synchytrium carpini
Carpinus betulus
Diplodina carpini

BIGNONIACEAE

- Bignonia capreolata*
Synchytrium bignoniae
Millingtonia hortensis
Synchytrium millingtoniicola
Tecoma radicans
Synchytrium tecomae
Tecoma stans
Valsaria leonensis

BORAGINACEAE

- Ehretia thyrsoiflora*
Cercospora ehretiae
Trichodesma incana
Acididium trichodesmae

BROMELIACEAE

- Bromelia*
Contiosporium fuscum

CAMPANULACEAE

- Jasione montana*
Septoria jasionicola
Ostrowskia magnifica
Acididium kondoriense

CAPPARIDACEAE

- Crataeva religiosa*
Camptomeris crataevae
Macraea punjabensis

CAPRIFOLIACEAE

- Lonicera*
Dothiorella loniceræ
Lonicera hirsuta
Cladosporium trichophilum
Lonicera japonica
Phaeobotryosphaeria leonensis
Lonicera periclymenum
Didymotrichiella inconspicua
Lonicera quinquelocularis
Fomes ajazi

VIBURNACEAE

- Viburnum erubescens*

HYPODERMACEAE

- Hypoderma viburni*

CARYOPHYLLACEAE

- Anychia canadensis*

- Septoria anychiae*

CARYOPHYLLACEAE (continued)

- Arenaria grandiflora*
Uromyces arenariae-grandiflorae
Arenaria griffithii
Puccinia arenariae-griffithii
Dianthus kitaibelii
Cladosporium banaticum
Silene douglasii var. *douglasii*
Diplodina silenes
Silene inflata
Macrophylllosticta coryneoides

CERCIDIPHYLLACEAE

- Cercidiphyllum japonicum*
Cryptoderma cercidiphyllum

COMBRETACEAE

- Anogeissus schimperi*
Lembosia anogeissi

COMPOSITAE

- Achillea micrantha*
Acididium millefolii
Achillea millefolium var. *alpicola*
Eriosphaeria herbarum
Adenostemma viscosum
Cercospora adenostemmae
Anaphalis leptophylla
Acididium anaphalis-leptophyllae
Anaphalis margaritacea
Platycarpium caulicola
Artemisia caudata
Cladosporium artemisiae
Artemisia tridentata
Diplodina tridentatae
Aster
Synchytrium asterum
Carduus nutans
Ophiobolus constrictus
Chrysanthamnus nauseosus var. *occidentalis*
Macrophoma chrysanthamni
Erechtites hieracifolia
Synchytrium erechitidis
Inula grandis
Acididium inulae-grandis
Lactuca sativa
Phyllosticta lactucicola
Lapsana communis
Septoria lapsanae
Scorzonella nutans
Septoria scorzonellae
Silphium integrifolium
Phyllosticta favillensis
Tragopogon brevirostris
Puccinia tranzscheliana
Vernonia pectiniformis
Puccinia pectiniformis

CONIFERAE

- Abies*
Fomes robustus forma *abietis*
Helminthosporium abietis
Abies balsamea
Tympanis abietina
Abies magnifica var. *shastensis*
Kmetia corticola
Cedrus atlanticus
Peniophora incrassata
Picea glauca
Tympanis piceae
Tympanis piceina
Picea jezoensis
Sarcosoma amurense
Pinus caribaea
Chytridium citrifforme
Pinus korajensis
Gyromitra ussuriensis
Pinus monticola
Trimmatostroma pini

CONIFERAE (continued)

- Pinus sylvestris*
Bainiera hyalina
Dipodascus aggregatus
Trichosporium tingens var. *macrosporum*
Pseudotsuga taxifolia
Tympanis hansbroughiana
Tympanis pseudotsugae

Sequoia

- Strasseria sequoiae*
Tsuga canadensis
Tympanis tsugae

CONNARACEAE

- Jaundeia pinnata*
Asterina jaundeae

CORNACEAE

- Cornus drummondii*
Synchytrium corni
Cornus femina
Gloeosporium corni

CORYNOCARPACEAE

- Corynocarpus laevigata*
Cryptosporella corynocarpi
Fusicoccum corynocarpi

CRUCIFERAE

- Arabis hirsuta*
Phoma siliquastrum var. *arabidis-hirsutae*

CUCURBITACEAE

- Gymnopetalum wightii*
Puccinia gymnopetalii-wightiae

CYPERACEAE

- Carex*
Ascochyta caricis
Carex colchica
Puccinia tranzscheliana
Cladium mariscus
Aleurodiscus delicatus
Fimbristylis
Zundelula fimbristylidis

EBENACEAE

- Diospyros virginiana*
Tympanis diospyri
Maba warneckeii
Asterina clasterosporium

EQUISETACEAE

- Equisetum limosum*
Loramyces macrospora
Sclerotinia verselyi

ERICACEAE

- Andromeda ferruginea*
Amphididymella clypeata
Arctostaphylos uva-ursi var. *coactilis*
Gloeosporium arctostaphyli
Rhododendron linearifolium var. *macrosepalum*
Monochaetia rhododendri
Rhododendron obtusum var. *kaempferi*
Monochaetia rhododendricola
Vaccinium ovatum
Sphaeropsis vaccinii
Xolisma ferrugineum
Dimerina floridana

EUPHORBIACEAE

- Acalypha fruticosa*
Uredo acalyphae-fruticulosae
Alchornea cordifolia
Penzigia leonensis
Antidesma diandrum
Cystospora antidesmatis
Chorisandra pinnata
Phakopsora chorisandrae
Hevea brasiliensis
Ascochyta heveana
Coniothyrium heveae

EUPHORBIACEAE (continued)

- Phyllanthus urinaria*
Ravenelia coimbatorica
Securinega flueggeoides
Cercospora securinegae
Uapaca
Irene uapacicola

FAGACEAE

- Fagus orientalis*
Irpex foliaceo-dentatus
Fagus sylvaticus
Catenularia heimii
Quercus
Conidiobolus adieretus
Conidiobolus firmipilleus
Conidiobolus lamprauges
Dichaenopsella quercina
Didymosporium concinnum
Leptomassaria quercina
Ophiodesmion laocooni
Quercus pedunculata
Hydnum schestunovii

FUNGI

- Amazonia psychotriiae*
Helminthosporium dorycarpum var. *amazoniae*
Astraeus hygrometricus
Xeroconus astereicola
Capnodium meridionale
Hypochnus capnophilus
Titaeella capnophila
Corticium comedens
?Olpidiopsis vuilleminiae
Cyphella alboviolascens
Geotrichum cyphellae
Gibberella
Oospora tholisporea
Lasiosphaeria
Oospora lasiosphaeriae
Peyronelina glomerulata
Lasiosphaeria ovina
Jacobia conspicua
Meliola
Trichothyrium hansfordii
Peniophora longisporea
Sporocephalum peniophorae
Phialea albidia
Pleurocatena acicularis
Sebacina
Flahaultia hyalina

GENTIANACEAE

- Frasera macrophylla*
Cylindrosporum fraseriae

GERANIACEAE

- Geranium sanguineum*
Rostrocrownophora geranii

GRAMINEAE

- Hendersonia merrillensis*
Alopecurus aequalis
Sphacelotheca constantineanui
Amphilophis insculpta
Uromyces amphilophis-insculptae
Avena sativa
Pyrenophora alternarina
Bambusa
Aposphaeria bambusae
Petrakomyces indicus
Bambusa arundinacea
Anthostomella bambusicola
Bambusa vulgaris
Metasphaeria leonensis
Brachiaria ramosa
Sorosporium brachiariae-ramosae

GRAMINEAE (continued)

- Bromus riparius*
Uromyces brominus
Capillipedium hugelii
Sphacelotheca mysorensis
Chloris incompleta
Puccinia chloridis-incompletae
Dichanthium annulatum
Sclerospora dichanthiicola
Digitaria royleana
Tilletia digitaricola
Elymus glaucus
Stigmopeltis graminicola
Hordeum distichum
Phoma raetica
Isachne kunthiana
Puccinia kunthiana
Muhlenbergia filiformis
Leptothyrella graminis
Oplismenus burmanii
Ustilaginoidea oplismeni
Panicum maximum
Claviceps maximensis
Pennisetum purpureum
Leptosphaeria penniseticola
Perotis indica
Tilletia perotidis
Poa bulbosa
Ustilago poae-bulbosae
Saccharum officinarum
Lacellinopsis sacchari
Spegazzinia tessartha var. *deightonii*
Secale cereale
Pyrenophora secalis
Sclerospora secalina
Sesleria caerulea
Lophodermium castellani
Sesleria disticha
Lophodermium castellani
Sporobolus cryptandrus
Venturia sporoboli
Stipa spartea
Stagonospora spiculisperma
Tragus racemosus
Sphacelotheca tragi
Trisetum flavescens
Uromyces volkarti
Triticum spelta
Diplodina speltae
Triticum vulgare
Coniothyrium cerealis

HALORAGIDACEAE

- Gunnera*
Ceriospora sandwicensis

HAMAMELIDACEAE

- Corylopsis pauciflora*
Cercospora corylopsidis
Liquidambar styraciflua
Synchytrium liquidambaris

HYDRANGEACEAE

- Hydrangea*
Tympanis hydrangeae
Hydrangea kawagoena
Cercospora yakushimensis

ICACINACEAE

- Rhaphiostylis beninensis*
Asterinella rhaphiostylidis

INSECTA

- Brahmina*
Entomophthora brahminae
 INVERTEBRATA (other than Insecta)
Amoeba
Stylopaga cymosa

INVERTEBRATA (continued)

Nematodes

- Dactylaria scaphoides*

IRIDACEAE

- Crocus versicolor*
Puccinia croci

LABIATAE

- Perillula reptans*
Cercospora perillulae
Phlomis oreophila
Puccinia oreophilae
Pyrenothymus rigidus
Nematostoma pyrenothymi
Rosmarinus officinalis
Hysterium rosmarini
Salvia punctata var. *glabra*
Puccinia mitoensis
Salvia revoluta
Puccinia striatifera

LAURACEAE

- Persea pubescens*
Chaetotrichum floridanum

LEGUMINOSAE

- Acacia*
Pyrenochaeta oligotricha
Acacia koa
Diaporthe sheariana
Thyridaria koae
Albizzia odoratissima
Endodothella kanarensis
Alysicarpus moniliferus
Synchytrium cookii
Amorpha fruticosa
Leptosphaeria amorphae
Amphicarpaea trisperma
Cercospora amphicarpaeae
Astragalus lasiosemus
Uromyces astragali-lasiosemi
Cajanus cajan
Linocarpon cajani
Chamaecrista brachiana
Phomopsis chamaecristae
Cladrastis amurensis
Phyllosticta cladrastidis
Colutea arboreseens
Blennoria coluteae
Delonix elata
Microstroma delonicis
Desmodium canadense
Gloeosporium desmodii
Desmodium triquetrum
Phakopsora mangalorica
Lathyrus latifolius
Ramularia lathyri
Leptoderris
Phyllachora leptoderridis
Lotus angustissimus
Peronospora esparaussensis
Lotus douglasii
Phyllosticta hosackiae
Lupinus
Ovularia lupini
Lupinus burkii
Cylindrosporium burkii
Lupinus subalpinus
Siroscyphellina lupini
Melilotus indica
Synchytrium meliloti
Phaca alpina
Ophiobolus mayorii
Phaseolus angularis
Uromyces azukicola
Piptadenia elliotii
Diedickeia piptadeniae

LEGUMINOSAE (continued)

- Prosopis ?alpataco
Ravenelia prosopidicola
 Pterocarpus erinaceus
Phomopsis pterocarp
 Sarothamnus scoparius
Coenosphaeria diaporthides
Columnosphaeria sarothamni
Peronospora viennoti
 Swainsonia salsula
Uromyces sphaerophysae
 Ulex minor
Rhynchostoma gnatostomatica
Stagonopsis ulicis

LILIACEAE

- Allium ursinum
Botryotinia globosa
 Erythronium parvifolium
Phyllosticta erythronii
 Maianthemum dilatatum
Phyllosticta maianthem
 Ophiopogon japonicus
Cercospora togashiana
 Smilax
Diaporthe floridana
 Smilax aspera
Macrophylllosticta heterospora
 Trillium ovatum
Ramularia trillii

MAGNOLIACEAE

- Kadsura japonica
Cercospora kadsurae
 Magnolia
Tympanis magnoliae
 Schizandra chinensis
Mycosphaerella schizandrae
Phyllosticta schizandrae
Rhabdospora schizandrae

MALVACEAE

- Abutilon
Didymosphaeria abutilonis
 Iliamna rivularis
Gloeosporium iliamnae
 Pavonia odorata
Aecidium pavoniae-odoratae
 Sida urens
Tetracrium ?puttemansii
 Urena lobata
Stagonospora urenae

MELIACEAE

- Trichilia heudelotii
Meliola togoensis
 Trichilia prieuriana
Meliola togoensis var. *angulata*

MENISPERMACEAE

- Cocculus carolinus
Synchytrium cocculi

MORACEAE

- Broussonetia papyrifera
Microhaplosporella broussonetiae
 Maclura aurantiaca
Physalospora maclurae

MYOPORACEAE

- Myoporum sandwicense
Peltosphaeria sandwicensis

MYRICACEAE

- Pycnanthus kombo
Ophiostoma moniliforme f. *pycnanthi*

MYRTACEAE

- Eugenia aromatica
Cryptospora eugeniae
 Syzigium jambolanum
Didymosphaeria jambolana

OCHNACEAE

- Lophira alata
Dictyonina lophirae
Parodiopsis lophirae

OLEACEAE

- Forsythia
Tympanis forsythiae
 Fraxinus
Pistillaria trispora
Synchytrium fraxini
 Syringa vulgaris
Dothiorella syringicola

ORCHIDACEAE

- Cypripedium candidum
Ascochyta cypripedii

PALMAE

- Cocos nucifera
Coccomyces coecos
 Elaeis guineensis
Cercospora palmicola forma *stilbacea*
Entosordaria deightonii
Linocarpon elaeidis
Oxydothis elaeicola
 Sabal palmetto
Rhynchosphaeria floridana

PANDANACEAE

- Pandanus odoratissimus
Echidnodes sandwicensis

PASSIFLORACEAE

- Passiflora coerulea
Colletotrichum oligotrichum

PHYTOLACCACEAE

- Phytolacca brachystachya
Cryptosphaerella shearii

POLEMONIACEAE

- Polemonium californicum
Ramularia polemonii

POLYGALACEAE

- Monnina dyctiocarpa
Uredo monninae

POLYGONACEAE

- Eriogonum elatum
Phyllosticta eriogoni
 Eriogonum marifolium
Phoma eriogoni
 Eriogonum pyrolaeifolium
Cytospora eriogoni
 Polygonum
Synchytrium polygoni

PUNICACEAE

- Punica
Anthostomella punicae

RANUNCULACEAE

- Clematis
Synchytrium clematidis
 Clematis songarica
Aecidium clematidis-songaricae

RHAMNACEAE

- Berchemia scandens
Massarina berchemiae
 Ceanothus americanus
Gloeosporium ceanothi
 Rhamnus dolichophylla
Puccinia rhamni Kupr.
 Rhamnus purshiana
Ascochyta rhamni

RHIZOPHORACEAE

- Anisophyllea laurina
Leptomassaria anisophylleae

ROSACEAE

- Amelanchier
Tympanis amelanchieris

ROSACEAE (continued)

Crataegus
Actinospora megalospora
Duchesnea indica
Synchytrium duchesneae
Mitchella repens
Synchytrium mitchellae
Prunus
Candelospora penicilloides
Tympanis prunicola
Prunus pennsylvanica
Phyllosticta pennsylvanica
Pyrus malus
Tympanis malicola

Rubus rugosus
Guignardia rugosa
Sorbus americana
Tympanis sorbi
Spiraea chamaedryfolia
Fusicoccum spiraeae

RUTACEAE

Chloroxylon swietenia
Cercospora chloroxyli

SABIACEAE

Meliosma wightii
Aecidium meliosmae-wightii
Mycosphaerella meliosmae

SALICACEAE

Populus trichocarpa
Protodotia oligacantha

Salix

Camarosporium propinquum var. *microsporum*
Tympanis salicina

SAPINDACEAE

Cardiospermum halicacabum
Synchytrium cardiospermi

Pancovia bujuga

Meliola capensis var. *pancoviae*

SAPOTACEAE

Chrysophyllum albidum
Meliola cryptica

SAURURACEAE

Houttuynia cordata
Cercospora houttuyniae

SAXIFRAGACEAE

Hydrangea hortensis
Phomopsis hydrangeae

Tellima parviflora

Septoria tellimae

SCROPHULARIACEAE

Bonnaya coulteri
Microdiplodia bonnayae

Pedicularis

Phoma pedicularis var. *minor*
Pentstemon hirsutus

Gloeosporium pentstemonicola

Synthyris reniformis

Ramularia synthyridis

Wulfenia bullii

Phyllosticta wulfeniae

SIMARUBACEAE

Picrasma ailanthoides
Cercospora picrasmae

SOLANACEAE

Cestrum fasciculatum
Microhendersomula cestri
Lycopersicon esculentum
Melanconium lycopersici

SOLANACEAE (continued)

Solanum melongena
Synchytrium akshaiberi

STERCULIACEAE

Dombeya
Sphaerographium dombeyae
Sterculia diversifolia
Macrophylllosticta sterculiae
Theobroma
Ophiostoma moniliforme
Theobroma cacao
Sarcoxyton deightonii
Triplochiton scleroxylon
Meliola triplochitonis

TILIACEAE

Grewia asiatica
Stilbospora grewiae

TROCHODENDRACEAE

Euptelaea polyandra
Cercospora euptelaeae

ULMACEAE

Ulmus
Synchytrium ulmi

UMBELLIFERAE

Anethum graveolens
Didymaria anethiana
Ferula alata
Puccinia alata
Orogenia linearifolia
Ramularia orogeniae
Peucedanum ostruthium
Ophiobolus volkarti

URTICACEAE

Pellionia scabra
Cercospora pellioniae
Urtica chamaedryoides
Synchytrium urticae

VALERIANACEAE

Valeriana ruiz-lealii
Puccinia valerianicola

VERBENACEAE

Callicarpa americana
Synchytrium callicarpae
Clerodendron infortunatum
Physalospora clerodendri
Gmelina arborea
Poria rhizomorpha
Lippia citriodora
Stagonospora polyspora
Verbena stricta
Stagonospora verbenae

VIOLACEAE

Viola
Synchytrium violae

VITACEAE

Cissus japonica
Cercospora cissi-japonicae
Cissus oreophila
Podoconis bicolor
Parthenocissus quinquefolia
Synchytrium parthenocissi

ZINGIBERACEAE

Zingiber mioga
Cercospora zingiberi

The Editor gratefully acknowledges the assistance of Dr. R. W. G. Dennis in supplying details of certain citations.

PRINTED IN
GREAT BRITAIN
AT THE
UNIVERSITY PRESS
OXFORD
BY
CHARLES BATEY
PRINTER
TO THE
UNIVERSITY

INDEX OF FUNGI

PUBLISHED SINCE THE BEGINNING OF 1940

VOL. II

PART 8

1954

- Acaulopage acanthospora* Drechsler var. *magna* Juniper in *Trans. Brit. mycol. Soc.*, 36, p. 356, 1953 on animal excreta.—England.
- Actinodochium jenkinsii* Uppal, Patel, & Kamat in *Indian Phytopath.*, 5, p. 44, 1953 on *Mangifera indica*.—India.
- Actinopeltis philodendri* Batista in *An. IV Congr. Soc. bot. Brasil*, p. 114, 1953 on *Philodendron imbe*.—Brazil.
- Acidium approximans* Lindquist in *Bol. Soc. argent. Bot.*, 4, p. 167, 1952 on *Eupatorium clematideum*.—Brazil.
- brachycomes* Petrak in *Sydowia*, 7, p. 1, 1953 on *Brachycome*.—New South Wales, Australia.
- dioscoreae* Lindquist [non Berk. & Br., 1875] in *Rev. Fac. Agron. Eva Perón*, 29, p. 41, 1953 on *Dioscorea*.—Argentina.
- dubitabile* Lindquist in *Rev. Fac. Agron. Eva Perón*, 29, p. 42, 1953 on ? *Xanthosoma*.—Argentina.
- dunaliae* Lindquist in *Rev. Fac. Agron. Eva Perón*, 28, p. 226, 1952 on *Dumalia australis*.—Argentina.
- gaubae* Petrak in *Sydowia*, 7, p. 2, 1953 on *Arthrocnemum arbuscula*.—Victoria, Australia.
- hypseocharidis* (as '*hypsochaeridis*') Lindquist in *Rev. Fac. Agron. Eva Perón*, 29, p. 43, 1953 on *Hypseocharis pimpinellifolia*.—Argentina.
- jatrophiicola* (as '*jatrophiicolum*') Lindquist in *Bol. Soc. argent. Bot.*, 4, p. 168, 1952 on *Jatropha hieronymii*.—Argentina.
- saltense* Lindquist in *Rev. Fac. Agron. Eva Perón*, 28, p. 227, 1952 on *Portulacaceae*.—Argentina.
- tafense* Lindquist in *Bol. Soc. argent. Bot.*, 4, p. 168, 1952 on *Solanum clavatum*.—Brazil.
- tumbayense* Lindquist in *Rev. Fac. Agron. Eva Perón*, 29, p. 43, 1953 on *Stevia effusa*.—Argentina.
- viscosum* Lindquist in *Rev. Fac. Agron. Eva Perón*, 28, p. 227, 1952 on *Physalis viscosa*.—Argentina.
- Agostaea nigra* (Viégas) Thirumalachar & Jenkins in *Mycologia*, 45, p. 786, 1953. (Syn. *Whetzelomyces niger* Viégas).
- Agrocycbaeagerita* (Brig.) Singer var. *rugosovenosa* Singer in *Rev. Mycol.*, Paris, 18, p. 19, 1953 on *Allophylus edulis*.—Argentina.
- broadwayi* (Murr.) Dennis in *Bull. Soc. mycol. Fr.*, 69, p. 179, 1953. (Syn. *Hebeloma broadwayi* Murr.).
- praecox* (Pers. ex Fr.) Fayod var. *cute-fracta* (Lange) Singer in *Sydowia*, 7, p. 214, 1953. (Syn. *Pholiota praecox* (Pers. ex Fr.) Kummer var. *cute-fracta* Lange).
- sacchari* (Murr.) Dennis in *Bull. Soc. mycol. Fr.*, 69, p. 180, 1953. (Syn. *Naucoria sacchari* Murr.).
- Alternaria amaranthi* (Peck) Venkatakrishnaiah in *Phytopathology*, 42, p. 669, 1952. (Syn. *Macrosporium amaranthi* Peck).
- araliae* Greene in *Trans. Wis. Acad. Sci. Arts Lett.*, 42, p. 80, 1953 on *Aralia racemosa*.—Wisconsin, U.S.A.
- consortiale* (Thüm.) Groves & Hughes apud Hughes in *Canad. J. Bot.*, 31, p. 636, 1953. (Syn. *Macrosporium consortiale* Thüm.).
- Amanita flavivolvula* Murrill in *Mycologia*, 45, p. 794, 1953.—Florida, U.S.A.
- foetens* Singer in *Rev. Mycol.*, Paris, 18, p. 15, 1953.—Argentina.
- Amerosporium concinnum* Petrak in *Sydowia*, 7, p. 68, 1953 on dead plants.—Iran.
- Arcangeliella malaiensis* Corner & Hawker in *Trans. Brit. mycol. Soc.*, 36, p. 128, 1953.—Malaya.
- Arnaudiella pontica* (Bub.) Petrak in *Sydowia*, 7, p. 18, 1953. (Syn. *Asterina pontica* Bub.).
- Arthrobotryum noz-moscatae* Batista & Silva in *An. IV Congr. Soc. bot. Brasil*, p. 144, 1953 on *Meliola*.—Brazil.
- Arthuria glochidionis* Gokhale, Patel, & Thirumalachar in *Curr. Sci.*, 22, p. 246, 1953 on *Glochidion*.—India.
- Ascobolus indicus* Sanwal in *Sydowia*, 7, p. 202, 1953 on cow dung.—India.
- Ascochyta helosciadii* (Fautr. & Lamb.) Petrak in *Sydowia*, 7, p. 29, 1953. (Syn. *Marsonia helosciadii* Fautr. & Lamb.).
- mangiferae* Batista in *Bol. Soc. Agric. Pernambuco*, 19, p. 166, 1952 on *Mangifera indica*.—Brazil.
- Ascochyella bremeri* Petrak in *Sydowia*, 7, p. 30, 1953 on *Eryngium*.—Turkey.
- capparidis* (Sacc.) Petrak in *Sydowia*, 7, p. 30, 1953. (Syn. *Ascochyta capparis* Sacc.).
- meliae* Petrak in *Sydowia*, 7, p. 30, 1953 on *Melia azedarach*.—Turkey.
- pyncocyclae* Petrak in *Sydowia*, 7, p. 69, 1953 on *Pyncocycla acanthorhipsis*.—Iran.
- Aspergillus ornatus* Raper, Fennell, & Tresner in *Mycologia*, 45, p. 678, 1953 from soil.—Wisconsin, U.S.A.
- Asterina cupaniae* Batista in *An. IV Congr. Soc. bot. Brasil*, p. 162, 1953 on *Cupania revoluta*.—Brazil.
- davillae* J. A. Stevenson var. *major* Batista & Vital in *An. IV Congr. Soc. bot. Brasil*, p. 164, 1953 on *Davilla rugosa*.—Brazil.
- lifoensiae* Batista & Gayão in *An. IV Congr. Soc. bot. Brasil*, p. 166, 1953 on *Lifoensia glyptocarpa*.—Brazil.

- lucida* Batista in *An. IV Congr. Soc. bot. Brasil*, p. 168, 1953 on *Eugenia lucida*.—Brazil.
- *—*perae* Batista in *An. IV Congr. Soc. bot. Brasil*, p. 169, 1953 on *Pera ferruginea*.—Brazil.
- ASTERINEMA** Batista & Gayão in *An. IV Congr. Soc. bot. Brasil*, p. 160, 1953.—Asterinaceae.
- caseariae* Batista & Gayão in *An. IV Congr. Soc. bot. Brasil*, p. 161, 1953 on *Casearia*.—Brazil.
- Bactrodesmium masonii** Hughes in *Canad. J. Bot.*, **31**, p. 654, 1953 on dead *Fagus sylvatica*.—England.
- spilomeum* (Berk. & Br.) Mason & Hughes apud Hughes in *Canad. J. Bot.*, **31**, p. 616, 1953. (Syn. *Sporidesmium spilomeum* Berk. & Br.).
- Balladynastrum anacardii** Batista & Vital in *An. IV Congr. Soc. bot. Brasil*, p. 88, 1953 on *Anacardium occidentale*.—Brazil.
- BATTARREOIDES** Herrera in *An. Inst. Biol. Univ. Méx.*, **24**, p. 41, 1953.—Gasteromycetes.
- potosinus* Herrera in *An. Inst. Biol. Univ. Méx.*, **24**, p. 41, 1953.—Mexico.
- BIHARIA** Thirumalachar & Mishra in *Sydowia*, **7**, p. 79, 1953.—Moniliales.
- vangueriae* Thirumalachar & Mishra in *Sydowia*, **7**, p. 79, 1953 on *Vangueria spinosa*.—India.
- Bispora antennata** (Pers. ex Fr.) Mason apud Hughes in *Canad. J. Bot.*, **31**, p. 582, 1953. (Syn. *Monilia antennata* Pers.).
- BITANCOURTIA** Thirumalachar & Jenkins in *Mycologia*, **45**, p. 781, 1953.—Myriangiales.
- cassythae* Thirumalachar & Jenkins in *Mycologia*, **45**, p. 782, 1953 on *Cassytha filiformis*.—South India.
- Bolbitius broadwayi** (Murr.) Dennis in *Bull. Soc. mycol. Fr.*, **69**, p. 193, 1953. (Syn. *Pholiota broadwayi* Murr.).
- Botryodiplodia circinans** (Berk. & Br.) Petrak in *Sydowia*, **7**, p. 113, 1953. (Syn. *Diplodia circinans* Berk. & Br.).
- sphaerospora* Petrak in *Sydowia*, **7**, p. 147, 1953 on *Aralia*.—Puerto Rico.
- Botryotinia squamosa** Viennot-Bourgin in *Ann. Inst. nat. Rech. agron., Paris*, Sér. C. (Ann. Epiphyt.), **4**, p. 38, 1953 on *Allium cepa*.—France.
- Boudiera seaveri** Sanwal in *Sydowia*, **7**, p. 194, 1953 on soil. —India.
- BRACHYSPORIELLA** Batista in *Bol. Sec. Agric. Pernambuco*, **19**, p. 108, 1952.—Dematiaceae.
- gayana* Batista in *Bol. Sec. Agric. Pernambuco*, **19**, p. 109, 1952 on *Phoenix dactylifera*.—Brazil. [After the collector Teresa de J. Gayão].
- Bulgariastrum cordiae** Batista in *An. IV Congr. Soc. bot. Brasil*, p. 75, 1953 on *Cordia nodosa*.—Brazil.
- Calospora aceris** Dias & da Camara in *Agron. lusit.*, **15**, p. 19, 1953 on *Acer*.—Portugal.
- Calothyriopeltis anonae** Batista & Gayão in *An. IV Congr. Soc. bot. Brasil*, p. 151, 1953 on *Annona marckgravi*.—Brazil.
- Camarosporium viticis** Petrak in *Sydowia*, **7**, p. 31, 1953 on *Vitex agnus-castus*.—Turkey.
- Camptomeris floridana** Bessey in *Mycologia*, **45**, p. 377, 1953 on *Pithecellobium unguicatum*.—Florida, U.S.A.
- martyinii* Bessey in *Mycologia*, **45**, p. 375, 1953 on *Acacia villosa*.—Jamaica.
- verruculosa* (Syd.) Bessey in *Mycologia*, **45**, p. 373, 1953. (Syn. *Stigmata verruculosa* Syd.).
- Candida castellanii** van Uden & Assis-Lopes in *Arch. Mikrobiol.*, **18**, p. 360, 1953 from yoghurt. —Portugal.
- Catenochytridium carolinianum** Berdan forma *marinum* Kobayashi & Ookubo in *Bull. nat. Sci. Mus. Tokyo* **33**, p. 57, 1953 on *Cladophora japonica*.—Japan.
- Cercoseptoria iridis** (Ell. & Halst.) Greene in *Trans. Wis. Acad. Sci. Arts Lett.*, **42**, p. 80, 1953. (Syn. *Cylindrosporium iridis* Ell. & Halst.).
- scirpi* Greene in *Trans. Wis. Acad. Sci. Arts Lett.*, **42**, p. 79, 1953 on *Scirpus acutus*.—Wisconsin, U.S.A.
- Cercospora boerhaavicola** Thirumalachar & Govindu in *Sydowia*, **7**, p. 45, 1953 on *Boerhaavia diffusa*.—India.
- cadabae* Thirumalachar & Govindu in *Sydowia*, **7**, p. 45 on *Cadaba indica*.—India.
- fleuryae* Thirumalachar & Govindu in *Sydowia*, **7**, p. 46, 1953 on *Fleurya interrupta*.—India.
- hiratsukana* Togashi & Katsuki apud Katsuki in *J. Jap. Bot.*, **28**, p. 286, 1953 on *Dioscorea quinqueloba*.—Japan.
- leucadis* Thirumalachar & Govindu in *Sydowia*, **7**, p. 46, 1953 on *Leucas mollissima*.—India.
- moringae* Thirumalachar & Govindu in *Sydowia*, **7**, p. 47, 1953 on *Moringa oleifera*.—India.
- peristrophes* Thirumalachar & Govindu in *Sydowia*, **7**, p. 47, 1953 on *Peristrophe bicalyculata*.—India.
- rejouae* Thirumalachar & Govindu in *Sydowia*, **7**, p. 47, 1953 on *Rejoua dichotoma*.—India.
- rhynchosiae-minimae* Thirumalachar & Govindu in *Sydowia*, **7**, p. 48, 1953 on *Rhynchosia minima*.—India.
- rosigena* Batista & Silva in *An. IV Congr. Soc. bot. Brasil*, p. 149, 1953 on *Rosa*.—Brazil.
- tabernaemontanae* Thirumalachar & Govindu in *Sydowia*, **7**, p. 48, 1953 on *Tabernaemontana coronaria*.—India.
- tridacis-procumbentis* Govindu & Thirumalachar in *Sydowia*, **7**, p. 49, 1953 on *Tridax procumbens*.—India.
- zizaniae* Thirumalachar & Govindu in *Sydowia*, **7**, p. 49, 1953 on *Zizania aquatica*.—India.
- Chaetomium atrosporum** Skolko & Groves in *Canad. J. Bot.*, **31**, p. 784, 1953 on seed of *Daucus carota* var. *sativa*.—Minnesota, U.S.A.
- rufum* Ramakrishnan in *Proc. Indian Acad. Sci.*, Sect. B., **38**, p. 118, 1953 on wet straw. —India.
- Chaetothyrium tapirirae** Batista in *An. IV Congr. Soc. bot. Brasil*, p. 76, 1953 on *Tapirira guianensis*.—Brazil.
- Chalara insignis** (Sacc., Rouss., & Bomm.) Hughes in *Canad. J. Bot.*, **31**, p. 622, 1953. (Syn. *Sporoschisma insigne* Sacc., Rouss., & Bomm.).
- Chamonixia mucosa** (Petri) Corner & Hawker in *Trans. Brit. mycol. Soc.*, **36**, p. 131, 1953. (Syn. *Hymenogaster mucosus* Petri).

- octorugosa* Corner & Hawker in *Trans. Brit. mycol. Soc.*, 36, p. 133, 1953.—Malaya.
- Chonochaeta sordaria** (Fr.) Petrak in *Sydowia*, 7, p. 124, 1953. (Syn. *Sphaeria sordaria* Fr.).
- Chytridium lagenaria** Schenk var. *japonense* Kobayashi & Ookubo in *Bull. nat. Sci. Mus. Tokyo* 33, p. 56, 1953 on *Cladophora japonica*.—Japan.
- Cintractia dovrensis** Jørstad nom. nov. in Zundel, *The Ustilaginales of the World*, p. 27, 1953. (Syn. *Ustilago hyperborea* Blytt, non *C. hyperborea* Cif.).
- Cistella teucritii** (Fuckel) Gremmen in *Fungus, Wageningen*, 23, p. 37, 1953. (Syn. *Mollisia teucritii* Rehm).
- Cladosporium chlorocephalum** (Fres.) Mason & M. B. Ellis in *Mycol. Pap., C.M.I.*, 56, p. 123, 1953. (Syn. *Periconia chlorocephala* Fres.).
- griseum* (Berk. & Br.) Hughes in *Canad. J. Bot.*, 31, p. 587, 1953. (Syn. *Dendryphion griseum* Berk. & Br.).
- harknessii* (Peck) Hughes in *Canad. J. Bot.*, 31, p. 586, 1953. (Syn. *Monilia harknessii* Peck).
- Clitocybe spodoxutha** Singer in *Rev. Mycol., Paris*, 18, p. 3, 1953.—Argentina.
- Coleroa papyricola** Saccas in *Rev. Mycol., Paris*, 18, p. 58, 1953 on paper.—?Europe.
- Colletotrichum averrhoae** Batista in *An. IV Congr. Soc. bot. Brasil*, p. 143, 1953 on *Averrhoa carambola*.—Brazil.
- begoniae* Batista in *Bol. Sec. Agric. Pernambuco*, 19, p. 148, 1952 on *Begonia gracilis*.—Brazil.
- cylindricum* Srivastava in *Curr. Sci.*, 22, p. 244, 1953 on *Pothos scandens*.—India.
- dahliae* da Costa & da Camara in *Portug. acta biol.*, 4, p. 172, 1953 on *Chrysanthemum* and *Dahlia*.—Portugal.
- inamdarii* Lal in *J. Indian bot. Soc.*, 32, p. 58, 1953 on *Carissa carandas*.—India.
- madisonense* Greene in *Trans. Wis. Acad. Sci. Arts Lett.*, 42, p. 78, 1953 on *Carex lacustris*.—Wisconsin, U.S.A.
- rubi* Dias & da Camara in *Agron. lusit.*, 15, p. 34, 1953 on *Rubus idaeus*.—Portugal.
- sativum* Horn in *Phytopathology*, 42, p. 673, 1952 on *Vicia sativa*.—Louisiana, U.S.A.
- Collybia sleumeri** Singer in *Rev. Mycol., Paris*, 18, p. 4, 1953.—Argentina.
- Coniothyrium karelii** Petrak in *Sydowia*, 7, p. 32, 1953 on *Capparis spinosa*.—Turkey.
- Conocybe crispa** (Longyear) Singer var. *microspora* Dennis in *Bull. Soc. mycol. Fr.*, 69, p. 197, 1953.—Trinidad.
- megalospora* (J. Schäff.) Singer subsp. *navalis* Singer in *Rev. Mycol., Paris*, 18, p. 18, 1953.—Argentina.
- microspora* (Vel.) Dennis in *Bull. Soc. mycol. Fr.*, 69, p. 189, 1953. (Syn. *Galera microspora* Vel.).
- radicata* Singer in *Rev. Mycol., Paris*, 18, p. 18, 1953.—Argentina.
- Coprinus amphithallus** Lange & A. H. Smith in *Mycologia*, 45, p. 774, 1953.—Denmark.
- callinus* Lange & A. H. Smith in *Mycologia*, 45, p. 770, 1953.—Denmark.
- eurysporus* Lange & A. H. Smith in *Mycologia*, 45, p. 773, 1953.—Oregon, U.S.A.
- fallax* Lange & A. H. Smith in *Mycologia*, 45, p. 765, 1953.—Michigan, U.S.A.
- heptemerus* Lange & A. H. Smith nom. nov. in *Mycologia*, 45, p. 751, 1953. (Syn. *Coprinus curtus* forma *macrosporus* Romagnesi).
- sassii* Lange & A. H. Smith nom. nov. in *Mycologia*, 45, p. 755, 1953. (Syn. *Coprinus ephemerus* forma *bisporus* Sass.).
- sclerocystidiosus* Lange & A. H. Smith in *Mycologia*, 45, p. 769, 1953.—Denmark.
- subdisseminatus* M. Lange in *Mycologia*, 45, p. 777, 1953.—Denmark.
- subimpatiens* Lange & A. H. Smith in *Mycologia*, 45, p. 772, 1953.—Michigan, U.S.A.
- Coremiella ulmariae** (McWeeney) Mason apud Hughes in *Canad. J. Bot.*, 31, p. 640, 1953. (Syn. *Stysanus ulmariae* McWeeney).
- Costantinella micheneri** (Berk. & Curt.) Hughes in *Canad. J. Bot.*, 31, p. 605, 1953. (Syn. *Botrytis micheneri* Berk. & Curt.).
- Crinipellis catamarcensis** Singer in *Rev. Mycol., Paris*, 18, p. 12, 1953 on roots.—Argentina.
- commixta* Singer in *Rev. Mycol., Paris*, 18, p. 11, 1953.—Argentina.
- Cryptovalsa deusta** (Ell. & Mart.) Petrak in *Sydowia*, 7, p. 103, 1953. (Syn. *Diatrypella deusta* Ell. & Mart.).
- Cucurbitaria asparagi** da Camara & de Vasconcelos in *Agron. lusit.*, 14, p. 252, 1952 on *Asparagus albus*.—Portugal.
- Curvularia indica** Subramanian in *Proc. Indian Acad. Sci., Sect. B*, 38, p. 34, 1953 on dead *Scirpus*.—India.
- palmarum* Subramanian in *Proc. Indian Acad. Sci., Sect. B*, 38, p. 38, 1953 on dead leaves of *Cocos nucifera*.—India.
- Cyclindrocarpon janthothele** Wollenw. forma *quercinum* Moreau in *Rev. Path. vég.*, 31, p. 214, 1952 on *Quercus*.—France.
- Cylindrosporium interstitiale** Greene in *Trans. Wis. Acad. Sci. Arts Lett.*, 42, p. 79, 1953 on *Spartina pectinata*.—Wisconsin, U.S.A.
- Cylindrothyrium coryli** (Fuckel) Ribaldi in *Ann. Sper. agr., N.S.*, 7, p. 1953, 1953. (Syn. *Leptothyrium coryli* Fuckel).
- Cytosporina cocoës** Dias, Lucas, de Vasconcelos & da Camara in *Agron. lusit.*, 15, p. 10, 1953 on *Cocos nucifera*.—S. Tomé Isl.
- Dendrogaster aurantius** Corner & Hawker in *Trans. Brit. mycol. Soc.*, 36, p. 134, 1953.—Malaya.
- Dendrostilbella chlorina** Malençon in *Bull. Soc. Hist. nat. Afr. N.*, 44, p. 145, 1953 on dead wood.—Morocco.
- Dendryphion interseminatum** (Berk. & Rav.) Hughes in *Canad. J. Bot.*, 31, p. 638, 1953. (Syn. *Helminthosporium interseminatum* Berk. & Rav.).
- DENDRYPHIOPSIS** Hughes in *Canad. J. Bot.*, 31, p. 655, 1953.—Hyphomycetes.
- atra* (Corda) Hughes in *Canad. J. Bot.*, 31, p. 655, 1953. (Syn. *Dendryphion atrum* Corda).
- Dichomera heterospora** da Costa & da Camara in *Portug. acta biol.*, 4, p. 171, 1953 on *Mesembryanthemum*.—Portugal.
- inclusa* Lucas & da Camara in *Agron. lusit.*, 15, p. 173, 1953 on *Cytisus lusitanicus*.—Portugal.
- Dictyopanus pusillus** (Lév.) Singer var. *pseudorhipidium* Singer in *Rev. Mycol., Paris*, 18, p. 14, 1953 on wood.—Argentina.

- Dictyopeltis erythroxyli* Batista & Vital in *An. IV Congr. Soc. bot. Brasil*, p. 117, 1953 on *Erythroxyllum pelletierianum*.—Brazil.
- lucumae* Batista in *An. IV Congr. Soc. bot. Brasil*, p. 117, 1953 on *Lucuma*.—Brazil.
- Dictyothyrium brunneum* Batista & Silva in *An. IV Congr. Soc. bot. Brasil*, p. 118, 1953 on *Cordia nodosa*.—Brazil.
- Didymella aegaea* Petrak in *Sydowia*, 7, p. 19, 1953 on dead *Campanula tubulosa*.—Turkey.
- arcuata* Röder in *Phytopath. Z.*, 12, p. 329, 1940 on *Cannabis sativa*.—Germany.
- heveana* Saccas in *Agron. trop.*, Nogent, 8, p. 229, 1953 on *Hevea brasiliensis*.—French Equatorial Africa.
- mangiferae* Batista in *Bol. Sec. Agric. Pernambuco*, 19, p. 167, 1952 on *Mangifera indica*.—Brazil.
- Didymosphaeria oliveirana* Dias, Lucas, de Vascon., & da Camara in *Agron. lusit.*, 15, p. 6, 1953 on *Artocarpus communis*.—S. Tomé Isl.
- polytrichospora* Lucas & da Camara in *Agron. lusit.*, 15, p. 156, 1953 on *Cytisus multiflorus*.—Portugal.
- Dimeriellopsis cocoicola* (as '*coccoicola*') Batista & Vital in *An. IV Congr. Soc. bot. Brasil*, p. 91, 1953 on *Cocos nucifera*.—Brazil.
- Diplococcium indivisum* (Sacc.) Hughes in *Canad. J. Bot.*, 31, p. 634, 1953. (Syn. *Virgaria indivisa* Sacc.).
- uniseptatum* (Berk. & Curt.) Hughes in *Canad. J. Bot.*, 31, p. 634, 1953. (Syn. *Virgaria uniseptata* Berk. & Curt.).
- Diplodina ignota* Batista in *An. IV Congr. Soc. bot. Brasil*, p. 77, 1953 on *Serjania*.—Brazil.
- DISCOMYCETELLA** Sanwal in *Sydowia*, 7, p. 200, 1953.—Pezizales.
- aquatica* Sanwal in *Sydowia*, 7, p. 200, 1953 on wood in water.—India.
- Discosphaerina euganea* (Sacc.) Petrak in *Sydowia*, 7, p. 85, 1953. (Syn. *Physalospora euganea* Sacc.).
- Domingoella pycnopeltarum* Batista in *An. IV Congr. Soc. bot. Brasil*, p. 77, 1953 on *Pycnopeltis conspicua*.—Brazil.
- Dothiorella adanensis* Petrak in *Sydowia*, 7, p. 34, 1953 on *Vitex agnus-castus*.—Turkey.
- brassicae* da Costa & da Camara in *Portug. acta biol.*, 4, p. 166, 1953 on *Brassica oleracea*.—Portugal.
- rhoina* (Schw.) Petrak in *Sydowia*, 7, p. 128, 1953. (Syn. *Macrophoma rhoina* (Schw.) Sacc.).
- Echidnodes myrtaceicola* (as '*mirtacicola*') Batista & Gayão in *An. IV Congr. Soc. bot. Brasil*, p. 153, 1953 on Myrtaceae.—Brazil.
- Ectostroma echinopsis* Petrak in *Sydowia*, 7, p. 43, 1953 on *Echinops*.—Turkey.
- Elachopeltis cinnamomi* (as '*cinnamomae*') Batista & Vital in *An. IV Congr. Soc. bot. Brasil*, p. 134, 1953 on *Cinnamomum zeylanicum*.—Brazil.
- Elaphomyces carbonaceus* Corner & Hawker in *Trans. Brit. mycol. Soc.*, 36, p. 137, 1953.—Singapore.
- singaporensis* Corner & Hawker in *Trans. Brit. mycol. Soc.*, 36, p. 136, 1953.—Singapore.
- Elasmomyces malaiensis* Corner & Hawker in *Trans. Brit. mycol. Soc.*, 36, p. 129, 1953.—Malaya.
- **Elsinoë boucheae* Kevorkian in *Phytopathology*, 43, p. 406, 1953 on *Bouchea prismatica*.—Cuba.
- miconiae* (Stev. & Weedon) Limber & Bitancourt apud Thirumalachar & Jenkins in *Mycologia*, 45, p. 785, 1953. (Syn. *Myriangina miconiae* Stev. & Weedon).
- Endoconidiophora coerulescens* Münch forma *douglasii* Davidson in *Mycologia*, 45, p. 584, 1953 on *Pseudotsuga taxifolia*.—Western U.S.A.
- Entoloma aripoanum* Dennis in *Bull. Soc. mycol. Fr.*, 69, p. 196, 1953 on wood.—Trinidad.
- bakeri* Dennis in *Bull. Soc. mycol. Fr.*, 69, p. 196, 1953.—Trinidad.
- brunneostriatum* Dennis in *Bull. Soc. mycol. Fr.*, 69, p. 196, 1953.—Trinidad.
- cubense* (Murr.) Dennis in *Bull. Soc. mycol. Fr.*, 69, p. 168, 1953. (Syn. *Eccilia cubensis* Murr.).
- cyathiforme* Dennis in *Bull. Soc. mycol. Fr.*, 69, p. 196, 1953.—Trinidad.
- howellii* (Peck) Dennis in *Bull. Soc. mycol. Fr.*, 69, p. 159, 1953. (Syn. *Nolanea howellii* Peck).
- inocephalum* (Romagnesi) Dennis in *Bull. Soc. mycol. Fr.*, 69, p. 160, 1953. (Syn. *Rhodophyllum inocephalum* Romagnesi).
- metale* (Romagnesi) Dennis in *Bull. Soc. mycol. Fr.*, 69, p. 160, 1953. (Syn. *Rhodophyllum metalis* Romagnesi).
- naranjanum* Dennis in *Bull. Soc. mycol. Fr.*, 69, p. 195, 1953.—Trinidad.
- obscurum* Dennis in *Bull. Soc. mycol. Fr.*, 69, p. 196, 1953.—Trinidad.
- papillatum* (Bres.) Dennis in *Bull. Soc. mycol. Fr.*, 69, p. 162, 1953. (Syn. *Nolanea papillata* Bres.).
- pinnum* (Romagnesi) Dennis in *Bull. Soc. mycol. Fr.*, 69, p. 160, 1953. (Syn. *Rhodophyllum pinnum* Romagnesi).
- siparianum* Dennis in *Bull. Soc. mycol. Fr.*, 69, p. 195, 1953.—Trinidad.
- trinittense* Dennis nom. nov. in *Bull. Soc. mycol. Fr.*, 69, p. 165, 1953. (Syn. *Nolanea fragilis* Baker & Dale, non *Entoloma fragile* Murr.).
- tucuchense* Dennis in *Bull. Soc. mycol. Fr.*, 69, p. 196, 1953.—Trinidad.
- umbilicatum* Dennis in *Bull. Soc. mycol. Fr.*, 69, p. 195, 1953.—Trinidad.
- underwoodii* Dennis nom. nov. in *Bull. Soc. mycol. Fr.*, 69, p. 166, 1953. (Syn. *Eccilia earlei* Murr., non *Entoloma earlei* Murr.).
- **Entyloma asteris-alpini* Syd. ex Zundel, *The Ustilaginales of the World*, p. 237, 1953 on *Aster alpinus*.—Switzerland.
- *—*leontodontis* Syd. ex Zundel, *The Ustilaginales of the World*, p. 256, 1953 on *Leontodon autumnalis*.—Germany.
- Eremotheca pernambucensis* Batista in *An. IV Congr. Soc. bot. Brasil*, p. 119, 1953 on leaves.—Brazil.
- Farysia barberi* (Mundkur) Zundel, *The Ustilaginales of the World*, p. 40, 1953. (Syn. *Ustilago barberi* Mundkur).
- olivacea* (DC.) Syd. var. *macrospora* (Yen) Zundel, *The Ustilaginales of the World*, p. 44, 1953. (Syn. *Ustilago olivacea* var. *macrospora* Yen).
- Fenestella cubensis* Petrak in *Sydowia*, 7, p. 146, 1953 on *Gliricidia sepium*.—Cuba.
- Fomes chaquensis* Iaconis & Wright in *An.*

- Soc. cient. argent.*, 156, p. 14, 1953.—Argentina.
- pinicola* (Swartz ex Fr.) Cooke var. *marginatus* (Pers. ex Fr.) Overholts, *The Polyporaceae of the United States, Alaska, and Canada*, Univ. Mich. Stud., 19, p. 44, 1953. (Syn. *Polyporus marginatus* Pers. ex Fr.).
- Fusarium orthoceras* Appel & Wollenw. var. *lentis* Vasudeva & Srinivasan in *Indian Phytopath.*, 5, p. 28, 1953 on *Lens esculenta*.—India.
- Fusidomus pulchellus* Batista in *Bol. Sec. Agric. Pernambuco*, 19, p. 144, 1952 on *Pera ferruginea*.—Brazil.
- Galerina* (?) *fuegiana* Singer in *Sydowia*, 7, p. 242, 1953 on peat.—Argentina.
- riparia* Singer in *Sydowia*, 7, p. 249, 1953.—Argentina.
- vittaeformis* (Fr.) Singer var. *subannulata* Singer in *Sydowia*, 7, p. 246, 1953.—Argentina.
- **Gautieria morchelliformis* Vitt. var. *marginicellaris* Pilát in *Sydowia*, 7, p. 12, 1953.—Central Europe.
- Gleosporeum anonae* Batista in *An. IV Congr. Soc. bot. Brasil*, p. 142, 1953 on *Annona marckgravii*.—Brazil.
- jambosae* Batista & Vital in *An. IV Congr. Soc. bot. Brasil*, p. 143, 1953 on *Jambosa malaccensis*.—Brazil.
- Glomerella phomoides* Swank in *Phytopathology*, 43, p. 285, 1953 on *Lycopersicon esculentum*.—U.S.A.; perfect state of *Colletotrichum phomoides* (Sacc.) Chester.
- Gonatobotryum apiculatum* (Peck) Hughes in *Canad. J. Bot.*, 31, p. 594, 1953. (Syn. *Haplographium apiculatum* Peck).
- Graphium cuneiferum* (Berk. & Br.) Mason & M. B. Ellis in *Mycol. Pap., C.M.I.*, 56, p. 41, 1953. (Syn. *Stilbum cuneiferum* Berk. & Br.).
- Haplosporella asiminae* (Ell. & Ev.) Petrak in *Sydowia*, 7, p. 128, 1953. (Syn. *Sphaeropsis asiminae* Ell. & Ev.).
- casuarinae* Petrak in *Sydowia*, 7, p. 35, 1953 on *Casuarina*.—Turkey.
- chamaecristae* Petrak in *Sydowia*, 7, p. 114, 1953 on *Chamaecrista brachiana*.—Florida, U.S.A.
- cydoniae* (Cooke & Ell.) Petrak in *Sydowia*, 7, p. 129, 1953. (Syn. *Sphaeropsis cydoniae* Cooke & Ell.).
- juniperi* (Peck) Petrak in *Sydowia*, 7, p. 129, 1953. (Syn. *Sphaeropsis juniperi* Peck).
- linderiae* (Peck) Petrak in *Sydowia*, 7, p. 129, 1953. (Syn. *Sphaeropsis linderiae* Peck).
- meliae* Petrak in *Sydowia*, 7, p. 36, 1953 on *Melia azedarach*.—Turkey.
- neilliae* (Ell. & Ev.) Petrak in *Sydowia*, 7, p. 129, 1953. (Syn. *Sphaeropsis neilliae* Ell. & Ev.).
- pistaciarum* Petrak in *Sydowia*, 7, p. 37, 1953 on *Pistacia*.—Turkey.
- punctum* (Cooke & Ell.) Petrak in *Sydowia*, 7, p. 129, 1953. (Syn. *Sphaeropsis punctum* Cooke & Ell.).
- squieriae* (Clint.) Petrak in *Sydowia*, 7, p. 129, 1953. (Syn. *Sphaeropsis squieriae* Clint.).
- syriaca* Petrak in *Sydowia*, 7, p. 37, 1953 on *Draba oxycarpa*.—Turkey.
- Helicodendron multcatenulatum* van Beverwijk in *Trans. Brit. mycol. Soc.*, 36, p. 115, 1953 on dead leaves in water.—Holland.
- westerdijkiae* van Beverwijk in *Trans. Brit. mycol. Soc.*, 36, p. 117, 1953 on dead leaf in water.—Holland.
- Helminthosporium atrovirens* (Harz) Mason & Hughes apud Hughes in *Canad. J. Bot.*, 31, p. 631, 1953. (Syn. *Spondylocadium atrovirens* Harz).
- desmodii* Togashi & Katsuki apud Katsuki in *J. Jap. Bot.*, 28, p. 285, 1953 on *Desmodium buergeri*.—Japan.
- pyracanthae* Lucas & da Camara in *Agron. lusit.*, 15, p. 179, 1953 on *Pyracantha*.—Portugal.
- spiciferum* (Bain.) Nicot in *Öst. Bot. Z.*, 100, p. 482, 1953. (Syn. *Brachycladium spiciferum* Bain.).
- Hendersonia capparinicola* Petrak in *Sydowia*, 7, p. 71, 1953 on *Capparis spinosa*.—Iran.
- scirpi* (Wehm.) Petrak in *Sydowia*, 7, p. 130, 1953. (Syn. *Phaeoseptoria scirpi* Wehm.).
- Hericium alpestre* Pers. forma *caput-ursi* (Fr.) Nikol. in *Acta Inst. bot. Acad. Sci. URSS*, Ser. II, (Pl. Crypt.) fasc. 5, p. 337, 1950. (Syn. *Hydnum caput-ursi* Fr.).
- forma *caucasicum* (Sing.) Nikol. in *Acta Inst. bot. Acad. Sci. URSS*, Ser. II, (Pl. Crypt.) fasc. 5, p. 336, 1950. (Syn. *Heridium caucasicum* Singer).
- cirrhatum* (Pers.) Nikol. in *Acta Inst. bot. Acad. Sci. URSS*, Ser. II, (Pl. Crypt.) fasc. 5, p. 343, 1950. (Syn. *Hydnum cirrhatum* Pers.).
- coralloides* (Scop.) Pers. forma *caput-ursi* (Bourd. & Galz.) Nikol. in *Acta Inst. bot. Acad. Sci. URSS*, Ser. II, (Pl. Crypt.) fasc. 5, p. 342, 1950. (Syn. *Dryodon coralloides* (Scop.) Quéél. forma *caput-ursi* Bourd. & Galz.).
- forma *confluens* Nikol. in *Acta Inst. bot. Acad. Sci. URSS*, Ser. II, (Pl. Crypt.) fasc. 5, p. 342, 1950.—U.S.S.R.
- diversidens* (Fr.) Nikol. in *Acta Inst. bot. Acad. Sci. URSS*, Ser. II, (Pl. Crypt.) fasc. 5, p. 342, 1950. (Syn. *Hydnum diversidens* Fr.).
- erinaceum* (Bull.) Pers. forma *caput-medusae* (Bull.) Nikol. in *Acta Inst. bot. Acad. Sci. URSS*, Ser. II, (Pl. Crypt.) fasc. 5, p. 340, 1950. (Syn. *Hydnum caput-medusae* Bull.).
- Hydnangium echinulatum* Corner & Hawker in *Trans. Brit. mycol. Soc.*, 36, p. 126, 1953 on soil.—Malaya.
- virescens* Corner & Hawker in *Trans. Brit. mycol. Soc.*, 36, p. 125, 1953 in soil.—Singapore.
- Hydrocybe alnea* Moser in *Bull. Soc. Nat. Oyonnax*, 1953, p. 124, 1953.—Austria.
- atrocaerulea* Moser in *Bull. Soc. Nat. Oyonnax*, 1953, p. 126, 1953.—Austria.
- cedriolens* Moser in *Bull. Soc. Nat. Oyonnax*, 1953, p. 125, 1953.—Austria.
- multicolor* Moser in *Bull. Soc. Nat. Oyonnax*, 1953, p. 127, 1953.—Austria.
- palustris* Moser in *Bull. Soc. Nat. Oyonnax*, 1953, p. 122, 1953.—Austria.
- tigrina* Moser in *Bull. Soc. Nat. Oyonnax*, 1953, p. 121, 1953.—Austria.
- Hygrophorus bakeri* Dennis in *Kew Bull.*, 1953, p. 258, 1953.—Trinidad.
- buccinulus* (Speg.) Dennis in *Kew Bull.*,

- 1953, p. 256, 1953. (Syn. *Clitocybe buccinula* Speg.).
- *conico-palustris* Haller in *Schweiz. Z. Pilzk.*, 31, p. 141, 1953.—Switzerland.
 - *cremeus* (Murr.) Dennis in *Kew Bull.*, 1953, p. 257, 1953. (Syn. *Omphalina cremea* Murr.).
 - *erinensis* Dennis in *Kew Bull.*, 1953, p. 262, 1953.—Trinidad.
 - *firmus* Berk. & Br. var. *occidentalis* Dennis in *Kew Bull.*, 1953, p. 267, 1953.—Trinidad.
 - var. *purpureus* Dennis in *Kew Bull.*, 1953, p. 267, 1953.—Trinidad.
 - var. *trinitensis* Dennis in *Kew Bull.*, 1953, p. 266, 1953.—Trinidad.
 - *luteistipes* Dennis in *Kew Bull.*, 1953, p. 264, 1953.—Trinidad.
 - *marginatus* Peck var. *concolor* A. H. Smith in *Pap. Mich. Acad. Sci.*, 38, p. 59, 1953.—Michigan, U.S.A.
 - *nodulisporus* Dennis in *Kew Bull.*, 1953, p. 259, 1953.—Trinidad.
 - *papillatus* Dennis in *Kew Bull.*, 1953, p. 263, 1953.—Trinidad.
 - *umbrinus* Dennis in *Kew Bull.*, 1953, p. 257, 1953.—Trinidad.
- Hymenogaster effodiendus* G. H. Cunn. in *Trans. roy. Soc. S. Aust.*, 75, p. 14, 1952 in soil.—Victoria, Australia.
- Hysterangium purpureum* Zeller & Dodge var. *malaiense* Corner & Hawker in *Trans. Brit. mycol. Soc.*, 36, p. 135, 1953.—Singapore.
- Inocybe bridgesiana* Singer in *Sydowia*, 7, p. 227, 1953.—Argentina.
- *calcaris* Métrod in *Schweiz. Z. Pilzk.*, 31, p. 158, 1953.—?France.
 - *cerasphora* Singer in *Sydowia*, 7, p. 228, 1953 on rotten wood of *Nothofagus*.—Argentina.
 - *dissocystis* Singer in *Sydowia*, 7, p. 231, 1953.—Argentina.
 - *fuscata* Singer in *Sydowia*, 7, p. 236, 1953.—Argentina.
 - *fuscocinnamomea* Singer in *Sydowia*, 7, p. 233, 1953.—Argentina.
 - *geophylomorphia* Singer in *Sydowia*, 7, p. 229, 1953.—Argentina.
 - *gigacystis* Singer in *Sydowia*, 7, p. 231, 1953.—Argentina.
 - *lasseri* Dennis in *Bull. Soc. mycol. Fr.*, 69, p. 197, 1953.—Venezuela.
 - *lutescens* Singer in *Sydowia*, 7, p. 223, 1953 in *Nothofagus* woods.—Argentina.
 - *pseudo-cookei* Métrod in *Schweiz. Z. Pilzk.*, 31, p. 158, 1953.—France.
 - *retipes* Singer in *Sydowia*, 7, p. 225, 1953.—Argentina.
 - *rubens* (Heim) Huijsman [n. comb.?] in *Bull. Soc. Nat. Oyonnax*, 1953, p. 73, 1953. (Syn. *Inocybe obscura* var. *rubens* Heim).
 - *subfibrosoides* Singer in *Sydowia*, 7, p. 234, 1953.—Argentina.
- Irenina cassicola* Batista & Silva in *An. IV Congr. Soc. bot. Brasil*, p. 91, 1953 on *Cassia bacillaris*.—Brazil.
- *protiicola* Batista & Gayão in *An. IV Congr. Soc. bot. Brasil*, p. 94, 1953 on *Protium heptaphyllum*.—Brazil.
 - *tabebuiae* Batista & Silva in *An. IV Congr. Soc. bot. Brasil*, p. 96, 1953 on *Tabebuia ipe*.—Brazil.
 - *ximeniae* Batista & Silva in *An. IV Congr.*
- Soc. bot. Brasil*, p. 95, 1953 on *Ximenia americana*.—Brazil.
- JAPONOCHYTRIUM** Kobayashi & Ookubo in *Bull. nat. Sci. Mus. Tokyo* 33, p. 57, 1953. —Thraustochytriaceae.
- *marinum* Kobayashi & Ookubo in *Bull. nat. Sci. Mus. Tokyo* 33, p. 60, 1953 on *Gracillaria confervoides*.—Japan.
- Kirschsteiniella conica* (Lév.) Petrak in *Sydowia*, 7, p. 57, 1953. (Syn. *Sphaeropsis conica* Lév.).
- Kuehneromyces cystidiosus* Singer in *Sydowia*, 7, p. 221, 1953 on dead trunks of *Nothofagus*.—Argentina.
- *macrosporus* Singer in *Sydowia*, 7, p. 220, 1953.—Argentina.
- Lagynodella acerina* (Peck) Petrak in *Sydowia*, 7, p. 130, 1953. (Syn. *Sphaeronema acerinum* Peck).
- Lasiosphaeria disjuncta* Ahmad & Lodhi in *Sydowia*, 7, p. 267, 1953 on dead wood.—W. Pakistan.
- Lembosia clusiae* Batista & Vital in *An. IV Congr. Soc. bot. Brasil*, p. 172, 1953 on *Clusia*.—Brazil.
- *coccobicolica* Batista & Gayão in *An. IV Congr. Soc. bot. Brasil*, p. 173, 1953 on *Coccoloba paniculata*.—Brazil.
 - *cordiarum* Batista in *An. IV Congr. Soc. bot. Brasil*, p. 174, 1953 on *Cordia nodosa*.—Brazil.
- Lentinellus pilati* Herink in *Čes. Mykol.*, 7, p. 162, 1953 on dead *Carpinus betulus*.—Czechoslovakia.
- LEPTODISCUS** Gerdemann in *Mycologia*, 45, p. 552, 1953.—Melanconiales.
- *terrestris* Gerdemann in *Mycologia*, 45, p. 552, 1953 on *Trifolium pratense*.—Illinois, U.S.A.
- Leptomassaria americana* Petrak in *Sydowia*, 7, p. 121, 1953 on *Sassafras*.—Maryland, U.S.A.
- *capparis* Ahmad & Lodhi in *Sydowia*, 7, p. 268, 1953 on dead branches of *Capparis aphylla*.—W. Pakistan.
- Leptonia pilati* Švrček in *Čes. Mykol.*, 7, p. 176, 1953.—Bohemia.
- Leptosphaeria cornuta* Müller in *Sydowia*, 7, p. 273, 1953 on dead *Laserpitium siler*.—Switzerland.
- *daphnes* Dias & da Camara in *Agron. lusit.*, 15, p. 23, 1953 on *Daphne gnidium*.—Portugal.
 - *davisiana* Petrak in *Sydowia*, 7, p. 20, 1953 on *Scutellaria brevibracteata*.—Turkey.
 - *heveae* Saccas in *Agron. trop.*, Nogent, 8, p. 244, 1953 on *Hevea brasiliensis*.—French Equatorial Africa.
 - *platanicola* Petrak in *Sydowia*, 7, p. 122, 1953 on *Platanus occidentalis*.—Maryland, U.S.A.
 - *platychorae* Müller in *Sydowia*, 7, p. 275, 1953 on *Platychora ulmi*.—France.
- Leptothyrium discretum* Batista in *An. IV Congr. Soc. bot. Brasil*, p. 135, 1953 on *Sorocea ilicifolia*.—Brazil.
- *fagarae* Dias, Lucas, de Vasconcelos, & da Camara in *Agron. lusit.*, 15, p. 10, 1953 on *Fagara*.—S. Tomé Isl.
- Lopadiopsis lichenicola* Batista in *An. IV Congr. Soc. bot. Brasil*, p. 78, 1953 on *Eschweilera luschnatii*.—Brazil.

- Lophiostoma persicum* Petrak in *Sydowia*, 7, p. 58, 1953 on dead *Acer cinerascens*.—Iran.
- Macrophoma politii* Apostolides in *Ann. Inst. phytopath. Benaki*, 6, p. 71, 1952 on dead *Centranthus ruber*.—Greece.
- shoreae* Bagchee in *Indian For. Rec.*, N.S., Mycol., 1, p. 17, 1953 on *Shorea robusta*.—India.
- Macrophyllosticta atriplicis* Dias & da Camara in *Agron. lusit.*, 15, p. 27, 1953 on *Atriplex halimus*.—Portugal.
- borziana* (Scal.) da Costa & da Camara in *Portug. acta biol.*, 4, p. 167, 1953. (Syn. *Macrophoma borziana* Scal.).
- fagarae* Dias, Lucas, de Vascon., & da Camara in *Agron. lusit.*, 15, p. 8, 1953 on *Fagara*.—S. Tomé Isl.
- Marasmiellus byssisedus* (Bres.) Singer in *Rev. Mycol., Paris*, 18, p. 7, 1953. [Syn. not cited].
- vinosus* Singer in *Rev. Mycol., Paris*, 18, p. 10, 1953 on wood.—Argentina.
- Massarina floridana* Petrak, 1952 (this Index, 2, p. 104) is a later homonym of *M. floridana* Petrak, 1951 (ibid., p. 82).
- Mattiolia macluriae* Lucas & da Camara in *Agron. lusit.*, 15, p. 159, 1953 on *Machura aurantiaca*.—Portugal.
- Melanoleuca sparrei* Singer in *Rev. Mycol., Paris*, 18, p. 5, 1953.—Argentina.
- Melanopsichium nepalense* (Liro) Zundel, *The Ustilaginales of the World*, p. 46, 1953. (Syn. *Ustilago nepalensis* Liro).
- Melanotaenium brachiariae* Viégas var. *arthroxonis* Thirumalachar & Pavgi in *Sydowia*, 7, p. 101, 1953 on *Arthroxon*.—India.
- Melasmia singeri* Petrak in *Sydowia*, 7, p. 148, 1953 on *Duranta serratifolia*.—Argentina.
- spiralis* Petrak in *Sydowia*, 7, p. 149, 1953 on *Duranta benthamii*.—Bolivia.
- Meliola aristidae* Batista & Silva in *An. IV Congr. Soc. bot. Brasil*, p. 99, 1953 on *Aristida marginalis*.—Brazil.
- buchenaviae* Batista in *An. IV Congr. Soc. bot. Brasil*, p. 102, 1953 on *Buchenavia capitata*.—Brazil.
- cupaniae-major* (as '*cupaniae majoris*') Batista in *An. IV Congr. Soc. bot. Brasil*, p. 104, 1953 on *Thyrsodium*.—Brazil.
- erythroxylofolii* Batista & Vital in *An. IV Congr. Soc. bot. Brasil*, p. 105, 1953 on *Erythroxyllum*.—Brazil.
- serjanicola* Batista & Vital in *An. IV Congr. Soc. bot. Brasil*, p. 110, 1953 on *Serjania*.—Brazil.
- soroceana* Batista in *An. IV Congr. Soc. bot. Brasil*, p. 112, 1953 on *Sorocea ilicifolia*.—Brazil.
- Melophia cinnamomi* (as '*cinnamomae*') Batista & Vital in *An. IV Congr. Soc. bot. Brasil*, p. 135, 1953 on *Cinnamomum zeylanicum*.—Brazil.
- protii* (as '*protiae*') Batista in *An. IV Congr. Soc. bot. Brasil*, p. 136, 1953 on *Protium heptaphyllum*.—Brazil.
- Metasphaeria apiosporoides* Petrak in *Sydowia*, 7, p. 107, 1953 on *Sabal palmetto*.—Florida, U.S.A.
- Microdiploidia bessey* [sic] Apostolides in *Ann. Inst. phytopath. Benaki*, 6, p. 72, 1952 on *Viburnum tinum*.—Greece.
- ramninicola* Petrak in *Sydowia*, 7, p. 72, 1953 on *Rhamnus*.—Iran.
- salicina* Petrak in *Sydowia*, 7, p. 73, 1953 on *Salix*.—Iran.
- Micromycopsis oedogonii* Roberts in *Trans. Brit. mycol. Soc.*, 36, p. 320, 1953 on *Oedogonium*.—England.
- Micropeltella discreta* Batista in *An. IV Congr. Soc. bot. Brasil*, p. 128, 1953 on *Sorocea ilicifolia*.—Brazil.
- philodendricola* Batista & Gayão in *An. IV Congr. Soc. bot. Brasil*, p. 128, 1953 on *Philodendron imbe*.—Brazil.
- picramniae* Batista & Gayão in *An. IV Congr. Soc. bot. Brasil*, p. 120, 1953 on *Picramnia bahiensis*.—Brazil.
- Micropeltis bauhiniae* Batista & Gayão in *An. IV Congr. Soc. bot. Brasil*, p. 121, 1953 on *Bauhinia*.—Brazil.
- cupaniae* Batista & Vital in *An. IV Congr. Soc. bot. Brasil*, p. 123, 1953 on *Cupania*.—Brazil.
- picramniae* Batista & Gayão in *An. IV Congr. Soc. bot. Brasil*, p. 123, 1953 on *Picramnia bahiensis*.—Brazil.
- soroceae* Batista & Gayão in *An. IV Congr. Soc. bot. Brasil*, p. 124, 1953 on *Sorocea*.—Brazil.
- theobromae* Batista in *An. IV Congr. Soc. bot. Brasil*, p. 125, 1953 on *Theobroma cacao*.—Brazil.
- Microthyriella ocoteae* Batista in *An. IV Congr. Soc. bot. Brasil*, p. 126, 1953 on *Ocotea gardneri*.—Brazil.
- swartziae* Batista & Gayão in *An. IV Congr. Soc. bot. Brasil*, p. 127, 1953 on *Swartzia pickellii*.—Brazil.
- Monoblepharella endogena* Sparrow in *Mycologia*, 45, p. 593, 1953 in soil.—Mississippi, U.S.A.
- MONOSPORELLA** Hughes [non Keilin, 1920] in *Canad. J. Bot.*, 31, p. 654, 1953—Hyphomycetes. Type, *M. setosa*.
- setosa* (Berk. & Curt.) Hughes in *Canad. J. Bot.*, 31, p. 654, 1953. (Syn. *Monotospora setosa* Berk. & Curt.).
- sphaerocephala* (Berk. & Br.) Hughes in *Canad. J. Bot.*, 31, p. 654, 1953. (Syn. *Monotospora sphaerocephala* Berk. & Br.).
- Morenoia byrsonimae* Batista in *An. IV Congr. Soc. bot. Brasil*, p. 154, 1953 on *Byrsonima coclobifolia*.—Brazil.
- Mycarthonia culmicola* (Petrak) Petrak in *Sydowia*, 7, p. 28, 1953. (Syn. *Arthonia culmicola* Petrak).
- dispersa* (Schr.) Petrak in *Sydowia*, 7, p. 28, 1953. (Syn. *Arthonia dispersa* Schr.).
- punctiformis* (Ach.) Petrak in *Sydowia*, 7, p. 28, 1953. (Syn. *Arthonia punctiformis* Ach.).
- Mycena mackinawensis* A. H. Smith in *Pap. Mich. Acad. Sci.*, 38, p. 67, 1953.—Michigan, U.S.A.
- *—*viscosissima* Métrod in *Bull. Soc. mycol. Fr.*, 69, p. 128, 1953.—France.
- Mycenella subtropicalis* Singer in *Rev. Mycol., Paris*, 18, p. 7, 1953.—Argentina.
- Mycosphaerella afghanica* Petrak in *Sydowia*, 7, p. 88, 1953 on *Astragalus*.—Afghanistan.
- edelbergii* Petrak in *Sydowia*, 7, p. 89, 1953 on *Sedum*.—Afghanistan.
- hevicola* Saccas in *Agron. trop., Nogent*, 8, p. 247, 1953 on *Hevea brasiliensis*.—French Equatorial Africa.

- *melanorhabdos* Petrak in *Sydowia*, 7, p. 22, 1953 on *Agave*.—Turkey.
- *nuristanica* Petrak in *Sydowia*, 7, p. 90, 1953 on *Lonicera*.—Afghanistan.
- *scopulorum* (Sacc. & Cav.) Petrak in *Sydowia*, 7, p. 23, 1953. (Syn. *Sphaerella scopulorum* Sacc. & Cav.).
- *togashiana* Itô & Kobayashi in *Bull. Govt. For. Exp. Sta. Tokyo* 59, p. 23, 1953 on *Populus simonii*.—Japan.
- *websteri* Wiehe in *Mycol. Pap., C.M.I.*, 55, p. 2, 1953 on *Aleurites montana*.—Nyasaland.
- Myiocopron cassiicola** Batista & Gayão in *An. IV Congr. Soc. bot. Brasil*, p. 155, 1953 on *Cassia*.—Brazil.
- Myzocyium proliferum** Schenk forma *marinum* Kobayashi & Ookubo in *Bull. nat. Sci. Mus. Tokyo* 33, p. 64, 1953 on *Cladophora japonica*.—Japan.
- Naucoria distantifolia** (Murr.) Dennis in *Bull. Soc. mycol. Fr.*, 69, p. 183, 1953. (Syn. *Galerula distantifolia* Murr.).
- *polytropa* Singer in *Sydowia*, 7, p. 237, 1953 on rotten wood. —Argentina.
- ***Nectria flavoviridis** (Fuckel) Wollenw. forma *macrospora* Moreau in *Rev. Path. vég.*, 31, p. 215, 1953 on *Quercus*.—France.
- *hakonensis* Kobayashi in *Bull. nat. Sci. Mus. Tokyo* 33, p. 38, 1953 on *Pieris japonica*.—Japan.
- *— *rubi* Osterw. forma *quercina* Moreau in *Rev. Path. vég.*, 31, p. 207, 1952 on *Quercus*.—France.
- Nematogonium parasiticum** (Thaxt.) Hughes in *Canad. J. Bot.*, 31, p. 594, 1953. (Syn. *Gonatorrhodiella parasitica* Thaxt.).
- Oedocephalum argillaceum** Malençon in *Bull. Soc. Hist. nat. Afr. N.*, 44, p. 144, 1953 on soil. —Morocco.
- Oidium ramosum** (Fuckel) Hughes in *Canad. J. Bot.*, 31, p. 591, 1953. (Syn. *Torula ramosa* Fuckel).
- Ophiotoma persicinum** Govi & Di Caro in *Ann. Sper. agr., N.S.*, 7, p. 1644, 1953 on *Prunus persica*.—Italy.
- Othia elaeagni** (Rehm) Petrak in *Sydowia*, 7, p. 60, 1953. (Syn. *Amphisphaeria elaeagni* Rehm).
- Ovularia iranica** Petrak in *Sydowia* 7, p. 77, 1953 on *Salvia*.—Iran.
- ***Ozonium texanum** Neal & Wester var. *parasiticum* Thirumalachar in *Curr. Sci.*, 20, p. 245, 1951 on *Solanum tuberosum*.—India.
- Passalora robiniae** (Shear) Hughes in *Canad. J. Bot.*, 31, p. 572, 1953. (Syn. *Fusicladium robiniae* Shear).
- Pellicularia filamentosa** (Pat.) Rogers f. sp. *microsclerotia* (Matz) Exner in *Mycologia*, 45, p. 716, 1953. (Syn. *Rhizoctonia microsclerotia* Matz).
- f. sp. *sasakii* (Shirai) Exner in *Mycologia*, 45, p. 717, 1953. (Syn. *Hypochnus sasakii* Shirai).
- f. sp. *solani* (Kühn) Exner in *Mycologia*, 45, p. 716, 1953. (Syn. *Rhizoctonia solani* Kühn).
- f. sp. *timsii* Exner in *Mycologia*, 45, p. 717, 1953 on *Ficus carica*.—Louisiana, U.S.A.
- Peniophora angusta** Rogers & Weresub apud Weresub in *Canad. J. Bot.*, 31, p. 764, 1953 on wood. —Ontario.
- *pilatiana* Pouzar & Svrček in *Čes. Mykol.*, 7, p. 181, 1953 on *Cornus mas*.—Bohemia.
- *sceptrifera* Jackson & Weresub apud Weresub in *Canad. J. Bot.*, 31, p. 772, 1953 on wood. —Ontario.
- Periconia cambrensis** Mason & M. B. Ellis in *Mycol. Pap., C.M.I.*, 56, p. 108, 1953 on wood of *Fagus sylvatica*.—Britain.
- *cecropiae* Batista & Vital in *Bol. Sec. Agric. Pernambuco*, 19, p. 148, 1952 on *Cecropia peltata*.—Brazil.
- *cookei* Mason & M. B. Ellis in *Mycol. Pap., C.M.I.*, 56, p. 72, 1953 on stems. —England.
- *curta* (Berk.) Mason & M. B. Ellis in *Mycol. Pap. C.M.I.*, 56, p. 98, 1953. (Syn. *Cephalotrichum curtum* Berk.).
- *funerea* (Ces.) Mason & M. B. Ellis in *Mycol. Pap., C.M.I.*, 56, p. 117, 1953. (Syn. *Torula funerea* Ces.).
- *glycericola* Mason & M. B. Ellis in *Mycol. Pap., C.M.I.*, 56, p. 109, 1953 on dead *Glyceria maxima*.—England.
- *hispidula* (Pers. ex Pers.) Mason & M. B. Ellis in *Mycol. Pap., C.M.I.*, 56, p. 112, 1953. (Syn. *Conoplea hispidula* Pers.).
- *igniaria* Mason & M. B. Ellis in *Mycol. Pap., C.M.I.*, 56, p. 104, 1953 on scorched leaves. —England.
- *laminella* Mason & M. B. Ellis in *Mycol. Pap. C.M.I.*, 56, p. 120, 1953 on dead *Carex*. —England.
- *paludosa* Mason & M. B. Ellis in *Mycol. Pap., C.M.I.*, 56, p. 94, 1953 on dead *Carex riparia*.—England.
- *typhicola* Mason & M. B. Ellis in *Mycol. Pap., C.M.I.*, 56, p. 80, 1953 on dead *Typha latifolia*.—England.
- Periconiella echinochloae** Batista in *Bol. Sec. Agric. Pernambuco*, 19, p. 174, 1952 on *Echinochloa polystachya*.—Brazil.
- ***Peronospora dianthicola** Barthelet in *Ann. Inst. nat. Rech. agron., Paris*, Sér. C. (Ann. Épiphyt.), 4, p. 183, 1953 on *Dianthus*.—France. [See also this Index, 1, p. 192.]
- *hypecoi* Bremer apud Petrak in *Sydowia*, 7, p. 14, 1953 on *Hypecoum*.—Turkey.
- Pestalotiopsis adusta** (Ell. & Ev.) Steyaert in *Trans. Brit. mycol. Soc.*, 36, p. 82, 1953. (Syn. *Pestalotia adusta* Ell. & Ev.).
- *angusta* Steyaert in *Trans. Brit. Mycol. Soc.*, 36, p. 241, 1953 on leaves of *Borassus aethiopicum*.—Gold Coast.
- *gigas* Steyaert in *Trans. Brit. mycol. Soc.*, 36, p. 86, 1953 on *Thea sinensis*.—Kenya.
- *guepini* (Desm.) Steyaert var. *major* Steyaert in *Trans. Brit. mycol. Soc.*, 36, p. 237, 1953 on dead leaves of *Encephalartos barteri*.—Gold Coast.
- *hughesii* Steyaert in *Trans. Brit. mycol. Soc.*, 36, p. 237, 1953 on dead *Cyperus articulatus*.—Gold Coast.
- *natrassii* Steyaert in *Trans. Brit. mycol. Soc.*, 36, p. 82, 1953 on *Thea sinensis*.—Kenya.
- *neglecta* (Thuem.) Steyaert in *Trans. Brit. mycol. Soc.*, 36, p. 83, 1953. (Syn. *Pestalotia neglecta* Thuem.).
- *owenii* Steyaert in *Trans. Brit. mycol. Soc.*, 36, p. 88, 1953 on *Theobroma cacao*.—Gold Coast.
- var. *major* Steyaert in *Trans. Brit. mycol. Soc.*, 36, p. 89, 1953 on *Theobroma cacao*.—Gold Coast.

- Pestalozzia pitospora* da Costa & da Camara in *Portug. acta biol.*, 4, p. 173, 1953 on *Vitis vinifera*.—Portugal.
- Pezolepis buchenavicola* Batista & Vital in *An. IV Congr. Soc. bot. Brasil*, p. 139, 1953 on *Buchenavia capitata*.—Brazil.
- Phaeoisaria clavulata* (Grove) Mason & Hughes in *Mycol. Pap., C.M.I.*, 56, p. 42, 1953. (Syn. *Pachnocybe clavulata* Grove).
- Phaeomarasmius ciliatus* Singer in *Sydowia*, 7, p. 250, 1953 on branches.—Argentina.
- confragosulus* Singer in *Rev. Mycol., Paris*, 18, p. 20, 1953.—Argentina.
- limulatellus* Singer in *Sydowia*, 7, p. 254, 1953 on a rotten log.—Argentina.
- rostratus* Singer in *Sydowia*, 7, p. 252, 1953 on dead log.—Argentina.
- Phaeopeltis cyperi* Batista in *An. IV Congr. Soc. bot. Brasil*, p. 80, 1953 on *Cyperus rotundus*.—Brazil.
- Phaeosaccardinula musicola* (as '*musaeicola*') Batista in *An. IV Congr. Soc. bot. Brasil*, p. 81, 1953 on *Musa*.—Brazil.
- Phlegmacium pinetorum* Moser nom. nov. in *Bull. Soc. Nat. Oyonnax*, 1953, p. 114, 1953. (Syn. *Cortinarius multififormis* sensu Boud., non Fr.).
- Phlyctochytrium marinum* Kobayashi & Ookubo in *Bull. nat. Sci. Mus. Tokyo* 33, p. 55, 1953 on *Cladophora japonica*.—Japan.
- Phliota baesperma* Singer in *Sydowia*, 7, p. 217, 1953 on wood.—Argentina.
- megalosperma* Singer in *Sydowia*, 7, p. 216, 1953 on dead *Nothofagus pumilio*.—Argentina.
- Phoma araucariicola* Batista & Vital in *Bol. Sec. Agric. Pernambuco*, 19, p. 146, 1952 on *Araucaria brasiliana*.—Brazil.
- corchororum* Batista & Silva in *Bol. Sec. Agric. Pernambuco*, 19, p. 147, 1952 on *Corchorus capsularis*.—Brazil.
- gymnocladae* Batista in *Bol. Sec. Agric. Pernambuco*, 19, p. 145, 1952 on *Euphorbia gymnoclada*.—Brazil.
- heveicola* Saccas in *Agron. trop., Nogent*, 8, p. 256, 1953 on *Hevea brasiliensis*.—French Equatorial Africa.
- rubefaciens* Toghiani in *Ann. Sper. agr., N.S.*, 7, p. 1626, 1953 on *Pyrus malus*.—Italy.
- PHOMATOSPHAEROPSIS** Ribaldi in *Ann. Sper. agr., N.S.*, 7, p. 847, 1953.—Sphaeropsidales.
- pinicola* Ribaldi in *Ann. Sper. agr., N.S.*, 7, p. 849, 1953 on *Pinus nigra* var. *austriaca*.—Italy.
- Phomatopora stroggylospora* da Costa & da Camara in *Portug. acta biol.*, 4, p. 164, 1953 on *Mesembryanthemum*.—Portugal.
- Phomopsis justiciae* (F. Tassi) Lucas & da Camara in *Agron. lusit.*, 15, p. 166, 1953. (Syn. *Phoma justiciae* F. Tassi).
- machaeritcola* Petrak in *Sydowia*, 7, p. 150, 1953 on *Machaerium*.—Costa Rica.
- mastoidea* da Costa & da Camara in *Portug. acta biol.*, 4, p. 169, 1953 on *Mesembryanthemum*.—Portugal.
- oxyspora* Petrak in *Sydowia*, 7, p. 122, 1953 on *Ilex verticillata*.—Maryland, U.S.A.
- pimpinellae* (Ell.) Greene in *Trans. Wis. Acad. Sci. Arts Lett.*, 42, p. 77, 1953. (Syn. *Septoria pimpinellae* Ell.).
- Phragmonaevia gigaspora* Gremmen in *Sydowia*, 7, p. 141, 1953 on *Pinus cembra*.—Austria.
- Phragmothryrium confusum* Batista in *An. IV Congr. Soc. bot. Brasil*, p. 156, 1953 on *Bombax insigne*.—Brazil.
- Phyllachora kambakkamensis* Ramakrishnan in *Proc. Indian Acad. Sci., Sect. B*, 38, p. 121, 1953 on *Ochna*.—India.
- tetraspora* Ramakrishnan in *Proc. Indian Acad. Sci., Sect. B*, 38, p. 123, 1953 on *Polyalthia longifolia*.—India.
- Phylloporus depressus* Heinemann in *Bull. Jard. bot. Brux.*, 23, p. 73, 1953 on wood.—Belgian Congo.
- Phyllosticta aegiphilofolia* (as '*aegiphilofoliae*') Batista & Silva apud Batista & Vital in *Bol. Sec. Agric. Pernambuco*, 19, p. 4, 1952 on *Aegiphila vitellinaeflora*.—Brazil.
- alpiniae* Batista in *Bol. Sec. Agric. Pernambuco*, 19, p. 5, 1952 on *Alpinia speciosa*.—Brazil.
- alternantherae* Batista in *Bol. Sec. Agric. Pernambuco*, 19, p. 5, 1952 on *Alternanthera sessilis*.—Brazil.
- anacardicola* Batista & Vital in *Bol. Sec. Agric. Pernambuco*, 19, p. 6, 1952 on *Anacardium occidentale*.—Brazil.
- anonarum* Batista & Vital in *Bol. Sec. Agric. Pernambuco*, 19, p. 7, 1952 on *Annona marckgravi*.—Brazil.
- aracicola* Batista in *Bol. Sec. Agric. Pernambuco*, 19, p. 8, 1952 on *Psidium araca*.—Brazil.
- artocarpicola* Batista in *Bol. Sec. Agric. Pernambuco*, 19, p. 10, 1952 on *Artocarpus incisa*.—Brazil.
- aspidospermatis* (as '*aspidospermae*') Batista in *Bol. Sec. Agric. Pernambuco*, 19, p. 11, 1952 on *Aspidosperma pyrifolium*.—Brazil.
- axonopi* (as '*axonopii*') Batista & Vital in *Bol. Sec. Agric. Pernambuco*, 19, p. 12, 1952 on *Axonopus scoparius*.—Brazil.
- bambusinifolia* (as '*bambusinifoliae*') Batista in *Bol. Sec. Agric. Pernambuco*, 19, p. 13, 1952 on *Bambusa arundinacea*.—Brazil.
- bombacis* Batista in *Bol. Sec. Agric. Pernambuco*, 19, p. 15, 1952 on *Bombax insigne*.—Brazil.
- bromeliicola* Batista & Vital in *Bol. Sec. Agric. Pernambuco*, 19, p. 16, 1952 on *Bromelia*.—Brazil.
- caladiei* Batista in *Bol. Sec. Agric. Pernambuco*, 19, p. 17, 1952 on *Caladium bicolor*.—Brazil.
- calopogoniorum* Batista in *Bol. Sec. Agric. Pernambuco*, 19, p. 18, 1952 on *Calopogonium velutinum*.—Brazil.
- castaneparda* (as '*castanieiperda*') Batista in *Bol. Sec. Agric. Pernambuco*, 19, p. 20, 1952 on *Castanea vesca*.—Brazil.
- christianicola* Batista in *Bol. Sec. Agric. Pernambuco*, 19, p. 21, 1952 on *Christiana africana*.—Brazil.
- cinnamomi-zeylanici* Batista & Silva apud Batista & Vital in *Bol. Sec. Agric. Pernambuco*, 19, p. 22, 1952 on *Cinnamomum zeylanicum*.—Brazil.
- coicis-lacrimae* Batista & Silva in *An. IV Congr. Soc. bot. Brasil*, p. 84, 1953 on *Coix lacryma-jobi*.—Brazil.
- cupaniae* Batista in *Bol. Sec. Agric. Pernambuco*, 19, p. 24, 1952 on *Cupania revoluta*.—Brazil.
- cymbopogonis* (as '*cymbopogoni*') Batista in *Bol. Sec. Agric. Pernambuco*, 19, p. 24, 1952 on *Cymbopogon nardus*.—Brazil.
- dardanoi* Batista in *Bol. Sec. Agric. Pernambuco*, 19, p. 24, 1952 on *Cymbopogon nardus*.—Brazil.

- bucu, 19, p. 25, 1952 on *Heliconia angustifolia*.—Brazil.
- doliariae* Batista & Silva apud Batista & Vital in *Bol. Sec. Agric. Pernambuco*, 19, p. 26, 1952 on *Ficus doliaria*.—Brazil.
- doliaricola* Batista & Silva apud Batista & Vital in *Bol. Sec. Agric. Pernambuco*, 19, p. 27, 1952 on *Ficus doliaria*.—Brazil.
- echinodoricola* Batista & Vital in *Bol. Sec. Agric. Pernambuco*, 19, p. 28, 1952 on *Echinodorus floribundus*.—Brazil.
- eschweilerae* Batista & Vital in *Bol. Sec. Agric. Pernambuco*, 19, p. 29, 1952 on *Eschweilera luschnatii*.—Brazil.
- genipae* Batista in *Bol. Sec. Agric. Pernambuco*, 19, p. 30, 1952 on *Genipa americana*.—Brazil.
- gerbericola* Batista in *Bol. Sec. Agric. Pernambuco*, 19, p. 30, 1952 on *Gerbera jamesoni*.—Brazil.
- gladioli-minor* (as '*gladioli-minoris*') Batista & Vital in *Bol. Sec. Agric. Pernambuco*, 19, p. 31, 1952 on *Gladiolus cardinalis*.—Brazil.
- gladioloides* Batista in *Bol. Sec. Agric. Pernambuco*, 19, p. 32, 1952 on *Gladiolus communis*.—Brazil.
- goebeliae* Petrak in *Sydowia*, 7, p. 38, 1953 on *Goebelia*.—Turkey.
- guillielmicola* Batista & Silva apud Batista & Vital in *Bol. Sec. Agric. Pernambuco*, 19, p. 33, 1952 on *Guillielma speciosa*.—Brazil.
- helioconicola* Batista & Vital in *Bol. Sec. Agric. Pernambuco*, 19, p. 34, 1952 on *Heliconia angustifolia*.—Brazil.
- heveana* Saccas in *Agron. trop.*, Nogent, 8, p. 259, 1953 on *Hevea brasiliensis*.—French Equatorial Africa.
- heveicola* Saccas in *Agron. trop.*, Nogent, 8, p. 261, 1953 on *Hevea brasiliensis*.—French Equatorial Africa.
- ingae-edulis* Batista & Silva apud Batista & Vital in *Bol. Sec. Agric. Pernambuco*, 19, p. 36, 1952 on *Inga edulis*.—Brazil.
- jambosae* Batista & Vital in *Bol. Sec. Agric. Pernambuco*, 19, p. 37, 1952 on *Jambosa malaccensis*.—Brazil.
- jasminensis* Batista & Vital in *Bol. Sec. Agric. Pernambuco*, 19, p. 37, 1952 on *Jasminum grandiflorum*.—Brazil.
- lueheae* Batista in *Bol. Sec. Agric. Pernambuco*, 19, p. 40, 1952 on *Luehea divaricata*.—Brazil.
- mangiferae* Batista in *Bol. Sec. Agric. Pernambuco*, 19, p. 212, 1952 on *Mangifera indica*.—Brazil.
- mangifericola* Batista in *An. IV Congr. Soc. bot. Brasil*, p. 85, 1953 on *Mangifera indica*.—Brazil.
- mirabilis* Batista in *An. IV Congr. Soc. bot. Brasil*, p. 85, 1953 on *Mirabilis jalapa*.—Brazil.
- moquileae* Batista in *Bol. Soc. Agric. Pernambuco*, 19, p. 41, 1952 on *Moquilea tomentosa*.—Brazil.
- moquilearum* Batista in *Bol. Sec. Agric. Pernambuco*, 19, p. 41, 1952 on *Moquilea tomentosa*.—Brazil.
- passiflorimaculans* Batista in *Bol. Sec. Agric. Pernambuco*, 19, p. 44, 1952 on *Passiflora edulis*.—Brazil.
- persearum* Batista & Vital in *Bol. Sec. Agric. Pernambuco*, 19, p. 45, 1952 on *Persea gratissima*.—Brazil.
- petiveriae* Batista & Vital in *Bol. Sec. Agric. Pernambuco*, 19, p. 45, 1952 on *Petiveria alliacea*.—Brazil.
- philodendricola* Batista & Vital in *Bol. Sec. Agric. Pernambuco*, 19, p. 213, 1952 on *Philodendron imbe*.—Brazil.
- polypodiorum* Batista in *Bol. Sec. Agric. Pernambuco*, 19, p. 47, 1952 on *Polypodium phyllitidis*.—Brazil.
- polysciatis* (as '*polysciae*') Batista & Vital in *Bol. Sec. Agric. Pernambuco*, 19, p. 47, 1952 on *Polyscias gneifoylei*.—Brazil.
- puerariae* Batista & Vital in *Bol. Sec. Agric. Pernambuco*, 19, p. 48, 1952 on *Pueraria thunbergiana*.—Brazil.
- sacchari-major* (as '*sacchari-majoris*') Batista & Vital in *Bol. Sec. Agric. Pernambuco*, 19, p. 50, 1952 on *Saccharum officinarum*.—Brazil.
- sansevierae* Batista in *Bol. Sec. Agric. Pernambuco*, 19, p. 50, 1952 on *Sansevieria*.—Brazil.
- serjaniarum* Batista & Vital in *Bol. Sec. Agric. Pernambuco*, 19, p. 51, 1952 on *Serjania*.—Brazil.
- sizygi* Batista in *An. IV Congr. Soc. bot. Brasil*, p. 87, 1953 on *Syzygium jambolanum*.—Brazil.
- stenotaphricola* Batista in *Bol. Sec. Agric. Pernambuco*, 19, p. 53, 1952 on *Stenotaphrum secundatum*.—Brazil.
- swartziae* Batista in *Bol. Sec. Agric. Pernambuco*, 19, p. 54, 1952 on *Swartzia pickellii*.—Brazil.
- tabebuiae* Batista & Vital in *Bol. Sec. Agric. Pernambuco*, 19, p. 55, 1952 on *Tabebuia ipe*.—Brazil.
- talisiae* Batista in *Bol. Sec. Agric. Pernambuco*, 19, p. 55, 1952 on *Talisia esculenta*.—Brazil.
- talisiae-major* (as '*talisiae-majoris*') Batista in *An. IV Congr. Soc. bot. Brasil*, p. 86, 1953 on *Talisia esculenta*.—Brazil.
- vinifera* Batista & Vital in *Bol. Sec. Agric. Pernambuco*, 19, p. 56, 1952 on *Mauritia vinifera*.—Brazil.
- zea* Batista in *An. IV Congr. Soc. bot. Brasil*, p. 87, 1953 on *Zea mays*.—Brazil.
- Phyllostictina anonicola** Batista & Vital in *Bol. Sec. Agric. Pernambuco*, 19, p. 213, 1952 on *Annona muricata*.—Brazil.
- citricarpa* (McAlp.) Petrak in *Sydowia*, 7, p. 115, 1953. (Syn. *Phoma citricarpa* McAlp.).
- coccicola* (as '*coccoicola*') Batista on *Bol. Sec. Agric. Pernambuco*, 19, p. 214, 1952 on *Cocos nucifera*.—Brazil.
- euphorbiae* Petrak in *Sydowia*, 7, p. 115, 1953 on *Euphorbia*.—Florida, U.S.A.
- mangiferae* Batista & Vital in *Bol. Sec. Agric. Pernambuco*, 19, p. 214, 1952 on *Mangifera indica*.—Brazil.
- podophylli* (Curt.) Petrak in *Sydowia*, 7, p. 131, 1953. (Syn. *Phyllosticta podophylli* (Curt.) Wint.).
- Physalospora heveae** Saccas in *Agron. trop.*, Nogent, 8, p. 264, 1953 on *Hevea brasiliensis*.—French Equatorial Africa.
- heveicola* Saccas in *Agron. trop.*, Nogent, 8, p. 266, 1953 on *Hevea brasiliensis*.—French Equatorial Africa.
- Physoderma aponogetonis** Sparrow in *Trans. Brit. mycol. Soc.*, 36, p. 348, 1953 on *Aponogeton undulatus*.—England.
- nelumbii* Mishra & Thirumalachar in *Sydowia*, 7, p. 83, 1953 on *Nelumbium speciosum*.—India.

- Phytophthora cyperi-bulbosi* Seethalakshmi & Ramakrishnan in *Curr. Sci.*, 22, p. 150, 1953 on *Cyperus bulbosus*.—India.
- Placosphaeria guajavae* Batista in *An. IV Congr. Soc. bot. Brasil*, p. 82, 1953 on *Psidium guajava*.—Brazil.
- Plectospora agama* Drechsler in *Bull. Torrey bot. Cl.*, 80, p. 386, 1953 from roots of *Prunella vulgaris*.—Maryland, U.S.A.
- plagiocaula* Drechsler in *Bull. Torrey bot. Cl.*, 80, p. 393, 1953 from roots of *Rumex acetosella*.—Maryland, U.S.A.
- Pleosphaerulina heveae* Saccas in *Agron. trop.*, Nogent, 8, p. 267, 1953 on *Hevea brasiliensis*.—French Equatorial Africa.
- Pleospora clavisporea* Wehmeyer in *Mycologia*, 45, p. 401, 1953 on *Sorbus aucuparia*.—Sweden.
- clementsii* Wehmeyer in *Mycologia*, 45, p. 403, 1953 on *Touteria multicaulis*.—Colorado, U.S.A.
- cylindrospora* Wehmeyer in *Mycologia*, 45, p. 396, 1953 on herbaceous stems. —Central Europe.
- dichromatricha* (Speg.) Wehmeyer in *Mycologia*, 45, p. 401, 1953. (Syn. *Pyrenophora dichromatricha* Speg.)
- var. *nigriseda* (Rehm) Wehmeyer in *Mycologia*, 45, p. 402, 1953. (Syn. *Pleospora infectoria* var. *nigriseda* Rehm).
- galii* Wehmeyer in *Mycologia*, 45, p. 392, 1953 on *Galium verum*.—Sweden.
- galiorum* Wehmeyer in *Mycologia*, 45, p. 393, 1953 on *Galium mollugo*.—Sweden.
- ilicis* Wehmeyer in *Mycologia*, 45, p. 408, 1953 on *Ilex paraguayensis*.—Argentina.
- petrakii* Müller in *Sydowia*, 7, p. 276, 1953 on dead *Humulus lupulus*.—Switzerland.
- sieversiae* Müller in *Sydowia*, 7, p. 278, 1953 on dead stems of *Sieversia reptans*.—Alps.
- Pleurotellus geobius* Favre in *Schweiz. Z. Pilzk.*, 31, p. 179, 1953. —Switzerland.
- Pluteus aethalus* (Berk. & Curt.) Sacc. var. *jamaicensis* (Murr.) Dennis in *Bull. Soc. mycol. Fr.*, 69, p. 153, 1953. (Syn. *Pluteus jamaicensis* Murr.)
- var. *pulverulentus* (Murr.) Dennis in *Bull. Soc. mycol. Fr.*, 69, p. 153, 1953. (Syn. *Pluteus pulverulentus* Murr.)
- cubensis* (Murr.) Dennis in *Bull. Soc. mycol. Fr.*, 69, p. 155, 1953. (Syn. *Nolanea cubensis* Murr.)
- hispidulus* (Fr.) Quél. var. *microsporus* Dennis in *Bull. Soc. mycol. Fr.*, 69, p. 195, 1953. —Trinidad.
- spilopus* (Berk. & Br.) Sacc. var. *albo-stipitatus* Dennis in *Bull. Soc. mycol. Fr.*, 69, p. 195, 1953. —Trinidad.
- Polycybeolium salvadorae* Ramakrishnan in *Proc. Indian Acad. Sci.*, Sect. B, 38, p. 119, 1953 on *Salvadora persica*.—India.
- Polyporus licnoides* Mont. var. *sublilacinus* (Ell. & Ev.) Overholts, *The Polyporaceae of the United States, Alaska, and Canada*, Univ. Mich. Stud., 19, p. 404, 1953. (Syn. *Mucronoporus sublilacinus* Ell. & Ev.)
- lucidus* Leys. ex Fr. var. *zonatus* (Murr.) Overholts, *The Polyporaceae of the United States, Alaska, and Canada*, Univ. Mich. Stud., 19, p. 210, 1953. (Syn. *Ganoderma zonatum* Murr.)
- sublividus* (Snell) Lowe in Overholts, *The Polyporaceae of the United States, Alaska, and Canada*, Univ. Mich. Stud., 19, p. 235, 1953. (Syn. *Polyporoletus sublividus* Snell and *Polyporus canaliculatus* Overh. [this Index 1, p. 28] non Pat., 1898).
- Protomycopsis patellii* Pavgi & Thirumalachar nom. nov. in *Nature, Lond.*, 172, p. 315, 1953. (Syn. *Synchytrium phaseoli* Patel et al. [this Index, 2, p. 9], non Weston).
- Pseudocercospora pyrosiae* Togashi & Katsuki apud Katsuki in *J. Jap. Bot.*, 28, p. 287, 1953 on '*Pyrosia lingua*'.—Japan.
- Pseudoplectania kumaonensis* Sanwal in *Sydowia*, 7, p. 191, 1953 on dead *Quercus*.—India.
- Psillogonium nitidum* (Ell.) Petrak in *Sydowia*, 7, p. 108, 1953. [Syn. *Glonium nitidum* Ell.]
- Puccinia bruchiana* Lindquist in *Notas Mus. Eva Perón*, 16, p. 139, 1953 on *Eupatorium viscidum*.—Argentina.
- chitralensis* Jørstad in *Nytt Mag. Bot.*, 1, p. 75, 1952 on *Pleurospermum stylosum*.—N. Pakistan.
- coronata* Corda f. sp. *secalis* B. Peturson in *Canad. J. Bot.*, 32, p. 42, 1954 on *Secale* and other grasses. —Canada.
- geranii-tuberosi* Petrak in *Sydowia*, 7, p. 51, 1953 on *Geranium tuberosum*.—Iran.
- gorganensis* Petrak in *Sydowia*, 7, p. 52, 1953 on *Willemetia bulbosa*.—Iran.
- hashiokai* Hiratsuka f., this Index, 2, pp. 62 and 87. The second entry, p. 87, should be cancelled.
- huber-morathii* Petrak in *Sydowia*, 7, p. 16, 1953 on *Alyssum condensatum*.—Turkey.
- humahuacensis* Lindquist in *Rev. Fac. Agron. Eva Perón*, 29, p. 38, 1953 on *Gomphrena umbellata*.—Argentina.
- jackyana* Gäumann nom. nov. in *Sydowia*, 7, p. 272, 1953. (Syn. *Puccinia scorzonerae* (Schum.) Jacky, non auct.)
- lorentziana* Lindquist in *Bol. Soc. argent. Bot.*, 4, p. 170, 1952 on *Zexmenia aspilioides*.—Argentina.
- marchionattoi* Lindquist in *Rev. Fac. Agron. Eva Perón*, 29, p. 39, 1953 on *Schiz-eilema ranunculidis*.—Argentina.
- meloncilloi* Lindquist in *Bol. Soc. argent. Bot.*, 4, p. 171, 1952 on *Solanum meloncillo*.—Argentina.
- peperomiae* Lindquist in *Rev. Fac. Agron. Eva Perón*, 29, p. 41, 1953 on *Peperomia*.—Argentina.
- puntana* Lindquist in *Bol. Soc. argent. Bot.*, 4, p. 171, 1952 on *Wedelia comaxillaris*.—Brazil.
- ruelliiicola* Lindquist in *Bol. Soc. argent. Bot.*, 4, p. 173, 1952 on *Ruellia bahiensis*.—Argentina.
- scaevolincola* Petrak in *Sydowia*, 7, p. 4, 1953 on *Scaevola aemula*.—New South Wales, Australia.
- schariffii* Petrak in *Sydowia*, 7, p. 53, 1953 on *Pycnocycla acanthorhipsis*.—Iran.
- singeri* Lindquist in *Bol. Soc. argent. Bot.*, 4, p. 174, 1952 on *Verbesina*.—Argentina.
- Pucciniostele philippinensis* Cummins & Thirumalachar in *Mycologia*, 45, p. 574, 1953 on *Astilbe philippinensis*.—Philippine Islands.
- Pycnopeltis circinata* Batista in *An. IV Congr. Soc. bot. Brasil*, p. 157, 1953 on leaves. —Brazil.
- conspicua* Batista in *An. IV Congr. Soc. bot. Brasil*, p. 159, 1953 on *Myrcia*.—Brazil.

- fuscata* Batista in *An. IV Congr. Soc. bot. Brasil*, p. 159, 1953 on *Casearia*.—Brazil.
- PYCNOTHYRIELLA** Batista in *Bol. Sec. Agric. Pernambuco*, 19, p. 110, 1952.—*Leptostromataceae*.
- discreta* Batista in *Bol. Sec. Agric. Pernambuco*, 19, p. 110, 1952 on *Myrcia*.—Brazil.
- Pycnothyrium philodendricola** Batista in *An. IV Congr. Soc. bot. Brasil*, p. 140, 1953 on *Philodendron imbe*.—Brazil.
- vismiae* Batista & Vital in *Bol. Sec. Agric. Pernambuco*, 19, p. 149, 1952 on *Vismia micrantha* var. *brasiliensis*.—Brazil.
- Pyrenopeziza teheranica** Petrak in *Sydowia*, 7, p. 67, 1953 on *Parietaria judaica*.—Iran.
- Pyrroglossum hepatizon** (Berk.) Dennis in *Bull. Soc. mycol. Fr.*, 69, p. 173, 1953. (Syn. *Agaricus hepatizon* Berk.).
- Rhizophydium japonicum** Kobayashi & Ookubo in *Bull. nat. Sci. Mus. Tokyo* 33, p. 54, 1953 on *Gracillaria confervoides*.—Japan.
- Rhodocybe pseudonitellina** Dennis in *Bull. Soc. mycol. Fr.*, 69, p. 197, 1953.—Trinidad.
- Rhodophyllus luteus** (Peck) A. H. Smith in *Pap. Mich. Acad. Sci.*, 38, p. 72, 1953. [Syn. not cited].
- Rosellinia africana** Saccas in *Agron. trop.*, Nogent, 8, p. 269, 1953 on *Hevea brasiliensis*.—French Equatorial Africa.
- congolensis* Saccas in *Agron. trop.*, Nogent, 8, p. 271, 1953 on *Hevea brasiliensis*.—French Equatorial Africa.
- Rozites emodensis** (Berk.) Moser in *Schweiz. Z. Pilzk.*, 31, p. 169, 1953. (Syn. *Cortinarius emodensis* Berk.).
- Russula formosa** Blum in *Bull. Soc. mycol. Fr.*, 69, p. 59, 1953 on leaves.—France.
- roseobrunnea* Blum in *Bull. Soc. mycol. Fr.*, 69, p. 64, 1953.—France.
- Saccardaea atra** (Desm.) Mason & M. B. Ellis in *Mycol. Pap., C.M.I.*, 56, p. 40, 1953. (Syn. *Graphium atrum* Desm.).
- SAKSENAEA** Saksena in *Mycologia*, 45, p. 434, 1953.—Mucorales.
- vasiformis* Saksena in *Mycologia*, 45, p. 434, 1953 in soil.—India.
- Sarcodontia crocea** (Schw.) Kotlaba in *Čes. Mykol.*, 7, p. 117, 1953. (Syn. *Sistotrema croceum* Schw.).
- Schroeteria bremeri** Petrak in *Sydowia*, 7, p. 14, 1953 on *Veronica*.—Turkey.
- Scleroderma verrucosum** (Vaill.) Pers. subsp. *bovista* (Fr.) Šebek in *Sydowia*, 7, p. 177, 1953. (Syn. *Scleroderma bovista* Fr.).
- var. *fascirhizum* Šebek in *Sydowia*, 7, p. 179, 1953.—Czechoslovakia.
- var. *violascens* Herink apud Šebek in *Sydowia*, 7, p. 176, 1953.—Czechoslovakia.
- SCLEROPHTHORA** Thirumalachar, Shaw, & Narasimhan in *Bull. Torrey bot. Cl.*, 80, p. 299, 1953.—Peronosporales.
- macrospora* (Sacc.) Thirumalachar, Shaw, & Narasimhan in *Bull. Torrey bot. Cl.*, 80, p. 299, 1953. (Syn. *Sclerospira macrospora* Sacc.).
- Scolepeltis delitescens** Batista in *An. IV Congr. Soc. bot. Brasil*, p. 129, 1953 on leaves.—Brazil.
- pernambucensis* Batista in *An. IV Congr. Soc. bot. Brasil*, p. 130, 1953 on *Sorocea ilicifolia*.—Brazil.
- psidii* Batista in *An. IV Congr. Soc. bot. Brasil*, p. 131, 1953 on *Psidium*.—Brazil.
- swartziae* Batista & Gayão in *An. IV Congr. Soc. bot. Brasil*, p. 131, 1953 on *Swartzia pickelli*.—Brazil.
- xylopieae* Batista & Gayão in *An. IV Congr. Soc. bot. Brasil*, p. 133, 1953 on *Xylopia frutescens*.—Brazil.
- Secotium fragariosum** Cunningham in *Trans. roy. Soc. S. Aust.*, 75, p. 14, 1952 on the ground.—Norfolk Island, Australia.
- Septogloeum dalbergiae** Ahmad in *Sydowia*, 7, p. 269, 1953 on pods of *Dalbergia sissoo*.—W. Pakistan.
- Septonema harknessii** (Ellis) Hughes in *Canad. J. Bot.*, 31, p. 585, 1953. (Syn. *Dendryphion harknessii* Ellis).
- leptaleum* (Ellis) Hughes in *Canad. J. Bot.*, 31, p. 585, 1953. (Syn. *Dendryphion harknessii* var. *leptaleum* Ellis).
- Septoria adanensis** Petrak in *Sydowia*, 7, p. 40, 1953 on *Chrysanthemum indicum*.—Turkey.
- calopogonii* Batista & Vital in *Bol. Sec. Agric. Pernambuco*, 19, p. 145, 1952 on *Calopogonium orthocarpum*.—Brazil.
- ceibae* Batista in *An. IV Congr. Soc. bot. Brasil*, p. 139, 1953 on *Ceiba pentandra*.—Brazil.
- falcariicola* Petrak in *Sydowia*, 7, p. 41, 1953 on *Falcaria rivini*.—Turkey.
- gynurae* Katsuki in *J. Jap. Bot.*, 28, p. 283, 1953 on *Gynura bicolor*.—Japan.
- Seynesia serrulata** (Ell. & Mart.) Petrak in *Sydowia*, 7, p. 109, 1953. (Syn. *Didymosphaeria serrulata* Ell. & Mart.).
- Sirodesmium peziza** (Cooke & Ellis) Mason & Hughes apud Hughes in *Canad. J. Bot.*, 31, p. 627, 1953. (Syn. *Sporidesmium peziza* Cooke & Ellis).
- Sorosporium bonariense** (Speg.) Zundel, *The Ustilaginales of the World*, p. 54, 1953. (Syn. *Ustilago bonariensis* Speg.).
- eulaliae* Lee Ling in *Sydowia*, 7, p. 155, 1953 on *Eulalia trispicata*.—Queensland, Australia.
- monocymbii* (Syd.) Lee Ling in *Sydowia*, 7, p. 155, 1953. (Syn. *Sphacelotheca monocymbii* Syd.).
- nyasalandicum* Lee Ling in *Sydowia*, 7, p. 156, 1953 on *Panicum*.—Nyasaland.
- taianum* (Syd.) Zundel, *The Ustilaginales of the World*, p. 75, 1953. (Syn. *Ustilago taiana* Syd.).
- urelytri* Lee Ling in *Sydowia*, 7, p. 156, 1953 on *Urelytrium giganteum*.—Anglo-Egyptian Sudan.
- Sphaceloma ligulariae** Kurosawa & Katsuki apud Katsuki in *J. Jap. Bot.*, 28, p. 284, 1953 on *Ligularia tussilaginea*.—Japan.
- yoshiianum* Togashi & Katsuki apud Katsuki in *J. Jap. Bot.*, 28, p. 284, 1953 on *Carpesium cernuum*.—Japan.
- Sphacelotheca apludae** (Syd.) Zundel, *The Ustilaginales of the World*, p. 81, 1953. (Syn. *Ustilago apludae* Syd.). [Non *S. apludae* Pavgi & Mundk. 1949, this *Index*, 1, p. 283.]
- argentina* (Hirschhorn) Zundel, *The Ustilaginales of the World*, p. 81, 1953. (Syn. *Crozalsiella argentina* Hirschhorn).
- consimilis* Thirumalachar & Pavgi in *Sydowia*, 7, p. 100, 1953 on *Saccharum munja*.—India.
- eleocharidis* Thirumalachar & Pavgi in *Sydowia*, 7, p. 99, 1953 on *Eleocharis*.—India.

- *koordersiana* (Bref.) Zundel, *The Ustilaginales of the World*, p. 96, 1953. (Syn. *Ustilago koordersiana* Bref.).
- Sphaerognomonia mangiferae** Batista in *An. IV Congr. Soc. bot. Brasil*, p. 141, 1953 on *Mangifera indica*.—Brazil.
- *sizygyi* Batista in *An. IV Congr. Soc. bot. Brasil*, p. 141, 1953 on *Syzygium jambolanum*.—Brazil.
- Sphaerographium anomalum** da Camara & de Vasconcelos in *Agron. lusit.*, 14, p. 256, 1952 on *Lonicera implexa*.—Portugal.
- Spilocaea eriobotryae** (Cav.) Hughes in *Canad. J. Bot.*, 31, p. 563, 1953. (Syn. *Basiascum eriobotryae* Cav.).
- *oleaginea* (Cast.) Hughes in *Canad. J. Bot.*, 31, p. 564, 1953. (Syn. *Cycloconium oleagineum* Cast.).
- SPIROSPHAERA** van Beverwijk in *Trans. Brit. mycol. Soc.*, 36, p. 120, 1953.—Moniliales.
- *floriforme* van Beverwijk in *Trans. Brit. mycol. Soc.*, 36, p. 121, 1953 on dead leaves in water.—Holland.
- Spondylocidium obovatum** (Cooke & Ellis) Hughes in *Canad. J. Bot.*, 31, p. 634, 1953. (Syn. *Acrothecium obovatum* Cooke & Ellis).
- Sporidesmium densum** (Sacc. & Roum.) Mason & Hughes apud Hughes in *Canad. J. Bot.*, 31, p. 618, 1953. (Syn. *Helminthosporium densum* Sacc. & Roum.).
- *folliculatum* (Corda) Mason & Hughes apud Hughes in *Canad. J. Bot.*, 31, p. 609, 1953. (Syn. *Helminthosporium folliculatum* Corda).
- ***Sporotrichum** (?) *sanguineum* Ramirez Gomez in *Rev. Mycol., Paris*, 17, p. 214, 1952 from tanning liquid.—France.
- Stagonospora alliina** (Woronich.) Petrak in *Sydowia*, 7, p. 75, 1953. (Syn. *Septoria alliina* Woronich.).
- *californica* Petrak in *Sydowia*, 7, p. 123, 1953 on *Juncus*.—California, U.S.A.
- *citrorum* Petrak in *Sydowia*, 7, p. 76, 1953 on *Citrus*.—Iran.
- *recedens* (Massal.) Jones & Weimer forma *trifolii-alexandrini* Ciccarone in *Ann. Sper. agr.*, N.S., 7, p. 471, 1953 on *Trifolium alexandrinum*.—Italy. [Correction of entry in this *Index*, 2, p. 109].
- Stephanospora penangensis** Corner & Hawker in *Trans. Brit. mycol. Soc.*, 36, p. 130, 1953.—Malaya.
- Stigmatea byrsonimae** Batista & Gayão in *An. IV Congr. Soc. bot. Brasil*, p. 138, 1953 on *Byrsonima sericea*.—Brazil.
- Streptothrix globosa** (Schw. ex Fr.) Hughes in *Canad. J. Bot.*, 31, p. 606, 1953. (Syn. *Trichoderma globosum* Schw. ex Fr.).
- Stromatographium dispersgens** Batista in *Bol. Sec. Agric. Pernambuco*, 19, p. 143, 1952 on stems.—Brazil.
- Stysanus fuscus** (Corda) Mason & M. B. Ellis in *Mycol. Pap., C.M.I.*, 56, p. 31, 1953. (Syn. *Periconia fusca* Corda).
- *phillipsii* (Berk. & Leighton) Mason & M. B. Ellis in *Mycol. Pap., C.M.I.*, 56, p. 40, 1953. (Syn. *Periconia phillipsii* Berk. & Leighton).
- *purpureofuscus* (Fr.) Hughes in *Canad. J. Bot.*, 31, p. 615, 1953. (Syn. *Aspergillus purpureofuscus* Fr.).
- ***Synchytrium ampelocissi** Mishra in *Curr. Sci.*, 22, p. 152, 1953 on *Ampelocissus latifolia*.—India.
- *marsileae* Lodhi apud Ahmad & Lodhi in *Sydowia*, 7, p. 266, 1953 on *Marsilea minuta*.—W. Pakistan.
- Teichospora albulae** Müller in *Sydowia*, 7, p. 279, 1953 on trunk of *Alnus viridis*.—Switzerland.
- *scharifii* Petrak in *Sydowia*, 7, p. 64, 1953 on *Quercus brandtii*.—Iran.
- Thaxteriella pezizula** (Berk. & Curt.) Petrak in *Sydowia*, 7, p. 110, 1953. (Syn. *Sphaeria pezizula* Berk. & Curt.).
- Thecaphora apicis** Savile in *Canad. J. Bot.*, 31, p. 664, 1953 on *Carex pyrenaica*.—B.C., Canada.
- *burkartii* Lindquist in *Notas Mus. Eva Perón*, 16, p. 112, 1953 on *Elvira biflora*.—Bolivia.
- Thraustochytrium globosum** Kobayashi & Ookubo in *Bull. nat. Sci. Mus. Tokyo* 33, p. 60, 1953 on marine Ulothricales.—Japan.
- Thyridaria heveae** Saccas in *Agron. trop.*, Nogent, 8, p. 275, 1953 on *Hevea brasiliensis*.—French Equatorial Africa.
- Thyrostroma halimodendri** Petrak in *Sydowia*, 7, p. 77, 1953 on *Halimodendron halodendron*.—Iran.
- Thyrostromella negundinis** (Berk. & Curt.) Hughes in *Canad. J. Bot.*, 31, p. 619, 1953. (Syn. *Coryneum negundinis* Berk. & Curt.).
- *pedunculata* (Ell. & Everh.) Hughes in *Canad. J. Bot.*, 31, p. 619, 1953. (Syn. *Brachysporium pedunculatum* Ell. & Everh.).
- *sambucina* (Ell. & Everh.) Hughes in *Canad. J. Bot.*, 31, p. 619, 1953. (Syn. *Coryneum sambucinum* Ell. & Everh.).
- Tilachlidium setigerum** Malençon in *Bull. Soc. Hist. nat. Afr. N.*, 44, p. 148, 1953 on old *Xeromphalina campanella*.—Morocco.
- Tilletia apludae** Thirumalachar & Mishra in *Sydowia*, 7, p. 81, 1953 on *Apluda aristata*.—India.
- *biharica* Thirumalachar & Pavgi in *Sydowia*, 7, p. 101, 1953 on *Panicum*.—India.
- *hyparrheniae* Lee Ling in *Sydowia*, 7, p. 151, 1953 on *Hyparrhenia subplumosa*.—Sierra Leone.
- *themedicola* Mishra & Thirumalachar in *Sydowia*, 7, p. 82, 1953 on *Themeda quadrivalvis*.—India.
- Trematosphaeria daphnes** Petrak in *Sydowia*, 7, p. 65, 1953 on *Daphne angustifolia*.—Iran.
- Trichopeziza abietina** Grelet in *Rev. Mycol., Paris*, 18, p. 38, 1953 on wood.—France.
- *viridula* Grelet in *Rev. Mycol., Paris*, 18, p. 35, 1953 on wood.—France.
- Trichoscyphella hahniana** (Seaver) Manners in *Trans. Brit. mycol. Soc.*, 36, p. 364, 1953. (Syn. *Lachnella hahniana* Seaver).
- Trichosporon merulioides** Kobayashi in *Bull. nat. Sci. Mus. Tokyo* 33, p. 40, 1953 on *Kalopanax ricinifolium* var. *typicum*.—Japan.
- *neofermentans* Kobayashi in *Bull. nat. Sci. Mus. Tokyo* 33, p. 42, 1953 from exudation of a tree.—Japan.
- Trimmatostroma betulinum** (Corda) Hughes in *Canad. J. Bot.*, 31, p. 628, 1953. (Syn. *Coniothecium betulinum* Corda).
- Tritirachium hydnicola** (Peck) Hughes in *Canad. J. Bot.*, 31, p. 604, 1953. (Syn. *Virgaria hydnicola* Peck).
- Tubercinia oblonga** Massenot in *Rev. Mycol.*,

Paris, 18, p. 53, 1953 on *Allium vineale*—France.

- Uleomyces guianensis** (Stev. & Weedon) Thirumalachar & Jenkins in *Mycologia*, 45, p. 783, 1953. (Syn. *Kusanooopsis guianensis* Stev. & Weedon).
 — **pritzelianus** (P. Henn.) Thirumalachar & Jenkins in *Mycologia*, 45, p. 783, 1953. (Syn. *Myriangium pritzelianum* P. Henn.).
 — **purpurascens** (Rehm) Thirumalachar & Jenkins in *Mycologia*, 45, p. 785, 1953. (Syn. *Ascomycetella purpurascens* Rehm).
Uredo sleumeri Lindquist in *Bol. Soc. argent. Bot.*, 4, p. 169, 1952 on *Nassauvia darwinii*.—Argentina.
Urocystis agrostidis (Lavrov) Zundel, *The Ustilaginales of the World*, p. 307, 1953. (Syn. *Tuburcinia agrostidis* Lavrov).
 — **andina** (Speg.) Zundel, *The Ustilaginales of the World*, p. 308, 1953. (Syn. *Urocystis anemones* var. *andina* Speg.).
 — **atrages** (Liro) Zundel, *The Ustilaginales of the World*, p. 310, 1953. (Syn. *Tuburcinia atrages* Liro).
 — **atropidis** (Lavrov) Zundel, *The Ustilaginales of the World*, p. 311, 1953. (Syn. *Tuburcinia atropidis* Lavrov).
 — **avenae-elatoris** (Kochman) Zundel, *The Ustilaginales of the World*, p. 311, 1953. (Syn. *Tuburcinia avenae-elatoris* Kochman).
 — **bromi** (Lavrov) Zundel, *The Ustilaginales of the World*, p. 312, 1953. (Syn. *Tuburcinia bromi* Lavrov).
 — **calamagrostidis** (Lavrov) Zundel, *The Ustilaginales of the World*, p. 312, 1953. (Syn. *Tuburcinia calamagrostidis* Lavrov).
 — **castellana** (Fragoso) Zundel, *The Ustilaginales of the World*, p. 313, 1953. (Syn. *Tuburcinia castellana* Fragoso).
 — **dactylidina** (Lavrov) Zundel, *The Ustilaginales of the World*, p. 314, 1953. (Syn. *Tuburcinia dactylidina* Lavrov).
 — **eriospermi** (Syd.) Zundel, *The Ustilaginales of the World*, p. 315, 1953. (Syn. *Tuburcinia eriospermi* Syd.).
 — **ferrarisiana** (Cif.) Zundel, *The Ustilaginales of the World*, p. 316, 1953. (Syn. *Tuburcinia ferrarisiana* Cif.).
 — **hispanica** (Syd.) Zundel, *The Ustilaginales of the World*, p. 320, 1953. (Syn. *Tuburcinia hispanica* Syd.).
 — **hordei** (Cif.) Zundel in Fischer, *The Smut Fungi*, p. 110, 1951. (Syn. *Tuburcinia hordei* Cif.).
 — **japonica** (P. Henn.) Zundel, *The Ustilaginales of the World*, p. 322, 1953. (Syn. *Urocystis anemones* var. *japonica* P. Henn.).
 — **komarovii** (Lavrov) Zundel, *The Ustilaginales of the World*, p. 323, 1953. (Syn. *Tuburcinia komarovii* Lavrov).
 — **lagerheimii** Bub. var. *obscura* (Liro) Zundel, *The Ustilaginales of the World*, p. 323, 1953. (Syn. *Tuburcinia lagerheimii* var. *obscura* Liro).
 — **littoralis** (Lagerh.) Zundel, *The Ustilaginales of the World*, p. 325, 1953. (Syn. *Urocystis fischeri* var. *littoralis* Lagerh.).
 — **melicae** (Lagerh.) Zundel, *The Ustilaginales of the World*, p. 326, 1953. (Syn. *Tuburcinia melicae* Lagerh.).
 — **murashinskii** (Cif.) Zundel, *The Ustilaginales of the World*, p. 327, 1953. (Syn. *Tuburcinia murashinskii* Cif.).
 — **muscaridis** (Niessl) Zundel, *The Ustilagi-*

- nales of the World*, p. 327, 1953. (Syn. *Polycystis colchici* var. *muscaridis* Niessl).
 — **nivalis** (Liro) Zundel, *The Ustilaginales of the World*, p. 327, 1953. (Syn. *Tuburcinia nivalis* Liro).
 — **novae-zealandiae** (G. H. Cunn.) Zundel, *The Ustilaginales of the World*, p. 328, 1953. (Syn. *Tuburcinia novae-zealandiae* G. H. Cunn.).
 — **pacifica** (Lavrov) Zundel, *The Ustilaginales of the World*, p. 330, 1953. (Syn. *Tuburcinia pacifica* Lavrov).
 — **polygonati** (Lavrov) Zundel, *The Ustilaginales of the World*, p. 330, 1953. (Syn. *Tuburcinia polygonati* Lavrov).
 — **ranunculi-bullati** (Cif.) Zundel, *The Ustilaginales of the World*, p. 331, 1953. (Syn. *Tuburcinia ranunculi-bullati* Cif.).
 — **ranunculi-lanuginosi** (DC.) Zundel, *The Ustilaginales of the World*, p. 332, 1953. (Syn. *Uredo ranunculacearum* var. *ranunculi-lanuginosi* DC.).
 — **rigida** (Liro) Zundel, *The Ustilaginales of the World*, p. 332, 1953. (Syn. *Tuburcinia rigida* Liro).
 — **rogersiae** (Miyabe) Miyabe ex Zundel, *The Ustilaginales of the World*, p. 332, 1953. (Syn. *Tuburcinia rogersiae* Miyabe).
 — **roivaianenii** (Liro) Zundel, *The Ustilaginales of the World*, p. 332, 1953. (Syn. *Tuburcinia roivaianenii* Liro).
 — **schizocaulon** (Ces.) Zundel, *The Ustilaginales of the World*, p. 332, 1953. (Syn. *Sorosporium schizocaulon* Ces.).
 — **scillae** (Cif.) Zundel, *The Ustilaginales of the World*, p. 333, 1953. [Syn. *Tuburcinia scillae* Cif.].
 — **subnuda** (Liro) Zundel, *The Ustilaginales of the World*, p. 334, 1953. (Syn. *Tuburcinia subnuda* Liro).
 — **tessellata** (Liro) Zundel, *The Ustilaginales of the World*, p. 334, 1953. (Syn. *Tuburcinia tessellata* Liro).
 — **tranzscheliana** (Lavrov) Zundel, *The Ustilaginales of the World*, p. 335, 1953. (Syn. *Tuburcinia tranzscheliana* Lavrov).
 — **triseti** (Cif.) Zundel, *The Ustilaginales of the World*, p. 335, 1953. (Syn. *Tuburcinia triseti* Cif.).
Urohendersonia stipae Greene in *Trans. Wis. Acad. Sci. Arts Lett.*, 42, p. 77, 1953 on *Stipa spartea*.—Wisconsin, U.S.A.
Uromyces correntinus Lindquist in *Bol. Soc. argent. Bot.*, 4, p. 169, 1952 on *Rhynchospora tenuis*.—Argentina.
 — **euphorbiae-sylvaticae** (DC.) Jorstad in *Nytt Mag. Bot.*, 1, p. 73, 1952. (Syn. *Endophyllum euphorbiae-sylvaticae* (DC.) Wint.).
 — **gaubae** Petrak in *Sydowia*, 7, p. 5, 1953 on *Caltha introloba*.—New South Wales, Australia.
 — **lentincola** Petrak in *Sydowia*, 7, p. 55, 1953 on *Lens esculenta*.—Iran.
 — **striatus** Schroet. var. **pisi** Dupias in *Bull. Soc. mycol. Fr.*, 69, p. 231, 1953 on *Pisum*.—France.
Ustilago andropogonis-tectorum Lee Ling in *Sydowia*, 7, p. 152, 1953 on *Andropogon tectorum*.—Sierra Leone.
 — **anomala** Kunze var. **cordai** (Liro) Savile in *Canad. J. Bot.*, 31, p. 669, 1953. (Syn. *Ustilago cordai* Liro).
 — var. **tovarae** Savile in *Canad. J. Bot.*, 31, p. 670, 1953 on *Polygonum virginianum*.—Quebec, Canada.

- *bullata* Berk. var. *macrospora* (Farl.) G. W. Fischer, *Manual of the North American Smut Fungi*, p. 250, 1953. Syn. *Ustilago bromivora* (Tul.) Fisch. v. Waldh. var. *macrospora* Farl.).
- *caricis-wallichianae* Thirumalachar & Pavgi in *Sydowia*, 7, p. 98, 1953 on *Carex wallichiana*.—India.
- *cilindris* Savile in *Canad. J. Bot.*, 31, p. 670, 1953 on *Polygonum cilinode*.—New York State, U.S.A.
- *commelinae* (Komarov) Zundel, *The Ustilaginales of the World*, p. 151, 1953. (Syn. *Tilletia commelinae* Komarov).
- *crus-galli* Tracy & Earle var. *minor* Zundel, *The Ustilaginales of the World*, p. 153, 1953 on *Echinochloa holubii*.—S. Africa.
- *deformis* Lee Ling in *Sydowia*, 7, p. 152, 1953 on *Sporobolus patulus*.—Sierra Leone.
- *delicata* Lee Ling in *Sydowia*, 7, p. 153, 1953 on *Tricholaena delicatula*.—Belgian Congo.
- *hiroae* Zundel nom. nov., *The Ustilaginales of the World*, p. 175, 1953. (Syn. *Ustilago dubiosa* Liro 1938, non Speg. 1881).
- *polygoni-punctati* Savile nom. nov. in *Canad. J. Bot.*, 31, p. 670, 1953. (Syn. *Ustilago microspora* (Speg.) Liro, non Schroet. & Henn.).
- *rhynchelytri* Lee Ling in *Sydowia*, 7, p. 153, 1953 on *Rhynchelytrum repens*.—Nyasa-land.
- *— *shastensis* Zundel, *The Ustilaginales of the World*, p. 201, 1953 on *Polygonum shastense*.—California, U.S.A.
- *sonoriana* Zundel in G. W. Fischer, *Manual of the North American Smut Fungi*, p. 295, 1953 on *Muhlenbergia dumosa*.—Mexico.
- *sorgi-stipoides* Lee Ling in *Sydowia*, 7, p. 154, 1953 on *Sorghum stipodeum*.—Northern Territory, Australia.
- *spinulosa* Lee Ling in *Sydowia*, 7, p. 154, 1953 on *Sporobolus patulus*.—Sierra Leone.
- *tucumanensis* (Hirschhorn) Zundel, *The Ustilaginales of the World*, p. 182, 1953. (Syn. *Ustilago muhlenbergiae* P. Henn. var. *tucumanensis* Hirschhorn).
- *violacea* (Pers.) Roussel var. *stellariae* (Sow.) Savile in *Canad. J. Bot.*, 31, p. 674, 1953. (Syn. *Farinaria stellariae* Sow.).
- VALDENSINIA** Peyronel in *Nuovo G. bot. ital.*, N.S., 59, p. 184, 1953.—Sclerotiniaceae.
- *heterodoxa* Peyronel in *Nuovo G. bot. ital.*, N.S., 59, p. 184, 1953 on *Vaccinium myrtillus*.—Europe. Stat. conid., *Valdensia heterodoxa* Peyronel.
- Valsa eugeniae* Nutman & Roberts in *Trans. Brit. Mycol. Soc.*, 36, p. 229, 1953 on *Eugenia aromatica*.—Zanzibar.
- VELOMYCENA** Pilát in *Schweiz. Z. Pilzk.*, 31, p. 175, 1953.—Agaricaceae.
- *pallida* Pilát in *Schweiz. Z. Pilzk.*, 31, p. 175, 1953 in *Fagus* woods.—Bohemia.
- VELUTARINA** Korf nom. nov. in *Mycologia*, 45, p. 476, 1953. (Syn. *Velutaria* sensu Rehm).
- *rufo-olivacea* (Alb. & Schw. ex Fr.) Korf in *Mycologia*, 45, p. 476, 1953. (Syn. *Peziza rufo-olivacea* Alb. & Schw. ex Fr.).
- VERTICILLADIELLA** Hughes in *Canad. J. Bot.*, 31, p. 653, 1953.—Hyphomycetes.
- *abietina* (Peck) Hughes in *Canad. J. Bot.*, 31, p. 653, 1953. (Syn. *Sporocybe abietina* Peck).
- Verticillium tricornis* Isaac in *Trans. Brit. Mycol. Soc.*, 36, p. 194, 1953 on *Lycopersicon esculentum*.—England.
- Virgaria lignatilis* (Schw.) Hughes in *Canad. J. Bot.*, 31, p. 603, 1953. (Syn. *Cladosporium lignatile* Schw.).
- VIRGARIELLA** Hughes in *Canad. J. Bot.*, 31, p. 653.—Hyphomycetes. Type *V. globigera*.
- *atra* Hughes in *Canad. J. Bot.*, 31, p. 654, 1953 on dead *Fraxinus excelsior*.—England.
- *fusca* (Cooke) Hughes in *Canad. J. Bot.*, 31, p. 654, 1953. (Syn. *Haplaria fusca* Cooke).
- *globigera* (Sacc. & Ell.) Hughes in *Canad. J. Bot.*, 31, p. 654, 1953. (Syn. *Virgaria globigera* Sacc. & Ell.).
- WAKEFIELDIA** Corner & Hawker in *Trans. Brit. mycol. Soc.*, 36, p. 130, 1953.—Gasteromycetes.
- *striaespora* Corner & Hawker in *Trans. Brit. mycol. Soc.*, 36, p. 130, 1953.—Singapore.
- Xeromphalina fraxinophila* A. H. Smith in *Pap. Mich. Acad. Sci.*, 38, p. 79, 1953 on wood.—Michigan, U.S.A.
- *fulvipes* (Murr.) A. H. Smith in *Pap. Mich. Acad. Sci.*, 38, p. 85, 1953. (Syn. *Gymnopus fulvipes* Murrill).
- *kauffmanii* A. H. Smith in *Pap. Mich. Acad. Sci.*, 38, p. 81, 1953 on wood.—Michigan, U.S.A.
- *picta* (Fr.) A. H. Smith in *Pap. Mich. Acad. Sci.*, 38, p. 76, 1953. (Syn. *Agaricus pictus* Fr.).
- *tenuipes* (Schw.) A. H. Smith in *Pap. Mich. Acad. Sci.*, 38, p. 84, 1953. (Syn. *Agaricus tenuipes* Schw.).
- Xerula verruculosa* Singer in *Rev. Mycol.*, Paris, 18, p. 6, 1953 on wood.—Argentina.
- Zythia psidii* Batista in *An. IV Congr. Soc. bot. Brasil*, p. 83, 1953 on *Psidium guajava*.—Brazil.

HOST INDEX

For Phanerogams see under families; for Algae, Fungi, and Pteridophyta see under those names.

ACANTHACEAE

- Peristrophe bicalyculata*
Cercospora peristrophes
Ruellia bahiensis
Puccinia ruelliae

ACERACEAE

- Acer*
Calospora aceris

ACERACEAE (continued)

- Acer cinerascens*
Lophiostoma persicum
- ### AIZOACEAE
- Mesembryanthemum*
Dichomera heterospora
Phomatospora stroggylospora
Phomopsis mastoidea

ALGAE

- Cladophora japonica*
Catenochytridium carolinianum forma mari-
 num
Chytridium lagenaria var. *japonense*
Myzocyttium proliferum forma *marinum*
Phlyctochytrium marinum
Gracillaria confervoides
Japonochytrium marinum
Rhizophyidium japonicum
Oedogonium
Micromycopsis oedogonii
Ulothricales
Thraustochytrium globosum

ALISMACEAE

- Echinodorus floribundus*
Phyllosticta echinodoricola

AMARANTHACEAE

- Alternanthera sessilis*
Phyllosticta alternantherae
Gomphrena umbellata
Puccinia humahuacensis

ANACARDIACEAE

- Anacardium occidentale*
Balladynastrum anacardii
Phyllosticta anacardicola
Mangifera indica
Actinodochium jenkinsii
Ascochyta mangiferae
Didymella mangiferae
Phyllosticta mangiferae
Phyllosticta mangifericola
Phyllostictina mangiferae
Sphaerognomonia mangiferae

Pistacia

- Haplosporella pistaciarum*
Tapirira guianensis
Chaetothyrium tapirirae
Thyrsodium
Meliola cupaniae-major

ANNONACEAE

- Annona marekgravii*
Calothyriopeltis anonae
Gloeosporium anonae
Phyllosticta anonarum
Annona muricata
Phyllostictina anonicola
Polyalthia longifolia
Phyllachora tetraspora
Xylopia frutescens
Scolecopeltis xylopieae

APOCYNACEAE

- Aspidosperma pyrifolium*
Phyllosticta aspidospermatis
Carissa carandas
Colletotrichum inamdarrii
Rejoua dichotoma
Cercospora rejouae
Tabernaemontana coronaria
Cercospora tabernaemontanae

APONOGETONACEAE

- Aponogeton undulatus*
Physoderma aponogetonis

AQUIFOLIACEAE

- Ilex paraguayensis*
Pleospora ilicis
Ilex verticillata
Phomopsis oxyspora

ARACEAE

- Caladium bicolor*
Phyllosticta caladii
Philodendron imbe
Actinopeltis philodendri
Micropeltella philodendricola
Phyllosticta philodendricola

ARACEAE (continued)

- Philodendron imbe*
Pycnothyrium philodendricola
Pothos scandens
Colletotrichum cylindricum
 ?*Xanthosoma*
Aecidium dubitabile
 ARALIACEAE
Aralia
Botryodiplodia sphaerospora
Aralia racemosa
Alternaria araliae
Kalopanax ricinifolium var. *typicum*
Trichosporon merulioides
Polyscias gneifoylei
Phyllosticta polysciatis
 ARMARYLLIDACEAE
Agave
Mycosphaerella melanorhabdos

BEGONIACEAE

- Begonia gracilis*
Colletotrichum begoniae

BETULACEAE

- Alnus viridis*
Teichospora albulae
Carpinus betulus
Lentinellus pilati

BIGNONIACEAE

- Tabebuia ipe*
Irenina tabebuiae
Phyllosticta tabebuiae

BOMBACACEAE

- Bombax insigne*
Phragmothyrium confusum
Phyllosticta bombacis
Ceiba pentandra
Septoria ceibae

BORAGINACEAE

- Cordia nodosa*
Bulgariastrum cordiae
Dictyothyrium brunnei
Lembosia cordearum

BROMELIACEAE

- Bromelia*
Phyllosticta bromeliicola

BURSERACEAE

- Protium heptaphyllum*
Irenina protiiicola
Melophia protii

CAMPANULACEAE

- Campanula tubulosa*
Didymella aegaea

CAPPARIDACEAE

- Cadaba indica*
Cercospora cadabae
Capparis spinosa
Coniothyrium karelii
Hendersonia capparidicola

CAPRIFOLIACEAE

- Lonicera*
Mycosphaerella nuristanica
Lonicera implexa
Sphaerographium anomalum
Viburnum tinum
Microdiplodia bessey

CARYOPHYLLACEAE

- Dianthus*
Peronospora dianthicola

CASUARINACEAE

- Casuarina*
Haplosporella casuarinae

CHENOPODIACEAE
Arthrocnemum arbuscula
Aecidium gaubae
Atriplex halimus
Macrophylllosticta atriplicis
 COMBRETACEAE
Buchenavia capitata
Meliola buchenaviae
Pezolepis buchenavicola
 COMPOSITAE
Aster alpinus
Entyloma asteris-alpini
Brachycome
Aecidium brachycomes
Carpesium cernuum
Sphaceloma yoshiiana
Chrysanthemum
Colletotrichum dahliae
Chrysanthemum indicum
Septoria adanensis
Dahlia
Colletotrichum dahliae
Echinops
Ectostroma echinopsis
Elvira biflora
Thecaphora burkartii
Eupatorium clematideum
Aecidium approximans
Eupatorium viscidum
Puccinia bruchiana
Gerbera jamesoni
Phyllosticta gerbericola
Gynura bicolor
Septoria gynurae
Leontodon autumnalis
Entyloma leontodontis
Ligularia tussilaginea
Sphaceloma ligulariae
Nassauvia darwinii
Uredo sleumeri
Stevia effusa
Aecidium tumbayense
Tridax procumbens
Cercospora tridacis-procumbentis
Verbesina
Puccinia singeri
Wedelia comaxillaris
Puccinia puntana
Willemetia bulbosa
Puccinia gorganensis
Zexmenia aspilioides
Puccinia lorentzianae
 CONIFERAE
Araucaria brasiliiana
Phoma araucariicola
Pinus cembra
Phragmonaevia gigaspora
Pinus nigra var. *austriaca*
Phomatosphaeropsis pinicola
Pseudotsuga taxifolia
Endoconidiophora coerulescens forma *douglasii*
 CORNACEAE
Cornus mas
Peniophora pilatiana
 CRASSULACEAE
Sedum
Mycosphaerella edelbergii
 CRUCIFERAE
Alyssum condensatum
Puccinia huber-morathii
Brassica oleracea
Dothiorella brassicae
Draba oxycarpa
Haplosporella syriaca

CYCADACEAE
Encephalartos barteri
Pestalotiopsis guepini var. *major*
 CYPERACEAE
Carex
Periconia laminella
Carex lacustris
Colletotrichum madisonense
Carex pyrenaica
Thecaphora apicis
Carex riparia
Periconia paludosa
Carex wallichiana
Ustilago caricis-wallichianae
Cyperus articulatus
Pestalotiopsis hughesii
Cyperus bulbosus
Phytophthora cyperi-bulbosi
Cyperus rotundus
Phaeopeltis cyperi
Eleocharis
Sphacelotheca eleocharidis
Rhynchospora tenuis
Uromyces correntinus
Scirpus
Curvularia indica
Scirpus acutus
Cercoseptoria scirpi
 DILLENIACEAE
Davilla rugosa
Asterina davillae var. *major*
 DIOSCOREACEAE
Dioscorea
Aecidium dioscoreae
Dioscorea quinqueloba
Cercospora hiratsukana
 DIPTEROCARPACEAE
Shorea robusta
Macrophoma shoreae
 ERICACEAE
Pieris japonica
Nectria hakonensis
Vaccinium myrtillus
Valdensinia heterodoxa
 ERYTHROXYLACEAE
Erythroxylum
Meliola erythroxylifolii
Erythroxylum pelletierianum
Dictyopeltis erythroxylis
 EUPHORBIACEAE
Aleurites montana
Mycosphaerella websteri
Euphorbia
Phyllostictina euphorbiae
Euphorbia gymnoclada
Phoma gymnocladae
Glochidion
Arthuria glochidionis
Hevea brasiliensis
Didymella heveana
Leptosphaeria heveae
Mycosphaerella heveicola
Phoma heveicola
Phyllosticta heveana
Phyllosticta heveicola
Physalospora heveae
Physalospora heveicola
Pleosphaerulina heveae
Rosellinia africana
Rosellinia congolensis
Thyridaria heveae
Jatropha hieronymii
Aecidium jatrophae

EUPHORBACEAE (continued)

- Pera ferruginea*
- Asterina perae*
- Fusidomus pulchellus*

FAGACEAE

- Castanea vesca*
- Phyllosticta castaneperda*
- Fagus sylvatica*
- Bactrodesmium masonii*
- Periconia cambrensis*
- Nothofagus pumilio*
- Pholiota megalosperma*
- Quercus*
- Cylindrocarpon janthothele* f. *quercinum*
- Nectria flavoviridis* f. *macrospora*
- Nectria rubi* f. *quercina*
- Pseusoplectania kumaonensis*
- Quercus brandtii*
- Teichospora scharifii*

FLACOURTIACEAE

- Casuarina*
- Asterinema casariae*
- Pycnopeltis fuscata*

FUNGI

- Meliola*
- Arthrobotryum noz-moscatae*
- Platychoa ulmi*
- Leptosphaeria platychoae*
- Pycnopeltis conspicua*
- Domingoella pycnopeltarum*
- Xeromphalina campanella*
- Tilachlidium setigerum*

GERANIACEAE

- Geranium tuberosum*
- Puccinia geranii-tuberosi*

GOODENIACEAE

- Scaevola aemula*
- Puccinia scaevolincola*

GRAMINEAE

- Andropogon tectorum*
- Ustilago andropogonis-tectorum*
- Apluda aristata*
- Tilletia apludae*
- Aristida marginalis*
- Meliola aristidae*
- Arthraxon*
- Melanotaenium brachiariae* var. *arthraxonis*
- Axonopus scoparius*
- Phyllosticta axonopi*
- Bambusa arundinacea*
- Phyllosticta bambusinfolia*
- Coix lacryma-jobi*
- Phyllosticta coicis-lacrimae*
- Cymbopogon nardus*
- Phyllosticta cymbopogonis*
- Echinochloa holubii*
- Ustilago crus-galli* var. *minor*
- Echinochloa polystachya*
- Periconiella echinocloae*
- Eulalia trispicata*
- Sorosporium eulaliae*
- Glyceria maxima*
- Periconia glyceriicola*
- Hyparrhenia subplumosa*
- Tilletia hyparrheniae*
- Muhlenbergia dumosa*
- Ustilago sonoriana*
- Panicum*
- Sorosporium nyasalandicum*
- Tilletia biharica*
- Rhynchelytrum repens*
- Ustilago rhynchelytri*
- Saccharum munja*
- Sphacelotheca consimilis*

GRAMINEAE (continued)

- Saccharum officinarum*
- Phyllosticta sacchari-major*
- Secale*
- Puccinia coronata* f.sp. *secalis*
- Sorghum stipoides*
- Ustilago sorghi-stipoides*
- Spartina pectinata*
- Cylindrosporium interstitiale*
- Sporobolus patulus*
- Ustilago deformis*
- Ustilago spinulosa*
- Stenotaphrum secundatum*
- Phyllosticta stenotaphricola*
- Stipa spartea*
- Urochloa stipae*
- Themeda quadrivalvis*
- Tilletia themedicola*
- Tricholaena delicatula*
- Ustilago delicatula*
- Urelytrum giganteum*
- Sorosporium urelytri*
- Zea mays*
- Phyllosticta zeae*
- Zizania aquatica*
- Cercospora zizaniae*

GUTTIFERAE

- Clusia*
- Lembosia clusiae*

HYPERICACEAE

- Vismia micrantha* var. *brasiliensis*
- Pycnothyrium vismiae*

IRIDACEAE

- Gladiolus cardinalis*
- Phyllosticta gladioli-minor*
- Gladiolus communis*
- Phyllosticta gladioloides*

JUNCACEAE

- Juncus*
- Stagonospora californica*

LABIATAE

- Leucas mollissima*
- Cercospora leucadis*
- Prunella vulgaris*
- Plectospora agama*
- Scutellaria brevibracteata*
- Leptosphaeria davisiana*

LAURACEAE

- Cassytha filiformis*
- Bitancourtia cassythae*
- Cinnamomum zeylanicum*
- Elachopeltis cinnamomi*
- Melophia cinnamomi*
- Phyllosticta cinnamomi-zeylanici*
- Ocotea gardneri*
- Microthyriella ocoteae*
- Persea gratissima*
- Phyllosticta persearum*
- Sassafras*
- Leptomassaria americana*

LECYNTHIDACEAE

- Eschweilera luschnatii*
- Lopadiopsis lichenicola*
- Phyllosticta eschweilerae*

LEGUMINOSAE

- Acacia villosa*
- Camptomeris martynii*
- Astragalus*
- Mycosphaerella afghanica*
- Bauhinia*
- Micropeltis bauhiniae*

LEGUMINOSAE (continued)

Calopogonium orthocarpum
Septoria calopogonii
 Calopogonium velutinum
Phyllosticta calopogoniorum
 Cassia bacillaris
Irenina cassiicola
 Cassia
Myiocopron cassiicola
 Chamaecrista brachiana
Haplosporella chamaecristae
 Cytisus lusitanicus
Dichomera inclusa
 Cytisus multiflorus
Didymosphaeria polytrichospora
 Dalbergia sissoo
Septogloeum dalbergiae
 Desmodium buergeri
Helminthosporium desmodii
 Gliricidia sepium
Fenestella cubensis
 Goebelia
Phyllosticta goebeliae
 Halimodendron halodendron
Thyrostroma halimodendri
 Inga edulis
Phyllosticta ingae-edulis
 Lens esculenta
Fusarium orthoceras var. *lensis*
Uromyces lenticola
 Machaerium
Phomopsis machaeriacola
 Pisum
Uromyces striatus var. *pisi*
 Pithocellobium unguis-cati
Campotomeris floridana
 Pueraria thunbergiana
Phyllosticta puerariae
 Rhynchosia minima
Cercospora rhynchosiae-minimae
 Salvia
Ovularia iranica
 Swartzia pickelli
Microthyriella swartziae
Phyllosticta swartziae
Scolecopeltis swartziae
 Trifolium pratense
Leptodiscus terrestris
 Vicia sativa
Colletotrichum sativum
 LILIACEAE
 Allium cepa
Botryotinia squamosa
 Allium vineale
Tubercinia oblonga
 Asparagus albus
Cucurbitaria asparagi
 Sansevieria
Phyllosticta sansevieriae
 LOASACEAE
 Touleria multicaulis
Pleospora clementsii
 LYTHRACEAE
 Lafoensia glyptocarpa
Asterina lafoensiae
 MALPIGHIACEAE
 Byrsonima coccolobifolia
Morenoina byrsonimae
 Byrsonima sericea
Stigmatea byrsonimae
 MELIACEAE
 Melia azedarach
Ascochyta meliae
Haplosporella meliae

MORACEAE

Artocarpus communis
Didymosphaeria oliveirana
 Artocarpus incisa
Phyllosticta artocarpicola
 Cannabis sativa
Didymella arcuata
 Cecropia peltata
Periconia cecropiae
 Ficus carica
Pellicularia filamentosa f. sp. *timsii*
 Ficus doliaria
Phyllosticta doliariae
Phyllosticta doliariicola
 Humulus lupulus
Pleospora petrakii
 Maclura aurantiaca
Mattiroliella macluriae
 Sorocea
Micropeltis soroceae
 Sorocea ilicifolia
Leptothyrium discretum
Meliola soroceana
Micropeltella discreta
Scolecopeltis pernambucensis
 MORINGACEAE
 Moringa oleifera
Cercospora moringae
 MUSACEAE
 Heliconia angustifolia
Phyllosticta dardanoi
Phyllosticta heliconiicola
 Musa
Phaeosaccardinula musicola
 MYRTACEAE
 Echidnodes myrtaceicola
 Eugenia aromatica
Valsa eugeniae
 Eugenia lucida
Asterina lucida
 Jambosa malaccensis
Gloeosporium jambosae
Phyllosticta jambosae
 Myrcia
Pycnopeltis conspicua
Pycnothyriella discreta
 Psidium
Scolecopeltis psidii
 Psidium araca
Phyllosticta aracicola
 Psidium guajava
Placosphaeria guajavae
Zythia psidii
 Syzygium jambolanum
Phyllosticta sizzgii
Sphaerognomonia sizzgii

NYCTAGINACEAE

Boerhaavia diffusa
Cercospora boerhaavicola
 Mirabilis jalapa
Phyllosticta mirabilis
 NYMPHAEACEAE
 Nelumbium speciosum
Physoderma nelumbii

OCHNACEAE

Ochna
Phyllachora kambakkamensis
 OLACACEAE
 Ximenia americana
Irenina ximeniae
 OLEACEAE
 Fraxinus excelsior
Virgariella atra

- OLEACEAE (continued)
Jasminum grandiflorum
Phyllosticta jasminensis
- OXALIDACEAE
Averrhoa carambola
Colletotrichum averrhoae
Hypseocharis pimpinellifolia
Accidium hypseocharidis
- PALMAE
Borassus aethiopum
Pestalotiopsis angusta
Cocos nucifera
Curvularia palmarum
Cytosporina cocoës
Dimeriellopsis cocoicola
Phyllostictina cocoicola
Guilielma speciosa
Phyllosticta guilielmicola
Mauritia vinifera
Phyllosticta vinifera
Phoenix dactylifera
Brachysporiella gayana
Sabal palmetto
Metasphaeria apiosporoides
- PAPAVERACEAE
Hypecoum
Peronospora hypecoi
- PASSIFLORACEAE
Passiflora edulis
Phyllosticta passiflorimaculans
- PHYTOLACCACEAE
Petiveria alliacea
Phyllosticta petiveriae
- PIPERACEAE
Peperomia
Puccinia peperomiae
- PLATANACEAE
Platanus occidentalis
Leptosphaeria platanicola
- POLYGONACEAE
Coccoloba paniculata
Lembosia coccolobicola
Polygonum cilinode
Ustilago cilinodis
Polygonum shastense
Ustilago shastensis
Polygonum virginianum
Ustilago anomala var. *tovarae*
Rumex acetosella
Plectospora plagiocaula
- PORTULACACEAE
Accidium saltense
- PTERIDOPHYTA
Marsilea minuta
Synchytrium marsileae
Polypodium phyllitidis
Phyllosticta polypodiorum
- RANUNCULACEAE
Caltha introloba
Uromyces gaubae
- RHAMNACEAE
Rhamnus
Microdiplodia rhamnincola
- ROSACEAE
Moquilea tomentosa
Phyllosticta moquileae
Phyllosticta moquilearum
Prunus persica
Ophiostoma persicinum
Pyracantha
Helminthosporium pyracanthae
Pyrus malus
Phoma rubefaciens
- ROSACEAE (continued)
Rosa
Cercospora rosigena
Rubus idaeus
Colletotrichum rubi
Sieversia reptans
Pleospora sieversiae
Sorbus aucuparia
Pleospora clavispora
- RUBIACEAE
Galium mollugo
Pleospora galiorum
Galium verum
Pleospora galii
Genipa americana
Phyllosticta genipae
Vangueria spinosa
Biharia vangueriae
- RUTACEAE
Citrus
Stagonospora citrorum
Fagara
Leptothyrium fagarae
Macrophylllosticta fagarae
- SALICACEAE
Populus simonii
Mycosphaerella togashiana
Salix
Microdiplodia salicina
- SALVADORACEAE
Salvadora persica
Polyclypeolum salvadorae
- SAPINDACEAE
Allophylus edulis
Agrocybe aegerita var. *rugosovenosa*
Cupania
Micropeltis cupaniae
Cupania revoluta
Asterina cupaniae
Phyllosticta cupaniae
Serjania
Diplodina ignota
Meliola serjanicola
Phyllosticta serjanianum
Talisia esculenta
Phyllosticta talisiae
Phyllosticta talisiae-major
- SAPOTACEAE
Lucuma
Dictyopeltis lucumae
- SAXIFRAGACEAE
Astilbe philippinensis
Pucciniostele philippinensis
- SCROPHULARIACEAE
Veronica
Schroeteria bremeri
- SIMARUBACEAE
Picramnia bahiensis
Micropeltella picramniae
Micropeltis picramniae
- SOLANACEAE
Dunalia australis
Accidium dunaliae
Lycopersicon esculentum
Glomerella phomoides
Verticillium tricorpus
Physalis viscosa
Accidium viscosum
Solanum clavatum
Accidium tafiense
Solanum meloncillo
Puccinia meloncilloi
Solanum tuberosum
Ozonium texanum var. *parasiticum*

STERCULACEAE

- Theobroma cacao*
Micropellis theobromae
Pestalotiopsis owenii
 — *owenii* var. *major*

THEACEAE

- Thea sinensis*
Pestalotiopsis gigas
Pestalotiopsis nattrassii

THYMELAEACEAE

- Daphne*
Leptosphaeria daphnes
Daphne angustifolia
Trematosphaeria daphnes

TILIACEAE

- Christiana africana*
Phyllosticta christianicola
Corchorus capsularis
Phoma corchororum
Luehea divaricata
Phyllosticta lueheae

TYPHACEAE

- Typha latifolia*
Periconia typhicola

UMBELLIFERAE

- Daucus carota* var. *sativa*
Chaetomium atrosporum
Eryngium
Ascochyta bremeri
Falcaria rivini
Septoria falcariicola
Laserpitium siler
Leptosphaeria cornuta
Pleurospermum stylosum
Puccinia chitralensis
Pycnocycla acanthorhipsis
Aschochyta pycnocyclae
Puccinia sharifi

UMBELLIFERAE (continued)

- Schizeilella ranunculis*
Puccinia marchionattoi
- URTICACEAE
- Fleurya interrupta*
Cercospora fleuryae
Parietaria judaica
Pyrenopeziza teheranica

VALERIANACEAE

- Centranthus ruber*
Macrophoma politii

VERBENACEAE

- Aegiphila vitelliniflora*
Phyllosticta aegiphilifolia
Bouchea prismatica
Elsinoë boucheae
Duranta benthamii
Melasmia spiralis
Duranta serratifolia
Melasmia singeri
Vitex agnus-castus
Camarosporium viticis
Dothiorella adanensis

VITACEAE

- Ampelocissus latifolia*
Synchytrium ampelocissi
Vitis vinifera
Pestalozzia pitospora

ZINGIBERACEAE

- Alpinia speciosa*
Phyllosticta alpiniae

FAMILY NOT KNOWN

- Pyrosia lingua*
Pseudocercospora pyrosiae

PRINTED IN
GREAT BRITAIN
AT THE
UNIVERSITY PRESS
OXFORD
BY
CHARLES BATEY
PRINTER
TO THE
UNIVERSITY

INDEX OF FUNGI

PUBLISHED SINCE THE BEGINNING OF 1940

VOL. II

PART 9

1954

- Acantharia aterrima* (Cooke & Wint.) Arx in *Acta bot. neerl.*, 3, p. 87, 1954. (Syn. *Dimerosporium aterrimum* Cooke & Wint.).
- *elegans* (Syd.) Arx in *Acta bot. neerl.*, 3, p. 87, 1954. (Syn. *Dimerium elegans* Syd.).
- *hamata* (Penz. & Sacc.) Arx in *Acta bot. neerl.*, 3, p. 87, 1954. (Syn. *Dimerosporium hamatum* Penz. & Sacc.).
- *sinensis* (Petr.) Arx in *Acta bot. neerl.*, 3, p. 87, 1954. (Syn. *Neogibbera sinensis* Petr.).
- Acanthocystis auratus* (Pat. & Dem.) Singer in *Ann. mycol.*, Berl., 41, p. 148, 1943. [Syn. not cited].
- *cinereo-albus* (Pat.) Singer in *Ann. mycol.*, Berl., 41, p. 148, 1943. [Syn. not cited].
- *cubensis* (Murr.) Singer in *Ann. mycol.*, Berl., 41, p. 148, 1943. [Syn. not cited].
- *harmandii* (Har.-Pat.) Singer in *Ann. mycol.*, Berl., 41, p. 148, 1943. [Syn. not cited].
- *hepatotrichus* (Berk.) Singer in *Ann. mycol.*, Berl., 41, p. 148, 1943. [Syn. not cited].
- *hollandianus* (Sumstine) Singer in *Ann. mycol.*, Berl., 41, p. 148, 1943. [Syn. not cited].
- *microspermus* (Speg.) Singer in *Ann. mycol.*, Berl., 41, p. 148, 1943. [Syn. not cited].
- *portegnus* (Speg.) Singer in *Ann. mycol.*, Berl., 41, p. 148, 1943. [Syn. not cited].
- *pruinulosus* (Pat. & Dem.) Singer in *Ann. mycol.*, Berl., 41, p. 148, 1943. [Syn. not cited].
- *puttemansi* (Henn.) Singer in *Ann. mycol.*, Berl., 41, p. 148, 1943. [Syn. not cited].
- *stratosus* (Atk.) Singer in *Ann. mycol.*, Berl., 41, p. 148, 1943. [Syn. not cited].
- *submastrucatus* (Henn.) Singer in *Ann. mycol.*, Berl., 41, p. 148, 1943. [Syn. not cited].
- *submitis* (Speg.) Singer in *Ann. mycol.*, Berl., 41, p. 148, 1943. [Syn. not cited].
- *viscidulus* (Berk.) Singer in *Ann. mycol.*, Berl., 41, p. 148, 1943. [Syn. not cited].
- Achorella vaccinii* T. S. Ramakr. in *Proc. Indian Acad. Sci.*, Sect. B, 34, p. 64, 1951 on *Vaccinium leschnaultii*.—India.
- **ACICULARIELLA* Arnaud in *Bull. Soc. mycol. Fr.*, 69, p. 298, 1954.—Moniliaceae. *A. 'Lasiosphaeriae'* n.sp. (type) and *A. 'foliicola'* n.sp. are figured but not described.
- **ACREMONIULA* Arnaud in *Bull. Soc. mycol. Fr.*, 69, p. 268, 1954.—Dematiaceae.
- *sarcinellae* (Pat. & Har.) Arnaud in *Bull. Soc. mycol. Fr.*, 69, p. 268, 1954. (Syn. *Acremoniella sarcinellae* Pat. & Har.).
- **Acrospira*? *xylogena* Arnaud in *Bull. Soc. mycol. Fr.*, 69, p. 294, 1954 on wood.—France.
- **ACROSTAPHYLUS* Arnaud in *Bull. Soc. mycol. Fr.*, 69, p. 272, 1954.—Dematiaceae.
- *— *hypoxyli* Arnaud in *Bull. Soc. mycol. Fr.*, 69, p. 272, 1954 on *Hypoxylon*.—France.
- Aecidium aconiti-anthorae* Săvulescu, *Monografia Uredinalelor... Română*, p. 1100, 1953 on *Aconitum anthora*.—Roumania.
- *belladonnae* Paul & Poelt in *Ber. bayer. Bot. Ges.*, 28, p. 297, 1950 on *Atropa belladonna*.—Germany.
- *pulneyense* T. S. Ramakr. & Srinivasan in *Indian Phytopath.*, 3, p. 46, 1950 on *Canarium commune*.—South India.
- Agaricus blockii* Murrill in *Mycologia*, 46, p. 112, 1954.—Florida, U.S.A.
- *perdicinus* Pilát in *Acta Mus. nat. Prag.*, 9, p. 24, 1953.—Bohemia.
- AHMADINULA* Petrak in *Sydowia*, 7, p. 375, 1953.—Pseudographiaceae.
- *excelsa* Petrak in *Sydowia*, 7, p. 375, 1953 on *Clematis*.—Pakistan.
- Amphisphaeria depressa* Petrak in *Sydowia*, 7, p. 381, 1953 on *Cassia bicaularis*.—Hawaii.
- Angiopsora vernoniae* T. S. Ramakr. in *Indian Phytopath.*, 3, p. 43, 1950 on *Vernonia bourneana*.—South India.
- Anguillospora gigantea* Ranzoni in *Farlowia*, 4, p. 363, 1953 on *Populus* in water.—California, U.S.A.
- *pseudolongissima* Ranzoni in *Farlowia*, 4, p. 362, 1953 on leaves of *Salix* in water.—California, U.S.A.
- Anthostomella appendiculata* Saccas in *Agron. trop.*, Nogent, 9, p. 136, 1954 on *Sorghum vulgare*.—French Equatorial Africa.
- *bambusicola* Deighton (This *Index*, 2, p. 115) is a later homonym of *A. bambusicola* Höhnelt, 1920.
- *sorghii* Saccas in *Agron. trop.*, Nogent, 9, p. 137, 1954 on *Sorghum vulgare*.—French Equatorial Africa.
- Aphanomyces daphniae* Prowse in *Trans. Brit. mycol. Soc.*, 37, p. 22, 1954 on *Daphnia hyalina* var. *lacustris*.—Scotland.
- Apiospora spinulosa* Petrak in *Sydowia*, 7, p. 382, 1953 on dead ?*Panicum*.—Hawaii.
- Apiosporina morbosa* (Schw.) Arx in *Acta bot. neerl.*, 3, p. 86, 1954. (Syn. *Sphaeria morbosa* Schw.).
- Aposphaeria bambusae* Lucas & da Camara (This *Index*, 2, p. 116) is a later homonym of *A. bambusae* Bres., 1926.
- Apostemidium sporogyrum* Ingold in *Trans. Brit. mycol. Soc.*, 37, p. 13, 1954 on dead submerged *Carex rostrata*.—England.
- Armillariella chrysophylla* (Fr.) Singer in *Ann. mycol.*, Berl., 41, p. 20, 1943. (Syn. *Agaricus chrysophyllus* Fr.).
- *ectypa* (Fr.) Singer in *Ann. mycol.*, Berl., 41, p. 20, 1943. (Syn. *Agaricus ectypus* Fr.).

- *nigropunctata* (Seer.) Singer in *Ann. mycol.*, Berl., 41, p. 19, 1943. (Syn. *Agaricus nigropunctatus* Seer.).
- Arthuria tylophorae** T. S. Ramakr. in *Indian Phytopath.*, 3, p. 45, 1950 on *Tylophora mollissima*.—South India.
- Articulospora moniliformis** [as 'moniliforma'] Ranzoni in *Farlowia*, 4, p. 366, 1953 on leaves of *Salix* and *Alnus* in water.—California, U.S.A.
- Ascochyta caricis** W. B. Cooke & Shaw (this *Index*, 2, p. 116) is a later homonym of *A. caricis* Fuckel, 1866.
- *cyathulae* Chona & Munjal in *Curr. Sci.*, 19 [not '11', this *Index*, 2, p. 35], p. 354, 1950.
- *rhamni* W. B. Cooke & Shaw (This *Index*, 2, p. 116) is a later homonym of *A. rhamni* Lebed., 1922.
- ASCOCYBE** D. Wells in *Mycologia*, 46, p. 40, 1954.—Endomycetales.
- *grovesii* D. Wells in *Mycologia*, 46, p. 40, 1954 on wood of *Pinus strobus*.—Ontario, Canada.
- Asterina tantalina** Petrak in *Sydowia*, 7, p. 383, 1953 on *Byronia*.—Hawaii.
- Asteromella lantanæ** Petrak in *Sydowia*, 7, p. 398, 1953 on *Lantana camara*.—Hawaii.
- *scaevolæ* Petrak in *Sydowia*, 7, p. 399, 1953 on *Scaevola*.—Hawaii.
- Asterostromella pinicola** Killerman in *Ann. mycol.*, Berl., 41, p. 291, 1943 on wood of *Pinus sylvestris*.—Siberia.
- Balladynopsis paradoxa** (Petr.) Arx in *Acta bot. neerl.*, 3, p. 89, 1954. (Syn. *Xenostigmella paradoxa* Petr.).
- ***BARTHELETIA** Arnaud in *Bull. Soc. mycol. Fr.*, 69, p. 300, 1954.—Mycelia Sterilia. *B. 'paradoxa*, n.sp.' figured but not described.
- ***BASITORULA** Arnaud in *Bull. Soc. mycol. Fr.*, 69, p. 276, 1954.—Dematiaceae. Type, *B. cingulata*.
- ? *cephalosporioides* (van Beyma) Arnaud in *Bull. Soc. mycol. Fr.*, 69, p. 276, 1954. (Syn. *Torula cephalosporioides* van Beyma).
- *— *cingulata* Arnaud in *Bull. Soc. mycol. Fr.*, 69, p. 276, 1954 on dead *Verbascum thapsus*.—France.
- Bispora punctata** (Corda) Arnaud in *Bull. Soc. mycol. Fr.*, 69, p. 282, 1954. (Syn. ? *Torula punctata* Corda).
- Bombardia musæ** (Maire) C. Moreau in *Encycl. Mycol.*, 25, p. 123, 1954. (Syn. *Podospira musæ* Maire).
- ***BOMBARDIOIDEA** C. Moreau in *Encycl. Mycol.*, 25, p. 317, 1954.—Sphaeriales.
- *bombardioides* (Auersw.) C. Moreau in *Encycl. Mycol.*, 25, p. 317, 1954. (Syn. *Sordaria bombardioides* Auersw.).
- Bondarzewia perniciosa** Singer in *Mycologia*, 45, p. 884, 1953 on *Nothofagus dombeyi*.—Argentina.
- ***BRACHYDESMIELLA** Arnaud in *Bull. Soc. mycol. Fr.*, 69, p. 287, 1954.—Dematiaceae.
- *— *biseptata* Arnaud in *Bull. Soc. mycol. Fr.*, 69, p. 287, 1954 on wood.—France.
- BRYOPHYTOMYCES** Ciferri in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 217, 1953.—Ustilaginales.
- *sphagni* (Naw.) Ciferri in *Atti Ist. bot. Univ. Pavia*, Ser. 5, 10, p. 218, 1953. (Syn. *Tilletia sphagni* Nawaschin).
- Calathinus substriatulus** Singer in *Ann. mycol.*, Berl., 41, p. 156, 1943.—Altai, U.S.S.R.
- Calocybe alpestris** (Britz.?) Singer in *Ann. mycol.*, Berl., 41, p. 108, 1943. (Syn. *Agaricus (Clitocybe) alpestris* Britz.?).
- *cerina* (Pers.) Singer in *Ann. mycol.*, Berl., 41, p. 109, 1943. (Syn. *Agaricus cerinus* Pers.).
- *juncicola* (Heim) Singer in *Ann. mycol.*, Berl., 41, p. 107, 1943. (Syn. *Tricholoma chrysenteron* var. *juncicola* Heim).
- *naucoria* (Murr.) Singer in *Ann. mycol.*, Berl., 41, p. 109, 1943. (Syn. *Melanoleuca naucoria* Murr.).
- *persicolor* (Fr.) Singer in *Ann. mycol.*, Berl., 41, p. 106, 1943. (Syn. *Tricholoma persicolor* Fr.).
- *pseudolilacea* Singer nom. nov. in *Ann. mycol.*, Berl., 41, p. 106, 1943. (Syn. *Collybia lilacea* sensu Konr. & Maubl.).
- CAMPYLOSPORA** Ranzoni in *Farlowia*, 4, p. 373, 1953.—Aquatic Hyphomycetes.
- *chaetocladia* Ranzoni in *Farlowia*, 4, p. 373, 1953 on *Acer* leaves in water.—California, U.S.A.
- ***CARLOSIA** Arnaud in *Bull. Soc. mycol. Fr.*, 69, p. 294, 1954.—Dematiaceae.
- *meliolæ* (Zimm.) Arnaud in *Bull. Soc. mycol. Fr.*, 69, p. 294, 1954. (Syn. *Spegazinia meliolæ* Zimm.).
- Catenulopsora zizyphi** T. S. Ramakr. & C. L. Subram. in *Curr. Sci.*, 15, p. 262, 1946 on *Zizyphus oenoplea*.—India.
- Ceratiomyxa morchella** Welden in *Mycologia*, 46, p. 94, 1954.—Panama.
- Ceratophorum intermedium** (Sacc.) Arnaud in *Bull. Soc. mycol. Fr.*, 69, p. 287, 1954. (Syn. *Coryneum intermedium* Sacc.).
- ***CERCOSPERMA** Arnaud in *Bull. Soc. mycol. Fr.*, 69, p. 290, 1954.—Dematiaceae. *C. 'subsessile* n.sp.' is figured but not described.
- Cercospora andrographidis** Thirum. & Govindu in *Sydowia*, 7, p. 310, 1953 on *Andrographis*.—India.
- *atylosiae* Thirum. & Govindu in *Sydowia*, 7, p. 311, 1953 on *Atylosia scarabaeoides*.—India.
- *breyinae-rhamnoides* Thirum. & Govindu in *Sydowia*, 7, p. 310, 1953 on *Breynea rhamnoides*.—India.
- *cypericola* Chupp & Greene apud Greene in *Amer. Midl. Nat.*, 50, p. 508, 1953 on *Cyperus strigosus*.—Wisconsin, U.S.A.
- *cyperi-rotundi* Thirum. & Govindu in *Sydowia*, 7, p. 312, 1953 on *Cyperus rotundus*.—India.
- *hydroleae* Thirum. & Govindu in *Sydowia*, 7, p. 310, 1953 on *Hydrolea zeylanica*.—India.
- *kirganelliae* Thirum. & Govindu in *Sydowia*, 7, p. 309, 1953 on *Kirganellia reticulata*.—India.
- *pilosa* T. S. Ramakr. in *Proc. Indian Acad. Sci.*, Sect. B, 34, p. 68, 1951 on *Triumfetta pilosa*.—India.
- *punctiformis* (Fuckel) de Vries (this *Index*, 2, p. 98) is a later homonym of *C. punctiformis* Sacc. & Roum., 1881.
- *vestita* T. S. Ramakr. in *Proc. Indian Acad. Sci.*, Sect. B, 34, p. 69, 1951 on *Leucas vestita*.—India.
- *— *voandzeiae* Arnaud in *Bull. Soc. mycol. Fr.*, 69, p. 290, 1954 on *Voandzeia subter-*

- ranca*.—Madagascar. [See also *C. voandzeiae* Bouriquet, 1947; this *Index*, 1, p. 179].
- ***CERCOSPORULA** Arnaud in *Bull. Soc. mycol. Fr.* 69, p. 290, 1954.—Dematiaceae.
- *—*crassiuscula* Arnaud in *Bull. Soc. mycol. Fr.* 69, p. 290, 1954 on bark.—France.
- Chaetosphaeria fusispora** B. Larsen (This *Index*, 2, p. 98) is a later homonym of *C. fusispora* (Kawam.) Hino, 1932.
- Chaetotrichum sandwicense** Petrak in *Sydowia*, 7, p. 408, 1953 on *Pipturus*.—Hawaii.
- Chalara varispora** (Davidson?) Arnaud in *Bull. Soc. mycol. Fr.*, 69, p. 278, 1954. (Syn. *Endoconidiophora varispora* Davidson).
- ***CHLORIDIELLA** Arnaud in *Bull. Soc. mycol. Fr.*, 69, p. 270, 1954.—Dematiaceae.
- leucopoda* (Bon.) Arnaud in *Bull. Soc. mycol. Fr.*, 69, p. 270, 1954. (Syn. *Acrothea leucopus* Bon.).
- Chrysomyxa monesis** Ziller in *Canad. J. Bot.*, 32, p. 435, 1954 on *Picea sitchensis* and *Moneses uniflora*.—Queen Charlotte Islands, Canada.
- Cladosporium monardae** Greene in *Amer. Midl. Nat.*, 50, p. 508, 1953 on *Monarda punctata*.—Wisconsin, U.S.A.
- trichophilum* Greene (This *Index*, 2, p. 119) is a later homonym of *C. trichophilum* Petrak & Cif., 1932.
- Clitocybe acicola** Singer nom. nov. in *Ann. mycol., Berl.*, 41, p. 25, 1943. (Syn. *C. obsoleta* sensu Métrod).
- altaica* Singer in *Ann. mycol., Berl.*, 41, p. 37, 1943.—Altai, U.S.S.R.
- bresadoliano-affinis* Singer in *Ann. mycol., Berl.*, 41, p. 35, 1943.—Altai, U.S.S.R.
- brevibasidiata* Singer in *Ann. mycol., Berl.*, 41, p. 45, 1943.—Asia.
- brownii* (Berk. & Br.) Singer in *Ann. mycol., Berl.*, 41, p. 22, 1943. [Syn. not cited].
- catalaunica* Singer in *Ann. mycol., Berl.*, 41, p. 30, 1943.—Europe. [This antedates the entry in this *Index*, 2, p. 52].
- clusilis* (Fr.) Singer in *Ann. mycol., Berl.*, 41, p. 42, 1943. [Syn. *Agaricus clusilis* Fr.].
- hyacinthina* Singer in *Ann. mycol., Berl.*, 41, p. 46, 1943.—Asia.
- ignobilis* (Joss.) Singer in *Ann. mycol., Berl.*, 41, p. 22, 1943. (Syn. *Omphalia ignobilis* Joss.).
- imaiana* Singer nom. nov. in *Ann. mycol., Berl.*, 41, p. 44, 1943. (Syn. *C. fallax* sensu Imai).
- inornata* subsp. *aestivalis* Singer in *Ann. mycol., Berl.*, 41, p. 39, 1943.—Altai, U.S.S.R.
- kuehneri* Singer nom. nov. in *Ann. mycol., Berl.*, 41, p. 23, 1943. (Syn. *C. gallinacea* sensu Kühner, non Fr.).
- laricicola* Singer in *Ann. mycol., Berl.*, 41, p. 28, 1943.—Altai, U.S.S.R.
- lixivia* (Fr.) Singer in *Ann. mycol., Berl.*, 41, p. 44, 1943. (Syn. ?*Agaricus lixivius* Fr.).
- longispora* (Métrod) Singer in *Ann. mycol., Berl.*, 41, p. 42, 1943. (Syn. *C. ditopus* var. *longispora* Métrod).
- monticola* Singer in *Ann. mycol., Berl.*, 41, p. 30, 1943.—Europe. [This antedates the entry in this *Index*, 2, p. 52].
- pruniadora* (Maire) Singer in *Ann. mycol., Berl.*, 41, p. 47, 1943. [Syn. not cited].
- steppicola* Singer in *Ann. mycol., Berl.*, 41, p. 33, 1943.—Altai, U.S.S.R.
- subhygrophana* Singer in *Ann. mycol., Berl.*, 41, p. 27, 1943.—Altai, U.S.S.R.
- subsquamulosa* Singer in *Ann. mycol., Berl.*, 41, p. 35, 1943.—Altai, U.S.S.R.
- vasilievae* Singer in *Ann. mycol., Berl.*, 41, p. 26, 1943.—Altai, U.S.S.R.
- velenovskii* Singer nom. nov. in *Ann. mycol., Berl.*, 41, p. 25, 1943. (Syn. *C. fragrans* sensu Velen.).
- ventosa* (Fr.) Singer in *Ann. mycol., Berl.*, 41, p. 45, 1943. [Syn. not cited].
- Clitopilus lignyotus** Hongo in *J. Jap. Bot.*, 29, p. 89, 1954.—Japan.
- Coleophoma sandwicensis** Petrak in *Sydowia*, 7, p. 400, 1953 on *Clermontia*.—Hawaii.
- COLEOSPERMA** Ingold in *Trans. Brit. mycol. Soc.*, 37, p. 9, 1954.—Discomycetes.
- lacustre* Ingold in *Trans. Brit. mycol. Soc.*, 37, p. 9, 1954 on dead *Schoenoplectus lacustris* in water.—England.
- COLLETOGLOEUM** Petrak in *Sydowia*, 7, p. 368, 1953.—Melanconiales.
- dalbergiae* (Ahmad) Petrak in *Sydowia*, 7, p. 369, 1953. (Syn. *Septogloeum dalbergiae* Ahmad).
- COLLETOSTROMA** Petrak in *Sydowia*, 7, p. 346, 1953.—Melanconiales.
- baumgartneri* Petrak in *Sydowia*, 7, p. 347, 1953 on branches.—Austria.
- Colletotrichopsis graminicola** (Ces.) Muntaniola in *Rev. argent. Agron.*, 19, p. 225, 1952. (Syn. *Colletotrichum graminicolum* (Ces.) Wilson).
- Colletotrichum acaciae** Urries (this *Index*, 2, p. 74) is a later homonym of *C. acaciae* Gutner, 1936.
- compactum* T. S. Ramakr. in *Proc. Indian Acad. Sci., Sect. B*, 34, p. 70, 1951 on *Albizia lebbek*.—India.
- crossandrae* Patel, Karnat, & Pande in *Indian Phytopath.*, 5, p. 136, 1953 on *Crossandra infundibuliformis*.—India.
- urticae* Greene in *Amer. Midl. Nat.*, 50, p. 507, 1953 on *Urtica gracilis*.—Wisconsin, U.S.A.
- Comatricha martinii** Alexopoulos & Beneke in *Mycologia*, 46, p. 245, 1954 on bark.—Jamaica.
- Coniothecium agaves** Petrak in *Sydowia*, 7, p. 408, 1953 on *Agave*.—Hawaii.
- Coniothyrium pandanicola** (as '*pandanicolum*') Petrak in *Sydowia*, 7, p. 401, 1953 on *Pandanus*.—Hawaii.
- sorghii* Saccas in *Agron. trop., Nogent*, 9, p. 149, 1954 on *Sorghum vulgare*.—French Equatorial Africa.
- Cordyceps hauturu** Dingley in *Trans. roy. Soc. N.Z.*, 81, p. 334, 1953 on Lepidoptera larva.—New Zealand.
- lateritia* Dingley in *Trans. roy. Soc. N.Z.*, 81, p. 337, 1953 on Coleoptera pupa.—New Zealand.
- novae-zealandiae* Dingley in *Trans. roy. Soc. N.Z.*, 81, p. 337, 1953 on *Coelostomidea*.—New Zealand.
- Corticium analogum** (Bourd. & Galz.) Burt, 1926 (correction of entry in this *Index*, 2, p. 119).
- Cortinarius blatensis** Pilát in *Acta Mus. nat. Prag.*, 9, p. 50, 1953.—Bohemia.
- intermedius* Henry (This *Index*, 2, p. 75) is a later homonym of *C. intermedius* Rea, 1927.

- parherpeticus* Henry, 1952, not '*parherpeticus*' as printed in this *Index*, 2, p. 75.
- pseudopurpurascens* Hongo in *J. Jap. Bot.*, 28, p. 334, 1953.—Japan.
- rugosus* Schäffer (This *Index*, 2, p. 75) is a later homonym of *C. rugosus* Henry, 1935.
- sanguineus* Fr. forma *pusillus* Pilát in *Acta Mus. nat. Prag.*, 9, p. 50, 1953.—Czechoslovakia.
- schaefferi* Moser (This *Index*, 2, p. 75) is a later homonym of *C. schaefferi* Bres., 1930.
- Crepidotus sulphurinus** Imazeki & Toki in *Bull. For. Exp. Sta. Meguro* 67, p. 38, 1954 on dead *Wistaria floribunda*.—Japan.
- Cryptovalsa sorghicola** Saccas in *Agron. trop.*, Nogent, 9, p. 150, 1954 on *Sorghum vulgare*.—French Equatorial Africa.
- ***CURCULIOSPORA** Arnaud in *Bull. Soc. mycol. Fr.*, 69, p. 287, 1954.—Dematiaceae. *C. 'sydowii* n.sp.' is figured but not described.
- CYCLOPELTELLA** Petrak in *Sydowia*, 7, p. 373, 1953.—Fungi Imperfecti, a state of *Cyclopettis*.
- orbicularis* Petrak in *Sydowia*, 7, p. 373, 1953.—Philippines.
- CYCLOPELTIS** Petrak in *Sydowia*, 7, p. 370, 1953.—Polystomellaceae.
- orbicularis* Petrak in *Sydowia*, 7, p. 370, 1953 on *Evodia confusa*.—Philippines.
- Cylindrosporium fraseriae** W. B. Cooke & Shaw (This *Index*, 2, p. 120). See also *C. fraseriae* Wehmeyer, 1946 (*ibid.*, 1, p. 148).
- Cyphella stepposa** Pilát in *Acta Mus. nat. Prag.*, 9, p. 84, 1953.—Czechoslovakia.
- Cystoderma ambrosii** (Bres.) Singer in *Ann. mycol., Berl.*, 41, p. 170, 1943. [Syn. *Armillaria ambrosii* Bres.] [This comb. antedates that given in this *Index*, 1, p. 148].
- kuehneri* Singer nom. nov. in *Ann. mycol., Berl.*, 41, p. 171, 1943. (Syn. ?*Lepiota echinacea* Kühn.).
- Dactylella aquatica** (Ingold) Ranzoni in *Farlowia*, 4, p. 360, 1953. (Syn. *Piricularia aquatica* Ingold).
- Dasyascypha aspidii** (Lib.) Cash in *J. Wash. Acad. Sci.*, 44, p. 45, 1954. (Syn. *Peziza aspidii* Lib.).
- Debaryomyces marama di Menna** in *J. gen. Microbiol.*, 10, p. 65, 1954 from the air.—New Zealand.
- Diaporthe kokiae** Petrak in *Sydowia*, 7, p. 384, 1953 on *Kokia rockii*.—Hawaii.
- Didymella sorghina** Saccas in *Agron. trop.*, Nogent, 9, p. 154, 1954 on *Sorghum vulgare*.—French Equatorial Africa.
- vodakii* Müller in *Sydowia*, 7, p. 332, 1953 on dead *Hepatica triloba*.—Switzerland.
- Didymium verrucosporum** Welden in *Mycologia*, 46, p. 98, 1954.—Panama.
- Didymosphaeria radiculicola** Saccas in *Agron. trop.*, Nogent, 9, p. 155, 1954 on *Sorghum vulgare*.—French Equatorial Africa.
- wikstroemiae* Petrak in *Sydowia*, 7, p. 385, 1953 on *Wikstroemia*.—Hawaii.
- ***DIDYMOTRICHELLA** Arnaud in *Bull. Soc. mycol. Fr.*, 69, p. 284, 1954.—Dematiaceae.
- *—*quercina* Arnaud in *Bull. Soc. mycol. Fr.*, 69, p. 284, 1954 on root of *Quercus*.—France.
- Dinemasporium sorghi** Saccas in *Agron. trop.*, Nogent, 9, p. 156, 1954 on *Sorghum vulgare*.—French Equatorial Africa.
- ***DIONYSIA** Arnaud in *Bull. Soc. mycol. Fr.*, 69, p. 303, 1954. Correction of *Dyonisia*, this *Index*, 2, p. 121.
- ***DIPLOCLADIELLA** Arnaud in *Bull. Soc. mycol. Fr.*, 69, p. 296, 1954.—Dematiaceae.
- *—*scalaroides* Arnaud in *Bull. Soc. mycol. Fr.*, 69, p. 296, 1954 on dead branch.—France.
- Diplodia cercidis-chinensis** [as '*ceri-chinensis*'] Togashi & Tsukamoto apud Tsukamoto in *Ann. phytopath. Soc. Japan*, 17, p. 122, 1953 on *Cercis chinensis*.—Japan.
- *—*organicola* Rieuf in *Rev. Path. vég.*, 32, p. 126, 1953 on *Ricinus communis*.—Morocco.
- shearii* Petrak in *Sydowia*, 7, p. 401, 1953 on *Leucaena glauca*.—Hawaii.
- ***Diplodina persicae** Horn & Hawthorne in *Phytopathology*, 44, p. 136, 1954 on *Prunus persica*.—Louisiana, U.S.A.
- Dothiorella agavicola** Petrak in *Sydowia*, 7, p. 403, 1953 on *Agave sisalana*.—Hawaii.
- castaneae* da Camara & de Vasconcelos in *Agron. lusit.*, 15, p. 187, 1953 on *Castanea sativa*.—Portugal.
- hawaiensis* Petrak in *Sydowia*, 7, p. 402, 1953 on *Asclepias curassavica*.—Hawaii.
- stramonii* Petrak in *Sydowia*, 7, p. 403, 1953 on *Datura stramonium*.—Hawaii.
- Durandiella alni** J. W. Groves in *Canad. J. Bot.*, 32, p. 123, 1954 on *Alnus rugosa*.—Ontario, Canada.
- andromedae* (Schw. ex Fr.) J. W. Groves in *Canad. J. Bot.*, 32, p. 125, 1954. (Syn. *Peziza andromedae* Schw.).
- lenticellicola* J. W. Groves in *Canad. J. Bot.*, 32, p. 132, 1954 on *Crataegus*.—Ontario, Canada.
- rosae* (Schw.) J. W. Groves in *Canad. J. Bot.*, 32, p. 136, 1954. (Syn. *Cenangium rosae* Schw.).
- rugosa* (Ell. & Ev.) J. W. Groves in *Canad. J. Bot.*, 32, p. 137, 1954. (Syn. *Godronia rugosa* Ell. & Ev.).
- seriata* (Fr.) J. W. Groves in *Canad. J. Bot.*, 32, p. 139, 1954. (Syn. *Cenangium seriatum* Fr.).
- viburnicola* (Seaver) J. W. Groves in *Canad. J. Bot.*, 32, p. 141, 1954. (Syn. *Godronia viburnicola* Seaver).
- Echidnodes visci** Petrak in *Sydowia*, 7, p. 386, 1953 on *Viscum*.—Hawaii.
- Elsinoë ilicis** Plakidas in *Mycologia*, 46, p. 351, 1954 on *Ilex cornuta*.—Louisiana, U.S.A.
- Endothiella robiniae** Chona & Munjal in *Indian Phytopath.*, 3, p. 106, 1950 on dead *Robinia pseudoacacia*.—India.
- Entoloma crassipes** Imazeki & Toki in *Bull. For. Exp. Sta. Meguro* 67, p. 39, 1954.—Japan.
- Entyloma ambrosiae** [-]maritimae Rayss in *Palest. J. Bot., Jerusalem*, 5, p. 230, 1952 on *Ambrosia maritima*.—Palestine.
- chaenorrhini* da Camara & de Vasconcelos in *Agron. lusit.*, 15, p. 185, 1953 on *Chaenorrhinum oranifolium*.—Portugal.
- *—*gaudinae* Viennot-Bourgin in *Bull. Soc. mycol. Fr.*, 69, p. 336, 1954 on *Gaudinia (Gaudinia) fragilis*.—Asia Minor.
- parietariae* Rayss in *Palest. J. Bot., Jerusalem*, 5, p. 230, 1952 on *Parietaria judaica* and *P. alsinifolia*.—Palestine.
- ERYTHROGLOEUM** Petrak in *Sydowia*, 7, p. 378, 1953.—Sphaeropsidales.
- hymenaeae* (Frag. & Cif.) Petrak in

- Sydowia*, 7, p. 379, 1953. (Syn. *Phyllosticta hymenaeae* Frag. & Cif. 'in sched.').
- Eudimeriolum manihotis* (P. Henn.) Arx in *Acta bot. neerl.*, 3, p. 88, 1954. (Syn. *Dimerosporium manihotis* P. Henn.).
- Fayodia invita* (Karst.) Singer in *Ann. mycol.*, Berl., 41, p. 62, 1943. [Syn. not cited].
- tilletii* Singer in *Ann. mycol.*, Berl., 41, p. 63, 1943. 'Mordavia.'
- **Fusarium bulbigenum* Cooke & Massee var. *nelumbicola* (as '*nelumbicolum*') Nisikado & Watanabe in *Ber. Ohara Inst.*, 10, p. 3, 1953 on *Nelumbo nucifera*.—Japan.
- oxysporum* Fr. forma *perniciosum* (Hepting) Toole in *Phytopathology*, 31, p. 599, 1941. (Syn. *F. perniciosum* Hepting).
- Fuscoporia weirii* (Murr.) Aoshima in *Bull. For. Exp. Sta.*, Tokyo 59, p. 61, 1953. (Syn. *Formitiporia weirii* Murr.).
- Galerina atkinsoniana* A. H. Smith in *Mycologia*, 45, p. 894, 1953.—Michigan, U.S.A.
- camarinoides* A. H. Smith in *Mycologia*, 45, p. 895, 1953.—Oregon, U.S.A.
- carbonicola* A. H. Smith in *Mycologia*, 45, p. 896, 1953.—Michigan, U.S.A.
- cortinarioides* A. H. Smith in *Mycologia*, 45, p. 897, 1953.—Washington, U.S.A.
- cuspidata* A. H. Smith in *Mycologia*, 45, p. 898, 1953.—Wyoming, U.S.A.
- farinosipes* A. H. Smith in *Mycologia*, 45, p. 899, 1953.—California, U.S.A.
- ferruginea* A. H. Smith in *Mycologia*, 45, p. 900, 1953.—Michigan, U.S.A.
- fibrillosa* A. H. Smith in *Mycologia*, 45, p. 901, 1953.—Washington, U.S.A.
- fuscobrunnea* A. H. Smith in *Mycologia*, 45, p. 902, 1953.—Oregon, U.S.A.
- humicola* A. H. Smith in *Mycologia*, 45, p. 903, 1953.—Michigan, U.S.A.
- insignis* A. H. Smith in *Mycologia*, 45, p. 904, 1953.—Washington, U.S.A.
- lacustris* A. H. Smith in *Mycologia*, 45, p. 905, 1953.—Washington, U.S.A.
- laticeps* A. H. Smith in *Mycologia*, 45, p. 906, 1953 on Douglas Fir log.—Oregon, U.S.A.
- occidentalis* A. H. Smith in *Mycologia*, 45, p. 907, 1953.—Washington, U.S.A.
- odora* A. H. Smith in *Mycologia*, 45, p. 909, 1953.—Washington, U.S.A.
- olympiana* A. H. Smith in *Mycologia*, 45, p. 909, 1953 on wood of *Populus trichocarpa*.—Washington, U.S.A.
- pallidisporea* A. H. Smith in *Mycologia*, 45, p. 911, 1953 on alder logs.—Washington, U.S.A.
- pruinatipes* A. H. Smith in *Mycologia*, 45, p. 912, 1953 on conifer logs.—Washington, U.S.A.
- var. *fulvipes* A. H. Smith in *Mycologia*, 45, p. 913, 1953 on conifer logs.—Washington, U.S.A.
- rudericola* A. H. Smith in *Mycologia*, 45, p. 914, 1953.—Washington, U.S.A.
- rugisperma* A. H. Smith in *Mycologia*, 45, p. 915, 1953.—Washington, U.S.A.
- subdecurrens* A. H. Smith in *Mycologia*, 45, p. 916, 1953.—Washington, U.S.A.
- subfiliformis* A. H. Smith in *Mycologia*, 45, p. 917, 1953 on conifer logs.—Washington, U.S.A.
- subochracea* A. H. Smith in *Mycologia*, 45, p. 917, 1953.—Oregon, U.S.A.
- tahquamenonensis* A. H. Smith in *Mycologia*, 45, p. 919, 1953 on wood.—Michigan, U.S.A.
- umbrinipes* A. H. Smith in *Mycologia*, 45, p. 920, 1953.—Washington, U.S.A.
- vaccinii* A. H. Smith in *Mycologia*, 45, p. 921, 1953.—Washington, U.S.A.
- venenata* A. H. Smith in *Mycologia*, 45, p. 922, 1953.—Oregon, U.S.A.
- vialis* A. H. Smith in *Mycologia*, 45, p. 924, 1953.—Washington, U.S.A.
- Ganoderma multipilea* Hou in *Quart. J. Taiwan Mus.*, 3, p. 101, 1950 on a stump.—Taiwan.
- Gautieria graveolens* Vitt. forma *inodora* A. H. Smith & Solheim in *Madroño*, S. Francisco, 12, p. 105, 1953.—Michigan, U.S.A.
- **GEOTRICHELLA* Arnaud in *Bull. Soc. mycol. Fr.*, 69, p. 274, 1954.—Dematiaceae.
- *—*alternata* Arnaud in *Bull. Soc. mycol. Fr.*, 69, p. 274, 1954 on paper.—France.
- Gibbera alpina* (Petr.) Arx in *Acta bot. neerl.*, 3, p. 85, 1954. (Syn. *Xenomeris alpina* Petr.).
- dickiei* (Berk. & Br.) Arx in *Tijdschr. PlZiekt.*, 58, p. 265, 1952. (Syn. *Sphaeria dickiei* Berk. & Br.).
- eucalypti* (Syd.) Arx in *Acta bot. neerl.*, 3, p. 85, 1954. (Syn. *Xenomeris eucalypti* Syd.).
- examinans* (Berk. & Curt.) Arx in *Tijdschr. PlZiekt.*, 58, p. 266, 1952. (Syn. *Asterina examinans* Berk. & Curt.).
- pruni* (Syd.) Arx in *Acta bot. neerl.*, 3, p. 85, 1954. (Syn. *Xenomeris pruni* Syd.).
- ramakrishnani* Arx nom. nov. in *Acta bot. neerl.*, 3, p. 85, 1954. (Syn. *Achorella vaccinii* T. S. Ramakrishnan, non *G. vaccinii* (Fr.) Fr.).
- spiraeae* (Murash.) Arx in *Acta bot. neerl.*, 3, p. 85, 1954. (Syn. *Systremma spiraeae* Murash.).
- symphoricarpi* (Rehm) Arx in *Acta bot. neerl.*, 3, p. 85, 1954. (Syn. *Pseudothia symphoricarpi* Rehm).
- Gibberidea conjuncta* (Petr.) Arx in *Acta bot. neerl.*, 3, p. 90, 1954. (Syn. *Cucurbitodithis conjuncta* Petr.).
- pithyophila* (Fr.) Arx in *Acta bot. neerl.*, 3, p. 90, 1954. (Syn. *Sphaeria pithyophila* Fr.).
- Gloeocercospora alascensis* R. Sprague in *Mycologia*, 46, p. 77, 1954 on *Trisetum spicatum*.—Alaska.
- Gloeocystidium betulinum* Killerman in *Ann. mycol.*, Berl., 41, p. 289, 1943 on wood of *Betula*.—Siberia.
- GLOEOTINIA* Wilson, Noble, & Gray in *Trans. Brit. mycol. Soc.*, 37, p. 31, 1954.—Sclerotiniaceae.
- temulenta* (Prill. & Delacr.) Wilson, Noble, & Gray in *Trans. Brit. mycol. Soc.*, 37, p. 31, 1954. (Syn. *Phialea temulenta* Prill. & Delacr.).
- Glomerella cingulata* (Stonem.) Spauld. & Schrenk var. *sorghicola* Saccas in *Agron. trop.*, Nogent, 9, p. 171, 1954 on *Sorghum vulgare*.—French Equatorial Africa.
- sorgi* Saccas in *Agron. trop.*, Nogent, 9, p. 171, 1954 on *Sorghum vulgare*.—French Equatorial Africa.
- **GOIDANICHIA* Arnaud in *Bull. Soc. mycol. Fr.*, 69, p. 281, 1954.—Dematiaceae.
- scopula* (Goid.) Arnaud in *Bull. Soc. mycol. Fr.*, 69, p. 281, 1954. (Syn. *Scopularia scopula* Goid.).

- Graphium erubescens* Math.-Käärik in *Medd. SkogsforsknInst. Stockh.*, 43, 4, p. 62, 1954 in wood.—Sweden.
- fragrans* Math.-Käärik in *Medd. SkogsforsknInst. Stockh.*, 43, 4, p. 60, 1954 in wood.—Sweden.
- Guignardia latemarensis* Müller in *Sydowia*, 7, p. 330, 1953 on dead *Lonicera coerulea*.—Switzerland.
- **HAPLOTRICHELLA* Arnaud in *Bull. Soc. mycol. Fr.*, 69, p. 282, 1954.—Dematiaceae.
- *—*linkii* Arnaud in *Bull. Soc. mycol. Fr.*, 69, p. 282, 1954.—France.
- Harknessia shearii* Petrak in *Sydowia*, 7, p. 404, 1953 on *Metrosideros*.—Hawaii.
- Helicomyces colligatus* R. T. Moore in *Mycologia*, 46, p. 89, 1954 on wood.—Iowa, U.S.A.
- Helicoon ? elegans* (Corda) Arnaud in *Bull. Soc. mycol. Fr.*, 69, p. 294, 1954. (Syn. *Sporidesmium elegans* Corda).
- pluriseptatum* van Beverwijk in *Leeuwenhoek ned. Tijdschr.*, 20, p. 5, 1954 from leaves in water.—Netherlands.
- **HELICOSPORELLA* Arnaud in *Bull. Soc. mycol. Fr.*, 69, p. 292, 1954.—Dematiaceae.
- *—*luteo-fusca* Arnaud in *Bull. Soc. mycol. Fr.*, 69, p. 292, 1954 on bark.—France.
- **HELICOSPORINA* Arnaud in *Bull. Soc. mycol. Fr.*, 69, p. 292, 1954.—Dematiaceae.
- *—*globulifera* Arnaud in *Bull. Soc. mycol. Fr.*, 69, p. 292, 1954 on wood.—France.
- Helicosporium linderi* R. T. Moore in *Mycologia*, 46, p. 90, 1954 on dead *Cocos*.—Panama.
- panacheum* R. T. Moore in *Mycologia*, 46, p. 92, 1954 on dead *Zea mays*.—Iowa, U.S.A.
- Helotium stipae* (Fuckel) Cash in *J. Wash. Acad. Sci.*, 44, p. 45, 1954. (Syn. *Trichopeziza stipae* Fuckel).
- Hemileia thomasi* Thirumalachar & Narasimhan in *Ann. Bot., Lond.*, n.s., 11, p. 87, 1947 on *Randia uliginosa*.—India.
- Hemimycena depauperata* Singer in *Ann. mycol., Berl.*, 41, p. 122, 1943.—Altai, U.S.S.R.
- drepanocladii* Singer in *Ann. mycol., Berl.*, 41, p. 123, 1943.—Altai, U.S.S.R.
- epibrya* Singer in *Ann. mycol., Berl.*, 41, p. 121, 1943.—Altai, U.S.S.R.
- Hiatula aureofloccosa* (Henn.) Singer in *Ann. mycol., Berl.*, 41, p. 168, 1943. [Syn. not cited].
- magnusiana* (Henn.) Singer in *Ann. mycol., Berl.*, 41, p. 168, 1943. (Syn. *Lepiota magnusiana* P. Henn.).
- pellucida* (Masse) Singer in *Ann. mycol., Berl.*, 41, p. 168, 1943. [Syn. not cited].
- Hirneola nigricans* (Sw. ex Fr.) Donk (this *Index*, 2, p. 79) is a later homonym of *H. nigricans* (Hook.) Graff, 1917.
- Hydnellum alboniger* (Peck) Ragab in *Mycologia*, 45, p. 944, 1953. (Syn. *Hydnum albonigrum* Peck).
- amicum* (Qué.) Ragab in *Mycologia*, 45, p. 944, 1953. (Syn. *Hydnum amicum* Qué.).
- Hygrocybe czuica* Singer in *Ann. mycol., Berl.*, 41, p. 10, 1943.—Altai, U.S.S.R.
- Hysterographium opuntiae* J. G. Brown in *Mycologia*, 45, p. 967, 1953 on *Opuntia fulgida*.—Arizona, U.S.A.
- Hysterostoma breviloebi* T. S. Ramakr. in *Proc. Indian Acad. Sci., Sect. B*, 34, p. 65, 1951 on *Jasminum brevilobum*.—India.
- Inonotus nidus-pici* Pilát in *Acta Mus. nat. Prag.*, 9, p. 108, 1953 on *Quercus*.—Europe.
- Julella sarcostemmatis* K. Ramakr. in *J. Madras Univ., Sect. B*, 23, p. 145, 1953 on *Sarcostemma brevistigma*.—South India.
- Laccaria laccata* var. *rosella* (Batsch) Singer in *Ann. mycol., Berl.*, 41, p. 17, 1943. (Syn. *Agaricus rosellus* Batsch).
- pulchella* (Speg.) Singer in *Ann. mycol., Berl.*, 41, p. 17, 1943. [Syn. not cited].
- Lachnella ciliata* (Hahn) Seaver (syn. *Dasyphypha ciliata* Hahn). [Epithet given in error as 'ciliata', this *Index*, 2, p. 103].
- Lactarius badiosanguineus* Kühner & Romagnesi in *Bull. Soc. mycol. Fr.*, 69, p. 361, 1954.—France.
- evosmus* Kühner & Romagnesi in *Bull. Soc. mycol. Fr.*, 69, p. 361, 1954.—France.
- fulvissimus* Romagnesi apud Kühner & Romagnesi in *Bull. Soc. mycol. Fr.*, 69, p. 362, 1954.—France.
- iners* Kühner in *Bull. Soc. mycol. Fr.*, 69, p. 362, 1954.—France.
- rugatus* Kühner & Romagnesi in *Bull. Soc. mycol. Fr.*, 69, p. 362, 1954.—Algeria.
- scrobipes* Kühner & Romagnesi in *Bull. Soc. mycol. Fr.*, 69, p. 364, 1954.—France.
- terminosus* var. *sublateritius* Kühner & Romagnesi in *Bull. Soc. mycol. Fr.*, 69, p. 364, 1954.—France.
- zonarioides* Kühner & Romagnesi nom. nov. in *Bull. Soc. mycol. Fr.*, 69, p. 365, 1954. (Syn. *L. zonarius* sensu Konrad & Maubl.).
- Lemonniera cornuta* Ranzoni in *Farlowia*, 4, p. 379, 1953 on *Salix* and *Quercus* in water.—California, U.S.A.
- Lepiota amyloidea* Singer in *Ann. mycol., Berl.*, 41, p. 171, 1943.—Altai, U.S.S.R.
- subamanitifformis* Dennis (this *Index*, 2, p. 125) is a later homonym of *L. subamanitifformis* Imai, 1938.
- wichanskii* Pilát in *Acta Mus. nat. Prag.*, 9, p. 4, 1953.—Czechoslovakia.
- Lepteutypa fusispora* Petrak in *Sydowia*, 7, p. 387, 1953 on *Wistaria*.—Hawaii.
- Leptosphaeria nandinae* Togashi & Tsukamoto apud Tsukamoto in *Ann. phytopath. Soc. Japan*, 17, p. 121, 1953 on *Nandina domestica*.—Japan.
- **Leucocoprinus subsquarrosus* Locquin in *Bull. mens. Soc. linn. Lyon*, 14, p. 52, 1945.—France. [This *Index*, 2, p. 104 in error under *Leptospora*].
- zeyheri* (Berk.) Singer in *Ann. mycol., Berl.*, 41, p. 167, 1943. [Syn. not cited].
- LEUCO-INOCYBE** Singer in *Ann. mycol., Berl.*, 41, p. 144, 1943.—Agaricales.
- lenta* (Maire) Singer in *Ann. mycol., Berl.*, 41, p. 144, 1943. [Syn. not cited].
- Leucopaxillus albissimus* (Peck) Singer in *Ann. mycol., Berl.*, 41, p. 59, 1943. [Syn. not cited].
- giganteus* (Sow.) Singer in *Ann. mycol., Berl.*, 41, p. 59, 1943. [Syn. not cited].
- lentus* (Post) Singer in *Ann. mycol., Berl.*, 41, p. 60, 1943. [Syn. not cited].
- leptistoides* (Maire) Singer in *Ann. mycol., Berl.*, 41, p. 59, 1943. [Syn. not cited].
- Libertella kokkia* Petrak in *Sydowia*, 7, p. 405, 1953 on *Kokia*.—Hawaii.
- Lyophyllum ambustum* (Fr.) Singer [comb. nov. ?] in *Ann. mycol., Berl.*, 41, p. 105, 1943. (Syn. *Agaricus ambustus* Fr.).

- constrictum* (Fr.) Singer in *Ann. mycol.*, Berl., 41, p. 96, 1943. [Syn. not cited].
- gambosum* (Fr.) Singer in *Ann. mycol.*, Berl., 41, p. 96, 1943. [Syn. not cited].
- impexum* (Karst.) Singer in *Ann. mycol.*, Berl., 41, p. 105, 1943. (Syn. *Collybia impeza* Karst.).
- leucocephalum* (Fr.) Singer in *Ann. mycol.*, Berl., 41, p. 100, 1943. [Syn. not cited].
- macrosporum* Singer nom. nov. in *Ann. mycol.*, Berl., 41, p. 99, 1943. (Syn. *Clitocybe ectypa* sensu Bres.).
- schulzeri* (Bres.) Singer in *Ann. mycol.*, Berl., 41, p. 105, 1943. (Syn. *Hygrophorus schulzeri* Bres.).
- tesquorum* (Fr.) Singer in *Ann. mycol.*, Berl., 41, p. 105, 1943. (Syn. *Agaricus tesquorum* Fr.).
- transforme* (Britz.) Singer in *Ann. mycol.*, Berl., 41, p. 98, 1943. (Syn. *Agaricus transformis* Britz.).
- Macrophoma akitensis* Togashi & Tsukamoto apud Tsukamoto in *Ann. phytopath. Soc. Japan*, 17, p. 123, 1953 on *Catalpa ovata*.—Japan.
- forsythiae* Togashi & Tsukamoto apud Tsukamoto in *Ann. phytopath. Soc. Japan*, 17, p. 122, 1953 on *Forsythia suspensa*.—Japan.
- negundinis* Ribaldi (This *Index*, 2, p. 81) is a later homonym of *M. negundinis* Ellis & Everh., 1894.
- Marasmius acicola* Romagnesi (This *Index*, 2, p. 126) is a later homonym of *M. acicola* Berk. & Curt., 1860.
- albogriseus* (Peck) Singer in *Ann. mycol.*, Berl., 41, p. 130, 1943. [Syn. not cited].
- ludovicianus* (Murr.) Singer in *Ann. mycol.*, Berl., 41, p. 131, 1943. [Syn. not cited].
- sibiricus* Singer in *Ann. mycol.*, Berl., 41, p. 127, 1943. —Siberia.
- strictipes* (Peck) Singer in *Ann. mycol.*, Berl., 41, p. 130, 1943. [Syn. not cited].
- tenuifolius* (Murr.) Singer in *Ann. mycol.*, Berl., 41, p. 130, 1943. [Syn. not cited].
- Masoniella croci* (van Beyma) G. Smith in *Trans. Brit. mycol. Soc.*, 37, p. 166, 1954. (Syn. *Scopulariopsis croci* van Beyma).
- Massarina sarcostemmatis* K. Ramakr. in *J. Madras Univ.*, Sect. B, 23, p. 147, 1953 on *Sarcostemma brevistigma*.—South India.
- Melanoleuca amica* (Fr.) Singer in *Ann. mycol.*, Berl., 41, p. 57, 1943. [Syn. not cited].
- cinchonensis* (Murr.) Singer in *Ann. mycol.*, Berl., 41, p. 54, 1943. [Syn. not cited].
- cognata* subsp. *altaica* Singer in *Ann. mycol.*, Berl., 41, p. 55, 1943. —Altai, U.S.S.R.
- crassotunicata* Singer in *Ann. mycol.*, Berl., 41, p. 56, 1943. —Asia.
- phaeopodia* (Bres.) Singer in *Ann. mycol.*, Berl., 41, p. 57, 1943. [Syn. not cited].
- schumacheri* (Fr.) Singer in *Ann. mycol.*, Berl., 41, p. 54, 1943. [Syn. not cited].
- Melanopsichium inouyei* (P. Henn. & Shirai) Ling in *Farlowia*, 4, p. 337, 1953. (Syn. *Uredo inouyei* P. Henn. & Shirai).
- MELANOSTROMELLA** Petrak in *Sydowia*, 7, p. 361, 1953. —Gibberaceae.
- inaequalis* Petrak in *Sydowia*, 7, p. 361, 1953 on *Vaccinium*. —British North Borneo.
- Melanotaenium euphorbiae* (Lenz) Whitehead & Thirumalachar in *Bull. Torrey bot. Cl.*, 80, p. 499, 1953. (Syn. *Tilletia euphorbiae* Lenz).
- Merulius tignicola* Harmsen in *Friesia*, 4, p. 245, 1953 on timber. —Denmark.
- Milesina hiratsukai* Morimoto in *J. Jap. Bot.*, 28, p. 313, 1953 on *Plagiogyria japonica*. —Japan.
- Monilia ferruginea* Math.-Käärik in *Medd. Skogsforskn. Inst. Stockh.*, 43, 4, p. 57, 1954 in wood of *Picea excelsa*. —Sweden. [A later homonym of *M. ferruginea* Persoon.]
- ***MONOSTACHYS** Arnaud in *Bull. Soc. mycol. Fr.*, 69, p. 278, 1954. —Dematiaceae.
- *—*transversalis* Arnaud in *Bull. Soc. mycol. Fr.*, 69, p. 278, 1954 on wood. —France.
- Mucor bacilliformis* Hesseltine in *Mycologia*, 46, p. 360, 1954 from soil. —Wisconsin, U.S.A.
- Mycena beardsleeana* Singer nom. nov. in *Ann. mycol.*, Berl., 41, p. 138, 1943. (Syn. *M. capillaripes* Beardsl. & Coker, non Peck).
- herbarum* Singer in *Ann. mycol.*, Berl., 41, p. 138, 1943. —Altai, U.S.S.R.
- kuehneri* Singer in *Ann. mycol.*, Berl., 41, p. 138, 1943. —Altai, U.S.S.R.
- luteoalcalina* Singer subsp. *altaica* Singer in *Ann. mycol.*, Berl., 41, p. 141, 1943. —Altai, U.S.S.R.
- minima* Dennis (This *Index*, 2, p. 127). See also *M. minima* Velen. (ibid., 1, p. 190).
- overholtsii* A. H. Smith & Solheim in *Madroño. S. Francisco*, 12, p. 106, 1953 on timber. —Wyoming, U.S.A.
- subceracea* A. H. Smith & Solheim in *Madroño, S. Francisco*, 12, p. 107, 1953. —Wyoming, U.S.A.
- subinamyloidea* Singer in *Ann. mycol.*, Berl., 41, p. 139, 1943. —Altai, U.S.S.R.
- sudorella* Singer in *Ann. mycol.*, Berl., 41, p. 142, 1943. —Altai, U.S.S.R.
- swanetica* (Singer) Singer in *Ann. mycol.*, Berl., 41, p. 140, 1943. [Syn. not cited].
- vasilievae* Singer in *Ann. mycol.*, Berl., 41, p. 141, 1943. —Altai, U.S.S.R.
- Mycosphaerella agapanthi* T. S. & K. Ramakr. (This *Index*, 2, p. 24) is a later homonym of *M. agapanthi* (Kalchbr. & Cooke) Petrak, 1928.
- degeneri* Petrak in *Sydowia*, 7, p. 389, 1953 on *Euphorbia*. —Hawaii.
- deschampsiae* R. Sprague in *Mycologia*, 46, p. 78, 1954 on *Deschampsia atropurpurea*. —Alaska.
- koae* Petrak in *Sydowia*, 7, p. 390, 1953 on *Acacia koa*. —Hawaii.
- mauca* Petrak in *Sydowia*, 7, p. 391, 1953 on a vine. —Hawaii.
- olindensis* Petrak in *Sydowia*, 7, p. 391, 1953 on *Pteris excelsa*. —Hawaii.
- superflua* (Auersw.) Petrak in *Ann. mycol.*, Berl., 38, p. 235, 1940. (Syn. *Sphaeria superflua* Auersw.).
- Myxocollybia* (?) *platycystis* Singer in *Ann. mycol.*, Berl., 41, p. 118, 1943. —Altai, U.S.S.R.
- Naucoria charvatii* Pilát in *Acta Mus. nat. Prag.*, 9, p. 54, 1953. —Bohemia.
- intertrunca* Pilát in *Acta Mus. nat. Prag.*, 9, p. 55, 1953 on decayed wood. —Czechoslovakia.
- Nematoctonus campylosporus* Drechsler in *J. Wash. Acad. Sci.*, 44, p. 82, 1954 on nematodes. —Louisiana, U.S.A.
- Nigrospora arundinacea* (Cooke & Massee) Potlaichuk in *Микробиология* [*Microbiology*,

- Moscow], 21, p. 224, 1952. (Syn. *Hadrotrichum arundinaceum* Cooke & Massee).
- *gallarum* (Moll.) Potlaichuk in *Микробиология* [Microbiology, Moscow], 21, p. 224, 1952. (Syn. *Basisporium gallarum* Moll.).
- Nodulisporium verrucosum* (van Beyma) G. Smith in *Trans. Brit. mycol. Soc.*, 37, p. 166, 1954. (Syn. *Botrytis verrucosa* van Beyma).
- Nolanea chionoderma* Pilát in *Acta Mus. nat. Prag.*, 9, p. 57, 1953.—Czechoslovakia.
- **ONCOPODIELLA* Arnaud in *Bull. Soc. mycol. Fr.*, 69, p. 296, 1954.—Dematiaceae.
- *—*tetraedrica* Arnaud in *Bull. Soc. mycol. Fr.*, 69, p. 296, 1954 on bark.—France.
- **OPHIOPODIUM* Arnaud in *Bull. Soc. mycol. Fr.*, 69, p. 300, 1954.—Mycelia Sterilia. O. 'Humiriae' n.sp. figured but not described.
- Ophiostoma albidum* Math.-Käärik in *Medd. SkogsforsknInst. Stockh.*, 43, 4, p. 52, 1954 in wood.—Sweden.
- brunneo-ciliatum* Math.-Käärik in *Medd. SkogsforsknInst. Stockh.*, 43, 4, p. 44, 1954 in wood.—Sweden.
- galeiforme* (Bakshi) Math.-Käärik in *Medd. SkogsforsknInst. Stockh.*, 43, 4, p. 47, 1954. (Syn. *Ceratocystis galeiformis* Bakshi).
- Othia rubicola* Petrak in *Sydowia*, 7, p. 393, 1953 on *Rubus*.—Hawaii.
- shearii* Petrak in *Sydowia*, 7, p. 393, 1953 on *Leucaena glauca*.—Hawaii.
- **OVEREEMIA* Arnaud in *Bull. Soc. mycol. Fr.*, 69, p. 300, 1954.—Mycelia Sterilia.
- glomerelae* (Overeem) Arnaud in *Bull. Soc. mycol. Fr.*, 69, p. 300, 1954. (Syn. *Clasteroporum glomerelae* Overeem).
- **PACHYTHYRIUM* Arnaud in *Bull. Soc. mycol. Fr.*, 69, p. 302, 1954.—Microthyriaceae.
- parasiticum* (H. Fabre) Arnaud in *Bull. Soc. mycol. Fr.*, 69, p. 302, 1954. (Syn. *Bertia parasitica* H. Fabre).
- Papulaspora pulmonaria* van Beverwijk in *Leeuwenhoek ned. Tijdschr.*, 20, p. 11, 1954 from leaves in water.—Netherlands and England.
- PARASPHAEROPSIS* Petrak in *Sydowia*, 7, p. 364, 1953.—Sphaeropsidales.
- shearii* Petrak in *Sydowia*, 7, p. 364, 1953 on *Pteris excelsa*.—Hawaii.
- Parodiopsis sydowii* (Petr.) von Arx in *Acta bot. neerl.*, 3, p. 88, 1954. (Syn. *Neodimerium sydowii* Petr.). [See also *P. sydowii* Petrak, this Index, 2, p. 24].
- Paxina arctica* (Nannf.) Cash in *J. Wash. Acad. Sci.*, 44, p. 45, 1954. (Syn. *Helvella arctica* Nannf.).
- Pellicularia otagensis* G. H. Cunn. in *Trans. roy. Soc. N.Z.*, 81, p. 324, 1953 on decaying wood.—New Zealand.
- scabrida* G. H. Cunn. in *Trans. roy. Soc. N.Z.*, 81, p. 326, 1953 on dead *Nothopanax arboreum*.—New Zealand.
- zealandica* G. H. Cunn. in *Trans. roy. Soc. N.Z.*, 81, p. 322, 1953 on dead *Podocarpus spicatus*.—New Zealand.
- **Peronospora coronillae-minimae* Viennot-Bourgin in *Bull. Soc. mycol. Fr.*, 69, p. 332, 1954 on *Coronilla minima*.—France.
- *—*coronopi-procumbentis* Viennot-Bourgin in *Bull. Soc. mycol. Fr.*, 69, p. 333, 1954 on *Coronopus procumbens*.—France.
- *—*erini* Viennot-Bourgin in *Bull. Soc. mycol. Fr.*, 69, p. 334, 1954 on *Erinus alpinus*.—France.
- *—*minuta* Viennot-Bourgin in *Bull. Soc. mycol. Fr.*, 69, p. 334, 1954 on *Stenophragma thaliana*.—France.
- *—*papaveris-pilosus* Viennot-Bourgin in *Bull. Soc. mycol. Fr.*, 69, p. 335, 1954 on *Papaver pilosum*.—France.
- *—*ranunculi-flabellati* Viennot-Bourgin in *Bull. Soc. mycol. Fr.*, 69, p. 335, 1954 on *Ranunculus chaerophyllos*.—France.
- Peziza alaskana* Cash in *J. Wash. Acad. Sci.*, 44, p. 44, 1954.—Alaska.
- Phaeomarasmius minutulus* (Henn.) Singer in *Ann. mycol., Berl.*, 41, p. 151, 1943. (Syn. *Lentinus minutulus* Henn.).
- Phialophora jeanselmei* (Langeron) Emmons in *Arch. Path. (Lab. Med.)*, 39, p. 368, 1945. (Syn. *Torula jeanselmei* Langeron).
- Philonectria insignis* (Petr. & Cif.) Arx in *Acta bot. neerl.*, 3, p. 92, 1954. (Syn. *Phragmodimerium insignis* Petr. & Cif.).
- Phoma minuta* Bausá Alcalde (This Index, 2, p. 85). See also *P. minuta* Wehm. (*ibid.*, 1, p. 153).
- Phomatospora cylindrotheca* Petrak in *Sydowia*, 7, p. 394, 1953 on *Pandanus*.—Hawaii.
- sandwicensis* Petrak in *Sydowia*, 7, p. 395, 1953 on rotten wood.—Hawaii.
- Phomopsis hieracii* Greene in *Amer. Midl. Nat.*, 50, p. 506, 1953 on *Hieracium longipilum*.—Wisconsin, U.S.A.
- Phyllachora rhamnii* T. S. Ramakr. in *Proc. Indian Acad. Sci., Sect. B*, 34, p. 67, 1951 on *Rhamnus wightii*.—India.
- tequendamensis* (Chard.) Petrak (This Index, 2, p. 85) is a later homonym of *P. tequendamensis* Chardon, 1930.
- Phyllosticta aleuritidis* Saccas & Drouillon (This Index, 2, p. 61) is a later homonym of *P. aleuritidis* Cif. & Frag., 1926.
- hawaiiensis* Petrak in *Sydowia*, 7, p. 405, 1953 on *Mimosa*.—Hawaii.
- japonica* Sawada (This Index, 2, p. 41) is a later homonym of *P. japonica* Miyake, 1910.
- microspora* Saccas & Drouill. (This Index, 2, p. 61) is a later homonym of *P. microspora* Verpl. & Claess., 1934.
- numerospora* Greene in *Amer. Midl. Nat.*, 50, p. 506, 1953 on *Potentilla argentea*.—Wisconsin, U.S.A.
- sorbariae* Greene in *Amer. Midl. Nat.*, 50, p. 506, 1953 on *Sorbaria sorbifolia*.—Wisconsin, U.S.A.
- Phyllostictina jambosae* Petrak in *Sydowia*, 7, p. 406, 1953 on *Jambosa*.—Hawaii.
- psidicola* Petrak in *Sydowia*, 7, p. 406, 1953 on *Psidium guayava*.—Hawaii.
- Physalospora clerodendri* Ramakr. (This Index, 2, p. 130) is a later homonym of *P. clerodendri* Syd., 1909.
- *—*ricini* Rieuf in *Rev. Path. vég.*, 32, p. 124, 1953 on *Ricinus communis*.—Morocco.
- Physoderma brachiariae* Thirum. & Pavgi in *Bull. Torrey bot. Cl.*, 81, p. 153, 1954 on *Brachiarista distachya*.—India.
- dichanthicola* (as 'dichanthicolum') Pavgi & Thirum. apud Thirum. & Pavgi in *Bull. Torrey bot. Cl.*, 81, p. 153, 1954 on *Dichanthium annulatum*.—India.
- echinoclaoe* Thirum. & Whitehead in *Science*, 118, p. 694, 1953 on *Echinoclaoa crusgalli*.—India.

- **PILULINA* Arnaud in *Bull. Soc. mycol. Fr.*, 69, p. 268, 1954.—Dematiaceae.
- **nigrospora* Arnaud in *Bull. Soc. mycol. Fr.*, 69, p. 268, 1954 on wood.—France.
- **PIMINELLA* Arnaud in *Bull. Soc. mycol. Fr.*, 69, p. 281, 1954.—Dematiaceae.
- **castaneae* Arnaud in *Bull. Soc. mycol. Fr.*, 69, p. 281, 1954 on dead *Castanea*.—France.
- **Piricularia caricis* Arnaud in *Bull. Soc. mycol. Fr.*, 69, p. 288, 1954 on *Carex*.—France.
- Pistillina typhae* (Höhnelt) Donk in *Reinwardtia*, 2, p. 457, 1954. (Syn. *Dacryopsis typhae* Höhnelt).
- Plasmopara curta* (Berk.) Skalický in *Preslia*, 26, p. 126, 1954. (Syn. *Botrytis curta* Berk.).
- forma *hellebori* (Sävil. & Rayss) Skalický in *Preslia*, 26, p. 129, 1954. (Syn. *P. pygmaea* (Ung.) Schr. forma *hellebori* Sävil. & Rayss).
- subsp. *orientalis* Skalický in *Preslia*, 26, p. 128, 1954 on *Anemone raddeana* and *A. baicalense*.—Eastern Asia.
- var. *fusca* (Peck) Skalický in *Preslia*, 26, p. 128, 1954. (Syn. *Protomyces fuscus* Peck).
- isopyri* Skalický in *Preslia*, 26, p. 132, 1954 on *Isopyrum thalicroides*.—Europe.
- wartenweileri* Skalický in *Preslia*, 26, p. 133, 1954 on *Anemone dichotoma*.—Wisconsin, U.S.A.
- Platycarpium amentorum* (Delacr.) Petrak in *Sydowia*, 7, p. 296, 1953. (Syn. *Gloeosporium amentorum* (Delacr.) Lind).
- deformans* (Schröt.) Petrak in *Sydowia*, 7, p. 296, 1953. (Syn. *Gloeosporium deformans* (Schröt.) Lind).
- lapponum* (Lind) Petrak in *Sydowia*, 7, p. 296, 1953. (Syn. *Calogloeum lapponum* Hannf.).
- oelandicum* (Lind) Petrak in *Sydowia*, 7, p. 296, 1953. (Syn. *Gloeosporium oelandicum* Lind).
- weirianum* (Sacc.) Petrak in *Sydowia*, 7, p. 296, 1953. (Syn. *Gloeosporium weirianum* Sacc.).
- Platyglœa longibasidia* Lowy in *Mycologia*, 46, p. 100, 1954 on dead wood.—Louisiana, U.S.A.
- Pleospaeropsis anonae* Chona & Munjal in *Indian Phytopath.*, 3, p. 108, 1950 on *Annona squamosa*.—India.
- crotonis* Chona & Munjal in *Indian Phytopath.*, 3, p. 109, 1950 on dead *Croton*.—India.
- cryptostegiae* Chona & Munjal in *Indian Phytopath.*, 3, p. 109, 1950 on dead *Cryptostegia grandiflora*.—India.
- fici* Chona & Munjal in *Indian Phytopath.*, 3, p. 110, 1950 on dead *Ficus*.—India.
- psidii* Chona & Munjal in *Indian Phytopath.*, 3, p. 111, 1950 on dead *Psidium guajava*.—India.
- thevetiae* Chona & Munjal in *Indian Phytopath.*, 3, p. 111, 1950 on dead *Thevetia nereifolia*.—India.
- Pleurage apiculifera* (Speg.) C. Moreau in *Encycl. Mycol.*, 25, p. 252, 1954. (Syn. *Sordaria apiculifera* Speg.).
- appendiculata* (Auersw.) C. Moreau in *Encycl. Mycol.*, 25, p. 246, 1954. (Syn. *Sordaria appendiculata* Auersw.).
- araneosa* (Cain) C. Moreau in *Encycl. Mycol.*, 25, p. 252, 1954. (Syn. *Sordaria araneosa* Cain).
- argentinensis* (Speg.) C. Moreau in *Encycl. Mycol.*, 25, p. 252, 1954. (Syn. *Sordaria argentinensis* Speg.).
- brevicaudata* (Speg.) C. Moreau in *Encycl. Mycol.*, 25, p. 254, 1954. (Syn. *Sordaria brevicaudata* Speg.).
- burkillii* (Massee) C. Moreau in *Encycl. Mycol.*, 25, p. 254, 1954. (Syn. *Sordaria burkillii* Massee).
- cervina* (Cain) C. Moreau in *Encycl. Mycol.*, 25, p. 255, 1954. (Syn. *Sordaria cervina* Cain).
- cirrifer* (Speg.) C. Moreau in *Encycl. Mycol.*, 25, p. 255, 1954. (Syn. *Sordaria cirrifer* Speg.).
- curvicolla* (Wint.) Kuntze var. *eminens* (Cain) C. Moreau in *Encycl. Mycol.*, 25, p. 319, 1954. (Syn. *Sordaria eminens* Cain).
- curvispora* (Cain) C. Moreau in *Encycl. Mycol.*, 25, p. 256, 1954. (Syn. *Sordaria curvispora* Cain).
- curvula* (de Bary) Kuntze var. *coronifera* (Grove) C. Moreau in *Encycl. Mycol.*, 25, p. 235, 1954. (Syn. *Sordaria coronifera* Grove).
- **dagobertii* C. Moreau in *Encycl. Mycol.*, 25, p. 245, 1954.—France.
- dubia* (Hansen) C. Moreau in *Encycl. Mycol.*, 25, p. 238, 1954. (Syn. *Sordaria dubia* Hansen).
- glutinans* (Cain) C. Moreau in *Encycl. Mycol.*, 25, p. 237, 1954. (Syn. *Sordaria glutinans* Cain).
- hirta* (Hansen) C. Moreau in *Encycl. Mycol.*, 25, p. 259, 1954. (Syn. *Sordaria hirta* Hansen).
- hispidula* (Speg.) C. Moreau in *Encycl. Mycol.*, 25, p. 259, 1954. (Syn. *Sordaria hispidula* Speg.).
- inaequalis* (Cain) C. Moreau in *Encycl. Mycol.*, 25, p. 260, 1954. (Syn. *Sordaria inaequalis* Cain).
- inaequilateralis* (Cain) C. Moreau in *Encycl. Mycol.*, 25, p. 260, 1954. (Syn. *Sordaria inaequilateralis* Cain).
- kilimandscharica* (A. Schmidt) C. Moreau in *Encycl. Mycol.*, 25, p. 261, 1954. (Syn. *Sordaria kilimandscharica* A. Schmidt).
- linguiformis* (Cain) C. Moreau in *Encycl. Mycol.*, 25, p. 261, 1954. (Syn. *Sordaria linguiformis* Cain).
- macrostoma* (Speg.) C. Moreau in *Encycl. Mycol.*, 25, p. 262, 1954. (Syn. *Sordaria macrostoma* Speg.).
- neglecta* (Hansen) C. Moreau in *Encycl. Mycol.*, 25, p. 248, 1954. (Syn. *Sordaria neglecta* Hansen).
- pachyspora* (Mouton) C. Moreau in *Encycl. Mycol.*, 25, p. 263, 1954. (Syn. *Sordaria pachyspora* Mouton).
- perplexens* (Cain) C. Moreau in *Encycl. Mycol.*, 25, p. 264, 1954. (Syn. *Sordaria perplexens* Cain).
- pilosa* (Mouton) C. Moreau in *Encycl. Mycol.*, 25, p. 264, 1954. (Syn. *Sordaria pilosa* Mouton).
- piriformis* (Bayer) C. Moreau in *Encycl. Mycol.*, 25, p. 249, 1954. (Syn. *Sordaria piriformis* Bayer).
- similis* (Hansen) C. Moreau in *Encycl. Mycol.*, 25, p. 265, 1954. (Syn. *Sordaria similis* Hansen).
- taediosa* (Speg.) C. Moreau in *Encycl. Mycol.*, 25, p. 266, 1954. (Syn. *Sordaria taediosa* Speg.).
- Pleurophomopsis eucalypti* Petrak in *Sydowia*, 7, p. 407, 1953 on *Eucalyptus*.—Hawaii.

- Pleurotus citrinopileatus* Singer in *Ann. mycol., Berl.*, 41, p. 149, 1943.—Chabarovsk, Asia.
- (*Pleurotellus*) *kotlabae* Pilát in *Acta Mus. nat. Prag.*, 9, p. 80, 1953 on dead *Juncus effusus*.—Bohemia.
- neapolitanus* (Pers.) Singer in *Ann. mycol., Berl.*, 41, p. 149, 1943. [Syn. not cited].
- Polyporellus obovatus* (Jungh.) Imazeki (*This Index*, 2, p. 130). Comb. made by Karsten in 1879.
- Polyporus montagnei* Fr. var. *greenii* (Berk.) Gilbertson in *Mycologia*, 46, p. 232, 1954. (Syn. *Cyclomyces greenii* Berk.).
- tessellatus* (Mont.) Singer in *Ann. mycol., Berl.*, 41, p. 151, 1943. (Syn. *Lentinus tessellatus* (Mont.) Henn.).
- ***POLYSCYTALINA** Arnaud in *Bull. Soc. mycol. Fr.*, 69, p. 284, 1954.—Dematiaceae. *P. grisea* n.sp. is figured but not described.
- Poria gilvella* Pilát (*This Index*, 1, p. 169). [Latin diagnosis in *Acta Mus. nat. Prag.*, 9, p. 104, 1953].
- mentschulensis* Pilát in *Acta Mus. nat. Prag.*, 9, p. 105, 1953 on rotted *Fagus sylvatica*.—Hungary.
- pseudoobducens* Pilát (*This Index*, 1, p. 169). [Latin diagnosis in *Acta Mus. nat. Prag.*, 9, p. 107, 1953].
- pulvinascens* Pilát in *Acta Mus. nat. Prag.*, 9, p. 106, 1953 on wood of *Salix*.—Sweden.
- stellae* Pilát (*This Index*, 1, p. 169). [Latin diagnosis in *Acta Mus. nat. Prag.*, 9, p. 107, 1953].
- subpudorina* Pilát (*This Index*, 1, p. 169). [Latin diagnosis in *Acta Mus. nat. Prag.*, 9, p. 105, 1953].
- subtrametea* Pilát (*This Index*, 1, p. 169). [Latin diagnosis in *Acta Mus. nat. Prag.*, 9, p. 106, 1953].
- POUZAROMYCES** Pilát in *Acta Mus. nat. Prag.*, 9, p. 60, 1953.—Agaricaceae.
- fumosellus* (Wint.) Pilát in *Acta Mus. nat. Prag.*, 9, p. 58, 1953.—(Syn. *Agaricus fumosellus* Wint.).
- Prospodium garcesii* Kern & Thurston in *Mycologia*, 46, p. 356, 1954 on *Arrabidaea magnifica*.—Colombia.
- Pseudodiplodia aconiticola* (Petrak) Petrak in *Sydowia*, 7, p. 304, 1953. (Syn. *Ascochyttula aconiticola* Petrak).
- aegaea* (Petrak) Petrak in *Sydowia*, 7, p. 305, 1953. (Syn. *Ascochyttella aegaea* Petrak).
- aethionemae* (Frag.) Petrak in *Sydowia*, 7, p. 305, 1953. (Syn. *Ascochyttella aethionemae* (Frag.) Petrak & Syd.).
- ampelina* (Sacc.) Petrak in *Sydowia*, 7, p. 304, 1953. (Syn. *Ascochyttella ampelina* (Sacc.) Petrak).
- anatolica* (Petrak) Petrak in *Sydowia*, 7, p. 305, 1953. (Syn. *Ascochyttella anatolica* Petrak).
- antirrhini* (Petrak) Petrak in *Sydowia*, 7, p. 305, 1953. (Syn. *Ascochyttella antirrhini* Petrak).
- astragalina* (Petrak) Petrak in *Sydowia*, 7, p. 305, 1953. (Syn. *Ascochyttella astragalina* Petrak).
- avenae* (Petrak) Petrak in *Sydowia*, 7, p. 304, 1953. (Syn. *Ascochyttella avenae* Petrak).
- beckii* (Bäuml.) Petrak in *Sydowia*, 7, p. 304, 1953. (Syn. *Ascochyttella beckii* (Bäuml.) Petrak).
- beticola* (Prill. & Delacr.) Petrak in *Sydowia*, 7, p. 305, 1953. (Syn. *Ascochyttella beticola* (Prill. & Delacr.) Petrak & Syd.).
- bremeri* (Petrak) Petrak in *Sydowia*, 7, p. 305, 1953. (Syn. *Ascochyttella bremeri* Petrak).
- capparidis* (Cast.) Petrak in *Sydowia*, 7, p. 305, 1953. (Syn. *Ascochyttella capparidis* (Cast.) Petrak).
- chondrillina* (Petrak) Petrak in *Sydowia*, 7, p. 305, 1953. (Syn. *Ascochyttella chondrillina* Petrak).
- corispermii* (Holl.) Petrak in *Sydowia*, 7, p. 304, 1953. (Syn. *Ascochyttella corispermii* (Holl.) Petrak).
- cryptica* (Syd.) Petrak in *Sydowia*, 7, p. 304, 1953. (Syn. *Ascochyttella cryptica* Syd.).
- davatchii* (Esf.) Petrak in *Sydowia*, 7, p. 305, 1953. (Syn. *Ascochyttella davatchii* Esf.).
- dorycnii* (Petrak) Petrak in *Sydowia*, 7, p. 304, 1953. (Syn. *Ascochyttella dorycnii* Petrak).
- drabae* (Petrak) Petrak in *Sydowia*, 7, p. 305, 1953. (Syn. *Ascochyttella drabae* Petrak).
- echii* (Petrak) Petrak in *Sydowia*, 7, p. 304, 1953. (Syn. *Ascochyttula echii* Petrak).
- erysimi* (Petrak) Petrak in *Sydowia*, 7, p. 304, 1953. (Syn. *Ascochyttella erysimi* Petrak).
- fraxini* (Oud.) Petrak in *Sydowia*, 7, p. 304, 1953. (Syn. *Ascochyttella fraxini* (Oud.) Petrak).
- jahniana* (Petrak) Petrak in *Sydowia*, 7, p. 304, 1953. (Syn. *Ascochyttella jahniana* Petrak).
- leguminicola* (Jaap) Petrak in *Sydowia*, 7, p. 304, 1953. (Syn. *Ascochyttella leguminicola* (Jaap) Petrak).
- lilloana* (Petrak) Petrak in *Sydowia*, 7, p. 305, 1953. (Syn. *Ascochyttella lilloana* Petrak).
- ludwigiana* (Petrak) Petrak in *Sydowia*, 7, p. 304, 1953. (Syn. *Ascochyttula ludwigiana* Petrak).
- luzulina* (Petrak) Petrak in *Sydowia*, 7, p. 304, 1953. (Syn. *Ascochyttella luzulina* Petrak).
- macedonica* (Petrak) Petrak in *Sydowia*, 7, p. 305, 1953. (Syn. *Ascochyttella macedonica* Petrak).
- maderensis* (Petrak) Petrak in *Sydowia*, 7, p. 305, 1953. (Syn. *Ascochyttella maderensis* Petrak).
- meliae* (Petrak) Petrak in *Sydowia*, 7, p. 305, 1953. (Syn. *Ascochyttella meliae* Petrak).
- onosmatis* (Petrak) Petrak in *Sydowia*, 7, p. 305, 1953. (Syn. *Ascochyttella onosmatis* Petrak).
- perpusilla* (Desm.) Petrak in *Sydowia*, 7, p. 305, 1953. (Syn. *Ascochyttella perpusilla* (Desm.) Petrak).
- polygonicola* (Kab. & Bub.) Petrak in *Sydowia*, 7, p. 305, 1953. (Syn. *Ascochyttula polygonicola* (Kab. & Bub.) Petrak).
- potentillae* (Petrak) Petrak in *Sydowia*, 7, p. 305, 1953. (Syn. *Ascochyttella potentillae* Petrak).
- pyncocyclae* (Petrak) Petrak in *Sydowia*, 7, p. 305, 1953. (Syn. *Ascochyttella pyncocyclae* Petrak).
- rhodopensis* (Petrak) Petrak in *Sydowia*, 7, p. 305, 1953. (Syn. *Ascochyttella rhodopensis* Petrak).
- rudis* (Bub.) Petrak in *Sydowia*, 7, p. 304, 1953. (Syn. *Ascochyttella rudis* (Bub.) Petrak & Syd.).
- rutaecola* (Rabenh.) Petrak in *Sydowia*, 7,

- p. 304, 1953. (Syn. *Ascochyttella rutaecola* (Rabenh.) Petrak & Syd.).
- *saponariae* (Petrak) Petrak in *Sydowia*, 7, p. 304, 1953. (Syn. *Ascochyttella saponariae* Petrak.).
- *sedii* (Allesch.) Petrak in *Sydowia*, 7, p. 304, 1953. (Syn. *Ascochyttella sedii* (Allesch.) Petrak.).
- *stapfiana* (Petrak) Petrak in *Sydowia*, 7, p. 305, 1953. (Syn. *Ascochyttella stapfiana* Petrak.).
- *stegaspheariae* (Petrak) Petrak in *Sydowia*, 7, p. 305, 1953. (Syn. *Ascochyttella stegaspheariae* Petrak.).
- *stipina* (Petrak) Petrak in *Sydowia*, 7, p. 305, 1953. (Syn. *Ascochyttella stipina* Petrak.).
- *symica* (Petrak) Petrak in *Sydowia*, 7, p. 305, 1953. (Syn. *Ascochyttella symica* Petrak.).
- *syriaca* (Petrak) Petrak in *Sydowia*, 7, p. 305, 1953. (Syn. *Ascochyttella syriaca* Petrak.).
- *thymi* (Petrak) Petrak in *Sydowia*, 7, p. 305, 1953. (Syn. *Ascochyttella thymi* Petrak.).
- *viciae* (Shemb.) Petrak in *Sydowia*, 7, p. 304, 1953. (Syn. *Ascochyttella viciae* (Shemb.) Petrak.).
- *virescens* (Petrak) Petrak in *Sydowia*, 7, p. 304, 1953. (Syn. *Ascochyttella virescens* Petrak.).
- *visci* (Poteb.) Petrak in *Sydowia*, 7, p. 304, 1953. (Syn. *Ascochyttella visci* (Poteb.) Petrak.).
- *xanthina* (Sacc.) Petrak in *Sydowia*, 7, p. 304, 1953. (Syn. *Ascochyttella xanthina* (Sacc.) Petrak & Syd.).
- Puccinia arthroxonis-ciliaris* Cummins in *Uredineana*, 4, p. 16, 1953 on *Arthroxon hispidus*.—Philippines.
- *asiatica* (Kom.) Syd. var. *tiarellae* Savile in *Canad. J. Bot.*, 32, p. 404, 1954 on *Tiarella polyphylla*.—Japan.
- *caricina* DC. var. *circaeae-caricis* (Hasler) Hylander, Jørstad, & Nannfeldt in *Op. bot.*, Lund, 1, 1, p. 42, 1953. (Syn. *P. circaeae-caricis* Hasler).
- *crocipallasi* Săvulescu, *Monografia Uredinalelor* . . . *România*, p. 1099, 1953 on *Crocus pallasii*.—Roumania.
- *erianthicola* Cummins in *Uredineana*, 4, p. 42, 1953 on *Erianthus angustifolius*.—Brazil.
- *fujisanensis* Hiratsuka f. in *Mycol. J. Nagao Inst.*, No. 3, p. 85, 1953 on *Ostericum florenti*.—Japan.
- *heucherae* (Schw.) Diet. var. *austroberingiana* Savile in *Canad. J. Bot.*, 32, p. 407, 1954 on *Tellima grandiflora*.—B.C., Canada.
- var. *chrysosplenii* (Grev.) Savile in *Canad. J. Bot.*, 32, p. 405, 1954. (Syn. *P. chrysosplenii* Grev.).
- var. *lithophragmae* (Holway) Savile in *Canad. J. Bot.*, 32, p. 409, 1954. (Syn. *P. lithophragmae* Holway).
- var. *saxifragae* (Schlecht.) Savile in *Canad. J. Bot.*, 32, p. 408, 1954. (Syn. *P. saxifragae* Schlecht.).
- *kawandensis* Cummins in *Uredineana*, 4, p. 44, 1953 on *Chrysopogon aucheri*.—Uganda.
- *lapathicola* Hylander, Jørstad, & Nannfeldt nom. nov. in *Op. bot.*, Lund, 1, 1, p. 66, 1953. (Syn. *P. punctiformis* Diet. & Holw. 1894, non (Str.) Röhl. 1813).
- *operculinae* T. S. Ramakr. & Sundaram in *Indian Phytopath.*, 5, p. 111, 1953 on *Operculina turpethum*.—South India.
- *pazschkei* Diet. var. *heterisiae* (Jacks.) Savile in *Canad. J. Bot.*, 32, p. 410, 1954. (Syn. *P. heterisiae* Jacks.).
- var. *huteri* (Syd.) Savile in *Canad. J. Bot.*, 32, p. 412, 1954. (Syn. *P. huteri* Syd.).
- var. *juelliana* (Diet.) Savile in *Canad. J. Bot.*, 32, p. 411, 1954. (Syn. *P. juelliana* Diet.).
- var. *oppositifolia* [as '*oppositifoliae*'] Savile in *Canad. J. Bot.*, 32, p. 413, 1954 on *Saxifraga oppositifolia*.—Quebec, Canada.
- var. *tricuspidata* [as '*tricuspidatae*'] Savile nom. nov. in *Canad. J. Bot.*, 32, p. 410, 1954. (Syn. *P. saxifragae-tricuspidatae* P. Henn.).
- *pseudocesatii* Cummins in *Uredineana*, 4, p. 71, 1953 on *Chrysopogon gryllus*.—Austria.
- Pucciniastrum guttatum* (Schroet.) Hylander, Jørstad, & Nannfeldt in *Op. bot.*, Lund, 1, 1, p. 81, 1953. (Syn. *Melampsora guttata* Schroet.).
- *QUESTIERIELLA** Arnaud in *Bull. Soc. mycol. Fr.*, 69, p. 284, 1954.—Dematiaceae; conidial state of *Questieria* Arn. Two 'n.sp.' are figured but not described.
- *ramundi* (Sacc.) Arnaud in *Bull. Soc. mycol. Fr.*, 69, p. 287, 1954. (Syn. '*Sarcinella ramundi* Sacc., 1914, pr. part.').
- RAMARICIUM** J. Eriksson in *Svensk bot. Tidskr.*, 48, p. 189, 1954.—Clavariaceae.
- *occultum* J. Eriksson in *Svensk bot. Tidskr.*, 48, p. 196, 1954 on *Hylocomium schreberi*.—Sweden.
- Ravenelia hansfordii* Cumms. var. *ferruginea* [as '*ferrugineae*'] T. S. Ramakr. & Sundaram in *Indian Phytopath.*, 5, p. 113, 1953 on *Acacia ferruginea*.—South India.
- Rehmiodothis betulina* (Fr.) Arx in *Acta bot. neerl.*, 3, p. 83, 1954. (Syn. *Dothidea betulina* Fr.).
- Rhabdospora orientalis* Togashi & Tsukamoto apud Tsukamoto in *Ann. phytopath. Soc. Japan*, 17, p. 122, 1953 on *Biota orientalis*.—Japan.
- *RICINI** Rieuf in *Rev. Path. vég.*, 32, p. 124, 1953 on *Ricinus communis*.—Morocco.
- *RHINOTRICHELLA** Arnaud in *Bull. Soc. mycol. Fr.*, 69, p. 272, 1954.—Dematiaceae.
- *grisea* (Sacc.) Arnaud in *Bull. Soc. mycol. Fr.*, 69, p. 272, 1954. (Syn. *Rhinotrichum griseum* Sacc.).
- Rhizophidium difficile* Canter in *Trans. Brit. mycol. Soc.*, 37, p. 119, 1954 on *Stauroastrum jaculiferum*.—English Lake District.
- *oblongum* Canter in *Trans. Brit. mycol. Soc.*, 37, p. 116, 1954 on *Dinobryon*.—English Lake District.
- *uniguttulum* Canter in *Trans. Brit. mycol. Soc.*, 37, p. 113, 1954 on *Gemelliscystis neglecta*.—English Lake District.
- Rhizosiphon akinetum* Canter in *Trans. Brit. mycol. Soc.*, 37, p. 121, 1954 on *Anabaena affinis* var. *intermedia*.—England.
- Rhodopaxillus glaucocanus* (Bres.) Singer in *Ann. mycol., Berl.*, 41, p. 92, 1943. [Syn. not cited].
- *lepista* (Fr.) Singer in *Ann. mycol., Berl.*, 41, p. 91, 1943. (Syn. *Paxillus lepista* Fr.).
- *nudus* var. *tridentinus* Singer nom. nov. in *Ann. mycol., Berl.*, 41, p. 91, 1943. (Syn. *Tricholoma personatum* f. *minor* Bres.).
- var. *violaceofuscidulus* Singer in *Ann. mycol., Berl.*, 41, p. 92, 1943. —Caucasus.
- Rhodophyllus aeruginosus* (Hiroe) Hongo

- in *J. Jap. Bot.*, 29, p. 92, 1954. (Syn. *Entoloma aeruginosum* Hiroe).
- *murrayi* (Berk. & Curt.) Singer forma *albus* (Hiroe) Hongo in *J. Jap. Bot.*, 29, p. 92, 1954. (Syn. *Entoloma album* Hiroe).
 - *subnitidus* (Imai) Hongo forma *cyano-niger* (Hongo) Hongo in *J. Jap. Bot.*, 29, p. 92, 1954. (Syn. *Entoloma subnitidum* Imai f. *cyano-nigrum* Hongo).
- Rhopoglyphus anceps* Petrak in *Sydowia*, 7, p. 396, 1953 on *Pteris*.—Hawaii.
- Russula carminipes* Blum in *Bull. Soc. mycol. Fr.*, 69, p. 449, 1954.—France.
- *cupraeoviolacea* Blum in *Bull. Soc. mycol. Fr.*, 69, p. 440, 1954.—France.
 - *pseudolilacea* Blum in *Bull. Soc. mycol. Fr.*, 69, p. 434, 1954.—France.
 - *pseudorosea* Blum in *Bull. Soc. mycol. Fr.*, 69, p. 436, 1954.—France.
 - *robertii* Blum in *Bull. Soc. mycol. Fr.*, 69, p. 443, 1954.—France.
 - *varicolor* Blum in *Bull. Soc. mycol. Fr.*, 69, p. 445, 1954.—France.
 - *xerampelina* var. *abietum* Blum in *Bull. Soc. mycol. Fr.*, 69, p. 429, 1954.—France.
- **Sabouraudites praecox* Rivalier in *Ann. Inst. Pasteur*, 86, p. 276, 1954 on man.—France.
- Sclerotiopsis indica* T. S. Ramakr. & Srinivasan in *Proc. Indian Acad. Sci.*, Sect. B, 34, p. 71, 1951 on *Ilex wightiana*.—India.
- Scolecosporium phoebes* [as 'phoebei'] T. S. Ramakr. in *Proc. Indian Acad. Sci.*, Sect. B, 34, p. 70, 1951 on *Phoebe paniculata*.—India.
- Scytinotopsis tremula* (Schaeff.) Singer in *Ann. mycol.*, Berl., 41, p. 157, 1943. [Syn. not cited].
- **SELENOSPORELLA* Arnaud in *Bull. Soc. mycol. Fr.*, 69, p. 292, 1954.—Dematiaceae.
- *— *curvispora* Arnaud in *Bull. Soc. mycol. Fr.*, 69, p. 292, 1954 on a dead branch.—France.
- Septoria achilleae* Greene in *Amer. Midl. Nat.*, 50, p. 507, 1953 on *Achillea mille-folium*.—Wisconsin, U.S.A.
- *achyranthis* Chona & Munjal in *Indian Phytopath.*, 3, p. 107, 1950 on *Achyranthes aspera*.—India.
 - *lamii* Pass. var. *brevior* Greene in *Amer. Midl. Nat.*, 50, p. 507, 1953 on *Leonurus cardiaca*.—Wisconsin, U.S.A.
 - *macropoda* forma *sitadakaensis* R. Sprague in *Mycologia*, 46, p. 79, 1954 on dead *Poa paucispicula*.—Alaska.
- Sorosporium anthephorae* Ling in *Lloydia*, 16, p. 184, 1953 on *Antheophora acuminata*.—Nyasaland.
- *bothriochloae* Ling in *Lloydia*, 16, p. 186, 1953 on *Bothriochloa glabra*.—Nyasaland.
 - *congoense* Ling in *Lloydia*, 16, p. 186, 1953 on *Andropogon gabonensis*.—Belgian Congo.
 - *cymbopogonis-distantis* Ling in *Farlowia*, 4, p. 341, 1953 on *Cymbopogon distans*.—Szechwan, China.
 - *decorsei* (Har. & Pat.) Ling in *Lloydia*, 16, p. 187, 1953. (Syn. *Tolyposporium decorsei* Har. & Pat.).
 - *densiflorum* Ling in *Lloydia*, 16, p. 188, 1953 on *Cymbopogon densiflorus*.—Belgian Congo.
 - *dubiosum* (Zundel) Ling in *Lloydia*, 16, p. 189, 1953. (Syn. *Cintractia dubiosa* Zundel).
 - *goniosporum* (Massee) Ling in *Lloydia*, 16, p. 189, 1953. (Syn. *Ustilago goniospora* Massee).
 - *guaranticum* (Speg.) Ling in *Lloydia*, 16, p. 190, 1953. (Syn. *Ustilago guarantica* Speg.).
 - *loudetiae-superbae* Ling in *Lloydia*, 16, p. 191, 1953 on *Loudetia superba*.—Nyasaland.
 - *pappianum* (Bacc.) Ling in *Lloydia*, 16, p. 192, 1953. (Syn. *Ustilago pappiana* Bacc.).
- Sphacelotheca andropogonis-schirensis* Ling in *Lloydia*, 16, p. 181, 1953 on *Andropogon schirensis*.—Belgian Congo.
- *anthistirieae* (Petch) Ling in *Farlowia*, 4, p. 328, 1953. (Syn. *Ustilago anthistirieae* Petch).
 - var. *punctata* Ling in *Farlowia*, 4, p. 328, 1953 on *Themeda triandra*.—Szechwan, China.
 - *serrata* Ling in *Lloydia*, 16, p. 183, 1953 on *Brachiaria serrata*.—Nyasaland.
 - *tanglinensis* (Tracy & Earle) Zundel var. *hainanae* (Zundel) Ling in *Farlowia*, 4, p. 334, 1953. (Syn. *Sphacelotheca hainanae* Zundel).
 - *tristachyae-hispidae* Ling in *Lloydia*, 16, p. 184, 1953 on *Tristachya hispida*.—Nyasaland.
- Sphaerella clypeata* da Camara & de Vasconcelos in *Agron. lusit.*, 15, p. 186, 1953 on *Jasminum*.—Portugal.
- **SPHAEROMYCES* Arnaud [non Mont., 1845] in *Bull. Soc. mycol. Fr.*, 69, p. 279, 1954.—Dematiaceae.
- *— *clavisporus* Arnaud in *Bull. Soc. mycol. Fr.*, 69, p. 279, 1954 on wood.—France.
- **SPHAEROMYCETELLA* Arnaud in *Bull. Soc. mycol. Fr.*, 69, p. 279, 1954.—Dematiaceae.
- *— *leucocephala* Arnaud in *Bull. Soc. mycol. Fr.*, 69, p. 279, 1954 on dead *Populus*.—France.
- Spondylocladium macrocarpum* (Grev.) Arnaud in *Bull. Soc. mycol. Fr.*, 69, p. 288, 1954. (Syn. *Helminthosporium macrocarpum* Grev.).
- **SPOREDOCLADIA* Arnaud in *Bull. Soc. mycol. Fr.*, 69, p. 279, 1954.—Dematiaceae.
- *— *castaneae* Arnaud in *Bull. Soc. mycol. Fr.*, 69, p. 279, 1954 on old cupules of *Castanea*.—France.
- **Sporormia petasoniformis* C. Moreau in *Encycl. Mycol.*, 25, p. 285, 1954.—France.
- Stemonitis* (as 'Stemonites') *travancorensis* Erady in *Kew Bull.*, 1953, p. 570, 1953 on *Cereus*.—South Travancore, India.
- Stemphylium loti* Graham in *Phytopathology*, 43, p. 578, 1953 on *Lotus corniculatus*.—New York, U.S.A.
- Stereum aurora* Killerman in *Ann. mycol.*, Berl., 41, p. 275, 1943 on bark of *Populus tremula*.—Siberia.
- Stigmathea hepaticarum* (Cooke) Arx in *Acta bot. neerl.*, 3, p. 87, 1954. (Syn. *Laestadia hepaticarum* Cooke).
- SUBBAROMYCES* Hesseltine in *Bull. Torrey bot. Cl.*, 80, p. 511, 1953.—'Ophiostomataceae'.
- *splendens* Hesseltine in *Bull. Torrey bot. Cl.*, 80, p. 511, 1953 on filter beds.—New York, U.S.A.
- Suillus grevillei* (Kl.) Imazeki (This *Index*, 2, p. 134). Comb. made by Singer in 1951 or earlier.
- SULPHURINA* Pilát (This *Index*, 1, p. 172). [Latin diagnosis in *Acta Mus. nat. Prag.*, 9, p. 109, 1953].

Sydowia polyspora (Bref. & v. Tav.) Müller in *Sydowia*, 7, p. 342, 1953. (Syn. *Dothidea polyspora* Bref. & v. Tav.).

Synchytrium chamaedryoidis Karling nom. nov. in *Mycologia*, 45, p. 977, 1953. (Syn. *S. urticae* M. T. Cook, non Sorokin).

Tectella phellodendri Singer in *Ann. mycol.*, Berl., 41, p. 156, 1943.—Chabarovsk, Asia.

Thekopsora strobilina (Alb. & Schw.) Sävulesou, *Monografia Uredinalelor* . . . Română, p. 364, 1953. (Syn. *Licea strobilina* Alb. & Schw.).

Therrya fuckelii (Rehm) Kujala [comb. nov. ?] in *Commun. Inst. for. Fintl.* 38, No. 4, p. 48, 1950. (Syn. *Coccophacidium fuckelii* (Rehm) Krieger).

— *pini* (Rehm) Kujala [comb. nov. ?] in *Commun. Inst. for. Fintl.* 38, No. 4, p. 49, 1950. (Syn. *Coccophacidium pini* Rehm).

Tilletia okudairae (Miyabe) Ling in *Farlowia*, 4, p. 308, 1953. (Syn. *Ustilago okudairae* Miyabe).

Torrubiella cordyceps (Lloyd) Dingley in *Trans. roy. Soc. N.Z.*, 81, p. 340, 1953. (Syn. *Ophionectria cordyceps* Lloyd).

Trametes acuta (Berk.) Imazeki (This *Index*, 2, p. 63) is a later homonym of *T. acuta* Cooke, 1882.

— *sanguinea* (Fr.) Imazeki (This *Index*, 2, p. 63) is a later homonym of *T. sanguinea* (Kl.) Coutinho, 1925.

TRICELLULA van Beverwijk in *Leeuwenhoek ned. Tijdschr.*, 20, p. 15, 1954.—Hyphomycetes.

— *inaequalis* van Beverwijk in *Leeuwenhoek ned. Tijdschr.*, 20, p. 15, 1954 from the air.—Norway.

Tricholoma altaicum Singer in *Ann. mycol.*, Berl., 41, p. 72, 1943.—Altai, U.S.S.R.

— *fusisporum* Singer in *Ann. mycol.*, Berl., 41, p. 71, 1943.—Altai, U.S.S.R.

— *matsutake* (S. Ito & Imai) Singer in *Ann. mycol.*, Berl., 41, p. 77, 1943. [Syn. not cited].

— *rhodophyllum* (Métrod) Singer in *Ann. mycol.*, Berl., 41, p. 75, 1943. (Syn. *T. sulphureum* var. *rhodophyllum* Métrod).

— *romagnesii* Singer nom. nov. in *Ann. mycol.*, Berl., 41, p. 82, 1943. (Syn. *T. ramentaceum* sensu Romagn., non Fr.).

— *stanekii* Pilát in *Acta Mus. nat. Prag.*, 9, p. 72, 1953.—Bohemia.

— *tridentinum* Singer nom. nov. in *Ann. mycol.*, Berl., 41, p. 78, 1943. (Syn. *T. pessundatum* sensu Bres.).

Trichophyton verrucosum Bodin var. *album* (Sab.) Georg apud Ainsworth & Georg in *Mycologia*, 46, p. 10, 1954. (Syn. *T. album* Sab.).

— var. *discoides* (Sab.) Georg apud Ainsworth & Georg in *Mycologia*, 46, p. 10, 1954. (Syn. *T. discoides* Sab.).

— var. *ochraceum* (Sab.) Georg apud Ainsworth & Georg in *Mycologia*, 46, p. 10, 1954. (Syn. *T. ochraceum* Sab.).

TRUNCOSPORA Pilát (This *Index*, 1, p. 172). [Latin diagnosis in *Acta Mus. nat. Prag.*, 9, p. 108, 1953].

**Tubercinia agropyri-juncei* Viennot-Bourgin in *Bull. Soc. mycol. Fr.*, 69, p. 336, 1954 on *Agropyron junceum*.—France.

— *avenastri* Massenot in *Rev. Path. vég.*, 32, p. 108, 1953 on *Avena pubescens*.—Norway and France.

— *rytzii* Massenot in *Rev. Path. vég.*, 32, p. 113, 1953 on *Avena versicolor*.—Switzerland.

*— *sesleriae* Viennot-Bourgin in *Bull. Soc. mycol. Fr.*, 69, p. 338, 1954 on *Sesleria coerulea*.—France.

Tyromyces incarnatus Imazeki in *Bull. For. Exp. Sta. Meguro* 67, p. 31, 1954 on wood.—Japan.

Uredo diocleicola Kern & Thurston in *Mycologia*, 46, p. 357, 1954 on *Dioclea columbiana*.—Colombia.

— *diplostephii* Kern & Thurston in *Mycologia*, 46, p. 356, 1954 on *Diplostephium eriophorum*.—Colombia.

— *horikawai* Morimoto in *J. Jap. Bot.*, 28, p. 316, 1953 on *Diospyros nipponica*.—Japan.

— *neilgherriensis* T. S. Ramakr. in *Indian Phytopath.*, 3, p. 45, 1950 on *Parthenocissus neilgherriensis*.—South India.

— *schuteriae* T. S. Ramakr. in *Indian Phytopath.*, 3, p. 44, 1950 on *Schutera vestita*.—South India.

— *yakushimensis* Morimoto in *J. Jap. Bot.*, 28, p. 315, 1953 on *Psychotria serpens*.—Japan.

Uromyces arenariae-grandiflorae Vienn.-Bourg. (This *Index*, 2, p. 136). See also *U. arenariae-grandiflorae* Mayor, 1922.

*— *arenariae-leptoclados* Viennot-Bourgin in *Bull. Soc. mycol. Fr.*, 69, p. 339, 1954 on *Arenaria leptoclados*.—Roumania.

— *lereddei* Dupias in *Uredineana*, 4, p. 246, 1953 on *Colutea arborescens*.—France.

— *sommerfeltii* Hylander, Jørstad, & Nannfeldt nom. nov. in *Op. bot.*, Lund, 1, 1, p. 96, 1953. (Syn. *U. solidaginis* Niessl 1872, non Fuckel 1860).

*— *suffruticosa* [as 'suffruticosae'] Viennot-Bourgin in *Bull. Soc. mycol. Fr.*, 69, p. 341, 1954 on *Medicago suffruticosa*.—France.

Ustilago chloridionis Ling in *Lloydia*, 16, p. 180, 1953 on *Chloridion cameranii*.—Nyasaland.

— *cynodontis* P. Henn. forma *ovariicola* Ling in *Farlowia*, 4, p. 318, 1953 on *Cynodon dactylon*.—China.

— *setariae-mombassanae* Ling in *Lloydia*, 16, p. 181, 1953 on *Setaria mombassana*.—Nyasaland.

— *striiformis* (Westend.) Niessl var. *agrostidis* (W. H. Davis) Thirum. & Dickson in *Phytopathology*, 43, p. 530, 1953. (Syn. *U. striiformis* forma *agrostidis* W. H. Davis).

— var. *dactylidis* Thirum. & Dickson nom. nov. in *Phytopathology*, 43, p. 530, 1953. (Syn. *U. clintoniana* W. H. Davis).

— var. *phlei* (W. H. Davis) Thirum. & Dickson in *Phytopathology*, 43, p. 530, 1953. (Syn. *U. striiformis* forma *phlei* W. H. Davis).

— var. *poae* Thirum. & Dickson nom. nov. in *Phytopathology*, 43, p. 530, 1953. (Syn. *U. striiformis* forma *poae-pratensis* W. H. Davis).

— *tinantiae* Lindquist in *Rev. Fac. Agron. Eva Perón*, 29, p. 253, 1953 on *Tinantia fugax*.—Argentina.

Wakefieldia macrospora (Hawker) Hawker in *Phil. Trans.*, 237, p. 521, 1954. (Syn. *Sclerogaster macrosporus* Hawker).

Zygorhizidium parallelosede Canter in *Trans. Brit. mycol. Soc.*, 37, p. 127, 1954 on *Ankistrodesmus*.—English Lake District.

HOST INDEX

For Phanerogams see under families; for Algae, Bryophyta, Fungi, and Pteridophyta see under those names; for animal hosts see under Insecta, Invertebrata, and Vertebrata

- ACANTHACEAE
Andrographis
Cercospora andrographidis
Crossandra infundibuliformis
Colletotrichum crossandrae
- ACERACEAE
Acer
Campylospora chaetocladia
- ALGAE
Anabaena affinis var. *intermedia*
Rhizosiphon akinetum
Ankistrodesmus
Zygorhizidium parallelosete
Dinobryon
Rhizopodium oblongum
Gemmellicystis neglecta
Rhizopodium uniguttulatum
Staurostrum jaculiferum
Rhizopodium difficile
- AMARANTHACEAE
Achyranthes aspera
Septoria achyranthis
- AMARYLLIDACEAE
Agave
Coniothecium agaves
Agave sisalana
Dothiorella agavicola
- ANNONACEAE
Annona squamosa
Pleosphaeropsis anonae
- APOCYNACEAE
Thevetia nereifolia
Pleosphaeropsis thevetiae
- AQUIFOLIACEAE
Byronia
Asterina tantalina
Ilex cornuta
Elsinoë ilicis
Ilex wightiana
Sclerotopsis indica
- ARALIACEAE
Nothopanax arboreum
Pellicularia scabrida
- ASCLEPIADACEAE
Asclepias curassavica
Dothiorella hawaiiensis
Cryptostegia grandiflora
Pleosphaeropsis cryptostegiae
Sarcostemma brevistigma
Julella sarcostemmatidis
Massarina sarcostemmatidis
Tylophora mollissima
Arthuria tylophorae
- BERBERIDACEAE
Nandina domestica
Leptosphaeria nandinae
- BETULACEAE
Alnus
Articulospora moniliformis
Alnus rugosa
Durandiella alni
Betula
Gloeocystidium betulinum
- BIGNONIACEAE
Arrabidaea magnifica
Prosopidium garcesii
Catalpa ovata
Macrophoma alitensis
- BRYOPHYTA
Hylocomium schreberi
Ramaricium oculatum
- BURSERACEAE
Canarium commune
Aecidium pulneyense
- CACTACEAE
Cereus
Stemonitis travancorensis
Opuntia fulgida
Hysterographium opuntiae
- CAMPANULACEAE
Clermontia
Coleophoma sandwicensis
- CAPPARIDACEAE
Breynia rhamnoides
Cercospora breyniae-rhamnoides
- CAPRIFOLIACEAE
Lonicera coerulea
Guignardia latemarensis
- CARYOPHYLLACEAE
Arenaria leptoclados
Uromyces arenariae-leptoclados
- COMMELINACEAE
Tinantia fugax
Ustilago tinantiae
- COMPOSITAE
Achillea millefolium
Septoria achilleae
Ambrosia maritima
Entyloma ambrosiae-maritimae
Diplostephium eriophorum
Uredo diplostephii
Hieracium longipilum
Phomopsis hieracii
Vernonia bourneana
Angiopsora vernoniae
- CONIFERAE
Biota orientalis
Rhabdospora orientalis
Picea excelsa
Monilia ferruginea
Picea sitchensis
Chrysomyxa monesis
Pinus strobus
Ascochybe grovesii
Pinus sylvestris
Asterostromella pinicola
Podocarpus spicatus
Pellicularia zealandica
- CONVOLVULACEAE
Operculina turpethum
Puccinia operculinae
- CRUCIFERAE
Coronopus procumbens
Peronospora coronopi-procumbentis
Stenophragma thaliana
Peronospora minuta
- CYPERACEAE
Carex
Piricularia caricis
Carex rostrata
Apostemidium sporogyrum
Cyperus rotundus
Cercospora cyperi-rotundi
Cyperus strigosus
Cercospora cypericola

CYPERACEAE (continued)
Schoenoplectus lacustris
Coleosperma lacustre

EBENACEAE

Diospyros nipponica
Uredo horikawai

ERICACEAE

Vaccinium
Melanostromella inaequalis
Vaccinium leschnaultii
Achorella vaccinii

EUPHORBIACEAE

Croton
Pleosphaeropsis crotonis
Euphorbia
Mycosphaerella degeneri
Kirganelia reticulata
Cercospora kirganeliae
Ricinus communis
Diplodia organicola
Physalospora ricini
Rhabdospora ricini

FAGACEAE

Castanea
Piminella castaneae
Sporendocladia castaneae
Castanea sativa
Dothiorella castaneae
Fagus sylvatica
Poria mentschulensis
Nothofagus dombeyi
Bondarzewia perniciososa
Quercus
Didymotrichella quercina
Inonotus nidus-pici
Lemonnieria cornuta

FUNGI

Hypoxylon
Acrostaphylus hypoxyli

GOODENIACEAE

Scaevola
Asteromella scaevolae

GRAMINEAE

Agropyron junceum
Tubercinia agropyri-juncei
Andropogon gabonensis
Sorosporium congoense
Andropogon schirensis
Sphacelotheca andropogonis-schirensis
Antheophora acuminata
Sorosporium antheophorae
Arthraxon hispidus
Puccinia arthraxonis-ciliaris
Avena pubescens
Tubercinia avenastris
Avena versicolor
Tubercinia rytzii
Bothriochloa glabra
Sorosporium bothriochloae
Brachiaria distachya
Physoderma brachiariae
Brachiaria serrata
Sphacelotheca serrata
Chloridion cameronii
Ustilago chloridionis
Chrysopogon aucheri
Puccinia kawandensis
Chrysopogon gryllus
Puccinia pseudocesatii
Cymbopogon densiflorus
Sorosporium densiflorum

GRAMINEAE (continued)

Cymbopogon distans
Sorosporium cymbopogonis-distantis
Cynodon dactylon
Ustilago cynodontis form ovaricola
Deschampsia atropurpurea
Mycosphaerella deschampsiae
Dichanthium annulatum
Physoderma dichanthicola
Echinochloa crusgalli
Physoderma echinochloae
Erianthus angustifolius
Puccinia erianthicola
Gaudinia fragilis
Entyloma gaudinae
Loudetia superba
Sorosporium loudetiae-superbae
Panicum
Apiospora spinulosa
Poa paucispicula
Septoria macropoda f. sitadakaensis
Sesleria coerulea
Tubercinia sesleriae
Setaria mombassana
Ustilago setariae-mombassanae
Sorghum vulgare
Anthostomella appendiculata
Anthostomella sorghi
Coniothyrium sorghi
Cryptovalsa sorghicola
Didymella sorghina
Didymosphaeria radialis
Dinemasporium sorghi
Glomerella cingulata var. sorghicola
Glomerella sorghi
Themeda triandra
Sphacelotheca anthistiriae var. punctata
Tristachya hispida
Sphacelotheca tristachya-hispidae
Trisetum spicatum
Gloeocercospora alascensis
Zea mays
Helicosporium panacheum

HYDROPHYLLACEAE

Hydrolea zeylanica
Cercospora hydroleae

INSECTA

Coelostomidea
Cordyceps novae-zealandiae
Coleoptera
Cordyceps lateritia
Lepidoptera
Cordyceps hauturu
 INVERTEBRATA (other than Insecta)
Daphnia hyalina var. lacustris
Aphanomyces daphniae
Nematodes
Nematoctonus campylosporus

IRIDACEAE

Crocus pallasii
Puccinia croci-pallasii

JUNCACEAE

Juncus effusus
Pleurotus kotlabae

LABIATAE

Leonurus cardiaca
Septoria lamii var. brevior
Leucas vestita
Cercospora vestita

LABIATAE (continued)

Monarda punctata
Cladosporium monardae

LAURACEAE

Phoebe paniculata
Scolecosporium phoebes

LEGUMINOSAE

Acacia ferruginea
Ravenelia hansfordii var. *ferruginea*
Acacia koa

Mycosphaerella koae
Albizzia lebeck
Colletotrichum compactum

Atylosia scarabaeoides

Cercospora atylosiae
Cassia bicapsularis
Amphisphaeria depressa

Cercis chinensis
Diplodia cercidis-chinensis

Colutea arborescens
Uromyces lereddei

Coronilla minima
Peronospora coronillae-minimae

Dioclea columbiana
Uredo diocleicola

Leucaena glauca
Diplodia shearii
Oothia shearii

Lotus corniculatus
Stemphylium loti

Medicago suffruticosa
Uromyces suffruticosa

Mimosa
Phyllosticta hawaiiensis

Robinia pseudoacacia
Endothiella robiniae

Schutera vestita
Uredo schuterieae

Voandzeia subterranea
Cercospora voandzeiae

Wistaria
Leptotypha fusispora

Wistaria floribunda
Crepidotus sulphurinus

LORANTHACEAE

Viscum
Echidnodes visci

MALVACEAE

Kokia
Libertella kokkiae
Kokia rockii
Diaporthe kokiae

MORACEAE

Ficus
Pleosphaeropsis fici

MYRTACEAE

Eucalyptus
Pleurophomopsis eucalypti

Jambosa
Phyllostictina jambosae

Metrosideros
Harknessia shearii

Psidium guayava
Phyllostictina psidicola
Pleosphaeropsis psidii

NYMPHAEACEAE

Nelumbo nucifera
Fusarium bulbigenum var. *nelumbicola*

OLEACEAE (This Index, 2, pp. 68-9)

Fraxinus, *Jasminum* and *Phillyrea* entered in error under 'Olacaceae'.

OLEACEAE (continued)

Forsythia suspensa
Macrophoma forsythiae
Jasminum
Sphaerella clypeata
Jasminum brevilobum
Hysterostoma brevilibi

PALMAE

Cocos
Helicosporium linderi

PANDANACEAE

Pandanus
Coniothyrium pandanicola
Phomatospora cylindrotheca

PAPAVERACEAE

Papaver pilosum
Peronospora papaveris-pilosi

POLYPODIACEAE

Plagiogyria japonica
Milesina hiratsukai

PTERIDOPHYTA

Pteris
Rhopographus anceps
Pteris excelsa
Mycosphaerella olindensis
Parasphaeropsis shearii

PYROLACEAE

Moneses uniflora
Chrysomyxa monesii

RANUNCULACEAE

Aconitum anthora
Aecidium aconiti-anthorae
Anemone baicalense
Plasmopara curta subsp. *orientalis*
Anemone dichotoma
Plasmopara wertenweileri
Anemone raddeana
Plasmopara curta subsp. *orientalis*

Clematis
Ahmadinula excelsa

Hepatica triloba
Didymella vodakii

Isopyrum thalictroides
Plasmopara isopyri

Ranunculus chaerophyllos
Peronospora ranunculi-flabellati

RHAMNACEAE

Rhamnus wightii
Phyllachora rhamni
Zizyphus oenoplea
Catenulopsora zizyphi

ROSACEAE

Crataegus
Durandiella lenticellicola
Potentilla argentea
Phyllosticta numerospora
Prunus persica
Diplodina persicae

Rubus
Oothia rubicola

Sorbaria sorbifolia
Phyllosticta sorbariae

RUBIACEAE

Mitchella repens [as 'Rosaceae' p 141]
Synchytrium mitchellae

Psychotria serpens
Uredo yakushimensis

Randia uliginosa
Hemileia thomasi

RUTACEAE

Evodia confusa
Cyclopeltis orbicularis

SALICACEAE

- Populus
Anguillospora gigantea
Sphaeromycetella leucocephala
 Populus tremula
Stereum aurora
 Populus trichocarpa
Galerina olympiana

Salix

- Anguillospora pseudolongissima*
Articulospora moniliformis
Lemonniera cornuta
Poria pulvinascens

SAXIFRAGACEAE

- Saxifraga oppositifolia
Puccinia pazschkei var. *oppositifolia*
 Tellima grandiflora
Puccinia heucherae var. *austroberingiana*
 Tiarella polyphylla
Puccinia asiatica var. *tiarella*

SCROPHULARIACEAE

- Chaenorrhinum organifolium
Entyloma chaenorrhini
 Erinus alpinus

- Peronospora erini*
 Verbascum thapsus
Basitorula cingulata

SOLANACEAE

- Atropa belladonna
Accidium belladonnae
 Datura stramonium
Dothiorella stramonii

THYMELAEACEAE

- Wikstroemia
Didymosphaeria wikstroemiae

TILIACEAE

- Triumfetta pilosa
Cercospora pilosa

UMBELLIFERAE

- Ostericum florenti
Puccinia fujisanensis

URTICACEAE

- Parietaria alsinifolia
Entyloma parietariae
 Parietaria judaica
Entyloma parietariae
 Pipturus
Chaetotrichum sandwicense
 Urtica gracilis
Colletotrichum urticae

VERBENACEAE

- Lantana camara
Asteromella lantanae

VERTEBRATA


- Homo sapiens
Sabouraudites praecox

VITACEAE

- Parthenocissus neilgherriensis
Uredo neilgherriensis

The Editor gratefully acknowledges the assistance of Drs. R. W. G. Dennis, J. A. Stevenson, and Edith Cash in supplying details of certain citations.

PRINTED IN
GREAT BRITAIN
AT THE
UNIVERSITY PRESS
OXFORD
BY
CHARLES BATEY
PRINTER
TO THE
UNIVERSITY



INDEX OF FUNGI

PUBLISHED SINCE THE BEGINNING OF 1940

VOL. II

PART 10

1955

Acanthostigma lahorensis Ahmad apud Petrak & Ahmad in *Sydowia*, 8, p. 164, 1954 on wood.—Pakistan.

Achlya lobata Ziegler & Gilpin in *Mycologia*, 46, p. 647, 1954 in soil.—Florida, U.S.A.

Acrothecium yaqueanum Cif. in *Sydowia*, 8, p. 253, 1954 on *Cynodon dactylon*.—Santo Domingo.

Actiniceps cocos C. V. Subram. in *J. Indian bot. Soc.*, 33, p. 36, 1954 on dead *Cocos nucifera*.—India.

Aecidium dallasicum Petrak in *Sydowia*, 8, p. 12, 1954 on a liane.—North Borneo.

—*jujuyense* Lindquist in *Rev. Fac. Agron. Eva Perón*, 30, p. 63, 1954 on *Solanum sinuato-recurvum*.—Argentina.

Agaricus maskae Pilát in *Čes. Mykol.*, 8, p. 165, 1954.—Moravia.

Allomyces macrogynus (Emerson) Emerson & Wilson in *Mycologia*, 46, p. 429, 1954. (Syn. *A. javanicus* var. *macrogynus* Emerson).

**Alternaria eriobotryae* Séchet in *Fruits d'outre mer*, 8, p. 272, 1953 on *Eriobotrya japonica*.—Madagascar.

Amanita diemii Singer in *Sydowia*, 8, p. 120, 1954.—Argentina.

Anthostoma anisophyll[e]ae (Petrak) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 320, 1954. (Syn. *Leptomassaria anisophyllae* Petrak).

—*avocetta* ('Curt.' [Cooke] & Ell.) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 317, 1954. (Syn. *Sphaeria avocetta* Cooke & Ell.).

—*punctulata* (Rob.) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 316, 1954. (Syn. *Sphaeria punctulata* Rob.).

ANTHRACOSTROMA Petrak in *Sydowia*, 8, p. 96, 1954.—Pyrenomyces.

—*persooniae* (P. Henn.) Petrak in *Sydowia*, 8, p. 97, 1954. (Syn. *Mycosphaerella persooniae* P. Henn.).

APOGLEUM Petrak in *Sydowia*, 8, p. 57, 1954.—Sphaeropsidales.

—*concinnum* Petr. in *Sydowia*, 8, p. 57, 1954 on *Lomatia polymorpha*.—Tasmania.

Armillariella minuta Sing. & Digilio in *Sydowia*, 8, p. 106, 1954.—Argentina.

Asterina dallasica Petrak in *Sydowia*, 8, p. 14, 1954 on *Trema*.—North Borneo.

—*pouzolziae* Petrak in *Sydowia*, 8, p. 15, 1954 on *Pouzolzia*.—North Borneo.

—*turneracearum* Cif. in *Sydowia*, 8, p. 247, 1954 on *Turnera ulmifolia*.—Santo Domingo.

Asterinella baileyi (Berk. & Br.) Petrak in *Sydowia*, 8, p. 193, 1954. (Syn. *Asterina baileyi* Berk. & Br.).

Asterostomella ornata Cif. in *Sydowia*, 8, p. 248, 1954 on *Fevillea cordifolia*.—Santo Domingo.

Auerswaldiella manaosensis (P. Henn.) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 67, 1954. (Syn. *Parodiella manaosensis* P. Henn.).

—*nervisequens* (Chard.) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 67, 1954. (Syn. *Dimeriellina nervisequens* Chard.).

—*winteri* Arx & Müller nom. nov. in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 68, 1954. (Syn. *Auerswaldia disciformis* Winter, non *Auerswaldiella disciformis* Chard.).

Aulacostroma nigrificans Petrak in *Sydowia*, 8, p. 16, 1954 on *Pattersonia*.—North Borneo.

Bactrodesmium abruptum (Berk. & Br.) Mason & Hughes in *Rimington, Nat. Hist. Scarborough District*, 1, p. 159, 1953. (Syn. *Clasterosporium abruptum* (Berk. & Br.) Sacc.).

—*fasciculare* (Corda) Mason & Hughes in *Rimington, Nat. Hist. Scarborough District*, 1, p. 159, 1953. (Syn. *Clasterosporium fasciculare* (Corda) Sacc.).

BERTEROMYCES Ciferri in *Sydowia*, 8, p. 267, 1954.—Hyphomycetes.

—*aeneus* Cif. in *Sydowia*, 8, p. 267, 1954 on *Cassia indecora*.—Santo Domingo.

Bimeris nidulans Petrak in *Sydowia*, 8, p. 209, 1954 on *Grevillea australis*.—Australia.

Blodgettia indica C. V. Subram. in *J. Indian bot. Soc.*, 33, p. 38, 1954 on dead stubble in water.—India.

Boletus nigriceps Herter in *Rev. sudamer. Bot.*, 10, p. 194, 1954.—Germany.

Botryodiplodia ambigua Petrak in *Sydowia*, 8, p. 173, 1954 on dead *Capparis aphylla*.—Pakistan.

—*deodarae* Petrak in *Sydowia*, 8, p. 173, 1954 on dead *Cedrus deodara*.—Pakistan.

—*mangiferae* (Koord.) Petr. in *Sydowia*, 8, p. 174, 1954. (Syn. *Diplodia mangiferae* Koord.).

—*melliae* Ahmad in *Sydowia*, 8, p. 174, 1954 on wood of *Melia azedarach*.—Pakistan.

—*ricinincola* Ahmad in *Sydowia*, 8, p. 175, 1954 on dead *Ricinus communis*.—Pakistan.

Botryosphaeria abietina (Prill. & Delacr.) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 42, 1954. (Syn. *Physalospora abietina* Prill. & Delacr.).

—*corticis* (Demaree & Wilcox) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 43, 1954. (Syn. *Physalospora corticis* Demaree & Wilcox).

—*disrupta* (Berk. & Curt.) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 37, 1954. (Syn. *Sphaeria disrupta* Berk. & Curt.).

—*empetri* (Rostr.) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 43, 1954. (Syn. *Physalospora empetri* Rostr.).

- *festucae* (Lib.) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 38, 1954. (Syn. *Sphaeria festucae* Lib.).
- *foliorum* (Sacc.) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 42, 1954. (Syn. *Physalospora gregaria* var. *foliorum* Sacc.).
- *laricis* (Wehm.) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 42, 1954. (Syn. *Physalospora laricis* Wehm.).
- *philoprina* (Berk. & Curt.) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 40, 1954. (Syn. *Sphaeria philoprina* Berk. & Curt.).
- *visci* (Kalchbr.) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 41, 1954. (Syn. *Dothidea visci* Kalchbr.).
- *zeae* (Stout) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 40, 1954. (Syn. *Physalospora zeae* Stout).
- Botrytis yuae* Muntanola in *Phytopathology*, 44, p. 237, 1954 on *Cercospora unamumoi* on *Capsicum frutescens*.—Argentina.
- **Brachysporium robustum* Reitsma & Sloof in *Chron. nat.*, 103, p. 1 [of reprint], 1947 on *Talinum triangulare*.—Java.
- Caeoma isotomatis* Petrak in *Sydowia*, 8, p. 192, 1954 on *Isotoma fluviatilis*.—Australia.
- Callistosporium luteofuscum* Singer in *Lilloa*, 26, p. 115, 1953. —Brazil.
- **Calonectria mangiferae* Séchet in *Fruits d'outre mer*, 8, p. 270, 1953 on *Mangifera indica*.—Madagascar.
- Calycella discedens* (Karst.) Dennis in *Kew Bull.*, 1954, p. 320, 1954. (Syn. *Helotium discedens* Karst.).
- Camarosporium gompholobii* Petrak in *Sydowia*, 8, p. 210, 1954 on *Gompholobium huegelii*.—N.S.W., Australia.
- CAMAROSPORULA** Petrak in *Sydowia*, 8, p. 99, 1954.—Sphaeropsidales; state of *Anthracostroma*.
- *persooniae* (P. Henn.) Petrak in *Sydowia*, 8, p. 99, 1954. (Syn. *Hendersonia persooniae* P. Henn.).
- Candida boidini* Ramirez in *Rev. Mycol., Paris*, 19, p. 100, 1954 from tanning liquid. —France.
- *pseudotumoralis* Morquer, Puget, & Bazex in *Rev. Mycol., Paris*, 19, p. 81, 1954 on dog [*Canis*].—France.
- Catharinia gaubae* Petrak in *Sydowia*, 8, p. 194, 1954 on *Grevillea*.—Australia.
- **Cercospora abromae* Hansford in Chupp, *A Monograph of the Fungus Genus Cercospora*, p. 554, 1954 on *Abroma*.—Uganda.
- *abutilonicola* Chupp, *A Monograph of the Fungus Genus Cercospora*, p. 368, 1954 on *Abutilon hirtum*.—Puerto Rico.
- *acanthacearum* Govindu & Thirumalachar in *Sydowia*, 8, p. 221, 1954 on *Justicia betonica*.—India.
- *aciculina* Chupp, *A Monograph of the Fungus Genus Cercospora*, p. 118, 1954 on *Eupatorium repandum*.—Hawaii.
- *aciotidis* Chupp, *A Monograph of the Fungus Genus Cercospora*, p. 378, 1954 on *Aciotis indecora*.—Colombia.
- *anemopsidis* Chupp, *A Monograph of the Fungus Genus Cercospora*, p. 513, 1954 on *Anemopsis californica*.—California, U.S.A.
- *angelicae* (Sacc. & Scalia) Chupp, *A Monograph of the Fungus Genus Cercospora*, p. 568, 1954. (Syn. *C. apii* var. *angelicae* Sacc. & Scalia).
- *angustata* Chupp & Solheim in Chupp, *A Monograph of the Fungus Genus Cercospora*, p. 280, 1954 on *Cassia hirsuta*.—Columbia, U.S.A.
- *aristidae* Chupp, *A Monograph of the Fungus Genus Cercospora*, p. 243, 1954 on *Aristida*.—Alabama, U.S.A.
- *arracacina* Chupp, *A Monograph of the Fungus Genus Cercospora*, p. 570, 1954 on *Arracacia xanthorrhiza*.—Venezuela.
- *arrectaria* Chupp, *A Monograph of the Fungus Genus Cercospora*, p. 570, 1954 on *Arracacia rigida*.—Mexico.
- *asclepiadicola* Chupp nom. nov., *A Monograph of the Fungus Genus Cercospora*, p. 68, 1954. (Syn. *C. asclepiadis* P. Henn., non Ellis).
- *avicennae* Chupp, *A Monograph of the Fungus Genus Cercospora*, p. 369, 1954 on *Abutilon avicenna*.—Kansas, U.S.A.
- *bertrandii* Chupp, *A Monograph of the Fungus Genus Cercospora*, p. 110, 1954 on *Spinacia oleracea*.—Quebec, Canada.
- *bidenticola* Chupp, *A Monograph of the Fungus Genus Cercospora*, p. 123, 1954 on *Bidens cynapiifolia*.—Santo Domingo.
- *biharica* Thirum. & Govindu in *Sydowia*, 8, p. 343, 1954 on *Ampelocissus latifolia*.—India.
- *browalliae* Chupp & Barrus in Chupp, *A Monograph of the Fungus Genus Cercospora*, p. 534, 1954 on *Browallia americana*.—Costa Rica.
- *caladicola* Chupp nom. nov., *A Monograph of the Fungus Genus Cercospora*, p. 57, 1954. (Syn. *C. caladii* P. Henn., non Cooke).
- *calaminthae* Chupp, *A Monograph of the Fungus Genus Cercospora*, p. 264, 1954 on *Clinopodium calamintha*.—Bermuda.
- *californiensis* Chupp, *A Monograph of the Fungus Genus Cercospora*, p. 411, 1954 on *Nymphaea*.—California, U.S.A.
- *campanulae* Chupp, *A Monograph of the Fungus Genus Cercospora*, p. 94, 1954 on *Campanula rotundifolia*.—New Mexico, U.S.A.
- *cassiae-montanae* Govindu & Thirumalachar in *Sydowia*, 8, p. 224, 1954 on leaves of *Cassia montana*.—India.
- *cassiocarpa* (Sacc.) Chupp, *A Monograph of the Fungus Genus Cercospora*, p. 290, 1954. (Syn. *C. occidentalis* var. *cassiocarpa* Sacc.).
- *catalparum* Chupp, *A Monograph of the Fungus Genus Cercospora*, p. 84, 1954 on *Catalpa longissima*.—San Domingo.
- *celastricola* Govindu & Thirumalachar in *Sydowia*, 8, p. 226, 1954 on *Celastrus paniculata*.—India.
- *centrostachydis* Chupp, *A Monograph of the Fungus Genus Cercospora*, p. 32, 1954 on *Centrostachys indica*.—Puerto Rico.
- *chusqueae* Chupp, *A Monograph of the Fungus Genus Cercospora*, p. 245, 1954 on *Chusquea*.—Colombia.
- *ciferrii* Chupp, *A Monograph of the Fungus Genus Cercospora*, p. 235, 1954 on *Casearia guianensis*.—Puerto Rico.
- *cipadessae* Govindu & Thirumalachar in *Sydowia*, 8, p. 226, 1954 on *Cipadessa bac-cifera*.—India.
- *clavigera* Ellis & Everhart ex Chupp, *A Monograph of the Fungus Genus Cercospora*, p. 62, 1954 on *Aralia racemosa*.—Canada.
- *coleicola* Chupp & Muller in Chupp, *A Monograph of the Fungus Genus Cercospora*, p. 265, 1954 on *Coleus*.—Brazil.

- *colocasiae* (Höhnelt) Chupp, *A Monograph of the Fungus Genus Cercospora*, p. 58, 1954. (Syn. *C. caladii* Cooke var. *colocasiae* Höhnelt).
- *commelinicola* Chupp, *A Monograph of the Fungus Genus Cercospora*, p. 116, 1954. (*C. commelynae* sensu Sydow, non Kalchbr. & Cooke.)
- *conjugans* (Stev. & Solh.) Chupp, *A Monograph of the Fungus Genus Cercospora*, p. 296, 1954. (Syn. *Didymaria conjugans* Stev. & Solh.)
- *corchorifoliae* Thirum. & Govindu in Sydowia, 8, p. 347, 1954 on *Melochia corchorifolia*.—India.
- *cormifoliae* Chupp, *A Monograph of the Fungus Genus Cercospora*, p. 366, 1954 on *Bunchosia cormifolia*.—Colombia.
- *couratariae* Chupp, *A Monograph of the Fungus Genus Cercospora*, p. 277, 1954 on *Couratari estrellensis*.—Brazil.
- *cylindrosporioides* Solheim & Chupp in Chupp, *A Monograph of the Fungus Genus Cercospora*, p. 236, 1954 on *Casearia guianensis*.—Puerto Rico.
- *cytisi* Chupp, *A Monograph of the Fungus Genus Cercospora*, p. 300, 1954 on *Cytisus capitatus*.—Kansas, U.S.A.
- *deightonii* Chupp, *A Monograph of the Fungus Genus Cercospora*, p. 538, 1954 on *Solanum melongena*.—Sierra Leone.
- *dolichandrones* Chupp, *A Monograph of the Fungus Genus Cercospora*, p. 85, 1954 on *Dolichandrone platycalyx*.—Uganda.
- *donnell-smithii* (Speg.) Chupp, *A Monograph of the Fungus Genus Cercospora*, p. 573, 1954. (Syn. *Cercosporina donnell-smithii* Speg.)
- *duplicans* Chupp nom. nov., *A Monograph of the Fungus Genus Cercospora*, p. 590, 1954. (Syn. *C. stachytarphetae* P. Henn., non Ell. & Everh.)
- *echinodori* Chupp, *A Monograph of the Fungus Genus Cercospora*, p. 28, 1954 on *Echinodorus cordifolius*.—Haiti.
- *eclyptae* Chupp, *A Monograph of the Fungus Genus Cercospora*, p. 134, 1954 on *Eclypta alba*.—Venezuela.
- *eupatoriicola* (as 'eupatoricola') Govindu & Thirumalachar in Sydowia, 8, p. 225, 1954 on *Eupatorium rhevesii*.—India.
- *evolvoli* Chupp, *A Monograph of the Fungus Genus Cercospora*, p. 171, 1954 on *Evolvulus*.—Brazil.
- *exochordae* Chupp & Stevenson in Chupp, *A Monograph of the Fungus Genus Cercospora*, p. 476, 1954 on *Exochorda grandiflora*.—Alabama, U.S.A.
- *fagarina* Chupp nom. nov., *A Monograph of the Fungus Genus Cercospora*, p. 504, 1954. (Syn. *C. fagariae* Hansf., non Yamam.)
- *filiformis* (Davis) Chupp, *A Monograph of the Fungus Genus Cercospora*, p. 462, 1954. (Syn. *Cercosporella filiformis* Davis.)
- *geraisensis* Chupp, *A Monograph of the Fungus Genus Cercospora*, p. 115, 1954 on *Terminalia catappa*.—Brazil.
- *gloxiniiae* Chupp, *A Monograph of the Fungus Genus Cercospora*, p. 242, 1954 on *Gloxinia maculata*.—Brazil.
- *glycyrrhizae* (Săvulescu & Sandu-Ville) Chupp, *A Monograph of the Fungus Genus Cercospora*, p. 308, 1954. (Syn. *Cercosporina glycyrrhizae-echinatae* Săvulescu & Sandu-Ville).
- *granadillae* Chupp, *A Monograph of the Fungus Genus Cercospora*, p. 434, 1954 on *Passiflora*.—Uganda.
- *graphioides* Ellis ex Chupp nom. nov. in Chupp, *A Monograph of the Fungus Genus Cercospora*, p. 478, 1954. (Syn. *C. circumscissa* var. *virginiana* Sacc.)
- *grewiicola* (as 'grewicola') Govindu & Thirumalachar in Sydowia, 8, p. 229, 1954 on *Grewia*.—Madras.
- *guettardae* Chupp, *A Monograph of the Fungus Genus Cercospora*, p. 496, 1954 on *Guettarda scabra*.—Florida, U.S.A.
- *gymnanthis* Chupp, *A Monograph of the Fungus Genus Cercospora*, p. 220, 1954 on *Gymnanthes lucida*.—Jamaica.
- *haematoxylonis* Chupp, *A Monograph of the Fungus Genus Cercospora*, p. 309, 1954 on *Haematoxylon campechianum*.—Jamaica.
- *hamamelidis* (Peck) Ellis & Everh. ex Chupp, *A Monograph of the Fungus Genus Cercospora*, p. 258, 1954. (Syn. *Ramularia hamamelidis* Peck.)
- *hameliae* Chupp, *A Monograph of the Fungus Genus Cercospora*, p. 497, 1954 on *Hamelia patens*.—Mexico.
- *hansfordii* Chupp, *A Monograph of the Fungus Genus Cercospora*, p. 85, 1954 on *Dolichandrone platycalyx*.—Uganda.
- *hardwarensis* Narasimhan apud Govindu & Thirum. in Sydowia, 8, p. 227, 1954 on *Tephrosia purpurea*.—India.
- *helichrysi* Chupp, *A Monograph of the Fungus Genus Cercospora*, p. 141, 1954 on *Helichrysum orientale*.—Brazil.
- *hieronymae* Chupp, *A Monograph of the Fungus Genus Cercospora*, p. 221, 1954 on *Hieronyma laxifolia*.—Brazil.
- *hosackiae* Chupp, *A Monograph of the Fungus Genus Cercospora*, p. 310, 1954 on *Hosackia americana*.—Oklahoma, U.S.A.
- *huricola* Chupp, *A Monograph of the Fungus Genus Cercospora*, p. 222, 1954 on *Hura crepitans*.—Brazil.
- *ilicis-opacae* Chupp, *A Monograph of the Fungus Genus Cercospora*, p. 53, 1954 on *Ilex opaca*.—South Carolina, U.S.A.
- *iridis* Chupp, *A Monograph of the Fungus Genus Cercospora*, p. 260, 1954 on *Iris*.—Mexico.
- *ithacensis* Chupp, *A Monograph of the Fungus Genus Cercospora*, p. 241, 1954 on *Geranium maculatum*.—New York State, U.S.A.
- *jamaicensis* Chupp, *A Monograph of the Fungus Genus Cercospora*, p. 542, 1954 on *Datura suaveolens*.—Jamaica.
- *jatrophiicola* (Speg.) Chupp, *A Monograph of the Fungus Genus Cercospora*, p. 223, 1954. (Syn. *Cercosporina jatrophiicola* Speg.)
- *juncicola* (Hori & Kasai) Chupp, *A Monograph of the Fungus Genus Cercospora*, p. 263, 1954. (Syn. *Cercosporina juncicola* Hori & Kasai).
- *labiatarum* Chupp & Muller in Chupp, *A Monograph of the Fungus Genus Cercospora*, p. 267, 1954 on a labiate hedge. —Brazil.
- *lantanicola* Chupp, *A Monograph of the Fungus Genus Cercospora*, p. 592, 1954 on *Lantana camara*.—Colombia.
- *lonchitidis* Chupp, *A Monograph of the Fungus Genus Cercospora*, p. 455, 1954 on *Lonchitis hirsuti*.—Venezuela.
- *loniceriae* Chupp, *A Monograph of the Fungus Genus Cercospora*, p. 102, 1954 on *Lonicera japonica*.—Bermuda.

- *loranthincola* Petrak in Sydowia, 8, p. 220, 1954 on *Loranthus pendulus*.—Australia.
- *maculicola* Thirum. & Govindu in Sydowia, 8, p. 344, 1954 on *Bidens pilosa*.—India.
- *mamaonis* Viégas & Chupp nom. nov. in Chupp, A Monograph of the Fungus Genus *Cercospora*, p. 107, 1954. (Syn. *C. papayae* Viégas & Chupp, non Hansford).
- *manealii* Chupp, A Monograph of the Fungus Genus *Cercospora*, p. 389, 1954 on *Menispermum canadense*.—Missouri, U.S.A.
- *marcelliana* Chupp, A Monograph of the Fungus Genus *Cercospora*, p. 543, 1954 on *Solanum micranthum*.—Venezuela.
- *meridiana* Chupp, A Monograph of the Fungus Genus *Cercospora*, p. 557, 1954 on *Helicteres jamaicensis*.—Jamaica.
- *miconicola* Chupp, A Monograph of the Fungus Genus *Cercospora*, p. 381, 1954 on *Miconia theaeagans*.—Colombia.
- *minuta* (Davis) Chupp, A Monograph of the Fungus Genus *Cercospora*, p. 95, 1954. (Syn. *Cercosporina minuta* Davis).
- *mirandensis* Chupp, A Monograph of the Fungus Genus *Cercospora*, p. 382, 1954 on *Miconia ibaguensis*.—Venezuela.
- *monochaetica* Chupp, A Monograph of the Fungus Genus *Cercospora*, p. 383, 1954 on *Monochaetum polyneurum*.—Venezuela.
- *morina* Chupp, A Monograph of the Fungus Genus *Cercospora*, p. 400, 1954 on *Morus alba*.—Brazil.
- *nicandrae* Chupp, A Monograph of the Fungus Genus *Cercospora*, p. 545, 1954 on *Nicandra physaloides*.—Peru.
- *nudiflorae* Chupp, A Monograph of the Fungus Genus *Cercospora*, p. 117, 1954 on *Commelina nudiflora*.—Bermuda.
- *odontonemae* Chupp, A Monograph of the Fungus Genus *Cercospora*, p. 25, 1954 on *Odontonema callistachyum*.—Mexico.
- *pallidissima* Chupp, A Monograph of the Fungus Genus *Cercospora*, p. 350, 1954 on *Smilax*.—Brazil.
- *palustrium* Chupp, A Monograph of the Fungus Genus *Cercospora*, p. 151, 1954 on *Baccharis glomeruliflora*.—Bermuda.
- *papavericola* Chupp nom. nov., A Monograph of the Fungus Genus *Cercospora*, p. 430, 1954. (Syn. *C. papaveri* Muller & Chupp, non Nakata).
- *pariensis* Chupp, A Monograph of the Fungus Genus *Cercospora*, p. 546, 1954 on *Solanum*.—Trinidad.
- *passifloricola* Chupp, A Monograph of the Fungus Genus *Cercospora*, p. 434, 1954 on *Passiflora*.—Venezuela.
- *peckiana* Chupp nom. nov., A Monograph of the Fungus Genus *Cercospora*, p. 449, 1954. (Syn. *C. acetosellae* var. *maculosa* Peck).
- *penniseti* Chupp, A Monograph of the Fungus Genus *Cercospora*, p. 250, 1954 on *Pennisetum glaucum*.—Georgia, U.S.A.
- *peregrina* Chupp, A Monograph of the Fungus Genus *Cercospora*, p. 49, 1954 on *Tabernaemontana coronaria*.—? Mexico.
- *petiveriae* Chupp, A Monograph of the Fungus Genus *Cercospora*, p. 437, 1954 on *Petiveria alliacea*.—Mona Island, Puerto Rico.
- *pfaffiae* Chupp, A Monograph of the Fungus Genus *Cercospora*, p. 35, 1954 on *Pfaffia sericea*.—Brazil.
- *pistaciae* Chupp, A Monograph of the Fungus Genus *Cercospora*, p. 41, 1954 on *Pistacia vera*.—Texas, U.S.A.
- *platycerii* Chupp, A Monograph of the Fungus Genus *Cercospora*, p. 456, 1954 on *Platycerium*.—New Jersey, U.S.A.
- *plumeriae* Chupp, A Monograph of the Fungus Genus *Cercospora*, p. 49, 1954 on *Plumeria acutifolia*.—India.
- *plunkettii* Chupp, A Monograph of the Fungus Genus *Cercospora*, p. 154, 1954 on *Mikania cordifolia*.—Mexico.
- *polymniae* Chupp, A Monograph of the Fungus Genus *Cercospora*, p. 154, 1954 on *Polymnia*.—Colombia.
- *praecincta* (Davis) Chupp, A Monograph of the Fungus Genus *Cercospora*, p. 376, 1954. (Syn. *C. althaeina* var. *praecincta* Davis).
- *privae* Chupp, A Monograph of the Fungus Genus *Cercospora*, p. 594, 1954 on *Priva echinata*.—Jamaica.
- *pycnidoides* Chupp nom. nov., A Monograph of the Fungus Genus *Cercospora*, p. 353, 1954. (Syn. *C. smilacina* Speg., non Sacc.).
- *querci* Chupp, A Monograph of the Fungus Genus *Cercospora*, p. 233, 1954 on *Quercus bicolor*.—Louisiana, U.S.A.
- *rivinae* Chupp & Stevenson in Chupp, A Monograph of the Fungus Genus *Cercospora*, p. 438, 1954 on *Rivina humilis*.—Florida, U.S.A.
- *rugosi* Chupp, A Monograph of the Fungus Genus *Cercospora*, p. 548, 1954 on *Solanum rugosum*.—Santo Domingo.
- *— *rumicis* Ellis & Langlois ex Chupp, A Monograph of the Fungus Genus *Cercospora*, p. 453, 1954 on *Rumex obtusifolius*.—Louisiana, U.S.A.
- *sancti-marini* (Sacc.) Chupp, A Monograph of the Fungus Genus *Cercospora*, p. 353, 1954. (Syn. *Cercosporina sancti-marini* Sacc.).
- *sarachae* (Syd.) Chupp, A Monograph of the Fungus Genus *Cercospora*, p. 549, 1954. (Syn. *Cercosporina sarachae* Syd.).
- *sciadophila* (Speg.) Chupp, A Monograph of the Fungus Genus *Cercospora*, p. 549, 1954. (Syn. *Cercosporina sciadophila* Speg.).
- *scrophulariae* (Moesz) Chupp, A Monograph of the Fungus Genus *Cercospora*, p. 525, 1954. (Syn. *Cercosporina scrophulariae* Moesz).
- *secalis* Chupp, A Monograph of the Fungus Genus *Cercospora*, p. 252, 1954 on *Secale cereale*.—Virginia, U.S.A.
- *sensitivae* (Speg.) Chupp, A Monograph of the Fungus Genus *Cercospora*, p. 330, 1954. (Syn. *Cercosporina sensitivae* Speg.).
- *septoriopsis* Chupp nom. nov., A Monograph of the Fungus Genus *Cercospora*, p. 520, 1954. (Syn. *Cylindrosporium ribis* Davis, non *Cercospora ribis* Earle).
- *solani-tuberosi* Thirumalachar in Amer. Potato J., 30, p. 96, 1953 on *Solanum tuberosum*.—India.
- *sonchi* Chupp, A Monograph of the Fungus Genus *Cercospora*, p. 159, 1954 on *Sonchus oleraceus*.—Virginia, U.S.A.
- *sorgi* Ellis & Everh. var. *cymbopogonis* Govindu & Thirumalachar in Sydowia, 8, p. 227, 1954 on *Cymbopogon caesius*.—India.
- *speculariae* Ellis & Langlois ex Chupp, A Monograph of the Fungus Genus *Cercospora*, p. 95, 1954 on *Specularia perfoliata*.—Louisiana, U.S.A.
- *sphaeralceicola* (Speg.) Chupp, A Monograph of the Fungus Genus *Cercospora*, p. 377, 1954. (Syn. *Cercosporina sphaeralceicola* Speg.).

- *spinosae* Chupp, *A Monograph of the Fungus Genus Cercospora*, p. 64, 1954 on *Aralia spinosa*.—Delaware, U.S.A.
- * — *stanleyae* Chupp, *A Monograph of the Fungus Genus Cercospora*, p. 183, 1954 on *Stanleya pinnatifida*.—Kansas, U.S.A.
- *stenolobii* (Speg.) Chupp, *A Monograph of the Fungus Genus Cercospora*, p. 88, 1954. (Syn. *Cercosporina stenolobii* Speg.).
- *stevensonii* Chupp, *A Monograph of the Fungus Genus Cercospora*, p. 231, 1954 on *Codiaeum variegatum*.—Texas, U.S.A.
- *styracis* (as '*styracae*') Chupp, *A Monograph of the Fungus Genus Cercospora*, p. 559, 1954 on *Styrax americana*.—Mississippi, U.S.A.
- *sydowiana* Chupp nom. nov., *A Monograph of the Fungus Genus Cercospora*, p. 363, 1954. (Syn. *C. woodfordiae* Syd., non Petch.).
- *tacca* (Syd.) Chupp, *A Monograph of the Fungus Genus Cercospora*, p. 560, 1954. (Syn. *Cercosporina taccae* H. & P. Syd.).
- *tagetea* Cif. in *Sydowia*, 8, p. 252, 1954 on *Tagetes patula*.—Santo Domingo.
- *tamoneae* Chupp, *A Monograph of the Fungus Genus Cercospora*, p. 383, 1954 on *Tamonea impetiolaris*.—Santo Domingo.
- *torilidis* Chupp, *A Monograph of the Fungus Genus Cercospora*, p. 581, 1954 on *Torilis anthriscus*.—Germany.
- *trapae* Thirum. & Govindu in *Sydowia*, 8, p. 346, 1954 on *Trapa bispinosa*.—India.
- *triloba* (as '*trilobi*') Chupp, *A Monograph of the Fungus Genus Cercospora*, p. 391, 1954 on *Cocculus trilobus*.—China.
- *turbinae* Chupp, *A Monograph of the Fungus Genus Cercospora*, p. 174, 1954 on *Ipomoea burmanni*.—Bermuda.
- *ulmicola* Chupp, *A Monograph of the Fungus Genus Cercospora*, p. 587, 1954 on *Ulmus fulva*.—Bermuda.
- *vismicola* Chupp, *A Monograph of the Fungus Genus Cercospora*, p. 257, 1954 on *Vismia ferruginea*.—Venezuela.
- *weberi* Chupp, *A Monograph of the Fungus Genus Cercospora*, p. 597, 1954 on *Vitex agnus-castus*.—Florida, U.S.A.
- *wellesiana* Chupp nom. nov., *A Monograph of the Fungus Genus Cercospora*, p. 427, 1954. (Syn. *C. averrhoi* Welles, non Petch.).
- *yoshinagiana* Chupp nom. nov., *A Monograph of the Fungus Genus Cercospora*, p. 423, 1954. (Syn. *C. ludwigiae* var. *japonica* P. Henn.).
- Ceriosporopsis cambrensis* I. M. Wilson in *Trans. Brit. mycol. Soc.*, 37, p. 276, 1954 on wood of *Alnus glutinosa* in the sea.—Wales.
- Ceuthospora daviesiae* Petrak in *Sydowia*, 8, p. 210, 1954 on *Daviesia latifolia*.—N.S.W., Australia.
- Chaetophomella parasitica* Petrak in *Sydowia*, 8, p. 25, 1954 on *Asterina dallasica*.—North Borneo.
- Cheiromycella gyrosa* (Cooke & Massee) Mason & Hughes in *Rimington, Nat. Hist. Scarborough District*, 1, p. 156, 1953. (Syn. *Torula gyrosa* Cooke & Massee).
- Cicinobella epimeliola* Cif. in *Sydowia*, 8, p. 249, 1954 on *Coccoloba*.—Santo Domingo.
- *truncatula* Cif. in *Sydowia*, 8, p. 249, 1954 on *Meliola coronata* var. *triumfettae*.—Santo Domingo.
- Clathrospora bakeri* Wehmeyer in *Mycologia*, 46, p. 516, 1954 on *Juncus*.—Colorado, U.S.A.
- *diplospora* (Ell. & Everh.) Wehmeyer in *Mycologia*, 46, p. 509, 1954. (Syn. *Pleospora diplospora* Ell. & Everh.).
- *uncicola* (Ell. & Everh.) Wehmeyer in *Mycologia*, 46, p. 512, 1954. (Syn. *Pleospora juncicola* Ell. & Everh.).
- *microspora* Wehmeyer in *Mycologia*, 46, p. 513, 1954 on Cyperaceae.—Greenland.
- *triseptata* Wehmeyer in *Mycologia*, 46, p. 513, 1954 on *Juncus drummondii*.—California, U.S.A.
- Clitocybe aberrantissima* Singer in *Lilloa*, 26, p. 118, 1953 on wood.—Brazil.
- *basirosea* (Rick) Singer in *Lilloa*, 26, p. 80, 1953. (Syn. *Omphalia basirosea* Rick).
- *nothofageti* Singer in *Sydowia*, 8, p. 103, 1954.—Argentina.
- CLITOCYBULA** (Sing.) Singer in *Sydowia*, 8, p. 110, 1954. (Syn. *Fayodia* subgen. *Clitocybula* Sing.)—Tricholomataceae.
- *abundans* (Peck) Singer in *Sydowia*, 8, p. 110, 1954. (Syn. *Fayodia abundans* (Peck) Sing.).
- *aperta* (Peck) Singer in *Sydowia*, 8, p. 110, 1954. (Syn. *Fayodia aperta* (Peck) Sing.).
- *atrialba* (Murr.) Singer in *Sydowia*, 8, p. 110, 1954. (Syn. *Fayodia atrialba* (Murr.) Sing.).
- *dussenii* (Bres.) Singer in *Sydowia*, 8, p. 110, 1954. (Syn. *Fayodia dusseii* (Bres.) Sing.).
- *familia* (Peck) Singer in *Sydowia*, 8, p. 110, 1954. (Syn. *Fayodia familia* (Peck) Sing.).
- *lacerata* (Scop. ex Lasch) Singer in *Sydowia*, 8, p. 110, 1954. (Syn. *Fayodia lacerata* (Scop. ex Lasch) Sing.).
- *mellea* Singer in *Sydowia*, 8, p. 111, 1954.—Argentina.
- *oculus* (Peck) Singer in *Sydowia*, 8, p. 110, 1954. (Syn. *Fayodia oculus* (Peck) Sing.).
- *tarnensis* (Speg.) Singer in *Sydowia*, 8, p. 111, 1954. (Syn. *Cantharellula tarnensis* (Speg.) Sing.).
- *tilietii* (Sing.) Singer in *Sydowia*, 8, p. 110, 1954. (Syn. *Fayodia tilietii* Sing.).
- Coccodothella fici* (P. Henn.) Müller & Sanwal in *Sydowia*, 8, p. 242, 1954. (Syn. *Montagnella fici* P. Henn.).
- Coccoidella euglypta* (Mont.) Müller & Sanwal in *Sydowia*, 8, p. 239, 1954. (Syn. *Dothidea euglypta* Mont.).
- Coccostroma advena* (Syd.) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 267, 1954. (Syn. *Bagnisiopsis advena* Syd.).
- *andicola* (Petr.) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 267, 1954. (Syn. *Bagnisiopsis andicola* Petr.).
- *bactridis* (Rehm) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 266, 1954. (Syn. *Bagnisiella bactridis* Rehm).
- *bullosa* (Rehm) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 264, 1954. (Syn. *Phyllachora peribebuyensis* Speg. var. *bullosa* Rehm.).
- *chamaedoreae* (Syd.) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 265, 1954. (Syn. *Phoenicostroma chamaedoreae* Syd.).
- *depressa* (Syd.) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 264, 1954. (Syn. *Haplospora depressa* Syd.).
- *leandrae* (Syd.) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 262, 1954. (Syn. *Auerswaldia leandrae* Syd.).
- *melastomatum* (Lév.) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 260, 1954. (Syn. *Sphaeria melastomatum* Lév.).

- *miconiae* (Duby) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 263, 1954. (Syn. *Sphaeria miconiae* Duby).
- *miconicola* (Orejuela) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 263, 1954. (Syn. *Bagnisiopsis miconicola* Orejuela).
- *minuta* (Syd.) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 264, 1954. (Syn. *Sucinaria minuta* Syd.).
- *myrtacearum* (Rick) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 259, 1954. (Syn. *Pseudorhytisma myrtacearum* Rick).
- *nervisequens* (as '*nervisequa*') (Petr. & Ciferri) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 266, 1954. (Syn. *Bagnisiopsis nervisequens* Petr. & Cif.).
- *neurophilum* (Theiss.) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 263, 1954. (Syn. *Epiphyma neurophilum* Theiss.).
- *nuda* (F. L. Stevens) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 266, 1954. (Syn. *Yoshinagella nuda* Stev.).
- *palmicola* (Speg.) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 264, 1954. (Syn. *Auerswaldia palmicola* Speg.).
- *peribebuyensis* (Speg.) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 262, 1954. (Syn. *Phyllachora peribebuyensis* Speg.).
- *petrakii* (Cif.) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 266, 1954. (Syn. *Bagnisiopsis petrakii* Cif.).
- *polymorpha* (F. L. Stevens) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 266, 1954. (Syn. *Yoshinagella polymorpha* Stev.).
- *toledoi* (Chard.) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 263, 1954. (Syn. *Bagnisiopsis toledoi* Chardon).
- *translucens* (Miller & Burton) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 264, 1954. (Syn. *Bagnisiopsis translucens* Miller & Burton).
- Coleophoma mangiferae** Ahmad apud Petrak & Ahmad in *Sydowia*, 8, p. 176, 1954 on *Mangifera indica*.—Pakistan.
- Conidiobolus osmodes** Drechsler in *Amer. J. Bot.*, 41, p. 571, 1954 in decaying plant detritus.—Louisiana, U.S.A.
- *rhysosporus* Drechsler in *Amer. J. Bot.*, 41, p. 567, 1954 in decaying plant materials.—Louisiana, U.S.A.
- Coniochaeta myricariae** (Fuckel) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 307, 1954. (Syn. *Cucurbitula myricariae* Fuckel).
- *niesslii* (Auersw.) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 306, 1954. (Syn. *Rosellinia niesslii* Auersw.).
- *sarothamni* (Schröt.) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 308, 1954. (Syn. *Rosellinia sarothamni* Schröt.).
- Coniothyrium gelatosporum** Petrak in *Sydowia*, 8, p. 211, 1954 on *Daviesia latifolia*.—N.S.W., Australia.
- *gregori* Pfähoda in *Čes. Mykol.*, 8, p. 170, 1954 on eggs of *Tortrix viridana*.—Moravia.
- Coronellaria musicola** (Speg.) Dennis in *Kew Bull.*, 1954, p. 292, 1954. (Syn. *Helotium musicola* Speg.).
- Crepidotus nephrodes** (Berk & Curt.) Sacc. var. *meristocystis* Singer in *Sydowia*, 8, p. 146, 1954 on wood.—Argentina.
- var. *minimus* Singer in *Sydowia*, 8, p. 147, 1954 on trunk of Myrtaceae.—Argentina.
- Crinipellis macrosphaerigera** Singer in *Lilloa*, 26, p. 138, 1953.—Brazil.
- Cryptosascus graminis** Robinson & Ayers in *Canad. J. Bot.*, 32, p. 543, 1954 on *Triticum aestivum*.—Prince Edward Island, Canada.
- Cryptococcus terreus** di Menna in *J. gen. Microbiol.*, 11, p. 195, 1954 from soil.—New Zealand.
- Cryptocoryneum condensatum** (Wallr.) Mason & Hughes in Rimington, *Nat. Hist. Scarborough District*, 1, p. 161, 1953. (Syn. *Hormiscium condensatum* Wallr.).
- Cucurbitaria pakistanica** Petrak in *Sydowia*, 8, p. 165, 1954 on dead *Acacia modesta*.—Pakistan.
- Cudoniella brasiliensis** Rizzini in *Arg. Jars. bot. Rio de J.*, 12, p. 141, 1953 on *Cleurococcus vulgaris*.—Brazil.
- CYTIDIELLA** Pouzar in *Čes. Mykol.*, 8, p. 128, 1954.—Thelephoraceae.
- *melzeri* Pouzar in *Čes. Mykol.*, 8, p. 129, 1954 on branches of pine.—Czechoslovakia.
- Cytospora alyxiae** Petrak in *Sydowia*, 8, p. 212, 1954 on *Alyxia buxifolia*.—N.S.W., Australia.
- Cytosporella verrucosa** Petrak in *Sydowia*, 8, p. 176, 1954 on bark of *Salvadora oleoides*.—Pakistan.
- Dacrymyces nigrescens** Lowy in *Bull. Torrey bot. Cl.*, 81, p. 300, 1954 on dead frondose wood.—Louisiana, U.S.A.
- Dasyscypha andina** (Pat.) Dennis in *Kew Bull.*, 1954, p. 312, 1954. (Syn. *Erinella andina* Pat.).
- *avellaneo-mellea* (Starb.) Dennis in *Kew Bull.*, 1954, p. 300, 1954. (Syn. *Erinella avellaneo-mellea* Starb.).
- *bambusina* (Bres.) Dennis in *Kew Bull.*, 1954, p. 301, 1954. (Syn. *Erinella bambusina* Bres.).
- *calospora* (Pat. & Gaill.) Dennis in *Kew Bull.*, 1954, p. 302, 1954. (Syn. *Erinella calospora* Pat. & Gaill.).
- *dussii* Dennis nom. nov. in *Kew Bull.*, 1954, p. 307, 1954. (Syn. *Erinella variegata* Pat., non *D. variegata* Fuckel).
- *lasseri* Dennis in *Kew Bull.*, 1954, p. 309, 1954 on grass stems.—Venezuela.
- *mapiriana* (Pat. & Gaill.) Dennis in *Kew Bull.*, 1954, p. 309, 1954. (Syn. *Erinella mapiriana* Pat. & Gaill.).
- *martini* Dennis nom. nov. in *Kew Bull.*, 1954, p. 303, 1954. (Syn. *Dasyscyphella acutipila* Cash, non *Dasyscypha acutipila* (Karst.) Sacc.).
- *orinocensis* (Pat. & Gaill.) Dennis in *Kew Bull.*, 1954, p. 307, 1954. (Syn. *Erinella orinocensis* Pat. & Gaill.).
- *rhapidophora* (Berk. & Curt.) Dennis in *Kew Bull.*, 1954, p. 304, 1954. (Syn. *Peziza rhapidophora* Berk. & Curt.).
- *schroeteriana* (Rehm) Dennis in *Kew Bull.*, 1954, p. 301, 1954. (Syn. *Dasyscyphella schroeteriana* Rehm).
- *subcorticalis* (Pat.) Dennis in *Kew Bull.*, 1954, p. 299, 1954. (Syn. *Erinella subcorticalis* Pat.).
- *uleana* (Rehm) Dennis in *Kew Bull.*, 1954, p. 311, 1954. (Syn. *Solenopezia uleana* Rehm).
- Diaporthopsis brecklei** (Petr.) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 372, 1954. (Syn. *Clypeoporthella brecklei* Petr.).

- *urticae* (Fr.) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 373, 1954. (Syn. *Rhytisma urticae* Fr.).
- Dicheirinia canariensis* de Urries in *An. Inst. bot. A. J. Cavanilles*, 1, p. 535, 1954 on *Cytisus proliferus*.—Canary Islands.
- Dictyopanus gloeocystidiatus* Corner in *Trans. Brit. mycol. Soc.*, 37, p. 258, 1954 on wood.—Japan.
- *pusillus* (Lév.) Singer var. *sublamellatus* Corner in *Trans. Brit. mycol. Soc.*, 37, p. 259, 1954 on wood.—Venezuela.
- Didymopsorella lemanensis* (Doidge) Hiratsuka in *Sci. Bull. Fac. Agric. Univ. Ryukyus* 1, p. 14, 1954. (Syn. *Puccinia lemanensis* Doidge).
- Didymosphaeria gaubae* Petrak in *Sydowia*, 8, p. 195, 1954 on *Lambertia formosa*.—Australia.
- DIGITOSPORIUM** Gremmen apud Van Vloten & Gremmen in *Acta bot. neerl.*, 2, p. 233, 1953.—Excipulaceae.
- *piniphilum* Gremmen apud Van Vloten & Gremmen in *Acta bot. neerl.*, 2, p. 233, 1953 on *Pinus sylvestris*.—Finland. State of *Crumenula sororia* Karst.
- Dimerium banksiae* (Sacc. & Bizz.) Petrak in *Sydowia*, 8, p. 196, 1954. (Syn. *Parodiella banksiae* Sacc. & Bizz.).
- *parasiticum* (Syd.) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 389, 1954. (Syn. *Episoma parasiticum* Syd.).
- Diplacella mararyensis* (P. Henn.) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 368, 1954. (Syn. *Physalospora mararyensis* P. Henn.).
- Diplodina capparinicola* Ahmad apud Petrak & Ahmad in *Sydowia*, 8, p. 177, 1954 on dead *Capparis aphylla*.—Pakistan.
- *gaubae* Petrak in *Sydowia*, 8, p. 213, 1954 on *Alyxia buxifolia*.—N.S.W., Australia.
- Disciseda candida* (Schw.) Lloyd var. *calva* Moravec in *Sydowia*, 8, p. 282, 1954 in soil.—Bohemia.
- *singeri* Moravec in *Sydowia*, 8, p. 283, 1954 in soil.—Argentina.
- Dothiorella chenopodii* Ahmad apud Petrak & Ahmad in *Sydowia*, 8, p. 177, 1954 on *Chenopodium album*.—Pakistan.
- *ladharensis* Ahmad apud Petrak & Ahmad in *Sydowia*, 8, p. 178, 1954 on *Mangifera indica*.—Pakistan.
- *olearum* Petrak in *Sydowia*, 8, p. 213, 1954 on *Olea dioica*.—Australia.
- *peucedani* Ahmad apud Petrak & Ahmad in *Sydowia*, 8, p. 178, 1954 on *Peucedanum graveolens*.—Pakistan.
- Echidnodes tenompokensis* Petrak in *Sydowia*, 8, p. 17, 1954 on a fern.—North Borneo.
- Ellisiodothis smilacis* (De Not.) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 97, 1954. (Syn. *Microthyrium smilacis* de Not.).
- Encoelia infundibuliformis* (Durand) Dennis in *Kew Bull.*, 1954, p. 334, 1954. (Syn. *Midotis infundibuliformis* Durand).
- *lobata* (Starb.) Dennis in *Kew Bull.*, 1954, p. 335, 1954. (Syn. *Helotium lobatum* Starb.).
- Endoxyla cirrhosa* (Pers.) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 355, 1954. (Syn. *Sphaeria cirrhosa* Pers.).
- Enterobryus apheloriae* Lichtwardt in *Mycologia*, 46, p. 580, 1954 in *Apheloria iowa*.—Illinois, U.S.A.
- *euryuri* Lichtwardt in *Mycologia*, 46, p. 577, 1954 in *Euryurus erythropygus*.—Illinois, U.S.A.
- Entosordaria clypeata* (De Not.) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 310, 1954. (Syn. *Sordaria clypeata* de Not.).
- Eriksonia melastomacearum* (Rac.) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 254, 1954. (Syn. *Paidania melastomacearum* Rac.).
- Eriomycopsis acrophiglossa* Cif. in *Sydowia*, 8, p. 256, 1954 on *Microthyriaceae*.—Santo Domingo.
- *fusarioides* (Stev.) Cif. in *Sydowia*, 8, p. 257, 1954. (Syn. *Trichothecium fusarioides* Stev.).
- Exidia cystidiata* Olive in *Bull. Torrey bot. Cl.*, 81, p. 333, 1954 on *Quercus*.—North Carolina, U.S.A.
- *fragilis* Olive nom. nov. in *Bull. Torrey bot. Cl.*, 81, p. 333, 1954. (Syn. *Seismosarca cartilaginea* Olive non *E. cartilaginea* Lund & Neuh.).
- *tormentosa* (Olive) Olive in *Bull. Torrey bot. Cl.*, 81, p. 333, 1954. (Syn. *Seismosarca tormentosa* Olive).
- Filoboletus staudtii* (Henn.) Singer in *Lilloa*, 26, p. 152, 1953. (Syn. *Favolaschia staudtii* Henn.).
- **Fusarium oxysporum* Schl. [ex Fr.] forma *cyclaminis* Gerlach in *Phytopath. Z.*, 22, p. 141, 1954 on *Cyclamen persicum*.—Germany.
- forma *xylarioides* (Steyaert) Delassus in *Bull. sci. Minist. Colon. Sect. Agric. trop.*, 5, p. 347, 1954. (Syn. *F. xylarioides* Steyaert).
- Galerina arenaria* Singer in *Lilloa*, 26, p. 124, 1953.—Brazil.
- *inconspicua* Singer in *Sydowia*, 8, p. 139, 1954 in *Polytrichum*.—Argentina.
- *minor* Singer in *Lilloa*, 26, p. 125, 1953.—Brazil.
- *patagonica* Singer in *Sydowia*, 8, p. 140, 1954 on wood.—Argentina.
- *semiglobata* Singer in *Lilloa*, 26, p. 147, 1953.—Brazil.
- *subbullulifera* Singer in *Lilloa*, 26, p. 137, 1953.—Brazil.
- *subtiblicystis* Singer in *Lilloa*, 26, p. 146, 1953.—Brazil.
- *taimbesinhoensis* Singer in *Lilloa*, 26, p. 148, 1953.—Brazil.
- *victoriae* Singer in *Sydowia*, 8, p. 140, 1954 on wood.—Argentina.
- Geastrum pouzari* V. J. Staněk in *Čes. Mykol.*, 8, p. 107, 1954.—Bohemia.
- Geoglossum difforme* Fr. var. *variabile* Mains in *Mycologia*, 46, p. 604 on soil.—Michigan, U.S.A.
- *glabrum* Pers. ex Fr. var. *americanum* Mains in *Mycologia*, 46, p. 600, 1954 on soil.—Michigan, U.S.A.
- var. *elongatum* Mains in *Mycologia*, 46, p. 601, 1954 on soil.—California, U.S.A.
- var. *heterosporum* Mains in *Mycologia*, 46, p. 600, 1954 on soil.—Maryland, U.S.A.
- var. *inflatum* Mains in *Mycologia*, 46, p. 601, 1954 in mosses.—Michigan, U.S.A.
- *nigritum* (Fr.) Cooke var. *heterosporum* Mains in *Mycologia*, 46, p. 596, 1954 on conifer log.—Michigan, U.S.A.
- Gibbera arxii* E. Müller in *Sydowia*, 8, p. 63, 1954 on *Rhododendron ferrugineum*.—Switzerland.

- *lepontina* E. Müller in *Sydowia*, 8, p. 67, 1954 on *Pyrola rotundifolia*.—Switzerland.
- *niesslii* (Sacc.) E. Müller in *Sydowia*, 8, p. 62, 1954. (Syn. *Venturia niesslii* Sacc.).
- *petasitidis* (Fuckel) E. Müller in *Sydowia*, 8, p. 68, 1954. (Syn. *Stigmatea petasitidis* Fuckel).
- *petrakii* E. Müller nom. nov. in *Sydowia*, 8, p. 61, 1954. (Syn. *Venturia alpina* Sacc., non *Gibbera alpina* (Petr.) Arx).
- *raetica* E. Müller in *Sydowia*, 8, p. 70, 1954 on *Arctostaphylos uva-ursi*.—Switzerland.
- *reicheana* (P. Henn.) Müller & Sanwal in *Sydowia*, 8, p. 273, 1954. (Syn. *Montagnella reicheana* P. Henn.).
- *volkartiana* E. Müller in *Sydowia*, 8, p. 66, 1954 on *Homogyne alpina*.—Switzerland.
- GLIOCLADIOPSIS** Saksena in *Mycologia*, 46, p. 662, 1954.—Moniliaceae.
- *sagariensis* Saksena in *Mycologia*, 46, p. 663, 1954 from soil.—India.
- Gliomastix luzulae** (Fuckel) Mason in *Rimington, Nat. Hist. Scarborough District*, 1, p. 154, 1953. (Syn. *Torula luzulae* Fuckel).
- Gloeotulasnella papillata** Olive in *Bull. Torrey bot. Cl.*, 81, p. 335, 1954 on wood of *Quercus*.—North Carolina, U.S.A.
- Glomerella amenti** (Rostr.) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 197, 1954. (Syn. *Phyllachora amenti* Rostr.).
- *guevinae* (Syd.) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 194, 1954. (Syn. *Chiloella guevinae* Syd.).
- *montana* (Sacc.) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 196, 1954. (Syn. *Physalospora montana* Sacc.).
- *tucumanensis* (Speg.) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 195, 1954. (Syn. *Physalospora tucumanensis* Speg.).
- Gonatobotrys africana** Saccas in *Agron. trop.*, Nogent, 9, p. 263, 1954 on *Sorghum vulgare*.—French Equatorial Africa.
- Guepinopsis minuta** Olive in *Bull. Torrey bot. Cl.*, 81, p. 334, 1954 on hemlock log.—North Carolina, U.S.A.
- Guignardia adiantii** (Höhnelt) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 60, 1954. (Syn. *Physalospora adiantii* Höhnelt).
- *banosensis* (Petr.) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 57, 1954. (Syn. *Melanops banosensis* Petr.).
- *calami* (Syd.) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 55, 1954. (Syn. *Physalospora calami* Syd.).
- *cytisi* (Fuckel) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 49, 1954. (Syn. *Myriocarpa cytisi* Fuckel).
- *diapensiae* (Rehm) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 55, 1954. (Syn. *Physalospora diapensiae* Rehm).
- *eucrypta* (Petrak) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 172, 1954. (Syn. *Physalospora eucrypta* Petrak).
- *foeniculata* (Mont.) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 48, 1954. (Syn. *Sphaeria foeniculata* Mont.).
- *gentianicola* (DC.) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 50, 1954. (Syn. *Sphaeria gentianicola* DC.).
- *haydeni* (Berk. & Curt.) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 53, 1954. (Syn. *Dothidea haydeni* Berk. & Curt.).
- *minuta* Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 58, 1954 on dead *Lonicera periclymenum*.—France.
- *oleandrina* (Curzi & Barb.) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 174, 1954. (Syn. *Physalospora oleandrina* Curzi & Barb.).
- *piperis* (Rehm) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 56, 1954. (Syn. *Stigmatea piperis* Rehm).
- *populi* Thompson in *Mycologia*, 46, p. 659, 1954 on *Populus tremuloides*.—Canada?
- *scabiosae* (Lamb. & Fautr.) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 53, 1954. (Syn. *Laestadia scabiosae* Lamb. & Fautr.).
- *tofieldiae* (Fl. Tassi) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 59, 1954. (Syn. *Laestadia tofieldiae* Fl. Tassi).
- *tumefaciens* Cribb & Herbert in *Pap. Dep. Bot. Univ. Qd*, 3, 2, p. 9, 1954 on *Sargassum*.—Tasmania.
- *valesiaca* Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 60, 1954 on dead *Veronica fruticans*.—Switzerland.
- Hamaspora okinawensis** Hiratsuka in *Sci. Bull. Fac. Agric. Univ. Ryukyus*, 1, p. 15, 1954 on *Rubus utchinsensis*.—Okinawa Isl.
- *Hansenuella ellipsoidospora** Luteran in *Rev. Mycol., Paris*, 19, p. 85, 1954 on man.—France.
- Haplosporella prosopidina** Petrak in *Sydowia*, 8, p. 179, 1954 on *Prosopis juliflora*.—Pakistan.
- *prosopidicola* Ahmad apud Petrak & Ahmad in *Sydowia*, 8, p. 180, 1954 on *Prosopis juliflora*.—Pakistan.
- *salvadorae* Petrak in *Sydowia*, 8, p. 180, 1954 on *Salvadora oleoides*.—Pakistan.
- Helicogloea terminalis** Olive in *Bull. Torrey bot. Cl.*, 81, p. 331, 1954 on wood.—North Carolina, U.S.A.
- Helminthosporium alphitoniae** Petrak in *Sydowia*, 8, p. 26, 1954 on *Alphitonia*.—North Borneo.
- *mediocre* Putterill in *Bothalia*, 6, p. 354, 1954 on *Pennisetum clandestinum*.—South Africa.
- *nodulosum* Berk. & Curt. var. *tritici* Patel, Kamat, & Padhye in *Indian Phytopath.*, 6, p. 25, 1954 on *Triticum*.—India.
- *urochloae* Putterill in *Bothalia*, 6, p. 366, 1954 on *Urochloa helopus*.—South Africa.
- Helotium caracasense** Dennis in *Kew Bull.*, 1954, p. 324, 1954 on rotten leaves.—Venezuela.
- *gedeanum* Dennis nom. nov. in *Kew Bull.*, 1954, p. 322, 1954. (Syn. *Cudoniella javanica* P. Henn., non *H. javanicum* Penz. & Sacc.).
- *uleanum* (Rehm) Dennis in *Kew Bull.*, 1954, p. 323, 1954. (Syn. *Phialea uleana* Rehm).
- *umbilicatum* (Le Gal) Dennis in *Kew Bull.*, 1954, p. 326, 1954. (Syn. *Pachydisca umbilicata* Le Gal).
- Helvellella gabretae** (Kavina) Pouzar & Švrček in *Čes. Mykol.*, 8, p. 171, 1954. (Syn. *Gyromitra gabretae* Kavina).
- Hendersonia canberrica** Petrak in *Sydowia*, 8, p. 214, 1954 on *Acacia*.—Australia.
- *consociata* Petrak in *Sydowia*, 8, p. 215, 1954 on *Daviesia latifolia*.—N.S.W., Australia.
- *daviesiae* Petrak in *Sydowia*, 8, p. 215, 1954 on *Daviesia latifolia*.—N.S.W., Australia.
- *dianellae* Petrak in *Sydowia*, 8, p. 216, 1954 on *Dianella tasmanica*.—N.S.W., Australia.

- leptostromatis* Petrak in *Sydowia*, 8, p. 181, 1954 on *Leptostroma ahmadii*.—Pakistan.
- oleariae* Petrak in *Sydowia*, 8, p. 217, 1954 on *Olearia argophylla*.—Australia.
- Heteropora biennis* (Dearness) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 361, 1954. (Syn. *Laestadia biennis* Dearn.).
- Hohenbulhelia spegazzinii* Singer nom. nov. in *Sydowia*, 8, p. 117, 1954. (Syn. *Pleurotus petaloides* var. *victoriensis* Speg.).
- Homostegia derriidis* T. S. Ramakr. & Sundaram in *Indian Phytopath.*, 6, p. 27, 1954 on *Derris heyneana*.—South India.
- Hormodendrum eupatorii* Cif. in *Sydowia*, 8, p. 251, 1954 on *Eupatorium*.—Santo Domingo.
- Hydopus riograndensis* Singer in *Lilloa*, 26, p. 122, 1953 on wood.—Brazil.
- Hygrocybe aurantiosplendens* Haller in *Schweiz. Z. Pilzk.*, 32, p. 89, 1954.—Switzerland.
- Hygrophorus acutoides* A. H. Smith & Hesler in *Sydowia*, 8, p. 325, 1954.—Michigan, U.S.A.
- atro-olivaceus* A. H. Smith & Hesler in *Sydowia*, 8, p. 326, 1954.—Michigan, U.S.A.
- barbatulus* Becker in *Schweiz. Z. Pilzk.*, 32, p. 92, 1954.—Europe.
- cinnereipallens* A. H. Smith & Hesler in *Sydowia*, 8, p. 309, 1954.—Michigan, U.S.A.
- citri-no-pallidus* A. H. Smith & Hesler in *Sydowia*, 8, p. 327, 1954.—Washington, U.S.A.
- fallax* A. H. Smith & Hesler in *Sydowia*, 8, p. 315, 1954.—Tennessee, U.S.A.
- fumosellus* A. H. Smith & Hesler in *Sydowia*, 8, p. 316, 1954.—Tennessee, U.S.A.
- graveolens* A. H. Smith & Hesler in *Sydowia*, 8, p. 316, 1954.—Oregon, U.S.A.
- miniatus* forma *longipes* A. H. Smith & Hesler in *Sydowia*, 8, p. 321, 1954.—Michigan, U.S.A.
- odoratus* A. H. Smith & Hesler in *Sydowia*, 8, p. 310, 1954.—Oregon, U.S.A.
- olivascens* A. H. Smith & Hesler in *Sydowia*, 8, p. 328, 1954.—Michigan, U.S.A.
- perplexus* A. H. Smith & Hesler in *Sydowia*, 8, p. 328, 1954.—Michigan, U.S.A.
- pseudolucorum* A. H. Smith & Hesler in *Sydowia*, 8, p. 311, 1954.—Michigan, U.S.A.
- pudarinus* forma *subcinerus* A. H. Smith & Hesler in *Sydowia*, 8, p. 308, 1954.—Michigan, U.S.A.
- rugulosus* A. H. Smith & Hesler in *Sydowia*, 8, p. 330, 1954.—Michigan, U.S.A.
- siccipes* A. H. Smith & Hesler in *Sydowia*, 8, p. 312, 1954.—Oregon, U.S.A.
- singeri* A. H. Smith & Hesler in *Sydowia*, 8, p. 331, 1954.—Oregon, U.S.A.
- spadiceus* Fr. forma *odorus* A. H. Smith & Hesler in *Sydowia*, 8, p. 322, 1954.—Michigan, U.S.A.
- subfuscescens* A. H. Smith & Hesler in *Sydowia*, 8, p. 317, 1954.—Michigan, U.S.A.
- var. *odorus* A. H. Smith & Hesler in *Sydowia*, 8, p. 318, 1954.—Michigan, U.S.A.
- subpungens* A. H. Smith & Hesler in *Sydowia*, 8, p. 312, 1954.—Oregon, U.S.A.
- tahquamenonensis* A. H. Smith & Hesler in *Sydowia*, 8, p. 331, 1954.—Michigan, U.S.A.
- Hypocelis appendiculosa* (Mont. & Berk.) Petrak in *Sydowia*, 8, p. 297, 1954. (Syn. *Vizella appendiculosa* (Mont. & Berk.) Theiss.).
- Hypocrella sulphurea* (Bres.) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 393, 1954. (Syn. *Moelleriella sulphurea* Bres.).
- Hypodermella richeae* Petrak in *Sydowia*, 8, p. 207, 1954 on *Richea continentis*.—Tasmania.
- Inocybe crocifolia* Herink in *Čes. Mykol.*, 8, p. 121, 1954.—Bohemia.
- dilutecinnamomea* Singer in *Sydowia*, 8, p. 127, 1954.—Argentina.
- erythrobasia* Singer in *Sydowia*, 8, p. 127, 1954.—Argentina.
- mixtiliformis* Singer in *Sydowia*, 8, p. 129, 1954.—Argentina.
- neuquenensis* Singer in *Sydowia*, 8, p. 130, 1954.—Argentina.
- subfuscocinnamomea* Singer in *Sydowia*, 8, p. 131, 1954.—Argentina.
- subgeophyllomorpha* Singer in *Sydowia*, 8, p. 132, 1954.—Argentina.
- subgigacystis* Singer in *Sydowia*, 8, p. 133, 1954.—Argentina.
- Irene megalongensis* Hansf. in *Proc. Linn. Soc. N.S.W.*, 78, p. 52, 1953 on *Ceratopetalum apetalum*.—N.S.W., Australia.
- Irenina acmenae* Hansf. in *Proc. Linn. Soc. N.S.W.*, 78, p. 68, 1953 on *Acmena smithii* var. *minor*.—N.S.W., Australia.
- australiana* Hansf. in *Proc. Linn. Soc. N.S.W.*, 78, p. 69, 1953 on *Eucalyptus*.—Australia.
- daphnandrae* Hansf. in *Proc. Linn. Soc. N.S.W.*, 78, p. 64, 1953 on *Daphnandra micrantha*.—N.S.W., Australia.
- dodonaee* Hansf. in *Proc. Linn. Soc. N.S.W.*, 78, p. 78, 1953 on *Dodonaea triquetra*.—N.S.W., Australia.
- duboisiae* Hansf. in *Proc. Linn. Soc. N.S.W.*, 78, p. 80, 1953 on *Duboisia myoporoides*.—N.S.W., Australia.
- eucalyptorum* Hansf. in *Proc. Linn. Soc. N.S.W.*, 78, p. 69, 1953 on *Eucalyptus saligna*.—N.S.W., Australia.
- fraseriana* (Syd.) Hansf. in *Proc. Linn. Soc. N.S.W.*, 78, p. 61, 1953. (Syn. *Meliola fraseriana* Syd.).
- hedycaryae* Hansf. in *Proc. Linn. Soc. N.S.W.*, 78, p. 65, 1953 on *Hedycarya*.—Australia.
- Irenopsis fieldiae* Hansf. in *Proc. Linn. Soc. N.S.W.*, 78, p. 58, 1953 on *Fieldia australis*.—N.S.W., Australia.
- Irpe dregeanus* (Berk.) Talbot in *Bothalia*, 6, p. 343, 1954. (Syn. *Corticium dregeanum* Berk.).
- Johansonia pandani* E. Müller in *Sydowia*, 8, p. 55, 1954 on *Pandanus*.—Java.
- Kabatiella aleuritidis* Vassilj. in *Bot. Mat. Crypt. Plant Sect., Bot. Inst. Acad. Sci. U.S.S.R.*, 5, p. 15, 1940 on *Aleurites fordii*.—Batun, Russia.
- Karschia stygia* (Berk. & Curt.) Massee var. *tenuispora* Dennis in *Kew Bull.*, 1954, p. 342, 1954 on logs.—Venezuela.
- Karstenula capparidis* Petrak in *Sydowia*, 8, p. 166, 1954 on dead *Capparis aphylla*.—Pakistan.
- KOORCHALOMA** C. V. Subram. in *J. Indian bot. Soc.*, 32, p. 124, 1953.—Tuberculariaceae.
- madreeya* C. V. Subram. in *J. Indian bot. Soc.*, 32, p. 124, 1953 on dead *Oryza sativa*.—India.

KULKARNIELLA Gokhale & Patel in *Indian Phytopath.*, 4, p. 172, 1952.—Uredinales.

—**pavettae** Gokhale & Patel in *Indian Phytopath.*, 4, p. 172, 1952 on *Pavetta tomentosa*.—India.

Lacellinopsis levispora C. V. Subram. in *J. Indian bot. Soc.*, 33, p. 28, 1954 on dead leaf (of ? Lauraceae).—South India.

Lasiosphaeria caryophylli T. S. Ramakr. & Sundaram in *Indian Phytopath.*, 6, p. 27, 1954 on *Syzygium caryophyllaeum*.—South India.

Leciographa trinitatis Dennis in *Kew Bull.*, 1954, p. 343, 1954 on wood.—Trinidad.

Lembosia grandispora Petrak in *Sydowia*, 8, p. 18, 1954 on ? *Eugenia*.—North Borneo.

LEMBUNCULA Ciferri in *Sydowia*, 8, p. 259, 1954.—Leptostromataceae.

—**pothoidei** Cif. in *Sydowia*, 8, p. 259, 1954 on *Anthurium scandens*.—Santo Domingo.

Lepiota crassior Singer nom. nov. in *Lilloa*, 26, p. 64, 1953. (Syn. *Armillaria bresadolae* Rick, non *Lepiota bresadolae* Auct.).

—**flavidula** (Rick) Singer in *Lilloa*, 26, p. 69, 1953. (Syn. *Schulzeria flavidula* Rick).

Lepista diemii Singer in *Sydowia*, 8, p. 103, 1954.—Argentina.

—**fibrosissima** Singer in *Sydowia*, 8, p. 104, 1954.—Argentina.

Lepteutypa biseptata Petrak in *Sydowia*, 8, p. 197, 1954 on *Daviesia latifolia*.—N.S.W., Australia.

Leptosphaeria ahmadii Petrak in *Sydowia*, 8, p. 167, 1954 on dead *Capparis aphylla*.—Pakistan.

—**daviesiae** Petrak in *Sydowia*, 8, p. 197, 1954 on *Daviesia latifolia*.—N.S.W., Australia.

—**septovariata** Saccas in *Agron. trop.*, Nogent, 9, p. 271, 1954 on *Sorghum vulgare*.—French Equatorial Africa.

Leptostroma ahmadii Petrak in *Sydowia*, 8, p. 181, 1954 on *Pinus excelsa*.—Pakistan.

Leucoagaricus olivaceomamillatus Singer in *Lilloa*, 26, p. 69, 1953.—Brazil.

Leucopaxillus patagonicus Singer in *Sydowia*, 8, p. 111, 1954 on rotting wood.—Argentina.

—**rickii** Singer in *Lilloa*, 26, p. 108, 1953.—Brazil.

LOMAANTHA C. V. Subram. in *J. Indian bot. Soc.*, 33, p. 31, 1954.—Dematiaceae.

—**pooga** C. V. Subram. in *J. Indian bot. Soc.*, 33, p. 32, 1954 on dead *Areca catechu*.—South India.

Lophodermium pini-excelsae Ahmad apud Petrak & Ahmad in *Sydowia*, 8, p. 172, 1954 on *Pinus excelsa*.—Pakistan.

—**richeae** Petrak in *Sydowia*, 8, p. 208, 1954 on *Richea continentis*.—Australia.

Macrophoma morindae T. S. Ramakr. & Sundaram in *Proc. Indian Acad. Sci.*, Sect. B, 40, p. 22, 1954 on *Morinda tinctoria*.—India.

—**pyrenacanthae** T. S. Ramakr. & Sundaram in *Proc. Indian Acad. Sci.*, Sect. B, 40, p. 22, 1954 on *Pyrenacantha volubilis*.—India.

Marasmiellus couleu Singer in *Sydowia*, 8, p. 118, 1954 on dead *Chusquea couleu*.—Argentina.

—**cupreovirens** (Speg.) Singer in *Lilloa*, 26, p. 74, 1953. (Syn. *Omphalia cupreovirens* Speg.).

—**fascicularis** Rick apud Singer in *Lilloa*, 26, p. 112, 1953 on Myrtaceae.—Brazil.

—**irregularis** (Rick) Singer in *Lilloa*, 26, p. 79, 1953. (Syn. *Omphalia irregularis* Rick).

—**nauseosus** (Rick) Singer in *Lilloa*, 26, p. 70, 1953. (Syn. *Clitocybe nauseosa* Rick).

—**pygmaeus** (Rick) Singer in *Lilloa*, 26, p. 75, 1953. (Syn. *Collybia pygmaea* Rick).

—**subpumilus** (Rick) Singer in *Lilloa*, 26, p. 77, 1953. (Syn. *Mycena subpumila* Rick).

Marasmius illicis Singer in *Lilloa*, 26, p. 142, 1953 on fallen leaves of *Ilex microdonta*.—Brazil.

***Melanchlenus** [gen. nov.?] **cumetabolus** Calandron in *Rev. Mycol.*, Paris, 18, p. 190, 1953.—France.

Melanoleuca brevispora Singer in *Sydowia*, 8, p. 115, 1954.—Argentina.

—**melanosarx** Singer in *Sydowia*, 8, p. 114, 1954.—Argentina.

Melanopora lomatiae Petrak in *Sydowia*, 8, p. 198, 1954 on *Lomatia polymorpha*.—Tasmania.

Melanospora asymmetrica (Curzi) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 148, 1954. (Syn. *Petriella asymmetrica* Curzi).

—**caulicola** (Fuckel) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 146, 1954. (Syn. *Ceratostoma caulicolum* Fuckel).

—**karsteni** Arx & Müller nom. nov. in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 146, 1954. (Syn. *Sphaeria helvellae* Karst., non *M. helvellae* (Cooke) Sacc.).

Meliola aciculosa Wint. var. **verbenae** Ciferri in *Mycopathologia*, 7, p. 89, 1954 on *Verbena domingensis*.—Santo Domingo.

—**acrotricha** H. Syd. var. **diversiseta** Ciferri in *Mycopathologia*, 7, p. 90, 1954 on *Serjania polyphylla*.—Santo Domingo.

—**agnolae-mariae** Ciferri in *Mycopathologia*, 7, p. 91, 1954 on *Jacquinia eggersii* var. *intermedia*.—Santo Domingo.

—**alectryonis** Hansf. in *Proc. Linn. Soc. N.S.W.*, 78, p. 77, 1953 on *Alectryon subcinereum*.—N.S.W., Australia.

—**ambigua** Pat. & Gaill. var. **caseariicola** Ciferri in *Mycopathologia*, 7, p. 93, 1954 on *Casearia guianensis*.—Santo Domingo.

—**amoena** (H. Syd.) Ciferri in *Mycopathologia*, 7, p. 93, 1954. (Syn. *Irene amoena* H. Syd.).

—**angusta** Stev. & Teh. var. **biserrata** Ciferri in *Mycopathologia*, 7, p. 96, 1954 on *Leptogonum mollis*.—Santo Domingo.

—**aracearum** (Stev.) Ciferri in *Mycopathologia*, 7, p. 98, 1954. (Syn. *Irenina aracearum* Stev.).

—**baileyi** Hansf. in *Proc. Linn. Soc. N.S.W.*, 78, p. 75, 1953 on *Flindersia collina*.—Australia.

—**banarae** Stev. var. **aculeata** Ciferri in *Mycopathologia*, 7, p. 99, 1954 on *Casearia aculeata*.—Santo Domingo.

—**bayamonensis** Teh. var. **guettardae** Ciferri in *Mycopathologia*, 7, p. 99, 1954 on *Guettarda*.—Santo Domingo.

—**bonaensis** Ciferri in *Mycopathologia*, 7, p. 102, 1954 on *Lunaria*.—Santo Domingo.

—**bonetii** Ciferri [as *Meliola* (*Irenina*) *bonetii*] in *Mycopathologia*, 7, p. 103, 1954 on *Dalbergia berterii*.—Santo Domingo.

—**borinquena** Ciferri nom. nov. in *Mycopathologia*, 7, p. 104, 1954. (Syn. *Irene portoricensis* Toro, non *Irenina portoricensis* Stev.).

- *bouchardatae* Hansf. in *Proc. Linn. Soc. N.S.W.*, 78, p. 74, 1953 on *Bouchardatia neurococca*.—N.S.W., Australia.
- *brisbanensis* Hansf. in *Proc. Linn. Soc. N.S.W.*, 78, p. 63, 1953 on *Acacia cunninghamii*.—Australia.
- *capensis* (K. & C.) Theiss. var. *baileyana* Hansf. in *Proc. Linn. Soc. N.S.W.*, 78, p. 75, 1953 on Sapindaceae.—Australia.
- var. *diploglottidis* Hansf. in *Proc. Linn. Soc. N.S.W.*, 78, p. 76, 1953 on *Diploglottis australis*.—N.S.W., Australia.
- *carissae* Doidge var. *parsonsia* Hansf. in *Proc. Linn. Soc. N.S.W.*, 78, p. 52, 1953 on *Parsonsia straminea*.—Australia.
- *cassiae* Ciferri [as *Meliola (Irenina) cassiae*] in *Mycopathologia*, 7, p. 108, 1954 on *Cassia pedicellaris*.—Santo Domingo.
- *ceratopetalii* Hansf. in *Proc. Linn. Soc. N.S.W.*, 78, p. 53, 1953 on *Ceratopetalum apetalum*.—N.S.W., Australia.
- *chaethachna* Ciferri [as *Meliola (Irenopsis) chaethachna*] in *Mycopathologia*, 7, p. 110, 1954 on *Stigmatophyllon lingulatum*.—Santo Domingo.
- *cissi-antarcticae* Hansf. in *Proc. Linn. Soc. N.S.W.*, 78, p. 80, 1953 on *Cissus antarctica*.—N.S.W., Australia.
- *citronellae* Hansf. in *Proc. Linn. Soc. N.S.W.*, 78, p. 59, 1953 on *Citronella moorei*.—N.S.W., Australia.
- *cladacantha* Ciferri in *Mycopathologia*, 7, p. 112, 1954 on *Stenandrium scabrosum*.—Santo Domingo.
- *colubrinae* (Stev.) Ciferri in *Mycopathologia*, 7, p. 114, 1954. (Syn. *Irenina colubrinae* Stev.).
- *combreti* (Stev.) Ciferri in *Mycopathologia*, 7, p. 115, 1954. (Syn. *Irenina combreti* Stev.).
- *consocia* Ciferri in *Mycopathologia*, 7, p. 116, 1954 on *Hernandia sonora*.—Santo Domingo.
- *coronata* Speg. var. *triumfettae* (Stev.) Ciferri in *Mycopathologia*, 7, p. 117, 1954. (Syn. *M. triumfettae* Stev.).
- *cubitella* (Stev. & Teh.) Ciferri [as *Meliola (Irenina) cubitella*] in *Mycopathologia*, 7, p. 109, 1954. (Syn. *Irene cubitella* Stev. & Teh.).
- *cubitum* (Stev. & Teh.) Ciferri [as *Meliola (Irenina) cubitum*] in *Mycopathologia*, 7, p. 109, 1954. (Syn. *Irene cubitum* Stev. & Teh.).
- *cyathodis* Hansf. var. *trochocarpae* Hansf. in *Proc. Linn. Soc. N.S.W.*, 78, p. 56, 1953 on *Trochocarpa laurina*.—N.S.W., Australia.
- *cyclopoda* Stev. var. *neurolaenae* Ciferri in *Mycopathologia*, 7, p. 119, 1954 on *Neurolaena lobata*.—Santo Domingo.
- *cydistae* Stev. var. *aequinoctialis* Ciferri in *Mycopathologia*, 7, p. 120, 1954 on *Cydistia aequinoctialis*.—Santo Domingo.
- *cyphopoda* Ciferri [as *Meliola (Irenina) cyphopoda*] in *Mycopathologia*, 7, p. 120, 1954 on *Marcgravia rectiflora*.—Santo Domingo.
- *dactylopoda* Syd. var. *brevipoda* Hansf. in *Proc. Linn. Soc. N.S.W.*, 78, p. 61, 1953 on *Cryptocarya patentinervis*.—N.S.W., Australia.
- *dallasica* Petrak in *Sydowia*, 8, p. 19, 1954 on *Perrottetia*.—North Borneo.
- *desmodii* Karst. & Roum. var. *heterochaeta* Ciferri in *Mycopathologia*, 7, p. 121, 1954 on *Desmodium supinum*.—Santo Domingo.
- *diospyricola* Hansf. in *Proc. Linn. Soc. N.S.W.*, 78, p. 55, 1953 on *Diospyros australis*.—N.S.W., Australia.
- *diospyri-pentameriae* Hansf. in *Proc. Linn. Soc. N.S.W.*, 78, p. 55, 1953 on *Diospyros pentamera*.—N.S.W., Australia.
- *domingensis* Ciferri nom. nov. in *Mycopathologia*, 7, p. 122, 1954. (Syn. *Irene lucumae* Cif. & Frag., non *M. lucumae* Stev. 1916).
- *dysoxyli* Hansf. in *Proc. Linn. Soc. N.S.W.*, 78, p. 62, 1953 on *Dysoxylum*.—Ceylon.
- *dysoxylicola* Hansf. in *Proc. Linn. Soc. N.S.W.*, 78, p. 62, 1953 on *Dysoxylum*.—N.S.W., Australia.
- *earleana* Ciferri nom. nov. in *Mycopathologia*, 7, p. 123, 1954. (Syn. *M. compacta* Earle, non (Lév.) Speg.).
- *ekmaniana* Ciferri in *Mycopathologia*, 7, p. 124, 1954 on *Schoepfia obovata*.—Santo Domingo.
- *ekmanii* Ciferri [as *Meliola (Irenopsis) ekmanii*] in *Mycopathologia*, 7, p. 124, 1954 on *Lygodium oligostachyum*.—Santo Domingo.
- *emmenospermatis* Hansf. in *Proc. Linn. Soc. N.S.W.*, 78, p. 71, 1953 on *Emmenosperma alphonoides*.—N.S.W., Australia.
- *epiviscum* Ciferri [as *Meliola (Irenina) epiviscum*] in *Mycopathologia*, 7, p. 125, 1954 on *Dendrophthora biseriata*.—Santo Domingo.
- *erythroxylois* Ciferri [as *Meliola (Irenina) erythroxylois*] in *Mycopathologia*, 7, p. 127, 1954 on *Erythroxylum urbanii*.—Santo Domingo.
- *escharoides* (H. Syd.) Ciferri in *Mycopathologia*, 7, p. 128, 1954. (Syn. *Irene escharoides* H. Syd.).
- *eugeniae-jamboloidis* Hansf. var. *australiensis* Hansf. in *Proc. Linn. Soc. N.S.W.*, 78, p. 66, 1953 on *Tristania*.—Australia.
- *francevilleana* Gaill. var. *abbreviata* Ciferri in *Mycopathologia*, 7, p. 129, 1954 on *Jacquemontia nodiflora*.—Santo Domingo.
- *fraseriae* (as 'fraseri') Hansf. in *Proc. Linn. Soc. N.S.W.*, 78, p. 76, 1953 on *Mischocarpus*.—N.S.W., Australia.
- var. *minor* Hansf. in *Proc. Linn. Soc. N.S.W.*, 78, p. 77, 1953 on Sapindaceae.—Australia.
- *gliricidia* H. & P. Syd. var. *pineti* (as 'pinetori') Ciferri in *Mycopathologia*, 7, p. 132, 1954 on *Cassia pinetorum*.—Santo Domingo.
- *gregoriana* Stev. var. *confusa* Ciferri in *Mycopathologia*, 7, p. 133, 1954 on *Smilax populnea*.—Santo Domingo.
- *guioae-semiglauciae* Hansf. in *Proc. Linn. Soc. N.S.W.*, 78, p. 78, 1953 on *Guioa semiglauciae*.—N.S.W., Australia.
- *haploa* Ciferri [as *Meliola (Irenopsis) haploa*] in *Mycopathologia*, 7, p. 133, 1954 on *Linociera dictyophylla*.—Santo Domingo.
- *hernandiacearum* Ciferri [as *Meliola (Irenina) hernandiacearum*] in *Mycopathologia*, 7, p. 134, 1954 on *Hernandia sonora*.—Santo Domingo.
- *hispaniolensis* Ciferri [as *Meliola (Irenina) hispaniolensis*] in *Mycopathologia*, 7, p. 135, 1954 on *Linociera domingensis*.—Santo Domingo.
- *hypodoria* Ciferri [as *Meliola (Irene) hypodoria*] in *Mycopathologia*, 7, p. 138, 1954 on *Casearia bicolor*.—Santo Domingo.
- *isertiae* (Stev.) Ciferri in *Mycopathologia*, 7, p. 142, 1954. (Syn. *Irenina isertiae* Stev.).

- *jatrophae* Stev. var. *adeliae* Ciferri in *Mycopathologia*, 7, p. 143, 1954 on *Adelia ricinella*.—Santo Domingo.
- *kisubiensis* Hansf. var. *bosistoae* Hansf. in *Proc. Linn. Soc. N.S.W.*, 78, p. 73, 1953 on *Bosistoa evodiformis*.—N.S.W., Australia.
- var. *medicosmae* Hansf. in *Proc. Linn. Soc. N.S.W.*, 78, p. 73, 1953 on *Medicosma cunninghamii*.—Australia.
- var. *phebalii-dentati* Hansf. in *Proc. Linn. Soc. N.S.W.*, 78, p. 72, 1953 on *Phebalium dentatum*.—N.S.W., Australia.
- *leptospermi* Hansf. in *Proc. Linn. Soc. N.S.W.*, 78, p. 68, 1953 on *Leptospermum brachyandrum*.—N.S.W., Australia.
- *lisianthi* Stev. & Teh. var. *bisgoeppertiae* Ciferri in *Mycopathologia*, 7, p. 146, 1954 on *Bisgoeppertia scandens*.—Santo Domingo.
- *lomandrae* Hansf. in *Proc. Linn. Soc. N.S.W.*, 78, p. 81, 1953 on *Lomandra*.—Australia.
- *longistipitata* Stev. var. *minor* Ciferri in *Mycopathologia*, 7, p. 150, 1954 on *Costus cylindricus*.—Santo Domingo.
- *mataybae* Stev. var. *longiaristata* Ciferri in *Mycopathologia*, 7, p. 153, 1954 on *Cupania americana*.—Santo Domingo.
- *mayaguesiana* Stev. var. *dominicana* Ciferri in *Mycopathologia*, 7, p. 154, 1954 on *Psychotria revoluta*.—Santo Domingo.
- *meibomii* Ciferri nom. nov. in *Mycopathologia*, 7, p. 154, 1954. (Syn. *Irenina meibomia* Stev., non *M. meibomia* Stev. & Teh.).
- var. *mucunae* Ciferri in *Mycopathologia*, 7, p. 154, 1954 on *Mucuna sloanei*.—Santo Domingo.
- *melanochaeta* Ciferri in *Mycopathologia*, 7, p. 155, 1954 on *Casearia arborea*.—Santo Domingo.
- *melodini* Hansf. in *Proc. Linn. Soc. N.S.W.*, 78, p. 51, 1953 on *Melodinus australis*.—N.S.W., Australia.
- *miconiaecola* Stev. var. *henrietellae* Ciferri [as *Meliola (Irenopsis) miconiaecola* var. *henrietellae*] in *Mycopathologia*, 7, p. 156, 1954 on *Henrietta fascicularis*.—Santo Domingo.
- *monilipes* Ciferri [as *Meliola (Irenina) monilipes*] in *Mycopathologia*, 7, p. 158, 1954 on *Guazuma ulmifolia*.—Santo Domingo.
- *monopla* Ciferri in *Mycopathologia*, 7, p. 159, 1954 on *Alpinia aromatica*.—Santo Domingo.
- *morminae* (Stev.) Ciferri in *Mycopathologia*, 7, p. 189, 1954. (Syn. *Irenina morminae* Stev.).
- *notelaeae* Hansf. in *Proc. Linn. Soc. N.S.W.*, 78, p. 70, 1953 on *Notelaea reticulata*.—N.S.W., Australia.
- *obscura* (Stev.) Ciferri in *Mycopathologia*, 7, p. 162, 1954. (Syn. *Irenina obscura* Stev.).
- *ophidochaeta* Ciferri in *Mycopathologia*, 7, p. 164, 1954 on *Tabebuia polyantha*.—Santo Domingo.
- *ozamensis* Ciferri [as *Meliola (Irenina) ozamensis*] in *Mycopathologia*, 7, p. 166, 1954 on *Stigmatophyllum angulosum*.—Santo Domingo.
- *parthesiana* Ciferri [as *Meliola (Irenina) parthesiana*] in *Mycopathologia*, 7, p. 169, 1954 on *Parathesis serrulata*.—Santo Domingo.
- *pavoniae* Ciferri [as *Meliola (Irenina) pavoniae*] in *Mycopathologia*, 7, p. 170, 1954 on *Pavonia spicata*.—Santo Domingo.
- *perspicua* Ciferri [as *Meliola (Irenina) perspicua*] in *Mycopathologia*, 7, p. 171, 1954 on *Cissus erosa*.—Santo Domingo.
- *petalostigmatis* Hansf. in *Proc. Linn. Soc. N.S.W.*, 78, p. 57, 1953 on *Petalostigma quadriloculare*.—N.S.W., Australia.
- *phaeocephala* Ciferri in *Mycopathologia*, 7, p. 172, 1954 on *Serjania sinuata*.—Santo Domingo.
- *pilea* (Hansf.) Ciferri in *Mycopathologia*, 7, p. 172, 1954. (Syn. *Irenina pilea* Hansf.).
- *piptadeniae* Ciferri [as *Meliola (Irenina) piptadeniae*] in *Mycopathologia*, 7, p. 173, 1954 on *Piptadenia peregrina*.—Santo Domingo. [See also *M. piptadeniae* Hansf. & Deight., this Index, 1, p. 265].
- *plebeja* Speg. var. *brunfelsiae* Ciferri [as *Meliola (Irenina) plebeja* var. *brunfelsiae*] in *Mycopathologia*, 7, p. 175, 1954 on *Brunfelsia abottii*.—Santo Domingo.
- *portoricensis* (Stev.) Ciferri in *Mycopathologia*, 7, p. 177, 1954. (Syn. *Irenopsis portoricensis* Stev.).
- *prostantherae* Hansf. in *Proc. Linn. Soc. N.S.W.*, 78, p. 59, 1953 on *Prostanthera sieberi*.—N.S.W., Australia.
- *pseudomori* Hansf. in *Proc. Linn. Soc. N.S.W.*, 78, p. 65, 1953 on *Pseudomorus pendulina* var. *australiana*.—N.S.W., Australia.
- *pseudoradiata* Ciferri nom. nov. in *Mycopathologia*, 7, p. 178, 1954. (Syn. *Irene alchorneae* Stev. & Teh., non *M. alchorneae* Stev. & Teh.).
- *psychotriae* Earle var. *gonzalezuniae* Ciferri in *Mycopathologia*, 7, p. 179, 1954 on *Gonzalezunia spicata*.—Santo Domingo.
- *queenslandica* (E. Fisher) Hansf. in *Proc. Linn. Soc. N.S.W.*, 78, p. 66, 1953. (Syn. *Meliola polytricha* K. & C. var. *queenslandica* E. Fisher).
- *renovata* Ciferri nom. nov. in *Mycopathologia*, 7, p. 180, 1954. (Syn. *Irenina aegiphilae* Hansf., non *M. aegiphilae* Stev.).
- *ripgoni* Hansf. in *Proc. Linn. Soc. N.S.W.*, 78, p. 79, 1953 on *Ripogonum album*.—N.S.W., Australia.
- *sabiceae* Ciferri in *Mycopathologia*, 7, p. 181, 1954 on *Sabicea hirsuta*.—Santo Domingo.
- *soroceae* Speg. var. *fici* Ciferri in *Mycopathologia*, 7, p. 186, 1954 on *Ficus rubricosta*.—Santo Domingo.
- *stellata* Ciferri [as *Meliola (Irenina) stellata*] in *Mycopathologia*, 7, p. 187, 1954 on *Stigmatophyllum lingulatum*.—Santo Domingo.
- *stevensiana* Ciferri [as *Meliola (Irenina) stevensiana*] in *Mycopathologia*, 7, p. 189, 1954 on ? *Coccoloba costata*.—Santo Domingo.
- *stevensonii* Ciferri [as *Meliola (Irenina) stevensonii*] in *Mycopathologia*, 7, p. 189, 1954 on *Exothea paniculata*.—Santo Domingo.
- *tonsa* Ciferri [as *Meliola (Irenina) tonsa*] in *Mycopathologia*, 7, p. 194, 1954 on *Pachira emarginata*.—Santo Domingo.
- *turneracearum* Ciferri [as *Meliola (Irenina) turneracearum*] in *Mycopathologia*, 7, p. 197, 1954 on *Turnera ulmifolia*.—Santo Domingo.
- *verrucosa* Pat. var. *pedilanthi* Ciferri [as *Meliola (Irenina) verrucosa* var. *pedilanthi*] in *Mycopathologia*, 7, p. 200, 1954 on *Pedilanthus latifolius*.—Santo Domingo.
- *wormiae* Hansf. in *Proc. Linn. Soc. N.S.W.*, 78, p. 54, 1953 on *Wormia alata*.—Australia.

Melomastia graminicola Saccas in *Agron. trop.*, Nogent, 9, p. 274, 1954 on *Sorghum vulgare*.—French Equatorial Africa.

Memnoniella levispora C. V. Subram. in *J. Indian bot. Soc.*, 33, p. 40, 1954 on a dead stem.—India.

Metasphaeria richeae Petrak in *Sydowia*, 8, p. 199, 1954 on *Richea continentis*.—Australia.

—*sorghi* Saccas in *Agron. trop.*, Nogent, 9, p. 275, 1954 on *Sorghum vulgare*.—French Equatorial Africa.

Microascus doguetii Moreau in *Rev. Mycol.*, Paris, 18, p. 177, 1953.—France.

Microcyclus atropunctus (Starb.) Müller & Sanwal in *Sydowia*, 8, p. 234, 1954. (Syn. *Physalospora atropuncta* Starb.).

—*stuebelii* (P. Henn.) Müller & Sanwal in *Sydowia*, 8, p. 235, 1954. (Syn. *Dothidella stuebelii* P. Henn.).

Microdiploia hardenbergiae Petrak in *Sydowia*, 8, p. 217, 1954 on *Hardenbergia monophylla*.—Australia.

Microstroma lini (Laff.) Krenner in *Agrártud. egy.*, 6, p. [3 of Auszug], 1954. (Syn. *Polyspora lini* Laff.).

Midotiopsis jamaicensis Dennis in *Kew Bull.*, 1954, p. 335, 1954 on rotten trunk.—Jamaica.

Morenoella ormosiana (Sacc.) Cif. in *Sydowia*, 8, p. 255, 1954. (Syn. *Lembosia ormosiana* Sacc.).

—*pothoidei* (Rehm) Cif. in *Sydowia*, 8, p. 259, 1954. (Syn. *Lembosia pothoidei* Rehm).

Mycena lux-coeli Corner in *Trans. Brit. mycol. Soc.*, 37, p. 264, 1954 on *Shiia sieboldii*.—Japan.

—*manipularis* (Berk.) Métrod var. *microspora* Kawamura ex Corner in *Trans. Brit. mycol. Soc.*, 37, p. 269, 1954 on wood.—Ponapé Island, Micronesia.

—*noctiluens* Corner in *Trans. Brit. mycol. Soc.*, 37, p. 264, 1954 on root of palm.—Micronesia.

—*pruinoso-viscida* Corner in *Trans. Brit. mycol. Soc.*, 37, p. 265, 1954 on wood.—Malaya.

—var. *rabaulensis* Corner in *Trans. Brit. mycol. Soc.*, 37, p. 267, 1954 on wood.—New Britain.

—*sublucens* Corner in *Trans. Brit. mycol. Soc.*, 37, p. 267, 1954 on root of bamboo.—Amboina.

Mycosphaerella alyxiae Petrak in *Sydowia*, 8, p. 199, 1954 on *Alyxia buxifolia*.—N.S.W., Australia.

—*asplenii* Thirum. & Govindu (as '(Jaap) comb. nov. Syn. *Cercospora asplenii* Jaap') in *Sydowia*, 8, p. 345, 1954 on *Asplenium nidus*.—India.

—*daviesiae* Petrak in *Sydowia*, 8, p. 200, 1954 on *Daviesia latifolia*.—N.S.W., Australia.

—*elatostemmae* Thirum. & Govindu in *Sydowia*, 8, p. 345, 1954 on *Elatostemma*.—India.

—*munyangica* Petrak in *Sydowia*, 8, p. 200, 1954 on *Richea continentis*.—Australia.

—*phacae-frigidiae* E. Müller & Wehm. in *Sydowia*, 8, p. 190, 1954 on dead *Phaca frigida*.—Switzerland.

—*richeae* Petrak in *Sydowia*, 8, p. 201, 1954 on *Richea continentis*.—Australia.

Myliocopron tectum (Winter) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 91, 1954. (Syn. *Physalospora tecta* Winter).

**Naemosphaera elaeidis* Luc in *Rev. Mycol.*, Paris, 18, Suppl. Col. No. 2, p. 101, 1953 on *Elaeis guineensis*.—Ivory Coast.

Naucoria curvipes Singer in *Sydowia*, 8, p. 135, 1954 on dead wood.—Argentina.

—*olivaceiceps* Singer in *Sydowia*, 8, p. 137, 1954 on dead wood of *Nothofagus*.—Argentina.

—*olivaceonana* Singer in *Sydowia*, 8, p. 136, 1954 on dead wood.—Argentina.

—*pantelaodes* Singer in *Sydowia*, 8, p. 138, 1954 on wood of *Nothofagus*.—Argentina.

Nectria borneensis Petrak in *Sydowia*, 8, p. 20, 1954 on dead bark.—North Borneo.

NEODIPLIODINA Petrak in *Sydowia*, 8, p. 36, 1954.—Sphaeropsidales.

—*verruciformis* Petrak in *Sydowia*, 8, p. 36, 1954 on *Danthonia*.—Australia.

Neomelanconium deightonii Petrak in *Sydowia*, 8, p. 51, 1954 on dead *Spondias monbin*.—Sierra Leone.

Neophoma goodeniae Petrak in *Sydowia*, 8, p. 218, 1954 on *Goodenia unilobata*.—Australia.

Nitschkia salvadorae Ahmad in *Sydowia*, 8, p. 167, 1954 on dead *Salvadora oleoides*.—Pakistan.

Olpidiaster gossypii Saccas [as *Olpidiaster (Asterocystis) gossypii*] in *Cot. et Fibr. trop.*, 9, p. 37, 1954 on *Gossypium hirsutum*.—French Equatorial Africa.

Olpidium maritimum Höhnk & Aleem in *Veröff. Inst. Meeresforsch. Bremerhaven*, 2, p. 227, 1953 in saline soil.—Wangeroog Island, Germany.

Ophiobolus leptosporus Saccas in *Agron. trop.*, Nogent, 9, p. 281, 1954 on *Sorghum vulgare*.—French Equatorial Africa.

Ophioceras sorghi Saccas in *Agron. trop.*, Nogent, 9, p. 285, 1954 on *Sorghum vulgare*.—French Equatorial Africa.

Ophiostoma longirostellatum (Bakshi) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 395, 1954. (Syn. *Ceratocystis longirostellata* Bakshi).

Orbilia alba Dennis in *Kew Bull.*, 1954, p. 295, 1954 on an aroid.—Trinidad.

—*curvatispora* Boud. var. *minor* Dennis in *Kew Bull.*, 1954, p. 296, 1954 on a log.—Trinidad.

ORBILIASTER Dennis in *Kew Bull.*, 1954, p. 294, 1954.—Orbiliaceae.

—*pilosa* Dennis in *Kew Bull.*, 1954, p. 294, 1954 on rotten trunk.—Trinidad.

OREOPHYLLA Ciferri in *Sydowia*, 8, p. 253, 1954.—Hyphomycetes.

—*angelaemariae* Cif. in *Sydowia*, 8, p. 254, 1954 on *Glyricidia* [*Gliricidia*] *saepium*.—Santo Domingo.

Otthiella cystophorae Cribb & Herbert in *Pap. Dep. Bot. Univ. Qd.*, 3, 2, p. 10, 1954 on *Cystophora retroflexa*.—Tasmania.

Oudemansiella steffenii (Rick) Singer in *Lilloa*, 26, p. 66, 1953. (Syn. *Tricholoma steffenii* Rick).

Parastigmatea congregata (Syd.) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 85, 1954. (Syn. *Trabutiella congregata* Syd.).

—*polyadelpha* (Syd.) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 84, 1954. (Syn. *Hypostigma polydeplha* Syd.).

- *jatro*
Myc.
— *ricinel*
— *kisut*
in *Proc*
Bosisto
— var.
Soc. N.
— *cunning*
— var.
Linn. S.
— *Phlebotom*
— *leptospe*
N.S.W.,
— *brachyanc*
— *lisianth*
Ciferri in
— *Bisgoepp*
— *lomand*
N.S.W.,
— *Australi*
— *longist*
Mycop.
— *cylindri*
— *matay*
in *Myc*
— *america*
— *mayat*
Ciferri
— *Psycho*
— *meib*
Mycop.
— *Irenin*
Stev.
— *ve*
7, p.
Dom.
— *me*
7, p.
Dor.
— *me*
78,
N.S.
— *in*
Cif.
— *va*
15
D.
— *r*
n
— *PHANEROCOCCULUS* Cif. in *Sydowia*, 8, p. 264, 1954.—Imperfect state of *Phanero-*
— *coccus*
— *rapaneae* Cif. in *Sydowia*, 8, p. 265, 1954
on *Rapanea ferruginea*.—Santo Domingo.
— *Phlebotom braunii* and var., *P. portentosus*,
and *P. silvaticus* were erroneously cited
under *Phlebiella* in this *Index*, 2, p. 85.
— *Phoma changana* Ahmad apud Petrak &
Ahmad in *Sydowia*, 8, p. 182, 1954 on *Atriplex*
crassifolia.—Pakistan.
— *Phomatospira concinna* Petrak in *Sydowia*,
8, p. 202, 1954 on *Daviesia latifolia*.—N.S.W.,
Australia.
— *Phomopsis mangiferae* Ahmad apud Petrak
& Ahmad in *Sydowia*, 8, p. 183, 1954 on dead
leaves of *Mangifera indica*.—Pakistan.
— *Phragmidium shogranense* Petrak in
Sydowia, 8, p. 162, 1954 on *Rubus*.—Pakistan.
— *PHRAGMOGLOEUM* Petrak in *Sydowia*, 8,
p. 158, 1954.—Sphaeropsidales.
— *gaubae* Petrak in *Sydowia*, 8, p. 158, 1954
on *Callistemon sieberi*.—Australia.
— *Phyllachora caesalpiniae* (Pat.) Arx & Müller
in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 221,
1954. (Syn. *Laestadia caesalpiniae* Pat.).
- *cecropiae* (Rehm) Arx & Müller in *Beitr.*
Kryptogamenfl. Schweiz, 11, p. 223, 1954.
(Syn. *Physalospora cecropiae* Rehm).
— *dallasensis* Petrak in *Sydowia*, 8, p. 21,
1954 on *Vernonia*.—North Borneo.
— *euryae* (Rac.) Arx & Müller in *Beitr.*
Kryptogamenfl. Schweiz, 11, p. 223, 1954.
(Syn. *Myiocopron euryae* Rac.).
— *hymenachnei* (Chard.) Arx & Müller in
Beitr. Kryptogamenfl. Schweiz, 11, p. 173,
1954. (Syn. *Physalospora hymenachnei*
Chard.).
— *isletica* Petrak nom. nov. in *Sydowia*, 8, p.
22, 1954. (Syn. *Catacaruma panamensis*
Chardon, non *Phyllachora panamensis*
Stevens).
— *kanarensis* T. S. Ramakr. & Sundaram in
Indian Phytopath., 6, p. 29, 1954 on *Hopea*
whighiana.—South India.
— *kellermanni* (Rehm) Arx & Müller in *Beitr.*
Kryptogamenfl. Schweiz, 11, p. 224, 1954.
(Syn. *Physalospora kellermanni* Rehm).
— *macroloculata* (Chard.) Cif. in *Sydowia*, 8,
p. 251, 1954. (Syn. *Catacaruma macro-*
culatum Chard.). [But see *P. macroloculata*
Chardon, this *Index*, 1, p. 7].
— *nitens* (Lév.) Arx & Müller in *Beitr. Krypto-*
gamenfl. Schweiz, 11, p. 174, 1954. (Syn.
Physalospora nitens (Lév.) Sacc.).
— *olivascens* (Rehm) Arx & Müller in *Beitr.*
Kryptogamenfl. Schweiz, 11, p. 222, 1954.
(Syn. *Physalospora olivascens* Rehm).
— *pseudostromatica* Arx & Müller nom. nov.
in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 222,
1954. (Syn. *Sphaeria melaleuca* Lév., non *P.*
melaleuca Syd.).
— *pterolobii* (Ramakr.) Arx & Müller in
Beitr. Kryptogamenfl. Schweiz, 11, p. 175,
1954. (Syn. *Physalospora pterolobii* Ramakr.).
— *scolopiae* T. S. Ramakr. & Sundaram in
Indian Phytopath., 6, p. 29, 1954 on *Scolopia*
crenata.—South India.
— *therophila* (Desm.) Arx & Müller in *Beitr.*
Kryptogamenfl. Schweiz, 11, p. 221, 1954.
(Syn. *Sphaeria therophila* Desm.).
— *ventilaginis* T. S. Ramakr. & Sundaram in
Proc. Indian Acad. Sci., Sect. B, 40, p. 18,
1954 on *Ventilago maderaspatana*.—India.
— *yassensis* Petrak in *Sydowia*, 8, p. 203,
1954 on *Acacia penninervis*.—N.S.W.,
Australia.
— *Phyllosticta alternantherae* Cif. in *Sydowia*,
8, p. 260, 1954 on *Alternanthera sessilis*.—
Santo Domingo.
— *sorghiphila* Saccas in *Agron. trop.*, Nogent,
9, p. 289, 1954 on *Sorghum vulgare*.—French
Equatorial Africa.
— *zeae* Batista (this *Index*, 2, p. 152). See also
P. zeae Stout, *Mycologia*, 22, p. 281,
1930.
— *Physalospora adeana* (Rehm) Arx & Müller
in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 164,
1954. (Syn. *Guignardia adeana* Rehm).
— *brunneospira* Saccas in *Agron. trop.*,
Nogent, 9, p. 291, 1954 on *Sorghum vulgare*.—
French Equatorial Africa.
— *pyrenacanthae* T. S. Ramakr. & Sundaram
in *Proc. Indian Acad. Sci.*, Sect. B, 40, p. 18,
1954 on *Pyrenacantha volubilis*.—India.
— *saviczii* (Lebed.) Arx & Müller in *Beitr.*
Kryptogamenfl. Schweiz, 11, p. 169, 1954.
(Syn. *Trichophysalospora saviczii* Lebedev.).
— *sorghiphila* Saccas in *Agron. trop.*, Nogent,
9, p. 293, 1954 on *Sorghum vulgare*.—French
Equatorial Africa.

- *vaccinii* (Shear) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 166, 1954. (Syn. *Acanthorhynchus vaccinii* Shear).
- Physoderma anilemmae** Pavgi & Thirumalachar in *Sydowia*, 8, p. 94, 1954 on *Aneilema nodiflorum*.—India.
- *cynodontis* Pavgi & Thirumalachar in *Sydowia*, 8, p. 91, 1954 on *Cynodon dactylon*.—India.
- *digitariae* Pavgi & Thirumalachar in *Sydowia*, 8, p. 94, 1954 on *Digitaria royleana*.—India.
- *eriochloae* Pavgi & Thirumalachar in *Sydowia*, 8, p. 92, 1954 on *Eriochloa procera*.—India.
- *setaricola* (as 'setaricola') Pavgi & Thirumalachar in *Sydowia*, 8, p. 93, 1954 on *Setaria glauca*.—India.
- Pichia farinosa** (Lindner) Hansen var. *japonica* (Naganishi) Ohara & Nonomura in *J. agric. chem. Soc. Japan*, 28, p. 164, 1954. (Syn. *Zygopichia farinosa* (Lindner) Klöcker var. *japonica* Naganishi).
- *mogii* Ohara & Nonomura 'nov. sp.' [nom. nov.] in *J. agric. chem. Soc. Japan*, 28, p. 124, 1954. (Syn. *P. miso* Mogi).
- *sake* (Naganishi) Ohara & Nonomura in *J. agric. chem. Soc. Japan*, 28, p. 164, 1954. (Syn. *Zygopichia sake* Naganishi).
- ***Pilobolus crystallinus** Tode subsp. *anisoporus* Lyr in *Arch. Protistenk.*, 99, p. 289, 1954.—Germany.
- * — subsp. *crystallinus* (as 'typicus') Lyr in *Arch. Protistenk.*, 99, p. 289, 1954.—Germany.
- * — *gracilis* Lyr in *Arch. Protistenk.*, 99, p. 288, 1954.—Germany.
- * — *kleinii* van Tiegh. subsp. *hallensis* Lyr in *Arch. Protistenk.*, 99, p. 288, 1954.—Germany.
- PLAGIONEMA** C. V. Subram. & K. Ramakr. in *J. Indian bot. Soc.*, 32, p. 135, 1953.—Sphaeropsidales.
- *indica* C. V. Subram. & K. Ramakr. in *J. Indian bot. Soc.*, 32, p. 136, 1953 on dead *Azadirachta indica*.—India.
- Plasmopara baudysii** Skalický in *Čes. Mykol.*, 8, p. 177, 1954 on *Berula erecta*.—Czechoslovakia.
- *umbelliferarum* (Casp.) Schröter var. *hacquetiae* Skalický in *Čes. Mykol.*, 8, p. 177, 1954 on *Hacquetia epipactis*.—Czechoslovakia.
- Platyglöea peniophorae** Bourd. & Galz. var. *interna* Olive in *Bull. Torrey bot. Cl.*, 81, p. 331, 1954 on *Peniophora*.—North Carolina, U.S.A.
- Plectosphaera amphidyma** (Syd.) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 203, 1954. (Syn. *Physalospora amphidyma* H. & P. Sydow) [lapsu amphigena].
- *atractina* (Syd.) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 210, 1954. (Syn. *Physalospora atractina* Syd.).
- *barringtoniae* (Syd.) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 203, 1954. (Syn. *Physalospora barringtoniae* Syd.).
- *eleocharidis* (Baker & Chardon) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 211, 1954. (Syn. *Physalospora eleocharidis* Baker & Chardon).
- *embeliae* (Yates) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 207, 1954. (Syn. *Physalospora embeliae* Yates).
- *fragariae* (Krieger & Rehm) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 208, 1954. (Syn. *Phomatospora fragariae* Krieger & Rehm).
- *ingae* (Stev.) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 209, 1954. (Syn. *Guignardia ingae* Stev.).
- *memecyli* (Petch) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 208, 1954. (Syn. *Hyponectria memecyli* Petch).
- *microsticta* (Cke.) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 207, 1954. (Syn. *Physalospora microsticta* Cooke).
- *polypodii* (Rabenh.) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 208, 1954. (Syn. *Sphaeria polypodii* Rabenh.).
- *populina* (Maubl.) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 205, 1954. (Syn. *Physalospora populina* Maubl.).
- *quadrospora* (Stev. & 'Rac.' [Solheim]) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 209, 1954. (Syn. *Physalospora quadrospora* Stev. & Solheim).
- *rhynchosporae* (Baker & Chardon) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 210, 1954. (Syn. *Physalospora rhynchosporae* Baker & Chardon).
- *rhytismophila* (Rehm) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 208, 1954. (Syn. *Guignardia rhytismophila* Rehm).
- *rosae* Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 206, 1954 on *Rosa canina*.—Italy.
- *salicis* (Fuckel) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 204, 1954. (Syn. *Sphaeria salicis* Fuckel).
- *sanguinea* (Rehm) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 202, 1954. (Syn. *Physalospora sanguinea* Rehm).
- *sonneratae* (Petr.) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 209, 1954. (Syn. *Polystigma sonneratae* Petr.).
- Pleospora gompholobii** Petrak in *Sydowia*, 8, p. 203, 1954 on *Gompholobium huegelii*.—N.S.W., Australia.
- *grevilleae* Petrak in *Sydowia*, 8, p. 204, 1954 on *Grevillea victoriae*.—N.S.W., Australia.
- *ipomoeae* (Clem.) Wehmeyer in *Mycologia*, 46, p. 504, 1954. (Syn. *Comoclathris ipomoeae* Clem.).
- Pleuroceras populi** Thompson in *Mycologia*, 46, p. 655, 1954 on *Populus tremuloides*.—New York, U.S.A.
- Pleurotus araucariicola** Singer in *Lilloa*, 26, p. 141, 1953.—Brazil.
- Plicaria fulva** R. Schneider in *Zbl. Bakt.*, Abt. 2, 108, p. 153, 1954 on soil.—Germany.
- Pluteus aporpus** Singer in *Sydowia*, 8, p. 122, 1954 on wood.—Argentina.
- *diptychocystis* Singer in *Sydowia*, 8, p. 123, 1954.—Argentina.
- *jaffuelii* (Speg.) Singer in *Sydowia*, 8, p. 123, 1954. (Syn. *Mycena jaffuelii* Speg.).
- *riograndensis* Singer in *Lilloa*, 26, p. 116, 1953.—Brazil.
- *umbrinoalbidus* Singer in *Lilloa*, 26, p. 134, 1953.—Brazil.
- Polydesmus indicus** C. V. Subram. in *J. Indian bot. Soc.*, 33, p. 33, 1954 on dead *Cocos nucifera*.—South India.
- Polystigma montserratis** (Chard.) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 237, 1954. (Syn. *Clypeotrabutia montserratis* Chard.).
- *orbiculatum* (Syd.) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 239, 1954. (Syn. *Leptocrea orbiculata* Syd.).

- *phylloidi* (Cooke & Massée) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 238, 1954. (Syn. *Trabaria phylloidi* Cooke & Massée).
- *autherlandiae* (Kaltb. & Cooke) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 237, 1954. (Syn. *Stigmataea autherlandiae* Kaltb. & Cooke).
- *volkartiannum* (Rehm) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 237, 1954. (Syn. *Hypocetraria volkartianna* Rehm).
- *Polystigmata pallescens* Petrak in *Sydowia*, 8, p. 183, 1954 on *Prunus cornuta*.—Pakistan.
- *Polystomella borneensis* Petrak in *Sydowia*, 8, p. 22, 1954 on *Piper*.—North Borneo.
- *Pseudocercospora polytricha* (Cooke) Chupp (comb. nov.). *A Monograph of the Fungus Genus Cercospora*, p. 233, 1954. (Syn. *Cercospora polytricha* Cooke).
- *Pseudodiplodia goodeniae* Petrak in *Sydowia*, 8, p. 219, 1954 on *Goodenia unilobata*.—Australia.
- *Pseudohelotium sordidum* (Cash) Dennis in *Kew Bull.*, 1954, p. 317, 1954. (Syn. *Belonium sordidum* Cash).
- *Puccinia brizae-maximae* T. S. Ramakr. & Sundaram in *Indian Phytopath.*, 6, p. 30, 1954 on *Briza maxima*.—South India.
- *curicis-boottianae* Hiratsuka in *Sci. Bull. Fac. Agric. Univ. Ryukyus*, 1, p. 26, 1954 on *Carex boottiana* and *Farfugium japonicum*.—Ryukyu Islands, Pacific.
- *Garnotiae* T. S. Ramakr. & Sundaram in *Indian Phytopath.*, 6, p. 30, 1954 on *Garnotia arundinacea*.—South India.
- *peristrophe* Petrak in *Sydowia*, 8, p. 13, 1954 on *Peristrophe*.—North Borneo.
- *ranunculi-falcatus* Ahmad apud Petrak & Ahmad in *Sydowia*, 8, p. 163, 1954 on *Ranunculus falcatus*.—Pakistan.
- *tendae* Gümman in *Rev. Mycol., Paris*, 18, p. 184, 1953 on *Thymus vulgaris*.—French Alps.
- *xatartiae* Durrieu in *Rev. Mycol., Paris*, 18, p. 188, 1953 on *Xatartia* [*Xatardia*] *scabra*.—Pyrenees.
- **PYCNODERMINA** Petrak in *Sydowia*, 8, p. 31, 1954. "*Stephanothecaceae*".
- *tennis* Petrak in *Sydowia*, 8, p. 31, 1954 on leaves. —North Borneo.
- *Pyrenopeziza pseudostromatica* Müller in *Rev. Mycol., Paris*, 19, p. 61, 1954 on *Potentilla valderia*.—French Alps.
- *valderia* Müller in *Rev. Mycol., Paris*, 19, p. 59, 1954 on *Potentilla valderia*.—French Alps.
- *Ramularia trautvetteriae* Shaw & Sprague in *Res. Stud. St. Coll. Wash.*, 22, p. 175, 1954 on *Trautvetteria grandis*.—Alaska.
- *Rehingeriella eutypoides* Petrak in *Sydowia*, 8, p. 170, 1954 on dead roots. —Pakistan.
- *Rehmiellopsis deviata* Petrak in *Sydowia*, 8, p. 205, 1954 on *Daviesia latifolia*.—N.S.W., Australia.
- *Rhodocybe gilvoides* (Rick) Singer in *Lilloa*, 26, p. 71, 1953. (Syn. *Chitocybe gilvoides* Rick).
- *Rhodophyllus anastomosans* (Rick) Singer in *Lilloa*, 26, p. 97, 1953. (Syn. *Eccilia anastomosans* Rick).
- *caccabus* Kühner in *Rev. Mycol., Paris*, 19, p. 3, 1954. —France.
- *caesiocinctus* Kühner in *Rev. Mycol., Paris*, 19, p. 4, 1954. —France.
- *corvinus* Kühner in *Rev. Mycol., Paris*, 19, p. 4, 1954. —France.
- *griseoluridus* Kühner in *Rev. Mycol., Paris*, 19, p. 4, 1954. —France.
- *hebes* Romagnesi apud Kühner & Romagnesi in *Rev. Mycol., Paris*, 19, p. 4, 1954. —France.
- *juncinus* Kühner & Romagnesi nom. nov. in *Rev. Mycol., Paris*, 19, p. 5, 1954. (*R. juncus* sensu Lange, nec Fr.).
- *leptotomus* Romagnesi apud Kühner & Romagnesi in *Rev. Mycol., Paris*, 19, p. 5, 1954. —France.
- *leptonipes* Kühner & Romagnesi in *Rev. Mycol., Paris*, 19, p. 6, 1954. —France.
- *lividoalbus* Kühner & Romagnesi in *Rev. Mycol., Paris*, 19, p. 6, 1954. —France.
- *lividocyanulus* Kühner nom. nov. in *Rev. Mycol., Paris*, 19, p. 37, 1954. (*Leptonia griseorubella* sensu Bres.).
- *majusculus* Kühner & Romagnesi in *Rev. Mycol., Paris*, 19, p. 6, 1954. —France.
- *mammossus* (Fr.) Quél. var. *obsoletus* Romagnesi apud Kühner & Romagnesi in *Rev. Mycol., Paris*, 19, p. 7, 1954. —France.
- (Fr.) Quél. var. *sericoides* Kühner in *Rev. Mycol., Paris*, 19, p. 7, 1954. —France.
- *minutus* (Karst.) Lange var. *polymorphus* Romagnesi apud Kühner & Romagnesi in *Rev. Mycol., Paris*, 19, p. 7, 1954. —France.
- *omphaliformis* Romagnesi apud Kühner & Romagnesi in *Rev. Mycol., Paris*, 19, p. 7, 1954. —France.
- *platyphylloides* Romagnesi apud Kühner & Romagnesi in *Rev. Mycol., Paris*, 19, p. 8, 1954. —France.
- *poliopus* Romagnesi apud Kühner & Romagnesi in *Rev. Mycol., Paris*, 19, p. 8, 1954. —France.
- *querquedula* Romagnesi apud Kühner & Romagnesi in *Rev. Mycol., Paris*, 19, p. 8, 1954. —France.
- *rhodopolius* var. *aleuriosmus* Kühner in *Rev. Mycol., Paris*, 19, p. 9, 1954. —France.
- *sarcitulus* Kühner & Romagnesi nom. nov. in *Rev. Mycol., Paris*, 19, p. 38, 1954. (*Leptonia sarcita* sensu Ricken).
- var. *spurcifolius* Kühner in *Rev. Mycol., Paris*, 19, p. 9, 1954. —France.
- *sericeus* var. *nolaniformis* Kühner in *Rev. Mycol., Paris*, 19, p. 9, 1954. —France.
- *sodalis* Kühner & Romagnesi nom. nov. in *Rev. Mycol., Paris*, 19, p. 35, 1954. (*Leptonia lampropoda* sensu Bres.).
- *sordidulus* Kühner & Romagnesi in *Rev. Mycol., Paris*, 19, p. 10, 1954. —France.
- *subradiatus* Kühner & Romagnesi in *Rev. Mycol., Paris*, 19, p. 10, 1954. —France.
- **Rhynchostoma australiense** Petrak in *Sydowia*, 8, p. 206, 1954 on *Grevillea*. —Australia.
- **Rosellinia strobilina** (Alb. & Schw.) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 327, 1954. (Syn. *Licea strobilina* Alb. & Schw.).
- **Russula major** Singer in *Sydowia*, 8, p. 153, 1954. —Argentina.
- **riograndensis** Singer nom. nov. in *Lilloa*, 26, p. 81, 1953. (Syn. *R. subfragilis* Rick, non Henn.).
- **Saccharomyces sociasi** Ramirez in *Rev. Mycol., Paris*, 19, p. 98, 1954. —Spain.

- Schiffnerula bella** Petrak in *Sydowia*, 8, p. 24, 1954 on leaves of a tree.—North Borneo.
- Schizoxylon gaubae** Petrak in *Sydowia*, 8, p. 208, 1954 on *Gompholobium huegelii*.—N.S.W., Australia.
- Scleroderma chrysastrum** Martin in *Mycologia*, 46, p. 528, 1954.—Panama Canal Zone.
- Scleroderma abietina** (Lagerb.) Gremmen apud Van Vloten & Gremmen in *Acta bot. neerl.*, 2, p. 234, 1953. (Syn. *Crumenula abietina* Lagerb.).
- laricina** (Ettl.) Gremmen apud Van Vloten & Gremmen in *Acta bot. neerl.*, 2, p. 236, 1953. (Syn. *Crumenula laricina* Ettl.).
- Scortechinia chaetomioides** (Penz. & Sacc.) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 381, 1954. (Syn. *Enchnoa chaetomioides* Penz. & Sacc.). [*Scortechinia* Sacc. 1891 is a later homonym of *Scortechinia* Hook. f. 1887].
- euomphala** (Berk. & Curt.) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 380, 1954. (Syn. *Sphaeria euomphala* Berk. & Curt.).
- massae** (Ciferri) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 381, 1954. (Syn. *Fitzpatrickia massae* Cif.).
- uniseriata** (Fitzpatr.) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 381, 1954. (Syn. *Tympanopsis uniseriata* Fitzpatr.).
- usambarensis** (Rehm) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 381, 1954. (Syn. *Meliolopsis usambarensis* Rehm).
- SCORTECHINIELLA** Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 382, 1954.—Coronophoraceae.
- similis** (Bres.) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 383, 1954. (Syn. *Trichosphaerella similis* Bresadola).
- Sebacina stratosa** (Viégas) Olive in *Bull. Torrey bot. Cl.*, 81, p. 334, 1954. (Syn. *Seismosara stratosa* Viégas).
- Selenophoma androssoni** (Bub. & Sereb.) Luc in *Rev. Mycol., Paris*, 18, Suppl. Col. No. 2, p. 100, 1953. (Syn. *Falcispora androssoni* Bub. & Sereb.).
- baldingeriae** (Frandsen) Luc in *Rev. Mycol., Paris*, 18, Suppl. Col. No. 2, p. 100, 1953. (Syn. *Lunospora baldingeriae* Frandsen).
- culmorum** (Grove) Luc in *Rev. Mycol., Paris*, 18, Suppl. Col. No. 2, p. 100, 1953. (Syn. *Lunospora culmorum* (Grove) Frandsen).
- donacicola** (Speg.) Luc in *Rev. Mycol., Paris*, 18, Suppl. Col. No. 2, p. 100, 1953. (Syn. *Pseudoseptoria donacicola* Speg.).
- *—**elaeidis** Luc in *Rev. Mycol., Paris*, 18, Suppl. Col. No. 2, p. 98, 1953 on *Elaeis guineensis*.—Ivory Coast.
- petrakii** Luc nom. nov. in *Rev. Mycol., Paris*, 18, Suppl. Col. No. 2, p. 100, 1953. (Syn. *S. septoroides* Petrak, non Maire).
- straussiana** (Sacc.) Luc in *Rev. Mycol., Paris*, 18, Suppl. Col. No. 2, p. 100, 1953. (Syn. *Neopatella straussiana* Sacc.).
- Septoria ahmadii** Petrak in *Sydowia*, 8, p. 184, 1954 on *Abelia* [*Abelia*] *triflora*.—Pakistan.
- nematospora** Davis forma aggregata Sprague in *Res. Stud. St. Coll. Wash.*, 22, p. 165, 1954 on *Carex praticola*.—Washington, U.S.A.
- SPERMOCHAETELLA** Ciferri nom. nov. in *Sydowia*, 8, p. 245, 1954. (Syn. *Chaetospermella* Chard. & Toro, non Naumov).
- tecomae** (Chard. & Toro) Cif. in *Sydowia*, 8, p. 245, 1954. (Syn. *Chaetospermella tecomae* Chard. & Toro).
- Sphaeloma hesperethusae** Jenkins & Bitancourt in *Trans. Brit. mycol. Soc.*, 37, p. 236, 1954 on *Hesperethusa crenulata*.—India.
- Sphaerodopsis acrocomiae** (Mont.) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 246, 1954. (Syn. *Dothidea acrocomiae* Mont.). [But see *S. acrocomiae* Chardon & Baker, this *Index*, 2, p. 43].
- Stemphylium celosiae** (F. Tassi) Bremer et al. in *Rev. Fac. Sci. Univ. Istanbul*, 7, p. 285, 1952. (Syn. *Macrosporium celosiae* F. Tassi).
- Stilbospora celtidis** T. S. Ramakr. & Sundaram in *Indian Phytopath.*, 6, p. 34, 1954 on *Celtis tetrandra*.—South India.
- STRATTONIA** Cif. in *Sydowia*, 8, p. 245, 1954.—Sphaerales.
- tetraspora** (Stratton) Cif. in *Sydowia*, 8, p. 245, 1954. (Syn. *Fimetaria tetraspora* Stratton).
- Stromatographium mammiforme** Cif. nom. nov. in *Sydowia*, 8, p. 264, 1954. (Imperfect state of *Sphaerostilbe mammiformis* Chardon).
- Synchytrium alysicarpi** T. S. Ramakr. & Sundaram in *Proc. Indian Acad. Sci., Sect. B*, 40, p. 17, 1954 on *Alysicarpus vaginalis*.—India.
- brownii** Karling in *Sydowia*, 8, p. 27, 1954 on *Oenothera laciniata*.—Louisiana, U.S.A.
- Thaxterogaster porphyreum** (G. H. Cunn.) Singer in *Lilloa*, 26, p. 105, 1953. (Syn. *Secotium porphyreum* G. H. Cunn.).
- Titaeospora daphniphylli** T. S. Ramakr. & Sundaram in *Indian Phytopath.*, 6, p. 34, 1954 on *Daphniphyllum neilgherrense*.—South India.
- Trabutia osbekiae** T. S. Ramakr. & Sundaram in *Proc. Indian Acad. Sci., Sect. B*, 40, p. 19, 1954 on *Osbeckia octandra*.—India.
- sinensis** Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 88, 1954 on *Quercus semecarpifolia*.—China.
- Trichodopsis trachylaena** (Syd.) Müller & Sanwal in *Sydowia*, 8, p. 274, 1954. (Syn. *Coccodothella trachylaena* Syd.).
- Trichoglossum hirsutum** (Pers. ex Fr.) Boud. var. *heterosporum* Mains in *Mycologia*, 46, p. 620, 1954.—Tennessee, U.S.A.
- var. *irregulare* Mains in *Mycologia*, 46, p. 619, 1954.—Washington, U.S.A.
- var. *longisporum* (Tai) Mains in *Mycologia*, 46, p. 619, 1954. (Syn. *T. longisporum* Tai).
- var. *multiseptatum* Mains in *Mycologia*, 46, p. 620, 1954.—Tennessee, U.S.A.
- tetrasporum** Sinden & Fitzp. var. *yunnanense* (Tai) Mains in *Mycologia*, 46, p. 625, 1954. (Syn. *T. yunnanense* Tai).
- Tricholoma carinatellum** Singer in *Sydowia*, 8, p. 107, 1954.—Argentina.
- diemii** Singer in *Sydowia*, 8, p. 108, 1954.—Argentina.
- patagonicum** Singer in *Sydowia*, 8, p. 109, 1954.—Argentina.
- Tricholomopsis araucariae** Singer in *Lilloa*, 26, p. 119, 1953 on *Araucaria brasiliana*.—Brazil.
- ULEOMYCINA** Petrak in *Sydowia*, 8, p. 74, 1954.—Myriangiales.
- rubescens** Petrak in *Sydowia*, 8, p. 75, 1954 on ? *Caesalpinia*.—North Borneo.

- Unguicularia winteriana** (Rehm) Nannfeldt var. **tetraspora** (Rehm) Svrček in *Ces. Mykol.*, 8, p. 134, 1954. (Syn. *Dasyscypha winteriana* Rehm var. *tetraspora* Rehm).
- Uredo brachylepididis** (as '*brachylepissae*') T. S. Ramakr. & Sundaram in *Indian Phytopath.*, 6, p. 31, 1954 on *Brachylepis nervosa*.—South India.
- celastri-paniculatae** T. S. Ramakr. & Sundaram in *Indian Phytopath.*, 6, p. 32, 1954 on *Celastrus paniculata*.—South India.
- emiliae-scabrae** T. S. Ramakr. & Sundaram in *Indian Phytopath.*, 6, p. 33, 1954 on *Emilia scabra*.—South India.
- rhinacanthi** T. S. Ramakr. & Sundaram in *Indian Phytopath.*, 6, p. 32, 1954 on *Rhinacanthus communis*.—South India.
- thermopsidicola** Hiratsuka in *Sci. Bull. Fac. Agric. Univ. Ryukyus*, 1, p. 44, 1954 on *Thermopsis chinensis*.—Okinawa Isl.
- Uromyces devoluensis** Gümman in *Rev. Mycol., Paris*, 18, p. 182, 1953 on *Senecio doricum*.—French Alps.
- Urosporella coccifera** (H. Fabre) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 200, 1954. (Syn. *Urospora coccifera* H. Fabre).
- ***Ustilago avenae** (Pers.) Jens. subsp. *alba* Böning in *Z. PflBau*, 4, p. 153, 1953 on *Avena sativa*.—Germany.
- Vestergrenia achyranthis** (Ramakr.) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 170, 1954. (Syn. *Physalospora achyranthis* Ramakr.).
- cestri** (Pat.) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 75, 1954. (Syn. *Phyllachora cestri* Pat.).
- egenula** (Syd.) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 75, 1954. (Syn. *Melanops egenula* Syd.).
- heterostemmae** (Ramakr.) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 173, 1954. (Syn. *Physalospora heterostemmae* Ramakr.).
- micelliae** (Syd.) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 75, 1954. (Syn. *Phyllachorella micelliae* Syd.).
- multipunctata** (Winter) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 75, 1954. (Syn. *Physalospora multipunctata* Winter).
- venezuelensis** (Chard. & Toro) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 78, 1954. (Syn. *Whetzelia venezuelensis* Chard. & Toro).
- Vizella royenae** (Doidge) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 102, 1954. (Syn. *Stigmatopeltis royenae* Doidge).
- XENODISCHELLA** Petrak in *Sydowia*, 8, p. 86, 1954.—Polystomellaceae.
- ambigua** Petr. in *Sydowia*, 8, p. 87, 1954 on a fern.—North Borneo.
- Xenomeris raetica** (E. Müll.) Petr. in *Sydowia*, 8, p. 291, 1954. (Syn. *Gibbera raetica* E. Müll.).
- Xerula pilosa** (Rick) Singer in *Lilloa*, 26, p. 86, 1953. (Syn. *Lentinus pilosus* Rick).
- XYLOCHORA** Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 176, 1954.—Polystigmataceae.
- craticola** (Wegelin) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 176, 1954. (Syn. *Physalospora craticola* Wegelin).
- nigro-punctata** (Rom.) Arx & Müller in *Beitr. Kryptogamenfl. Schweiz*, 11, p. 177, 1954. (Syn. *Physalospora nigropunctata* Rom.).
- XYLOHYPHA** (Fr.) Mason in *Rimington, Nat. Hist. Scarborough District*, 1, p. 80 bis, 1953. (Syn. *Hyphelia* Fr. subgen. *Xylohypha* Fr.).
- nigrescens** (Fr.) Mason in *Rimington, Nat. Hist. Scarborough District*, 1, p. 80 bis, 1953. (Syn. *Trichoderma nigrescens* Pers. ex Fr.).
- Xylophaeria ahmadii** Petrak in *Sydowia*, 8, p. 170, 1954 on wood.—Pakistan.

HOST INDEX

For Phanerogams see under families; for Algae, Bryophyta, Fungi, and Pteridophyta see under those names; for animal hosts see under Insecta, Invertebrata, and Vertebrata.

ACANTHACEAE

- Justicia betonica*
Cercospora acanthacearum
Odontonema callistachyum
Cercospora odontonemae
Peristrophe
Puccinia peristrophes
Rhinacanthus communis
Uredo rhinacanthi
Stenandrium scabrosum
Meliola cladacantha

ALGAE

- Cleurococcus vulgaris*
Cudoniella brasiliensis
Cystophora retroflexa
Othiella cystophorae
Sargassum
Guignardia tumefaciens

ALISMACEAE

- Echinodorus cordifolius*
Cercospora echinodori

AMARANTACEAE

- Alternanthera sessilis*
Phyllosticta alternantherae
Centrostachys indica
Cercospora centrostachydis
Pfaffia sericea
Cercospora pfaffiae

ANACARDIACEAE

- Mangifera indica*
Calonectria mangiferae
Coleophoma mangiferae
Dothiorella ladharensis
Phomopsis mangiferae
Pistacia vera
Cercospora pistaciae
Spondias monbin
Neomelanconium deightonii

APOCYNACEAE

- Alyxia buxifolia*
Cytospora alyxiae
Diplodina gaubae
Mycosphaerella alyxiae

APOCYNACEAE (continued)

- Melodinus australis
Meliola melodini
 Parsonsia straminea
Meliola carissae
 Plumeria acutifolia
Cercospora plumeriae
 Tabernaemontana coronaria
Cercospora peregrina

AQUIFOLIACEAE

- Ilex microdonta
Marasmius ilicis
 Ilex opaca
Cercospora ilicis-opacae

ARACEAE

- Anthurium scandens
Lembuncula pothoidei

ARALIACEAE

- Aralia racemosa
Cercospora clavigera
 Aralia spinosa
Cercospora spinosae

ASCLEPIADACEAE

- Brachylepis nervosa
Uredo brachylepidis

BETULACEAE

- Alnus glutinosa
Cercosporopsis cambrensis

BIGNONIACEAE

- Catalpa longissima
Cercospora catalparum
 Cydista aequinoctialis
Meliola cydistae var. *aequinoctialis*

DOLICHANDRONE PLATYCALYX

- Cercospora dolichandrones*
Cercospora hansfordii

TABEBUIA POLYANTHA

- Meliola ophidiochaeta*

BOMBACACEAE

- Pachira emarginata
Meliola tonsa

CAMPANULACEAE

- Campanula rotundifolia
Cercospora campanulae

ISOTOMA FLUVIATILIS

- Caeoma isotomatis*
 Specularia perfoliata
Cercospora speculariae

CAPPARIDACEAE

- Capparis aphylla
Botryodiplodia ambigua
Diplodina capparidicola
Karstenula capparidis
Leptosphaeria ahmadii

CAPRIFOLIACEAE

- Abelia triflora
Septoria ahmadii
 Lonicera japonica
Cercospora loniceriae
 Lonicera periclymenum
Guignardia minuta

CELASTRACEAE

- Celastrus paniculata
Cercospora celastricola
Uredo celastri-paniculatae
 Perrottetia
Meliola dallasica

CHENOPODIACEAE

- Atriplex crassifolia
Phoma changana
 Chenopodium album
Dothiorella chenopodii

CHENOPODIACEAE (continued)

- Spinacia oleracea
Cercospora bertrandii

COMBRETACEAE

- Terminalia catappa
Cercospora gerasensis

COMMELINACEAE

- Aneilema nodiflorum
Physoderma aneilemae
 Commelina nudiflora
Cercospora nudiflora

COMPOSITAE

- Baccharis glomeruliflora
Cercospora palustris
 Bidens cynapiifolia
Cercospora bidenticola
 Bidens pilosa

CERCOSPORA MACULICOLA

ECLYPTA ALBA

CERCOSPORA ECLYPTAE

EMILIA SCABRA

UREDO EMILIAE-SCABRAE

EUPATORIUM

HORMODENDRUM EUPATORII

EUPATORIUM REPANDUM

CERCOSPORA ACICULINA

EUPATORIUM RHEVEESI

CERCOSPORA EUPATORIICOLA

FARFUGIUM JAPONICUM

PUCCINIA CARICIS-BOOTTIANAE

HELIChRYSUM ORIENTALE

CERCOSPORA HELICHRYSI

HOMOgyNE ALPINA

GIBBERA VOLKARTIANA

MIKANIA CORDIFOLIA

CERCOSPORA PLUNKETTII

NEUROLAENA LOBATA

MELIOLA CYCLOPODA var. NEUROLAENAE

OLEARIA ARGOPHYLLA

HENDERSONIA OLEARIAE

POLYMNIA

CERCOSPORA POLYMNIAE

SENECIO DORONICUM

UROMYCES DEVOLENSIS

SONCHUS OLERACEUS

CERCOSPORA SONCHI

TAGETES PATULA

CERCOSPORA TAGETEA

VERNONIA

PHYLLACHORA DALLASENSIS

CONIFERAE

ARAUCARIA BRASILIANA

TRICHOLOMOPSIS ARAUCARIAE

CEDRUS DEODARA

BOTRYODIPLODIA DEODARAE

PINUS EXCELSA

LEPTOSTROMA AHMADII

LOPHODERMUM PINI-EXCELSAE

PINUS SYLVESTRIS

DIGITOSPORIUM PINIPHILUM

CONVOLVULACEAE

Evolvulus

CERCOSPORA EVOLVULI

IPOMOEAE BURMANNI

CERCOSPORA TURBINAE

JACQUEMONTIA NODIFLORA

MELIOLA FRANCEVILLEANA var. abbreviat

CRUCIFERAE

Lunaria

MELIOLA BONAENSIS

STANLEYA PINNATIFIDA

CERCOSPORA STANLEYAE

CUCURBITACEAE

FEVILLEA CORDIFOLIA

ASTEROSTOMELLA ORNATA

CUNONIACEAE

- Ceratopetalum apetalum*
Irene megalongensis
Meliola ceratopetali

CYPERACEAE

- Clathrospora microspora*
Carex boottiana
Puccinia caricis-boottianae
Carex praticola
Septoria nematospora

DILLENIACEAE

- Wormia alata*
Meliola wormiae

DIPTEROCARPACEAE

- Hopea wightiana*
Phyllachora kanarensis

EBENACEAE

- Diospyros australis*
Meliola diospyricola
Diospyros pentamera
Meliola diospyri-pentameræ

EPACRIDACEAE

- Richea continentis*
Hypodermella richeae
Lophodermium richeae
Metasphaeria richeae
Mycosphaerella munyangica
Mycosphaerella richeae
Trochocarpa laurina
Meliola cyathodis var. *trochocarpæ*

ERICACEAE

- Arctostaphylos uva-ursi*
Gibbera raetica
Rhododendron ferrugineum
Gibbera arzii

ERYTHROXYLACEAE

- Erythroxylum urbanii*
Meliola erythroxylonis

EUPHORBIACEAE

- Adelia ricinella*
Meliola jatrophae var. *adeliae*
Aleurites fordii
Kabatiella aleuritidis
Codiaeum variegatum
Cercospora stevensonii
Daphniphyllum neilgherrense
Titaospora daphniphylli
Gymnanthes lucida
Cercospora gymnanthis
Hieronyma laxifolia
Cercospora hieronymae
Hura crepitans
Cercospora huricola
Pedilanthus latifolius
Meliola verrucosa var. *pedilanthi*
Petalostigma quadriloculare
Meliola petalostigmatidis
Ricinus communis
Botryodiplodia ricinincola

FAGACEAE

- Quercus*
Eridia cystidiata
Gloeotulasnella papillata
Quercus bicolor
Cercospora querci
Quercus semecarpifolia
Trabutia sinensis
Shiia sieboldii
Mycena luz-coeli

FLACOURTIACEAE

- Casearia aculeata*
Meliola banaræ var. *aculeata*

FLACOURTIACEAE (continued)

- Casearia arborea*
Meliola melanochaeta
Casearia bicolor
Meliola hypodoria
Casearia guianensis
Cercospora ciferrii
Cercospora cylindrosporioides
Meliola ambigua var. *caseariicola*
Scolopia crenata
Phyllachora scolopiae

FLAGELLARIACEAE

- Joinvillea*
Parmulariopsis pulchella

FUNGI

- Asterina dallasica*
Chaetophomella parasitica
Cercospora unamunoi
Botrytis yuae
Leptostroma ahmadii
Hendersonia leptostromatis
Meliola coronata var. *triumfettae*
Cicinobella truncatula
Microthyriaceae
Eriomyopsis acrophloglossa
Peniophora
Platyglœa peniophoræ var. *interna*
Sphaeropsis tumefaciens
Patellaria jamaicensis

GENTIANACEAE

- Bisgoeppertia scandens*
Meliola lisanthi var. *bisgoeppertiae*

GERANIACEAE

- Geranium maculatum*
Cercospora ithacensis

GESNERIACEAE

- Fieldia australis*
Irenopsis fieldiae
Gloxinia maculata
Cercospora gloxiniae

GOODENIACEAE

- Goodenia unilobata*
Neophoma goodeniae
Pseudodiplodia goodeniae

GRAMINEAE

- Aristida*
Cercospora aristidae
Avena sativa
Ustilago avenae subsp. *alba*
Briza maxima
Puccinia brizae-maximae
Chusquea
Cercospora chusqueae
Chusquea couleu
Marasmiellus couleu
Cymbopogon caesium
Cercospora sorghi var. *cymbopogonis*
Cynodon dactylon
Acrothecium yaqueanum
Physoderma cynodontis
Danthonia
Neodiplodia verruciformis
Digitaria royleana
Physoderma digitariae
Eriochloa procera
Physoderma eriochloae
Garnotia arundinacea
Puccinia garnotiae
Oryza sativa
Koorchaloma madreya
Pennisetum clandestinum
Helminthosporium mediocre
Pennisetum glaucum
Cercospora penniseti

GRAMINEAE (continued)

- Secale cereale
Cercospora secalis
 Setaria glauca
Physoderma setaricola
 Sorghum vulgare
Gonatobotrys africana
Leptosphaeria septovariata
Melomastia graminicola
Metasphaeria sorghi
Ophiobolus leptosporus
Ophioceras sorghi
Phyllosticta sorghiphila
Physalospora brunneosporea
Physalospora sorghiphila
 Triticum
Helminthosporium nodulosum var. *tritici*
 Triticum aestivum
Cryptosporus graminis
 Urochloa helopus
Helminthosporium urochloae

GUTTIFERAE

- Vismia ferruginea*
Cercospora vismicola

HERNANDIACEAE

- Hernandia sonora*
Meliola consocia
Meliola hernandiacearum

ICACINACEAE

- Citronella moorei*
Meliola citronellae
Pyrenacantha volubilis
Macrophoma pyrenacanthae
Physalospora pyrenacanthae

INSECTA

- Tortrix viridana*
Coniothyrium gregori

INVERTEBRATA

- Apheloria iowa*
Enterobryus apheloriae
Euryurus erythropygus
Enterobryus euryuri

IRIDACEAE

- Iris*
Cercospora iridis
Pattersonia
Aulacostroma nigrificans

JUNCACEAE

- Juncus*
Clathrospora bakeri
Juncus drummondii
Clathrospora triseptata

LABIATAE

- Cercospora labiatarum*
Clinopodium calamintha
Cercospora calaminthae
Coleus
Cercospora coleicola
Prostanthera sieberi
Meliola prostantherae
Thymus vulgaris
Puccinia tendae

LAURACEAE

- Lacellinopsis levispora*
Cryptocarya patentinervis
Meliola dactylopoda var. *brevipoda*
 LECYTHIDACEAE
Couratari estrellensis
Cercospora couratariae

LEGUMINOSAE

- Acacia*
Hendersonia canberrica
Acacia cunninghamii
Meliola brisbanensis
Acacia modesta
Cucurbitaria pakistanica
Acacia penninervis
Phoeohymenula fusispora
Phyllachora yassensis
Alysicarpus vaginalis
Synchytrium alysicarpi
 ? *Caesalpinia*
Uleomycina rubescens
Cassia hirsuta
Cercospora angustata
Cassia indecora
Berteromyces aeneus
Cassia montana
Cercospora cassiae-montanae
Cassia pedicellaris
Meliola cassiae
Cassia pinetorum
Meliola gliricidiae var. *pineti*
Cytisus capitatus
Cercospora cytisi
Cytisus proliferus
Dicheirinia canariensis
Dalbergia berterii
Meliola bonetii
Daviesia latifolia
Ceuthospora daviesiae
Coniothyrium gelatosporum
Hendersonia consociata
Hendersonia daviesiae
Lepteutypa biseptata
Leptosphaeria daviesiae
Mycosphaerella daviesiae
Phomatosporea concinna
Rehmiellopsis devata
Derris heyneana
Homostegia derridis
Desmodium supinum
Meliola desmodii var. *heterochaeta*
Gliricidia saepium
Oreophylla angelaemariae
Gompholobium huegelii
Camarosporium gompholobii
Pleospora gompholobii
Schizoxylon gaubae
Haematoxylon campechianum
Cercospora haematoxylonis
Hardenbergia monophylla
Microdiplodia hardenbergiae
Hosackia americana
Cercospora hosackiae
Mucuna sloanei
Meliola meibomiaecola var. *mucunae*
Phaca frigida
Mycosphaerella phacae-frigidae
Piptadenia peregrina
Meliola piptadeniae
Prosopis juliflora
Haplosporella prosopidina
Haplosporella prosopidicola
Tephrosia purpurea
Cercospora hardwarensis
Thermopsis chinensis
Uredo thermopsidicola
 LILIACEAE
Dianella tasmanica
Hendersonia dianellae
Smilax
Cercospora pallidissima

LILIACEAE (continued)

- Smilax populnea*
Meliola gregoriana var. *confusa*

LORANTHACEAE

- Dendrophthora biseriata*
Meliola epiviscum
Loranthus pendulus
Cercospora loranthicola

MALPIGHIACEAE

- Bunchosia cormifolia*
Cercospora cormifoliae
Stigmatophyllon angulosum
Meliola ozamensis
Stigmatophyllon lingulatum
Meliola chaethachna
Meliola stellata

MALVACEAE

- Abutilon avicenna*
Cercospora avicennae
Abutilon hirtum
Cercospora abutilonicola
Gossypium hirsutum
Olpidiaster gossypii
Pavonia spicata
Meliola pavoniae

MARCGRAVIACEAE

- Marcgravia rectiflora*
Meliola cyphopoda

MELASTOMACEAE

- Aciotis indecora*
Cercospora aciotidis
Henrietella fascicularis
Meliola miconiaeicola var. *henrietellae*
Miconia ibaguensis
Cercospora mirandensis
Miconia theaeagans
Cercospora miconicola
Monochaetum polyneurum
Cercospora monochaeticola
Osbeckia octandra
Trabutia osbeckiae
Tamonea impetiolaris
Cercospora tamoneae

MELIACEAE

- Azadirachta indica*
Plagionema indica
Cipadessa baccifera
Cercospora cipadessae
Dysoxylum
Meliola dysoxyli
Meliola dysoxylicola
Melia azedarach
Botryodiplodia meliae

MENISPERMACEAE

- Cocculus trilobus*
Cercospora triloba
Menispermum canadense
Cercospora manevalii

MONTIMIACEAE

- Daphnandra micrantha*
Irenina daphnandrae
Hedycarya
Irenina hedycaryae

MORACEAE

- Ficus rubricosta*
Meliola soroceae var. *fici*
Morus alba
Cercospora morina
Pseudomorus pendulina var. *australiana*
Meliola pseudomori

MYRSINACEAE

- Parathesis serrulata*
Meliola parathesiana

MYRSINACEAE (continued)

- Rapanea ferruginea*
Phanerocephalus rapaneae

MYRTACEAE

- Marasmiellus fascicularis*
Acmena smithii var. *minor*
Irenina acmenae
Callistemon sieberi
Phragmogloeum gaubae
Eucalyptus
Irenina australiana
Eucalyptus saligna
Irenina eucalyptorum
 ? *Eugenia*
Lembosia grandispora
Leptospermum brachyandrum
Meliola leptospermi
Syzygium caryophyllaeum
Lasiochaeria caryophylli
Tristania
Meliola eugeniae-jamboloidis var. *australien-*
sis

NYMPHAEACEAE

- Nymphaea*
Cercospora californiensis

OLACACEAE

- Schoepfia obovata*
Meliola ekmaniana

OLEACEAE

- Jasminum cordifolium*
Phaeodothis cordifolia
Linociera dictyophylla
Meliola haploa
Linociera domingensis
Meliola hispaniolensis
Notelaea reticulata
Meliola notelaeae
Olea dioica
Dothiorella olearum

ONAGRACEAE

- Oenothera laciniata*
Synchytrium brownii
Trapa bispinosa
Cercospora trapae

PALMAE

- Areca catechu*
Lomaanthia pooga
Cocos nucifera
Actiniceps cocos
Polydesmus indicus
Elaeis guineensis
Naemosphaera elaeidis
Selenophoma elaeidis

PANDANACEAE

- Pandanus*
Johansonia pandani

PASSIFLORACEAE

- Passiflora*
Cercospora granadillae
Cercospora passifloricola

PHYTOLACCACEAE

- Petiveria alliacea*
Cercospora petiveriae
Rivina humilis
Cercospora rivinae

PIPERACEAE

- Piper*
Polystomella borneensis

POLYGONACEAE

- Coccoloba*
Cicinnobella epimeliola

POLYGONACEAE (continued)

- ? *Coccoloba costata*
- Meliola stevensiana*
- Leptogonum mollis*
- Meliola angusta* var. *biserrata*
- Rumex obtusifolius*
- Cercospora rumicis*

PORTULACACEAE

- Talinum triangulare*
- Brachysporium robustum*

PRIMULACEAE

- Cyclamen persicum*
- Fusarium oxysporum* f. *persicum*

PROTEACEAE

- Grevillea*
- Catharinea gaubae*
- Rhynchostoma australiense*
- Grevillea australis*
- Bimeris nidulans*
- Grevillea victoriae*
- Pleospora grevilleae*
- Lambertia formosa*
- Didymosphaeria gaubae*
- Pestalotia lambertiae*
- Lomatia polymorpha*
- Apogloeum concinnum*
- Melanops lomatiae*

PTERIDOPHYTA

- Echidnodes tenempokensis*
- Xenodiscella ambigua*
- Asplenium nidus*
- Mycosphaerella asplenii*
- Lonchitis hirsuti*
- Cercospora lonchitidis*
- Lygodium oligostachyum*
- Meliola ekmanii*
- Platyserium*
- Cercospora platycerii*

PYROLACEAE

- Pyrola rotundifolia*
- Gibbera leporina*

RANUNCULACEAE

- Ranunculus falcatus*
- Puccinia ranunculi-falcati*
- Trautvetteria grandis*
- Ramularia trautvetteriae*

RHAMNACEAE

- Alphitonia*
- Helminthosporium alphitoniae*
- Emmenosperma alphitonioide*
- Meliola emmenospermatis*
- Ventilago maderaspatana*
- Phyllachora ventilaginis*

ROSACEAE

- Eriobotrya japonica*
- Alternaria eriobotryae*
- Exochorda grandiflora*
- Cercospora exochordae*
- Potentilla valderia*
- Phaeosphaerella potentillae*
- Pyrenopeziza pseudostromatica*
- Pyrenopeziza valderiae*
- Prunus cornuta*
- Polystigmata pallens*

RUBIACEAE

- Rosa canina*
- Plectosphaera rosae*
- Rubus*
- Phragmidium shogranense*
- Rubus utchinensis*
- Hamaspora okinawensis*

RUBIACEAE

- Gonzalagunia spicata*
- Meliola psychotriae* var. *gonzalaguniae*

RUBIACEAE (continued)

- Guettarda*
- Meliola bayamonensis* var. *guettardae*
- Guettarda scabra*
- Cercospora guettardae*
- Hamelia patens*
- Cercospora hameliae*
- Morinda tinctoria*
- Macrophoma morindae*
- Pavetta tomentosa*
- Kulkarniella pavettae*
- Psychotria revoluta*
- Meliola mayaguesiana* var. *dominicana*
- Sabicea hirsuta*
- Meliola sabiceae*

RUTACEAE

- Bosistoa evodiiformis*
- Meliola kisubiensis* var. *bosistoeae*
- Bouchardatia neurococca*
- Meliola bouchardatae*
- Flindersia collina*
- Meliola baileyi*
- Hesperethusa crenulata*
- Sphaceloma hesperethusae*
- Medicosma cunninghamii*
- Meliola kisubiensis* var. *medicosmae*
- Phebalium dentatum*
- Meliola kisubiensis* var. *phebalii-dentati*

SALICACEAE

- Populus tremuloides*
- Guignardia populi*
- Pleuroceras populi*

SALVADORACEAE

- Salvadora oleoides*
- Cytospora verrucosa*
- Haplosporella salvadorae*
- Nitschkia salvadorae*

SAPINDACEAE

- Meliola capensis* var. *baileyana*
- Meliola fraseri*
- Alectryon subcinereum*
- Meliola alectryonis*
- Cupania americana*
- Meliola mataybae* var. *longiaristata*
- Diploglottis australis*
- Meliola capensis* var. *diploglottidis*
- Dodonaea triquetra*
- Irenina dodonaea*
- Exothea paniculata*
- Meliola stevensonii*
- Guioa semiglauc*
- Meliola guioae-semiglauc*
- Mischocarpus*
- Meliola fraseriae*
- Serjania polyphylla*
- Meliola acrotricha* var. *diversiseta*
- Serjania sinuata*
- Meliola phaeocephala*

SAURURACEAE

- Anemopsis californica*
- Cercospora anemopsidis*

SCROPHULARIACEAE

- Veronica fruticans*
- Guignardia valesiaca*

SMILACACEAE

- Ripogonum album*
- Meliola ripogoni*

SOLANACEAE

- Browallia americana*
- Cercospora browalliae*
- Brunfelsia abottii*
- Meliola plebeja* var. *brunfelsiae*
- Datura suaveolens*
- Cercospora jamaicensis*

SOLANACEAE (continued)

- Duboisia myoporoides*
- Irenina duboisiae*
- Nicandra physaloides*
- Cercospora nicandrae*
- Solanum*
- Cercospora pariensis*
- Solanum melongena*
- Cercospora deightonii*
- Solanum micranthum*
- Cercospora marcelliana*
- Solanum rugosum*
- Cercospora rugosi*
- Solanum sinuato-recurvum*
- Aecidium jujuyense*
- Solanum tuberosum*
- Cercospora solani-tuberosi*

STERCULIACEAE

- Abroma*
- Cercospora abromae*
- Guazuma ulmifolia*
- Meliola monilipes*
- Helicteres jamaicensis*
- Cercospora meridiana*
- Melochia corchorifolia*
- Cercospora corchorifoliae*

STYRACACEAE

- Styrax americana*
- Cercospora styraceis*

THEOPHRASTACEAE

- Jacquinia eggersii* var. *intermedia*
- Meliola agnolae-mariae*

TILIACEAE

- Grewia*
- Cercospora grewicola*

TURNERACEAE

- Turnera ulmifolia*
- Asterina turneracearum*
- Meliola turneracearum*

ULMACEAE

- Celtis tetrandra*
- Stilbospora celtidis*
- Trema*

- Asterina dallasica*
- Ulmus fulva*
- Cercospora ulmicola*

UMBELLIFERAE

- Arracacia rigida*
- Cercospora arrectaria*

UMBELLIFERAE (continued)

- Arracacia xanthorrhiza*
- Cercospora arracacina*
- Berula erecta*
- Plasmopara baudysii*
- Hacquetia epipactis*
- Plasmopara umbelliferarum* var. *hacquetiae*
- Peucedanum graveolens*
- Dothiorella peucedani*
- Torilis anthriscus*
- Cercospora torilidis*
- Xatardia scabra*
- Puccinia tartaricae*

URTICACEAE

- Elatostemma*
- Mycosphaerella elatostemmae*
- Pouzolzia*
- Asterina pouzolziae*

VERBENACEAE

- Lantana camara*
- Cercospora lantanicola*
- Priva echinata*
- Cercospora privata*
- Verbena domingensis*
- Meliola aciculosa* var. *verbenae*
- Vitex agnus-castus*
- Cercospora weberi*

VERTEBRATA

- Canis*
- Candida pseudotumoralis*
- Homo sapiens*
- Hansenula ellipsoidospora*

VITACEAE

- Ampelocissus latifolia*
- Cercospora biharica*
- Cissus antarctica*
- Meliola cissi-antarcticae*
- Cissus erosa*
- Meliola perspicua*

XANTHORRHOEACEAE

- Lomandra*
- Meliola lomandrae*

ZINGIBERACEAE

- Alpinia aromatica*
- Meliola monocta*
- Costus cylindricus*
- Meliola longistipitata* var. *minor*

INDEX OF FUNGI

PUBLISHED SINCE THE BEGINNING OF 1940

VOL. II

PART 11

1955

- Acaulopage bicornis* Drechsler in *Mycologia*, 47, p. 369, 1955 on decaying plant material.—Louisiana, U.S.A.
- dactylophora* Drechsler in *Mycologia*, 47, p. 367, 1955 on decaying plant detritus.—Louisiana, U.S.A.
- dasyzoa* Drechsler in *Mycologia*, 47, p. 365, 1955 on *Amoeba*.—Florida, U.S.A.
- longicornis* Drechsler in *Mycologia*, 47, p. 371, 1955 on decaying plant material.—Maryland, U.S.A.
- Acrospira balladynae* Hansford in *Proc. Linn. Soc. Lond.*, 157 (1944-45), p. 40, 1945 on *Balladyna leonensis* on *Oxyanthus unilobularis*.—Uganda.
- Actinomyces scabies* (Thaxter) Güssow var. *anglicus* Baldacci & Boncompagni in *Nuovo G. bot. ital.*, N.S., 58, p. 181, 1951.—G.B.
- var. *continentalis* Baldacci & Boncompagni in *Nuovo G. bot. ital.*, N.S., 58, p. 181, 1951.—Europe.
- Aecidium avocense* Cummins & Greene in *Trans. Wis. Acad. Sci. Arts Lett.*, 43, p. 176, 1954 on *Callirhoe triangulata*.—Wisconsin, U.S.A.
- carbonaceum* Dale in *Mycol. Pap.*, C.M.I., 59, p. 1, 1955 on *Diospyros inconstans*.—Trinidad.
- spilanthi* T. S. Ramakrishnan & Sundaram in *Indian Phytopath.*, 7 (1954), p. 143, 1955 on *Spilanthus acmella*.—India.
- trinitense* Dale in *Mycol. Pap.*, C.M.I., 59, p. 2, 1955 on *Cordia bicolor*.—Trinidad.
- Agaricus impudicus* (Rea) Parker-Rhodes in *Trans. Brit. mycol. Soc.*, 37, p. 336, 1954. (Syn. *Psalliota impudica* Rea).
- salicophilus* M. Lange in *Medd. Grønland*, 147, p. 53, 1955 in *Salix* copse.—Greenland.
- **AKENOMYCES* Arnaud in *Ann. Éc. Agric. Montpellier*, 29, p. 6, 1954.—*Mycelia Sterilia*.
- *—*enigmaticus* Arnaud in *Ann. Éc. Agric. Montpellier*, 29, p. 6, 1954 on dead leaves of *Carex riparia*.—France.
- Albugo mesembryanthemi* S. D. Baker in *Trans. roy. Soc. N.Z.*, 82, p. 992, 1955 on *Mesembryanthemum australe*.—New Zealand.
- quadrata* (Wallr.) S. D. Baker in *Trans. roy. Soc. N.Z.*, 82, p. 991, 1955. (Syn. *Erysibe quadrata* Wallr.).
- ALPAKESA* Subramanian & Ramakrishnan in *J. Indian bot. Soc.*, 33, p. 204, 1954.—Sphaeropsidales.
- yuccaefolia* (Hall) Subramanian & Ramakrishnan in *J. Indian bot. Soc.*, 33, p. 205, 1954. (Syn. *Neottiospora yuccaefolia* Hall).
- Alternaria flagelloidea* (Atk.) Luttrell in *Mycologia*, 47, p. 270, 1955. (Syn. *Helminthosporium flagelloideum* Atk.).
- inconspicua* Greene in *Trans. Wis. Acad. Sci. Arts Lett.*, 43, p. 180, 1954 on *Fraxinus pennsylvanica* var. *lanceolata*.—Wisconsin, U.S.A.
- Amanita neglecta* Murrill in *Mycologia*, 47, p. 427, 1955 on exposed deep humus.—Florida, U.S.A.
- rhodophylla* Imazeki & Toki in *Bull. For. Exp. Sta., Meguro*, 79, p. 2, 1955 on ground.—Japan.
- Amazonia psychotriae* (P. Henn.) Theiss. var. *major* Hansf. in *Reinwardtia*, 3, p. 102, 1954 on *Psychotria viridiflora*.—Java.
- Angiopsora cyrtococci* T. S. Ramakrishnan & Sundaram in *Indian Phytopath.*, 7 (1954), p. 143, 1955 on *Cyrtococcum oxyphyllum*.—India.
- Anixiopsis japonica* Saito & Minoura in *J. Ferment. Technol.*, 26, 3, ? p. 47, 1948. [Reference not seen.]
- multispora* Saito & Minoura in *J. Ferment. Technol.*, 26, 3, ? p. 47, 1948. [Reference not seen.]
- Anthostomella lavandulae* Lucas & Da Camara in *Agron. lusit.*, 16, p. 82, 1954 on *Lavandula stoechas*.—Portugal.
- Aphanopeltis bauhiniae* Batista in *Ann. Soc. Biol. Pernambuco*, 12, p. 40, 1954 on *Bauhinia*.—Brazil.
- lasianthi* Hansf. in *Reinwardtia*, 3, p. 121, 1954 on *Lasianthus purpureus*.—Java.
- Aphanostigme annonae* Hansford in *Proc. Linn. Soc. Lond.*, 157 (1944-45), p. 25, 1945 on *Annona senegalensis*.—Uganda.
- flabellariae* Hansford in *Proc. Linn. Soc. Lond.*, 157 (1944-45), p. 25, 1945 on *Flabellaria paniculata*.—Uganda.
- mayteni* Batista in *Ann. Soc. Biol. Pernambuco*, 12, p. 56, 1954 on *Maytenus rigida*.—Brazil.
- Aporpium caryae* (Schw.) Teixeira & Rogers in *Mycologia*, 47, p. 410, 1955. (Syn. *Polyporus caryae* Schw.).
- Armatella cinnamomicola* Hansf. in *Reinwardtia*, 3, p. 87, 1954 on *Cinnamomum iners*.—Java.
- Arthrobotrys anconia* Drechsler in *Mycologia*, 46, p. 762, 1954 on nematodes.—U.S.A.
- Ascobolus schweersii* Maas G. in *Fungus, Wageningen*, 24, p. 13, 1954 on decaying leaves and twigs.—Holland.
- Ascochyta commiphorae* T. S. Ramakrishnan & Sundaram in *Indian Phytopath.*, 7 (1954), p. 146, 1955 on *Commiphora caudata*.—India.
- philodendri* Batista in *Ann. Soc. Biol. Pernambuco*, 12, p. 40, 1954 on *Philodendron imbe*.—Brazil.
- ASCOSPHERA* Olive & Spiltoir in *Mycologia*, 47, p. 242, 1955.—*Ascosphaeraceae*, fam. n.
- alvei* (Betts) Olive & Spiltoir in *Mycol.*

- ogia, 47, p. 243, 1955. (Syn. *Pericystis alvei* Betts).
- Ascosphaera apis** (Maassen ex Claussen) Olive & Spiltoir in *Mycologia*, 47, p. 242, 1955. (Syn. *Pericystis apis* Maassen ex Claussen).
- var. *apis* in *Mycologia*, 47, p. 243, 1955. (Syn. *Pericystis apis* Maassen ex Claussen var. *minor* Prökschl & Zobl).
- var. *major* (Prökschl & Zobl) Olive & Spiltoir in *Mycologia*, 47, p. 243, 1955. (Syn. *Pericystis apis* var. *major* Prökschl & Zobl).
- Aspergillus aculeatus** Iizuka in *J. agric. chem. Soc. Japan*, 27, p. 806, 1953 in culture. —Japan.
- *aureolus* D. I. Fennell & K. B. Raper in *Mycologia*, 47, p. 71, 1955 from soil.—Liberia.
- *defectus* D. I. Fennell & K. B. Raper in *Mycologia*, 47, p. 82, 1955 from soil.—Brazil.
- *fischeri* Wehmer var. *glaber* D. I. Fennell & K. B. Raper in *Mycologia*, 47, p. 74, 1955 from rubber scrap.—U.S.A.
- *japonicus* Saito var. *atrofuscus* Iizuka in *J. agric. chem. Soc. Japan*, 27, p. 807, 1953.—Japan.
- var. *viridiflavus* Iizuka in *J. agric. chem. Soc. Japan*, 27, p. 807, 1953.—Japan.
- *nidulans* (Eidam) Wint. var. *acristatus* D. I. Fennell & K. B. Raper in *Mycologia*, 47, p. 79, 1955 from fabric.—New Mexico, U.S.A.
- var. *echinulatus* D. I. Fennell & K. B. Raper in *Mycologia*, 47, p. 79, 1955.—Argentina.
- *paradoxus* D. I. Fennell & K. B. Raper in *Mycologia*, 47, p. 69, 1955 from dung of marsupial.—N. Zealand.
- *silvaticus* D. I. Fennell & K. B. Raper in *Mycologia*, 47, p. 83, 1955 from soil.—W. Africa.
- *terreus* Thom var. *africanus* D. I. Fennell & K. B. Raper in *Mycologia*, 47, p. 86, 1955 from soil.—Gold Coast.
- *varicolor* (Berk. & Br.) Thom & Raper var. *astellatus* D. I. Fennell & K. B. Raper in *Mycologia*, 47, p. 80, 1955 from ? *Ilex* sp. and a dead leaf.—Galapagos Is.
- *violaceus* D. I. Fennell & K. B. Raper in *Mycologia*, 47, p. 75, 1955 from soil.—W. Africa.
- Asterina adeniae** Hansford in *Proc. Linn. Soc. Lond.*, 157 (1944-45), p. 32, 1945 on *Adenia lobata*.—Uganda.
- *alchorneae-javanensis* Hansf. in *Reinwardtia*, 3, p. 128, 1954 on *Alchornea javanensis*.—Java.
- *alchorneicola* Hansford in *Proc. Linn. Soc. Lond.*, 157 (1944-45), p. 32, 1945 on *Alchornea cordifolia*.—Uganda.
- *aporosae* Hansf. in *Reinwardtia*, 3, p. 129, 1954 on *Aporosa aurita*.—Java.
- *ardisiae* Hansf. in *Reinwardtia*, 3, p. 129, 1954 on *Ardisia colorata*.—Java.
- *argyreiae* Hansf. in *Reinwardtia*, 3, p. 130, 1954 on *Argyrea capitata*.—Java.
- *barteriae* Hansford in *Proc. Linn. Soc. Lond.*, 157 (1944-45), p. 32, 1945 on *Barteria fistulosa*.—Uganda.
- *boedijniana* Hansf. in *Reinwardtia*, 3, p. 130, 1954 on *Capparis acuminata*.—Java.
- *borneensis* Hansf. in *Reinwardtia*, 3, p. 131, 1954 on *Elaeocarpus*.—Brit. N. Borneo.
- *cyrtandrae* Hansf. in *Reinwardtia*, 3, p. 131, 1954 on *Cyrtandra picta*.—Java.
- *elaecarpicola* Hansf. in *Reinwardtia*, 3, p. 131, 1954 on *Elaeocarpus punctatus*.—Lesser Sunda Is.
- Asterina erythropali** Hansf. in *Reinwardtia*, 3, p. 132, 1954 on *Erythralium scandens*.—? Java.
- *evodiae* Hansf. in *Reinwardtia*, 3, p. 132, 1954 on *Evodia aromatica*.—Java.
- *fici-globosae* Hansf. in *Reinwardtia*, 3, p. 133, 1954 on *Ficus globosa*.—Java.
- *geniostomaticola* Hansf. in *Reinwardtia*, 3, p. 133, 1954 on *Geniostoma arboreum*.—Java.
- *geniostomatis* Hansf. in *Reinwardtia*, 3, p. 134, 1954 on *Geniostoma arboreum*.—Java.
- *horsfieldiae* Hansf. in *Reinwardtia*, 3, p. 134, 1954 on *Horsfieldia irya*.—Java.
- *landolphiicola* Hansford in *Proc. Linn. Soc. Lond.*, 157 (1944-45), p. 33, 1945 on *Landolphia ugandensis*.—Uganda.
- *melastomaticola* Hansf. in *Reinwardtia*, 3, p. 134, 1954 on *Melastoma malabathricum*.—Java.
- *pittospori* Hansf. in *Reinwardtia*, 3, p. 135, 1954 on *Pittosporum ferrugineum*.—Java.
- *planchonellae* Hansf. in *Reinwardtia*, 3, p. 135, 1954 on *Planchonella nitida*.—Java.
- *pouzolziae* Hansf. in *Reinwardtia*, 3, p. 136, 1954 on *Pouzolzia zeylanica*.—Java.
- *saniculicola* Hansf. in *Reinwardtia*, 3, p. 136, 1954 on *Sanicula europaea*.—Java.
- *sideroxyli* Hansf. in *Reinwardtia*, 3, p. 136, 1954 on *Sideroxylon*.—Philippines.
- *thunbergicola* Hansford in *Proc. Linn. Soc. Lond.*, 157 (1944-45), p. 35, 1945 on *Thunbergia chrysops*.—Sierra Leone.
- *tinosporae* Hansf. in *Reinwardtia*, 3, p. 137, 1954 on *Tinospora coriacea*.—Java.
- *urerae* Hansford in *Proc. Linn. Soc. Lond.*, 157 (1944-45), p. 34, 1945 on *Urera hypselodendron*.—Uganda.
- *uvaricicola* Hansford in *Proc. Linn. Soc. Lond.*, 157 (1944-45), p. 34, 1945 on *Uvaria welwitschii*.—Uganda.
- Asterinella ardisiae** Hansf. in *Reinwardtia*, 3, p. 122, 1954 on *Ardisia humilis*.—Java.
- *conocephali* Hansf. in *Reinwardtia*, 3, p. 123, 1954 on *Conocephalus suaveolens*.—Java.
- *dipteridis* Hansf. in *Reinwardtia*, 3, p. 123, 1954 on *Dipteris conjugata*.—Java.
- *illicicola* Hansf. in *Reinwardtia*, 3, p. 123, 1954 on *Ilex odorata*.—Java.
- *pseudospondiadis* Hansford in *Proc. Linn. Soc. Lond.*, 157 (1944-45), p. 30, 1945 on *Pseudospondias microcarpa*.—Uganda.
- *tetracerae* Hansf. in *Reinwardtia*, 3, p. 124, 1954 on *Tetracera indica*.—Java.
- Asterolibertia santiriae** (Syd.) Hansf. in *Reinwardtia*, 3, p. 126, 1954. (Syn. *Asterinella santiriae* Syd.).
- *spatholobi* Hansf. in *Reinwardtia*, 3, p. 127, 1954 on *Spatholobus ferrugineus*.—Java.
- Asteromyxa melodori** Hansf. in *Reinwardtia*, 3, p. 125, 1954 on *Melodorum latifolium*.—Java.
- Auerswaldiella ocoteae** Batista in *Ann. Soc. Biol. Pernambuco*, 12, p. 41, 1954 on *Ocotea*.—Brazil.
- BAGCHEEA** Müller & Menon in *Phytopath. Z.*, 22, p. 417, 1954.—Sphaeriales.
- *castanea* Müller & Menon in *Phytopath. Z.*, 22, p. 417, 1954 on living leaves of *Castanea*.—India.
- Bartalinia begoniae** Batista in *Ann. Soc. Biol. Pernambuco*, 12, p. 42, 1954 on *Begonia*.—Brazil.

- Bartalinia bombacicola** Batista in *Ann. Soc. Biol. Pernambuco*, 12, p. 42, 1954 on *Bombax insignis*.—Brazil.
- Basidiobolus meristosporus** Drechsler in *J. Wash. Acad. Sci.*, 45, p. 50, 1955 on rotten plant material.—Florida, U.S.A.
- Belonidium japonicum** Hara [as '*Belanidium*'], *A List of Japanese Fungi*, p. 399, 1954 on *Pinus pentaphylla*.—Japan.
- Botryodiplodia brachychitonis** Dias & Da Camara in *Agron. lusit.*, 16, p. 12, 1954 on *Brachychiton populneum*.—Portugal.
- celtidis** Dias & Da Camara in *Agron. lusit.*, 16, p. 12, 1954 on *Celtis occidentalis*.—Portugal.
- mitiospora** (S. Cam.) Lucas & Da Camara in *Agron. lusit.*, 16, p. 99, 1954. (Syn. *Diplodia mitiospora* S. Cam.).
- pistaciae** Dias & Da Camara in *Agron. lusit.*, 16, p. 12, 1954 on *Pistacia lentiscus*.—Portugal.
- BOTRYODIPLODINA** Dias & Da Camara in *Agron. lusit.*, 16, p. 13, 1954.—Sphaeropsidales.
- mori** Dias & Da Camara in *Agron. lusit.*, 16, p. 13, 1954 on *Morus nigra*.—Portugal.
- Botrytis sekimotoi** Hara, *A List of Japanese Fungi*, p. 400, 1954 on *Bombyx mori*.—Japan.
- Brachysporium pendulisporum** Hughes in *Canad. J. Bot.*, 33, p. 266, 1955 on dead wood.—Quebec, Canada.
- polyseptatum** (Preuss) Hughes in *Canad. J. Bot.*, 33, p. 264, 1955. (Syn. *Cordana polyseptata* Preuss).
- CAINIA** Arx & Müller in *Acta bot. neerl.*, 4, p. 111, 1955.—Xylariaceae.
- graminis** (Niessl) Arx & Müller in *Acta bot. neerl.*, 4, p. 112, 1955. (Syn. *Delitschia graminis* Niessl).
- Calocybe pseudo-flammula** (J. E. Lange) M. Lange in *Medd. Grønland*, 147, p. 27, 1955. (Syn. *Tricholoma pseudo-flammula* J. E. Lange).
- Calodon mirabilis** (Fr.) Snell apud Snell & Jackson in *Lloydia*, 17, p. 254, 1954. (Syn. *Hydnum mirabile* Fr.).
- Calyptrata griseopallida** (Weinm.) Parker-Rhodes in *Trans. Brit. mycol. Soc.*, 37, p. 332, 1954. (Syn. *Cyphella griseopallida* Weinmann).
- Camarosporium lusitanicum** Lucas & Da Camara nom. nov. in *Agron. lusit.*, 16, p. 104, 1954. (Syn. *C. viticis* Lucas & Da Camara non Petrak.).
- viticis** Lucas & Da Camara in *Agron. lusit.*, 16, p. 101, 1954 on *Vitex agnus-castus* [non *C. viticis* Petr., 1953. See *C. lusitanicum*, above].
- Camptomeris astragali** Bessey in *Pap. Mich. Acad. Sci.*, 40, p. 3, 1955 on *Astragalus sinicus*.—Japan.
- *Candida aaseri** Dietrichson in *Ann. Parasit. hum. comp.*, 29, p. 476, 1954 on man.—Norway.
- *langeroni** Dietrichson in *Ann. Parasit. hum. comp.*, 29, p. 479, 1954 on man.—Norway.
- *malicola** Clark & Wallace in *Canad. J. Microbiol.*, 1, p. 275, 1955 on *Pyrus malus*.—? Quebec, Canada.
- *mycoderma** (Reess) Lodder & Kreger-Van Rij var. *annulata* Dietrichson in *Ann. Parasit. hum. comp.*, 29, p. 481 on man.—Norway.
- *parapsilosis** (Ashf.) Lang. & Tal. var. *obtusa* Dietrichson in *Ann. Parasit. hum. comp.*, 29, p. 483, 1954 on man.—Norway.
- *Candida rugosa** (H. W. Anderson) Diddens & Lodder var. *elegans* Dietrichson in *Ann. Parasit. hum. comp.*, 29, p. 485, 1954 on man.—Norway.
- *trigonopsoides** Dietrichson in *Ann. Parasit. hum. comp.*, 29, p. 488, 1954 on man.—Norway.
- *zeylanoides** (Cast.) Langeron & Guerra var. *norvegensis* Dietrichson in *Ann. Parasit. hum. comp.*, 29, p. 490, 1954 on man.—Norway.
- Cercospora allophyli** Hansford in *Proc. Linn. Soc. Lond.*, 157 (1944-45), p. 40, 1945 on *Allophylus* [as '*Allophyllus*'].—Uganda.
- angolensis** T. De Carvalho & O. Mendes in *Bol. Soc. broteriana*, 27, p. 201, 1953 on *Citrus sinensis*.—Angola.
- daidai** Hara, *A List of Japanese Fungi*, p. 400, 1954 on leaves of *Citrus aurantium*.—Japan.
- eriosematis** Hansford [as '*eriosemæ*'] in *Proc. Linn. Soc. Lond.*, 157 (1944-45), p. 40, 1945 on *Eriosema psoraleoides*.—Uganda.
- resedae** Fuckel var. *legionensis* Losa in *Coll. bot., Barcinone*, 4, p. 133, 1954 on *Reseda*.—Spain.
- Cercospora endecaphylla** T. S. Ramakrishnan & Sundaram [as '*endecaphyllae*'] in *Indian Phytopath.*, 7 (1954), p. 147, 1955 on *Indigofera endecaphylla*.—India.
- Cerotelium bignoniacearum** Dale in *Mycol. Pap., C.M.I.*, 59, p. 3, 1955 on *Cydistia aequinoctialis*.—Trinidad.
- Chaetocerotostoma longirostre** Farrow in *Mycologia*, 47, p. 418, 1955 in soil.—Panama Canal Zone.
- Chaetothyrium setosum** (Zimm.) Hansf. in *Reinwardtia*, 3, p. 113, 1954. (Syn. *Antennaria setosa* Zimm.).
- spinigerum** (Höhn.) Hansf. in *Reinwardtia*, 3, p. 114, 1954. (Syn. *Limacinia spinigera* Höhn.).
- Circinella linderi** Hesseltine & Fennell in *Mycologia*, 47, p. 205, 1955 from poplin.—U.S.A.
- Cistella incrustata** (Ell.) Dennis var. *ellipso-spora* Dennis in *Results Norweg. Exped. T. da Cunha*, 36, p. 10, 1955 on a polypore.—Tristan da Cunha.
- Cladosporium carrionii** A. Trejos in *Rev. Biol. trop.*, 2, p. 106, 1954 on man.—Australia, S. Africa, and Venezuela.
- Claviceps cynodontis** Langdon in *Pap. Dep. Bot. (formerly Biol.) Univ. Qd.*, 3, p. 39, 1954 on *Cynodon dactylon*.—S. Africa.
- queenslandica** Langdon in *Pap. Dep. Bot. (formerly Biol.) Univ. Qd.*, 3, p. 39, 1954 on *Paspalum orbiculare*.—Queensland, Australia.
- sulcata** Langdon in *Pap. Dep. Bot. (formerly Biol.) Univ. Qd.*, 3, p. 39, 1954 on *Brachiaria dictyoneura*.—S. Rhodesia.
- Clitocybe houghtoni** (Phill.) Dennis in *Kew Bull.*, 1954, p. 425, 1954. (Syn. *Cantharellus houghtoni* Phillips).
- leucophylla** (Fr.) Moser in *Helmut Gams' Kleine Kryptogamenflora von Mitteleuropa*, II, p. 50, 1953. (Syn. *Agaricus leucophyllus* Fr.). [Transferred again by M. Lange in *Medd. Grønland*, 147, p. 30, 1955.]
- odora** (Fr.) Staude forma *subsphaerospora* M. Lange in *Medd. Grønland*, 147, p. 32, 1955 in *Salix copse*.—Greenland.

- Clitocybe pseudectypa* M. Lange in *Medd. Greenland*, 147, p. 33, 1955 in deep *Hylocomium* and *Peltigera* with *Cassiope tetragona*.—Greenland.
- CLITOCYBULA** (Singer) Métrod in *Rev. Mycol.*, Paris, 17, p. 74, 1952. (Syn. *Fayodia* Kühner subgenus *Clitocybula* Singer).
- *lacerata* (Lasch ex Fr.) Métrod [as '(Lasch ex Scop.)'] in *Rev. Mycol.*, Paris, 17, p. 87, 1952. [Syn. *Agaricus laceratus* Lasch ex Fr.]
 - Clypeolella camelliae* (Syd. & Butl.) Hansf. in *Reinwardtia*, 3, p. 127, 1954. (Syn. *Asterina camelliae* Syd. & Butl.).
 - *craterispermi* Hansford in *Proc. Linn. Soc. Lond.*, 157 (1944-45), p. 31, 1945 on *Craterispermum laurinum*.—Uganda.
 - *crypteroniae* Hansf. in *Reinwardtia*, 3, p. 128, 1954 on *Crypteronia paniculata*.—Java.
 - *salaciae* Hansford in *Proc. Linn. Soc. Lond.*, 157 (1944-45), p. 31, 1945 on *Salacia*.—Uganda.
 - Cocconia connari* Hansford in *Proc. Linn. Soc. Lond.*, 157 (1944-45), p. 28, 1945 on *Connarus longistipitatus*.—Uganda.
 - Cochlonema explicatum* Drechsler in *Mycologia*, 47, p. 375, 1955 on *Sphenoderia dentata*.—Maryland, U.S.A.
 - Colletotrichum morina* [sic] Hara, *A List of Japanese Fungi*, p. 400, 1954 on leaves of *Morus alba*.—Japan. [*Morina*, a genus of *Dipsacaceae*.]
 - Collybia funicularis* (Fr.) Métrod in *Rev. Mycol.*, Paris, 17, p. 90, 1952. [Syn. *Agaricus dryophilus* Bull. ex Fr. var. *funicularis* Fr.]
 - Conidiobolus lachnodes* Drechsler in *Amer. J. Bot.*, 42, p. 442, 1955 from decaying plant detritus.—Florida, U.S.A.
 - *nanodes* Drechsler in *Amer. J. Bot.*, 42, p. 439, 1955 from rotting leaves of trees. —New Jersey, U.S.A.
 - *pumilus* Drechsler in *J. Wash. Acad. Sci.*, 45, p. 115, 1955 on decaying plant matter. —Florida, U.S.A.
 - *rugosus* Drechsler in *Amer. J. Bot.*, 42, p. 437, 1955 from decaying plant detritus. —Florida, U.S.A.
 - Cordyceps grenadensis* Mains in *Bull. Torrey bot. Cl.*, 81, p. 499, 1954 on spider. —Grenada.
 - *singeri* Mains in *Bull. Torrey bot. Cl.*, 81, p. 499, 1954 on spider. —Argentina.
 - Coriolum rancidus* (Bres.) Parker-Rhodes in *Trans. Brit. mycol. Soc.*, 37, p. 327, 1954. (Syn. *Poria rancida* Bresadola).
 - Corticium afibulatum* Cunningham in *Trans. Roy. Soc. N.Z.*, 82, p. 296, 1954 on dead trunks. —New Zealand.
 - *ampullosporum* Cunningham in *Trans. Roy. Soc. N.Z.*, 82, p. 306, 1954 on living trunks. —New Zealand.
 - *bullatum* Cunningham in *Trans. Roy. Soc. N.Z.*, 82, p. 314, 1954 on bark or decaying wood. —New Zealand.
 - *coprosmae* Cunningham in *Trans. Roy. Soc. N.Z.*, 82, p. 280, 1954 on dead branches. —New Zealand.
 - *cordylines* Cunningham in *Trans. Roy. Soc. N.Z.*, 82, p. 323, 1954 on dead stems. —New Zealand.
 - *corniculatum* Cunningham in *Trans. Roy. Soc. N.Z.*, 82, p. 317, 1954 on dead branches. —New Zealand.
 - *corrosum* Cunningham in *Trans. Roy. Soc. N.Z.*, 82, p. 286, 1954 on wood. —New Zealand.
 - *corymbatum* Cunningham in *Trans. Roy. Soc. N.Z.*, 82, p. 324, 1954 on decaying wood. —New Zealand.
 - *crystallitectum* Cunningham in *Trans. Roy. Soc. N.Z.*, 82, p. 296, 1954 on dead branches and on tree ferns. —New Zealand.
 - *fallax* Cunningham in *Trans. Roy. Soc. N.Z.*, 82, p. 309, 1954 on decaying wood. —New Zealand.
 - *fistulatum* Cunningham in *Trans. Roy. Soc. N.Z.*, 82, p. 292, 1954 on dead bark or wood. —New Zealand.
 - *globosporum* Cunningham in *Trans. Roy. Soc. N.Z.*, 82, p. 285, 1954 on wood. —New Zealand.
 - *kauri* Cunningham in *Trans. Roy. Soc. N.Z.*, 82, p. 303, 1954 on decayed wood. —New Zealand.
 - *leptospermi* Cunningham in *Trans. Roy. Soc. N.Z.*, 82, p. 312, 1954 on dead trunks. —New Zealand.
 - *patricium* Cunningham in *Trans. Roy. Soc. N.Z.*, 82, p. 289, 1954 on dead branches. —New Zealand.
 - *perenne* Cunningham in *Trans. Roy. Soc. N.Z.*, 82, p. 288, 1954 on wood. —New Zealand.
 - *pilati* Boidin in *Bull. Mens. Soc. linn. Lyon*, 23, p. 229, 1954 on rotting twigs of conifers. —France.
 - *singulare* Cunningham in *Trans. Roy. Soc. N.Z.*, 82, p. 325, 1954 on bark and decaying wood. —New Zealand.
 - *torquatum* Cunningham in *Trans. Roy. Soc. N.Z.*, 82, p. 283, 1954 on wood. —New Zealand.
 - *umbonatum* Cunningham in *Trans. Roy. Soc. N.Z.*, 82, p. 298, 1954 on dead stems. —New Zealand.
 - *utriculicum* Cunningham in *Trans. Roy. Soc. N.Z.*, 82, p. 283, 1954 on decaying branches. —New Zealand.
 - *vitellinum* Cunningham in *Trans. Roy. Soc. N.Z.*, 82, p. 313, 1954 on dead saplings and stems. —New Zealand.
 - Coryneum pedunculatum* (Ell. & Everh.) Hughes in *Canad. J. Bot.*, 33, p. 346, 1955. (Syn. *Brachysporium pedunculatum* Ell. & Everh.).
 - *rhoinum* (Dearn. & Barth.) Hughes in *Canad. J. Bot.*, 33, p. 347, 1955. (Syn. *Eosporium rhoina* Dearn. & Barth.).
 - Crossopora mateleae* Dale in *Mycol. Pap.*, C.M.I., 59, p. 4, 1955 on *Matelea viridiflora*. —Trinidad.
 - Cylindrocephalum coprophilum* Tubaki in *Nagaoa*, (*Mycol. J. Nagao Inst.*), 1954, 4, p. 6, 1954 on wild fox dung. —Japan.
 - Cystopage ellipsospora* Drechsler in *Mycologia*, 47, p. 379, 1955 on *Amoeba*. —Louisiana, U.S.A.
 - *sphaerospora* Drechsler in *Mycologia*, 47, p. 383, 1955 on *Amoeba*. —Maryland, U.S.A.
 - Cytospora cercidis* Dias & Da Camara in *Agron. lusit.*, 16, p. 8, 1954 on *Cercis siliquastrum*. —Portugal.
 - Dacrymyces albidus* Y. Kobayasi in *Nagaoa*, (*Mycol. J. Nagao Inst.*), 1954, 4, p. 38, 1954 on dead trunks of *Cryptomeria japonica*. —Japan.
 - Dactylaria pyriformis* Juniper in *Trans. Brit. mycol. Soc.*, 37, p. 437, 1954 on nematodes. —England.
 - Dactylella megalospora* Drechsler in *Mycologia*, 46, p. 769, 1954 on nematodes. —U.S.A.

- Dactylella phymatopaga* Drechsler in *Mycologia*, 46, p. 775, 1954 on nematodes.—Louisiana, U.S.A.
- Debaryella gracilis* Munk in *Bot. Tidsskr.*, 51, p. 226, 1954 on dead branch.—Denmark.
- **Debaryomyces nicotianae* Giovannozzi var. *salsus* Zenitani in *Sci. Bull. Fac. Agric. Kyushu Univ.*, 14, p. 307, 1953, isolated from 'Shiokara'.—Japan.
- **oviformis* Zenitani in *Sci. Bull. Fac. Agric. Kyushu Univ.*, 14, p. 307, 1953, isolated from 'Shiokara'.—Japan.
- Dialacenium landolphiae* Hansford in *Proc. Linn. Soc. Lond.*, 157 (1944-45), p. 21, 1945 on *Landolphia ugandensis*.—Uganda.
- Dichomera ripidiomorpha* Lucas & Da Camara in *Agron. lusit.*, 16, p. 101, 1954 on *Mesembryanthemum*.—Portugal.
- Dicoccum fimicola* Tubaki in *Nagaoa*, (*Mycol. J. Nagao Inst.*), 1954, 4, p. 14, 1954 on hare dung.—Japan.
- **Didymella cocoina* Sechet in *Oléagineux*, 10, p. 415, 1955 on *Cocos nucifera*.—Madagascar.
- festucae* (Wegelin) L. Holm in *Svensk bot. Tidsskr.*, 47, p. 522, 1953. (Syn. *Didymosphaeria festucae* Wegelin).
- DIEHLIOMYCES** Gilkey in *Mycologia*, 46, p. 789, 1954.—Tuberales.
- microsporus* (Diehl & Lambert) Gilkey in *Mycologia*, 46, p. 790, 1954. (Syn. *Pseudobalsamia microspora* Diehl & Lambert).
- Diplonema diademiferum* (Bourd. & Galz.) Parker-Rhodes in *Trans. Brit. mycol. Soc.*, 37, p. 329, 1954. (Syn. *Corticium diademiferum* Bourd. & Galz.).
- Diplophyctis verrucosa* Y. Kobayasi & Ookubo in *Nagaoa*, (*Mycol. J. Nagao Inst.*), 1954, 4, p. 58, 1954 in cells of *Chara fragilis*.—Japan.
- Discosiella acrocomia-maculiformis* [sic] Batista in *Ann. Soc. Biol. Pernambuco*, 12, p. 43, 1954 on *Acrocomia intumescens*.—Brazil.
- Dothiorella campsidis* Lucas & Da Camara in *Agron. lusit.*, 16, p. 88, 1954 on *Campsis radicans*.—Portugal.
- cistus* Lucas & Da Camara in *Agron. lusit.*, 16, p. 89, 1954 on *Cistus ladaniferus*.—Portugal.
- macadamiae* Dias & Da Camara in *Agron. lusit.*, 16, p. 9, 1954 on *Macadamia ternifolia*.—Portugal.
- strobilomorphospora* Dias & Da Camara in *Agron. lusit.*, 16, p. 9, 1954 on *Morus nigra*.—Portugal.
- tamaricis* Lucas & Da Camara in *Agron. lusit.*, 16, p. 89, 1954 on *Tamarix tetrandia*.—Portugal.
- Dryodon suberis* Malençon & Maire apud Malençon in *Bull. Soc. bot. Fr.*, 99, 10, p. 51, 1952 on dead trunks of *Quercus suber*.—Algeria and Morocco.
- Echidnodes crustacea* (Cooke) Hansf. in *Reinwardtia*, 3, p. 119, 1954. (Syn. *Asterina crustacea* Cooke).
- harunganae* Hansford in *Proc. Linn. Soc. Lond.*, 157 (1944-45), p. 35, 1945 on *Harungana madagascariensis*.—Uganda.
- irregularis* (Syd.) Hansf. in *Reinwardtia*, 3, p. 119, 1954. (Syn. *Asterina irregularis* Syd.).
- serpens* (Pat.) Hansf. in *Reinwardtia*, 3, p. 120, 1954. (Syn. *Lembosia serpens* Pat.).
- Elsinoe culleniae* T. S. Ramakrishnan & Sundaram in *Indian Phytopath.*, 7 (1954), p. 141, 1955 on *Cullenia excelsa*.—India.
- Elsinoe magnoliae* J. H. Miller & A. E. Jenkins in *Mycologia*, 47, p. 104, 1955 on *Magnolia grandiflora*.—U.S.A.
- Enchnoa bombacifoliae* [sic] Batista in *Ann. Soc. Biol. Pernambuco*, 12, p. 44, 1954 on *Bombax insigne*.—Brazil.
- **Entomophthora zabri* Rozsypal in *Ann. Acad. tchecosl. Agric.*, 24, p. 93, 1951 on *Zabrus tenebrioides*.—? Czechoslovakia.
- Entopeltis craterispermi* Hansford in *Proc. Linn. Soc. Lond.*, 157 (1944-45), p. 27, 1945 on *Craterispermum laurinum*.—Uganda.
- Eriomycopsis englerulae* Hansford in *Proc. Linn. Soc. Lond.*, 157 (1944-45), p. 39, 1945 on *Englerula macarangae* on *Macaranga schweinfurthii*.—Uganda.
- Euryancale obliqua* Drechsler in *Mycologia*, 47, p. 377, 1955 on nematodes.—Maryland, U.S.A.
- Farlowiella australis* Dennis in *Results Norweg. Exped. T. da Cunha*, 36, p. 10, 1955 on *Phyllica arborea*.—Tristan da Cunha.
- Filoboletus hanedai* (Kobayasi) Hongo in *J. Jap. Bot.*, 30, p. 75, 1955. (Syn. *Poromyccena hanedai* Kobayasi).
- Fomes applanatus* (Pers.) Wallr. forma *coralloides* Glaser in *Acta Soc. Bot. Polon.*, 22, p. 809, 1953 on dead trunk of *Populus canadensis*.—Poland.
- feei* (Fries) Lowe in *Mycologia*, 47, p. 217, 1955. (Syn. *Polyporus feei* Fries).
- nobilissimus* (W. B. Cooke) Lowe in *Mycologia*, 47, p. 219, 1955. (Syn. *Oxyporus nobilissimus* W. B. Cooke).
- unitus* (Pers.) Lowe in *Mycologia*, 47, p. 222, 1955. (Syn. *Polyporus unitus* Pers.).
- **Fusarium equiseti* (Corda) Sacc. var. *intermedium* Saccas in *Agron. trop.*, Nogent, 10, p. 49, 1955 on *Coffea robusta* and *C. arabica*.—Fr. Eq. Africa.
- oxysporum* Schlecht. em. Snyder & Hansen f. *passiflorae* Gordon apud Purss in *Qd J. agric. Sci.*, 11, p. 79, 1954 on *Passiflora edulis*.—Queensland, Australia.
- Galzinia geminispora* Olive in *Mycologia*, 46, p. 794, 1954 on rotten wood.—N. Carolina, U.S.A.
- Geotrichum candidum* Link var. *citriaurantii* (Ferr.) R. Cif. & F. Cif. in *Ann. Sper. agr. N.S.*, 9, p. 9, 1955. (Syn. *Oidium citriaurantii* Ferr.).
- Hadronema penniseti* Hansford in *Proc. Linn. Soc. Lond.*, 157 (1944-45), p. 39, 1945 on *Pennisetum purpureum*.—Uganda.
- **Hansenula amylofaciens* Dietrichson in *Ann. Parasit. hum. comp.*, 29, p. 472, 1954 on man.—Norway.
- Harposporium crassum* A. M. Shepherd in *Trans. Brit. mycol. Soc.*, 38, p. 47, 1955 on nematodes in horse dung.—Denmark.
- Helicodendron articulatum* J. I. Glen-Bott in *Trans. Brit. mycol. Soc.*, 38, p. 23, 1955 on decaying leaf of *Fagus*, under water.—G.B.
- conglomeratum* J. I. Glenn-Bott in *Trans. Brit. mycol. Soc.*, 38, p. 21, 1955 on decaying leaves of *Fagus* and *Quercus*, under water.—G.B. and Holland.
- luteo-album* J. I. Glen-Bott in *Trans. Brit. mycol. Soc.*, 38, p. 24, 1955 on decaying leaves of *Quercus*, under water.—G.B.
- Helicoma taenia* R. T. Moore in *Mycologia*, 47, p. 91, 1955 on dead cortex of *Populus*.—Iowa, U.S.A.

- **Helminthosporium australiense* Bugnicourt in *Rev. gén. Bot.*, 62, p. 242, 1955 isolated from seeds of *Oryza sativa*.—N.S.W., Australia.
- balladynae* Hansford in *Proc. Linn. Soc. Lond.*, 157 (1944-45), p. 39, 1945 on *Balladynastrum entebbeense* on *Grumilea succulenta*.—Uganda.
- dictyoides* Drechsler var. *phlei* Graham in *Phytopathology*, 45, p. 228, 1955 on *Phleum pratense*.—Pennsylvania, U.S.A.
- halodes* Drechsler var. *elaecicola* Kovachich in *Trans. Brit. mycol. Soc.*, 37, p. 423, 1954 on *Elaeis guineensis*.—Belgian Congo.
- *—*hawaiiense* Bugnicourt in *Rev. gén. Bot.*, 62, p. 238, 1955 isolated from seeds of *Oryza sativa*.—Hawaii.
- Hendersonia macadamiae* Dias & Da Camara in *Agron. lusit.*, 16, p. 14, 1954 on *Macadamia ternifolia*.—Portugal.
- Heterochaete imazekiana* Y. Kobayasi in *Nagaoa*, (*Mycol. J. Nagao, Inst.*), 1954, 4, p. 39, 1954 on dead trunk of *Shira japonica*.—Japan.
- Hyaloscypha australis* Dennis in *Results Norweg. Exped. T. da Cunha*, 36, p. 10, 1955 on *Phyllica arborea*.—Tristan da Cunha.
- HYDNOPLICATA** Gilkey in *Mycologia*, 46, p. 783, 1954.—Tuberales.
- whitei Gilkey in *Mycologia*, 46, p. 784, 1954 at grass roots.—Australia.
- HYDRABASIDIUM** Parker-Rhodes in *Trans. Brit. mycol. Soc.*, 37, p. 325, 1954.—Thelephorales. Sp. typ.: *Corticium atratum* Bresad. [Species not transferred.]
- terrigenum* (Bres.) Parker-Rhodes in *Trans. Brit. mycol. Soc.*, 37, p. 325, 1954. (Syn. *Corticium terrigenum* Bres.).
- Hygrophanus vaticanus* Heim & Becker [as *Hygrophorus (Limacium) vaticanus*] in *Rev. Mycol., Paris*, 17, p. 166, 1952, under *Fagus* and *Quercus*.—France.
- Hygrophorus pseudococcineus* Hongo in *J. Jap. Bot.*, 30, p. 74, 1955 on the ground in mixed woods.—Japan.
- violipes* M. Lange in *Medd. Grönland*, 147, p. 18, 1955 in wet heath area, in moss.—Greenland.
- Hypholoma myosotis* (Fr.) M. Lange in *Medd. Grönland*, 147, p. 64, 1955. (Syn. *Agaricus myosotis* Fr.).
- Hysterostomina anodendri* Hansf. [as *anodendronis*] in *Reinwardtia*, 3, p. 117, 1954 on *Anodendron*.—Java.
- Irenina anastomosans* (Wint.) Stevens var. *macilentia* (Wint.) Hansf. in *Proc. Linn. Soc. Lond.*, 165 (1952-53), p. 168, 1955. (Syn. *Meliola inermis* Kalchbr. & Cooke var. *macilentia* Wint.).
- depokensis* Hansf. in *Reinwardtia*, 3, p. 109, 1954 on *Vitex paniculata*.—Java.
- knemae* Hansf. in *Reinwardtia*, 3, p. 96, 1954 on *Knema glauca*.—Java.
- negeri* Hansf. in *Proc. Linn. Soc. Lond.*, 165 (1952-53), p. 168, 1955 on *Compositae*.—Chile.
- pleurostyliae* (Berk. & Br.) Hansf. in *Proc. Linn. Soc. Lond.*, 165 (1952-53), p. 169, 1955. (Syn. *Asterina pleurostyliae* Berk. & Br.).
- polygoni* Hansf. in *Reinwardtia*, 3, p. 101, 1954 on *Polygonum chinense*.—Java.
- singalensis* Hansf. in *Proc. Linn. Soc. Lond.*, 165 (1952-53), p. 169, 1955 on *Symplocos*.—Ceylon.
- Irenina tetracerae* Hansf. & Deight. var. *minor* Hansf. in *Reinwardtia*, 3, p. 82, 1954 on *Tetracera scandens*.—Java.
- usteriana* (Rehm) Hansf. in *Proc. Linn. Soc. Lond.*, 165 (1952-53), p. 169, 1955. (Syn. *Meliola usteriana* Rehm).
- usterii* Hansf. in *Proc. Linn. Soc. Lond.*, 165 (1952-53), p. 170, 1955 on *Leguminosae*.—Brazil.
- villebruneae* Hansf. in *Reinwardtia*, 3, p. 108, 1954 on *Villebrunea scabra*.—Java.
- Irenopsis berggrenii* Hansford in *Proc. Linn. Soc. Lond.*, 165 (1952-53), p. 166, 1955 on *Acacia ? melanoxydon*.—Victoria, Australia.
- graptophylli* Hansf. in *Reinwardtia*, 3, p. 75, 1954 on *Graptophyllum pictum*.—Java.
- leeae* Hansf. var. *javensis* Hansf. in *Reinwardtia*, 3, p. 110, 1954 on *Leea aequata*.—Java.
- paulensis* Hansford in *Proc. Linn. Soc. Lond.*, 165 (1952-53), p. 167, 1955 on *Acalypha*.—Brazil.
- thespesiae* Hansf. in *Reinwardtia*, 3, p. 91, 1954 on *Thespesia lampas*.—Java.
- tjibodensis* Hansf. in *Reinwardtia*, 3, p. 106, 1954 on *Pterospermum javanicum*.—Java.
- Isariopsis neoboutoniae* Hansford in *Proc. Linn. Soc. Lond.*, 157 (1944-45), p. 41, 1945 on *Neoboutonia melleri*.—Uganda.
- Jaapia ochroleuca* (Bres.) Nannf. & J. Erikss. in *Svensk bot. Tidskr.*, 47, p. 184, 1953. (Syn. *Coniophora ochroleuca* Bres. apud Brinkm.).
- Kloeckera lodderi* Van Uden & Assis-Lopes in *Arch. Microbiol.*, 19, p. 265, 1953 in leaven.—Portugal.
- Laccaria trullisata* (Ellis) Peck forma *rugulospora* M. Lange in *Medd. Grönland*, 147, p. 30, 1955 near *Salix glauca* on moist sand.—Greenland.
- Lachnella citrispora* (Pilát) Parker-Rhodes in *Trans. Brit. mycol. Soc.*, 37, p. 331, 1954. (Syn. *Cyphella citrispora* Pilát).
- flicina* (Karst.) Parker-Rhodes in *Trans. Brit. mycol. Soc.*, 37, p. 331, 1954. (Syn. *Cyphella flicina* Karst.).
- Laestadia alternantherae* T. S. Ramakrishnan & Sundaram in *Indian Phytopath.*, 7 (1954), p. 142, 1955 on *Alternanthera sessilis*.—India.
- Lecideopsella gelatinosa* Hansford in *Proc. Linn. Soc. Lond.*, 157 (1944-45), p. 38, 1945 on *Jasminum dichotomum*.—Uganda.
- Lembosia agathidis* Hansf. in *Reinwardtia*, 3, p. 137, 1954 on *Agathis*.—Celebes.
- boedijnii* Hansf. in *Reinwardtia*, 3, p. 140, 1954 on *Eugenia*.—Java.
- carpodini* Hansford in *Proc. Linn. Soc. Lond.*, 157 (1944-45), p. 35, 1945 on *Carpodinus dulcis*.—Sierra Leone.
- eugeniae-polyanthae* Hansf. in *Reinwardtia*, 3, p. 141, 1954 on *Eugenia polyantha*.—Java.
- javensis* Hansf. in *Reinwardtia*, 3, p. 141, 1954 on *Eugenia formosa*.—Java.
- zalaccae* Hansf. in *Reinwardtia*, 3, p. 138, 1954 on *Zalacca edulis*.—Java.
- Lepiota seminuda* Fr. var. *pussillomyces* (Peck) Smith in *Lloydia*, 17, p. 320, 1954. [Syn. not cited.]
- Leptoglossum acerosum* (Fr.) Parker-Rhodes in *Trans. Brit. mycol. Soc.*, 37, p. 328, 1954. (Syn. *Agaricus acerosum* Fr.).

- Leptographium engelmannii* R. W. Davidson in *Mycologia*, 47, p. 59, 1955 on wood and bark of *Picea engelmannii* attacked by *Dendroctonus engelmannii*.—U.S.A.
- Leptosphaeria aloes* Dias & Da Camara in *Agron. lusit.*, 16, p. 8, 1954 on *Aloe arborescens*.—Portugal.
- muirensis* Sprague in *Mycologia*, 47, p. 249, 1955 on *Poa annua*.—Alaska, U.S.A.
- taiwanensis* Yen & Chi [as '(Mat. & Yam.) Yen & Chi'] in *J. Sugar Cane Res.*, 4, p. 213, 1950 on *Saccharum officinarum*.—Formosa. (Syn. *Cercospora taiwanensis* Mat. & Yam.).
- zizanivora* Hara [as 'zizaninaevora'], *A List of Japanese Fungi*, p. 402 (2), 1954 on *Zizania latifolia*.—Japan.
- Leucocoprinus excoriatus* (Schaeff. ex Fr.) Pat. subsp. *rubescens* (Duf.) Locquin in *Bull. Soc. linn. Lyon*, 14, 1945. (Syn. *Lepiota excoriata* (Schaeff. ex Fr.) Quél. var. *rubescens* Duf.).
- subsquarrosus* Locquin in *Rev. mycol.*, Paris, 17, p. 47, 1952 [Latin diagnosis]. See this *Index* 2, p. 104, in error as *Leptospora subsquarrosus* Locq. [French diagnosis].
- Leucopaxillus alboalutaceus* (Möhl.) Möll. in *Bot. Tidskr.*, 51, p. 240, 1954. (Syn. *Tricholoma amarum* var. *alboalutaceum* Möll.).
- LIMNOMYCES Lohammar in *Svensk bot. Tidskr.*, 47, p. 527, 1953.—Phycomycetes.
- neglectus* Lohammar in *Svensk bot. Tidskr.*, 47, p. 527, 1953 on *Elatine triandra*.—Sweden.
- Lophium elegans* Zogg in *Ber. schweiz. bot. Ges.*, 64, p. 141, 1954 on *Juniperus nana*.—Tyrol.
- Macrophyllosticta borziana* (Scal.) Eug. & S. Cam. apud Lucas & Da Camara in *Agron. lusit.*, 16, p. 90, 1954. [Syn. *Macrophoma borziana* Scal.].
- Magnusia spirotricha* R. K. Benjamin in *El Aliso*, 3, p. 199, 1955 on deer dung.—U.S.A.
- Malacaria entebbeensis* Hansford in *Proc. Linn. Soc. Lond.*, 157 (1944-45), p. 26, 1945 on *Meliola artabotrydis* on *Artabotrys nitidus*.—Uganda.
- Marasmius aurantiacus* Hino in *Bull. Miyazaki Coll. Agric. For.*, 13, p. 57, 1943 on trunks and branches.—Japan.
- insignis* Hino in *Bull. Miyazaki Coll. Agric. For.*, 13, p. 59, 1943 on branches.—Japan and Annam.
- livistonae* Hino [as 'livistoniae'] in *Bull. Miyazaki Coll. Agric. For.*, 13, p. 60, 1943 on *Livistona subglobosa*.—Japan.
- ohshimae* Hongo & Matsuda in *J. Jap. Bot.*, 30, p. 77, 1955 on buried twigs of conifers.—Japan.
- udoensis* Hino in *Bull. Miyazaki Coll. Agric. For.*, 13, p. 60, 1943 on branches.—Japan.
- venustus* Hino in *Bull. Miyazaki Coll. Agric. For.*, 13, p. 61, 1943 on dead leaves and twigs.—Japan.
- Marssonina artocarpi* Batista in *Ann. Soc. Biol. Pernambuco*, 12, p. 56, 1954 on *Artocarpus integrifolia*.—Brazil.
- Melanchlenus eumetabolus* Calandron in *Bull. Soc. sci. Bretagne*, 28, p. 67, 1953 and *Ann. Éc. Agric. Rennes*, p. 91, 1953.
- Melanotaenium antirrhini* Viennot-Bourgin in *Rev. Path. Vég.*, 36, p. 34, 1954 on stems and leaves of *Antirrhinum latifolium*.—France.
- Meliola abnormis* (Theiss.) Ciferri in *Mycopathologia*, 7, p. 87, 1954. (Syn. *Meliola pulchella* Speg. var. *abnormis* Theiss.).
- achudemiae* Hansf. in *Reinwardtia*, 3, p. 108, 1954 on *Achudemia javanica*.—Java.
- acridocarpicola* (Hansf. & Deight.) Ciferri in *Mycopathologia*, 7, p. 89, 1954. (Syn. *Irenopsis acridocarpicola* Hansf. & Deight.).
- adelphica* (H. Syd.) Ciferri in *Mycopathologia*, 7, p. 86, 1954. (Syn. *Appendiculella adelphica* H. Syd.). [Already *Meliola adelphica* (H. Syd.) Petr., 1929.]
- agauriae* (Hansf.) Ciferri in *Mycopathologia*, 7, p. 88, 1954. (Syn. *Irenina agauriae* Hansf.). [Non *Meliola agauriae* Hansf., 1947.]
- aglaicola* Hansf. in *Reinwardtia*, 3, p. 92, 1954 on *Aglaia*.—Brit. N. Borneo.
- alchorneae* (Stev. & Teh.) Ciferri in *Mycopathologia*, 7, p. 87, 1954. (Syn. *Irene alchorneae* Stev. & Teh.). [Non *Meliola alchorneae* Stev. & Teh., 1926.]
- alchorneicola* Hansf. in *Reinwardtia*, 3, p. 83, 1954 on *Alchornea javanensis*.—Java.
- amoena* (H. Syd.) Ciferri, 1954 (this *Index*, 2, p. 192). Already *Meliola amoena* (H. Syd.) Petr., 1929. (Syn. *Irene amoena* H. Syd.).
- anacolosae* Hansf. in *Reinwardtia*, 3, p. 98, 1954 on *Anacolosia frutescens*.—Java.
- angiopteridis* Hansf. in *Reinwardtia*, 3, p. 91, 1954 on *Angiopteris evecta*.—Java.
- anguriae* (Stev.) Ciferri in *Mycopathologia*, 7, p. 87, 1954. (Syn. *Irenina anguriae* Stev.).
- angustispora* (Stev. & Rold.) Ciferri in *Mycopathologia*, 7, p. 87, 1954. (Syn. *Irenopsis angustispora* Stev. & Rold.). [Non *Meliola angustispora* Stev., 1928.]
- var *laevis* (Stev. & Rold.) Ciferri in *Mycopathologia*, 7, p. 87, 1954. (Syn. *Irenopsis angustispora* Stev. & Rold. var. *laevis* Stev. & Rold.).
- anthocleistae* (Hansf. & Deight.) Ciferri in *Mycopathologia*, 7, p. 88, 1954. (Syn. *Irenina anthocleistae* Hansf. & Deight.).
- antidesmae* (Hansf.) Ciferri in *Mycopathologia*, 7, p. 88, 1954. (Syn. *Irenina antidesmae* Hansf.).
- arisanensis* (Yamam.) Ciferri in *Mycopathologia*, 7, p. 88, 1954. (Syn. *Irene arisanensis* Yamam.).
- asclepiadacearum* Hansford in *Proc. Linn. Soc. Lond.*, 157 (1944-45), p. 22, 1945 on *Cynanchum abyssinicum* var. *tomentosum*.—Uganda.
- bakeriana* (Hansf.) Ciferri in *Mycopathologia*, 7, p. 88, 1954. (Syn. *Irenina bakeriana* Hansf.).
- bantamensis* Hansf. in *Reinwardtia*, 3, p. 100, 1954 on *Desmodium zonatum*.—Java.
- barbacenniae* (Hansf.) Ciferri in *Mycopathologia*, 7, p. 88, 1954. (Syn. *Irenina barbacenniae* Hansf.).
- bellschmiediae* Yamamoto var. *cinnamomi* Hansf. in *Reinwardtia*, 3, p. 88, 1954 on *Cinnamomum iners*.—? Java.
- benguetensis* (Stev. & Rold.) Ciferri in *Mycopathologia*, 7, p. 87, 1954. (Syn. *Irenopsis benguetensis* Stev. & Rold.).
- bersamae* (Hansf.) Ciferri in *Mycopathologia*, 7, p. 86, 1954. (Syn. *Irenina bersamae* Hansf.). [Non *Meliola bersamae* Hansf., 1937.]
- bignoniacearum* (Stev.) Ciferri in *Mycopathologia*, 7, p. 87, 1954. (Syn. *Irenopsis bignoniacearum* Stev.). [Non *Meliola bignoniacearum* Stev., 1928.]

- Meliola bismikaniae* Ciferri nom. nov. in *Mycopathologia*, 7, p. 89, 1954. (Syn. *Irenopsis mikaniae* Hansf. & Deight., non *Meliola mikaniae* Gaill, 1892.).
- *bixae* Hansford in *Proc. Linn. Soc. Lond.*, 165 (1952–53), p. 172, 1955 on *Bixa orellana*.—Brazil.
- *boedijniana* Hansf. in *Reinwardtia*, 3, p. 86, 1954 on *Gramineae*.—Java.
- *brinkii* Hansf. in *Reinwardtia*, 3, p. 96, 1954 on *Artocarpus glauca*.—Java.
- *buddleiae* (Hansf.) Ciferri in *Mycopathologia*, 7, p. 88, 1954. (Syn. *Irenina buddleiae* Hansf.).
- *buettnericola* (Deight.) Ciferri in *Mycopathologia*, 7, p. 89, 1954. (Syn. *Irenopsis buettnericola* Deight.).
- *callicarpae* (Stev. & Rold.) Ciferri in *Mycopathologia*, 7, p. 87, 1954. (Syn. *Irenina callicarpae* Stev. & Rold.). [Non *Meliola callicarpae* H. & P. Syd., 1912.]
- *caloncobae* (Hansf.) Ciferri in *Mycopathologia*, 7, p. 88, 1954. (Syn. *Irenopsis caloncobae* Hansf.).
- *canthii* Hansford in *Proc. Linn. Soc. Lond.*, 157 (1944–45), p. 22, 1945 on *Canthium vulgare*.—Uganda.
- var. *aristata* (Hansf.) Hansf. in *Proc. Linn. Soc. Lond.*, 157 (1944–45), p. 22, 1945. (Syn. *Meliola woodiana* Sacc. ex Syd. var. *aristata* Hansf.).
- *capensis* (Kaltbr. & Cooke) Theiss. var. *mischoearpi* Hansf. in *Reinwardtia*, 3, p. 105, 1954 on *Mischocarpus sundaicus*.—Java.
- *capparidis* (Hansf. & Deight.) Ciferri in *Mycopathologia*, 7, p. 88, 1954. (Syn. *Irenina capparidis* Hansf. & Deight.). [Non *Meliola capparidis* Hansf., 1946.]
- *cassicola* (Bat. & Silva) Ciferri in *Mycopathologia*, 7, p. 89, 1954. (Syn. *Irenina cassicola* Bat. & Silva).
- Hansford in *Proc. Linn. Soc. Lond.*, 165 (1952–53), p. 172, 1955 on *Cassia hoffmannseggiana*.—Brazil. [See *Meliola cassicola* (Bat. & Silva) Ciferri, 1954, above.]
- *castanopsidis* (Hansf.) Ciferri in *Mycopathologia*, 7, p. 88, 1954. (Syn. *Irenina castanopsidis* Hansf.). [Non *Meliola castanopsidis* Hansf., 1948.]
- *castanopsisifolia* (Yamam.) Ciferri [as '*castanopsifolia*'] in *Mycopathologia*, 7, p. 88, 1954. (Syn. *Irene castanopsisifolia* Yamam. [this *Index*, 1, p. 208, as '*castanopsisifoliae*']).
- *cathormionis* (Hansf. & Deight.) Ciferri in *Mycopathologia*, 7, p. 89, 1954. (Syn. *Irenopsis cathormionis* Hansf. & Deight.).
- *chandleri* (Hansf.) Ciferri in *Mycopathologia*, 7, p. 88, 1954. (Syn. *Irenopsis chandleri* Hansf.). [Non *Meliola chandleri* Hansf., 1937.]
- *cheiroidendronis* (Stev.) Ciferri in *Mycopathologia*, 7, p. 87, 1954. (Syn. *Irene cheiroidendronis* Stev.).
- *cheoi* (Hansf.) Ciferri in *Mycopathologia*, 7, p. 88, 1954. (Syn. *Irenina cheoi* Hansf.).
- *cissi-repandae* Hansf. in *Reinwardtia*, 3, p. 111, 1954 on *Cissus repanda*.—Java.
- *colae* (Hansf.) Ciferri in *Mycopathologia*, 7, p. 88, 1954. (Syn. *Irenopsis colae* Hansf.).
- *colicola* (Hansf. & Deight.) Ciferri in *Mycopathologia*, 7, p. 89, 1954. (Syn. *Irenopsis colicola* Hansf. & Deight.).
- *combreti* (Stev.) Ciferri var. *major* (Hansf. & Deight.) Ciferri in *Mycopathologia*, 7, p. 88, 1954. (Syn. *Irenina combreti* Stev. var. *major* Hansf. & Deight.).
- Meliola conostegiae* (Stev.) Ciferri in *Mycopathologia*, 7, p. 87, 1954. (Syn. *Irenopsis conostegiae* Stev.).
- *coronata* Speg. var. *hibisci* (Hansf.) Ciferri in *Mycopathologia*, 7, p. 87, 1954. (Syn. *Irenopsis coronata* (Speg.) Stev. var. *hibisci* Hansf.).
- var. *philippinensis* (Stev. & Rold.) Ciferri in *Mycopathologia*, 7, p. 87, 1954. (Syn. *Irenopsis coronata* (Speg.) Stev. var. *philippinensis* Stev. & Rold.).
- *costaricensis* (Stev.) Ciferri in *Mycopathologia*, 7, 87, 1954. (Syn. *Irenopsis costaricensis* Stev.).
- *costi* (Stev.) Ciferri in *Mycopathologia*, 7, p. 87, 1954. (Syn. *Irenina costi* Stev.).
- *crotonis* (Stev. & Teh.) Ciferri in *Mycopathologia*, 7, p. 87, 1954. (Syn. *Irene crotonis* Stev. & Teh.).
- *cyathodis* Hansf. var. *stypheliae* Hansf. in *Reinwardtia*, 3, p. 82, 1954 on *Styphelia*.—Celebes.
- *cyclobalanopsicola* (Yamam.) Ciferri in *Mycopathologia*, 7, p. 88, 1954. (Syn. *Irenina cyclobalanopsicola* Yamam. [cited as *Irene cyclobalanopsicola* Yamam., but see correction in this *Index*, 1, p. 242]).
- *cyrtandrae* (Stev.) Ciferri in *Mycopathologia*, 7, p. 87, 1954. (Syn. *Irene cyrtandrae* Stev.).
- *dalechampiiae* (Stev.) Ciferri in *Mycopathologia*, 7, p. 87, 1954. (Syn. *Irenina dalechampiiae* Stev.).
- *deightonii* (Hansf.) Ciferri in *Mycopathologia*, 7, p. 88, 1954. (Syn. *Irenina deightonii* Hansf.).
- *diospyricola* (Hansf. & Deight.) Ciferri in *Mycopathologia*, 7, p. 88, 1954. (Syn. *Irenina diospyricola* Hansf. & Deight.). [Non *Meliola diospyricola* Hansf., 1953.]
- *duplicata* Ciferri nom. nov. in *Mycopathologia*, 7, p. 88, 1954. (Syn. *Irenina caseariae* Hansf. non *Meliola caseariae* Petr. & Cif., 1930).
- *dysoxylicola* Hansf. in *Reinwardtia*, 3, p. 92, 1954 on *Dysoxylum*.—Brit. N. Borneo.
- *ebuli* (Yamam.) Ciferri in *Mycopathologia*, 7, p. 87, 1954. (Syn. *Irenina ebuli* Yamam.).
- *ekebergiae* (Doidge) Ciferri in *Mycopathologia*, 7, p. 88, 1954. (Syn. *Irene ekebergiae* Doidge). [Non *Meliola ekebergiae* Hansf., 1937.]
- *engelhardtiae* (Yamam.) Ciferri in *Mycopathologia*, 7, p. 87, 1954. (Syn. *Irene engelhardtiae* Yamam.).
- *entandrophragmae* (Hansf.) Ciferri in *Mycopathologia*, 7, p. 88, 1954. (Syn. *Irenina entandrophragmae* Hansf.).
- *entebbeensis* (Hansf. & Stev.) Ciferri in *Mycopathologia*, 7, p. 87, 1954. (Syn. *Irenina entebbeensis* Hansf. & Stev.). [Non *Meliola entebbeensis* Hansf., 1944.]
- *erycibis* Hansf. in *Reinwardtia*, 3, p. 81, 1954 on *Erycibe rhedii*.—Java.
- *erythroccae* (Hansf.) Ciferri in *Mycopathologia*, 7, p. 88, 1954. (Syn. *Irenina erythroccae* Hansf.).
- *eucleae* (Hansf.) Ciferri in *Mycopathologia*, 7, p. 88, 1954. (Syn. *Irenina eucleae* Hansf.). [Non *Meliola eucleae* Hansf., 1941.]
- *eugeniae-jamboloidis* Hansf. in *Reinwardtia*, 3, p. 98, 1954 on *Eugenia jamboloides*.—Java.

- Meliola evodiicola* Hansf. in *Reinwardtia*, 3, p. 105, 1954 on *Evodia glabra*.—Java.
- fici* (Hansf.) Ciferri in *Mycopathologia*, 7, p. 87, 1954. (Syn. *Irenina fici* Hansf.).
- fici-globosae* Hansf. in *Reinwardtia*, 3, p. 95, 1954 on *Ficus globosa*.—Java.
- fidelis* (Toro) Ciferri in *Mycopathologia*, 7, p. 87, 1954. (Syn. *Irenina fidelis* Toro).
- formosensis* (Yamam.) Ciferri in *Mycopathologia*, 7, p. 87, 1954. (Syn. *Irene formosensis* Yamam.). [Non *Meliola formosensis* Yamam., 1941.]
- galeariae* Hansf. in *Reinwardtia*, 3, p. 84, 1954 on *Galearia filiformis*.—Java.
- glyphaeae* (Hansf.) Ciferri in *Mycopathologia*, 7, p. 88, 1954. (Syn. *Irenina glyphaeae* Hansf.).
- gneti* Hansf. in *Reinwardtia*, 3, p. 85, 1954 on *Gnetum gnemon*.—Java.
- gouaniae* Hansford in *Proc. Linn. Soc. Lond.*, 157 (1944-45), p. 22, 1945 on *Gouania longispicata*.—Uganda.
- gymnosporiae* (Hansf.) Ciferri in *Mycopathologia*, 7, p. 87, 1954. (Syn. *Irenopsis gymnosporiae* Hansf.). [Non *Meliola gymnosporiae* H. & P. Syd., 1912.]
- hansfordiana* Ciferri nom. nov. in *Mycopathologia*, 7, p. 88, 1954. (Syn. *Irenina masakensis* Hansf. non *Meliola masakensis* (Hansf.) Ciferri, below).
- hansfordii* (Stev.) Ciferri in *Mycopathologia*, 7, p. 87, 1954. (Syn. *Irenina hansfordii* Stev.).
- var. *densa* (Hansf. & Deight.) Ciferri in *Mycopathologia*, 7, p. 88, 1954. (Syn. *Irenina hansfordii* Stev. var. *densa* Hansf. & Deight.).
- harunganae* (Hansf.) Ciferri in *Mycopathologia*, 7, p. 87, 1954. (Syn. *Irenina harunganae* Hansf.).
- harunganicola* (Hansf.) Ciferri in *Mycopathologia*, 7, p. 88, 1954. (Syn. *Irenina harunganicola* Hansf.).
- hippocrateae* (Hansf. & Deight.) Ciferri in *Mycopathologia*, 7, p. 88, 1954. (Syn. *Irenina hippocrateae* Hansf. & Deight.). [Non *Meliola hippocrateae* Doidge, 1948.]
- hiptages* (Yamam.) Ciferri in *Mycopathologia*, 7, p. 88, 1954. (Syn. *Irenopsis hiptages* Yamam.).
- homalii-angustifolii* (Deight.) Ciferri in *Mycopathologia*, 7, p. 89, 1954. (Syn. *Irenina homalii-angustifolii* Deight.).
- hydrangeae* (Yamam.) Ciferri in *Mycopathologia*, 7, p. 88, 1954. (Syn. *Irenina hydrangeae* Yamam.).
- implicata* (Doidge) Ciferri in *Mycopathologia*, 7, p. 87, 1954. (Syn. *Irene implicata* Doidge).
- inermis* Kalchbr. & Cooke var. *minor* (Hansf. & Stev.) Ciferri in *Mycopathologia*, 7, p. 87, 1954. (Syn. *Irene inermis* (Kalchbr. & Cooke) Theiss. & Syd. var. *minor* Hansf. & Stev.).
- ingae* (Stev. & Teh.) Ciferri in *Mycopathologia*, 7, p. 86, 1954. (Syn. *Irene ingae* Stev. & Teh.).
- juttingii* Hansf. in *Reinwardtia*, 3, p. 99, 1954 on *Pandanus*.—Java.
- kibirae* Hansf. & Stev. var. *mussaendae* Hansf. in *Reinwardtia*, 3, p. 103, 1954 on *Mussaenda frondosa*.—Java.
- var. *petungae* Hansf. in *Reinwardtia*, 3, p. 103, 1954 on *Petunga roxburghii*.—Java.

- Meliola kiraiensis* (Yamam.) Ciferri in *Mycopathologia*, 7, p. 87, 1954. (Syn. *Irene kiraiensis* Yamam.). [Non *Meliola kiraiensis* Yamam., 1941.]
- knemicola* Hansf. in *Reinwardtia*, 3, p. 97, 1954 on *Knema glauca*.—Java.
- konishii* (Yamam.) Ciferri in *Mycopathologia*, 7, p. 88, 1954. (Syn. *Irene konishii* Yamam.).
- lagunae* (Hansf.) Ciferri in *Mycopathologia*, 7, p. 88, 1954. (Syn. *Irenopsis lagunae* Hansf.).
- landolphicola* Hansford in *Proc. Linn. Soc. Lond.*, 157 (1944-45), p. 23, 1945 on *Landolphia ugandensis*.—Uganda.
- larviformis* P. Henn. var. *arecibensis* (Stev.) Ciferri in *Mycopathologia*, 7, p. 86, 1954. (Syn. *Irene larviformis* (P. Henn.) Stev. var. *arecibensis* Stev.).
- leeae* (Hansf.) Ciferri in *Mycopathologia*, 7, p. 87, 1954. (Syn. *Irenopsis leeae* Hansf.).
- lithocarpicola* (Yamam.) Ciferri in *Mycopathologia*, 7, p. 88, 1954. (Syn. *Irene lithocarpicola* Yamam.).
- lithraeae* Hansford in *Proc. Linn. Soc. Lond.*, 165 (1952-53), p. 174, 1955 on *Lithraea malleoides*.—Brazil.
- litseae* H. & P. Syd. var. *rotundipoda* Hansf. in *Reinwardtia*, 3, p. 88, 1954 on *Litsea glutinosa*.—Philippines.
- litseae-citratae* Hansf. in *Reinwardtia*, 3, p. 89, 1954 on *Litsea cubeba*.—Java.
- longipedicellata* (Stev.) Ciferri in *Mycopathologia*, 7, p. 87, 1954. (Syn. *Irenina longipedicellata* Stev.).
- loniceriae* (Yamam.) Ciferri in *Mycopathologia*, 7, p. 88, 1954. (Syn. *Irenina loniceriae* Yamam.).
- lovoae* (Hansf.) Ciferri in *Mycopathologia*, 7, p. 88, 1954. (Syn. *Irenina lovoae* Hansf.).
- macarangae* (Hansf.) Ciferri in *Mycopathologia*, 7, p. 88, 1954. (Syn. *Irenopsis macarangae* Hansf.). [Non *Meliola macarangae* H. & P. Syd., 1917; nec *Meliola macarangae* Yates, 1917.]
- macarangae* Syd. var. *longiseta* Hansf. in *Reinwardtia*, 3, p. 84, 1954 on *Macaranga triloba*.—Java.
- macarangicola* Hansford in *Proc. Linn. Soc. Lond.*, 157 (1944-45), p. 23, 1945 on *Macaranga schweinfurthii*.—Uganda.
- malacotricha* Speg. var. *major* Hansf. in *Reinwardtia*, 3, p. 81, 1954 on *Ipomoea crassicaulis*.—Java.
- malloti* (Hansf. & Thirum.) Ciferri in *Mycopathologia*, 7, p. 88, 1954. (Syn. *Irenina malloti* Hansf. & Thirum.).
- mallotica* (Yamam.) Ciferri in *Mycopathologia*, 7, p. 87, 1954. (Syn. *Irenina mallotica* Yamam.).
- malpighiae* (Hansf.) Ciferri in *Mycopathologia*, 7, p. 89, 1954. (Syn. *Irenopsis malpighiae* Hansf.).
- masakensis* (Hansf.) Ciferri in *Mycopathologia*, 7, p. 88, 1954. (Syn. *Irenopsis masakensis* Hansf.).
- meibomia* (Stev.) Ciferri in *Mycopathologia*, 7, p. 87, 1954. (Syn. *Irenina meibomia* Stev.). [Non *Meliola meibomia* Stev. & Teh., 1926.]
- melanochylae* Hansf. in *Reinwardtia*, 3, p. 76, 1954 on *Melanochyla tomentosa*.—Java.
- melothriae* (Baker & Dale) Ciferri in *Mycopathologia*, 7, p. 89, 1954. (Syn. *Irenopsis melothriae* Baker & Dale).

- Meliola merrillii* Syd. var. *major* Hansf. in *Reinwardtia*, 3, p. 111, 1954 on *Cissus repanda*.—Java.
- *monninae* (Stev.) Ciferri in *Mycopathologia*, 7, p. 87, 1954. (Syn. *Irenina monninae* Stev.).
- *mucunae-acuminatae* Hansf. in *Reinwardtia*, 3, p. 100, 1954 on *Mucuna acuminata*.—Java.
- *musyaensis* (Yamam.) Ciferri in *Mycopathologia*, 7, p. 87, 1954. (Syn. *Irene musyaensis* Yamam.).
- *myricicola* (Hansf.) Ciferri in *Mycopathologia*, 7, p. 88, 1954. (Syn. *Irenina myricicola* Hansf.). [Non *Meliola myricicola* Hansf., 1947.]
- *mysorensis* (Hansf. & Thirum.) Ciferri in *Mycopathologia*, 7, p. 88, 1954. (Syn. *Irenopsis mysorensis* Hansf. & Thirum.).
- *nashii* Hansford in *Proc. Linn. Soc. Lond.*, 165 (1952-53), p. 174, 1955 on *Magnolia virginiana*.—Florida, U.S.A.
- *naucleae* (Boedijn) Ciferri in *Mycopathologia*, 7, p. 87, 1954. (Syn. *Irenina naucleae* Boedijn).
- *njalaensis* (Hansf. & Deight.) Ciferri in *Mycopathologia*, 7, p. 89, 1954. (Syn. *Irenopsis njalaensis* Hansf. & Deight.).
- *nuxiae* (H. Syd.) Ciferri in *Mycopathologia*, 7, p. 87, 1954. (Syn. *Irene nuxiae* H. Syd.).
- *ostryoderridis* Hansf. & Deight. var. *millettieae-sericeae* Hansf. in *Reinwardtia*, 3, p. 101, 1954 on *Millettia sericea*.—Sumatra.
- *papillifera* (H. & P. Syd.) Ciferri in *Mycopathologia*, 7, p. 86, 1954. (Syn. *Irene papillifera* H. & P. Syd.).
- *parasitica* (Stev.) Ciferri in *Mycopathologia*, 7, p. 87, 1954. (Syn. *Irenina parasitica* Stev.). [Non *Meliola parasitica* Stev., 1928.]
- *paratrophidis* Hansf. in *Reinwardtia*, 3, p. 96, 1954 on *Paratrophis glabra*.—Brit. N. Borneo.
- *peddieae* (Doidge) Ciferri in *Mycopathologia*, 7, p. 87, 1954. [Basonym *Irene peddieae* Doidge.]
- *photinicola* (Yamam.) Ciferri in *Mycopathologia*, 7, p. 87, 1954. (Syn. *Irene photinicola* Yamam.).
- *phyllanthi* (Deight.) Ciferri in *Mycopathologia*, 7, p. 89, 1954. (Syn. *Irenina phyllanthi* Deight.).
- *pipericola* (Hansf.) Ciferri in *Mycopathologia*, 7, p. 88, 1954. (Syn. *Irenina pipericola* Hansf.).
- *pipturi* (Hansf.) Ciferri in *Mycopathologia*, 7, p. 88, 1954. (Syn. *Irenina pipituri* Hansf.).
- *pithecolobii* (Yamam.) Ciferri in *Mycopathologia*, 7, p. 88, 1954. (Syn. *Irenina pithecolobii* Yamam.). [Non *Meliola pithecolobii* Stev. & Teh., 1926.]
- *pittieri* (Toro) Ciferri in *Mycopathologia*, 7, p. 87, 1954. (Syn. *Irenopsis pittieri* Toro).
- *plumeriae* (Hansf. & Deight.) Ciferri in *Mycopathologia*, 7, p. 88, 1954. (Syn. *Irenina plumeriae* Hansf. & Deight.).
- *pothodis* (Hansf. & Thirum.) Ciferri in *Mycopathologia*, 7, p. 88, 1954. (Syn. *Irenina pothodis* Hansf. & Thirum.).
- *premae* (Hansf. & Deight.) Ciferri in *Mycopathologia*, 7, p. 88, 1954. (Syn. *Irenina premae* Hansf. & Deight.). [Non *Meliola premae* Hansf., 1949.]
- *proticola* (Bat. & Gayao) Ciferri in *Mycopathologia*, 7, p. 89, 1954. (Syn. *Irenina proticola* Bat. & Gayao).
- *quercina* (Hansf.) Ciferri in *Mycopathologia*, 7, p. 88, 1954. (Syn. *Irenina quercina* Hansf.). [Non *Meliola quercina* Pat., 1890.]
- *raphiolepis* (Yamam.) Ciferri in *Mycopathologia*, 7, p. 87, 1954. (Syn. *Irenina raphiolepis* Yamam.).
- *rhododendri* (Yamam.) Ciferri in *Mycopathologia*, 7, p. 87, 1954. (Syn. *Irenina rhododendri* Yamam.).
- *rhois* P. Henn. var. *flexuosiseta* (Speg.) Hansf. in *Proc. Linn. Soc. Lond.*, 165 (1952-53), p. 176, 1955. (Syn. *Meliola polytricha* Kalchb. & Cooke var. *flexuosiseta* Speg.).
- *rickii* Hansford in *Proc. Linn. Soc. Lond.*, 165 (1952-53), p. 176, 1955 on *Meliaceae*.—Brazil.
- *rinoreae* (Doidge) Ciferri in *Mycopathologia*, 7, p. 87, 1954. (Syn. *Irene rinoreae* Doidge).
- *rosae* (Hansf.) Ciferri in *Mycopathologia*, 7, p. 88, 1954. (Syn. *Irenina rosae* Hansf.).
- *rubi* (Stev. & Rold.) Ciferri in *Mycopathologia*, 7, p. 87, 1954. (Syn. *Irenina rubi* Stev. & Rold.). [Non *Meliola rubi* Stev. & Rold., 1935.]
- var. *angulata* (Stev. & Rold.) Ciferri in *Mycopathologia*, 7, p. 87, 1954. (Syn. *Irenina rubi* Stev. & Rold. var. *angulata* Stev. & Rold.).
- *sambuci* Hansf. in *Reinwardtia*, 3, p. 79, 1954 on *Sambucus javanica*.—Java.
- *sarcocephali* (Hansf. & Deight.) Ciferri in *Mycopathologia*, 7, p. 88, 1954. (Syn. *Irenina sarcocephali* Hansf. & Deight.).
- *scaevolicola* (Stev.) Ciferri in *Mycopathologia*, 7, p. 86, 1954. (Syn. *Irene scaevolicola* Stev.).
- *schefferae* Hansf. in *Reinwardtia*, 3, p. 79, 1954 on *Scheffera aromatica*.—Java.
- *schimae* Hansf. in *Reinwardtia*, 3, p. 107, 1954 on *Schima noronha*.—Java.
- *schwarzii* Hansf. in *Reinwardtia*, 3, p. 98, 1954, on *Jasminum sambac*.—Java.
- *scutiae* (Hansf.) Ciferri in *Mycopathologia*, 7, p. 88, 1954. (Syn. *Irenopsis scutiae* Hansf.). [Non *Meliola scutiae* Speg., 1912.]
- *securidacae* (Hansf.) Ciferri in *Mycopathologia*, 7, p. 88, 1954. (Syn. *Irenina securidacae* Hansf.).
- *shropshiriana* (Stev.) Ciferri in *Mycopathologia*, 7, p. 87, 1954. (Syn. *Irenina shropshiriana* Stev.). [Non *Meliola shropshiriana* Stev., 1928.]
- *sinsuiensis* (Yamam.) Ciferri in *Mycopathologia*, 7, p. 88, 1954. (Syn. *Irenopsis sinsuiensis* Yamam.).
- *sinuosa* (Stev. & Rold.) Ciferri in *Mycopathologia*, 7, p. 87, 1954. (Syn. *Irenina sinuosa* Stev. & Rold.). [Non *Meliola sinuosa* Doidge, 1917.]
- *sororcula* Speg. var. *vernoniae* (Stev.) Ciferri in *Mycopathologia*, 7, p. 86, 1954. (Syn. *Irene sororcula* (Speg.) Stev. var. *vernoniae* Stev.).
- *splendens* (Stev.) Ciferri in *Mycopathologia*, 7, p. 86, 1954. (Syn. *Irene splendor* Stev.).
- *stephaniae* Hansf. in *Reinwardtia*, p. 93, 1954 on *Stephania hernandifolia* Java.

- Meliola stranvaesiicola* (Yamam.) Ciferri in *Mycopathologia*, 7, p. 87, 1954. (Syn. *Irene stranvaesiicola* Yamam.).
- *strombosiae* (Hansf.) Ciferri in *Mycopathologia*, 7, p. 88, 1954. (Syn. *Irenina strombosiae* Hansf.).
- *styracicola* (Yamam.) Ciferri in *Mycopathologia*, 7, p. 87, 1954. (Syn. *Irene styracicola* Yamam.). [Non *Meliola styracicola* Speg., 1912.]
- var. *minor* (Hansf.) Ciferri in *Mycopathologia*, 7, p. 88, 1954. (Syn. *Irene styracicola* Yamam. var. *minor* Hansf.).
- *symphoniae* (Hansf.) Ciferri in *Mycopathologia*, 7, p. 88, 1954. (Syn. *Irenina symphoniae* Hansf.).
- *syzygii* (Hansf.) Ciferri in *Mycopathologia*, 7, p. 88, 1954. (Syn. *Irenina syzygii* Hansf.).
- *tabebuiae* (Bat. & Silva) Ciferri in *Mycopathologia*, 7, p. 89, 1954. (Syn. *Irenina tabebuiae* Bat. & Silva).
- *talaumae* Hansf. in *Reinwardtia*, 3, p. 90, 1954 on *Talauma*.—Brit. N. Borneo.
- *tarrietiae* (Hansf. & Deight.) Ciferri in *Mycopathologia*, 7, p. 89, 1954. (Syn. *Irenopsis tarrietiae* Hansf. & Deight.).
- *taxi* (Sawada) Ciferri in *Mycopathologia*, 7, p. 89, 1954. (Syn. *Irenina taxi* Sawada).
- *terminaliae* (Hansf. & Deight.) Ciferri in *Mycopathologia*, 7, p. 88, 1954. (Syn. *Irenina terminaliae* Hansf. & Deight.).
- *tetracerae* (Hansf. & Deight.) Ciferri in *Mycopathologia*, 7, p. 88, 1954. (Syn. *Irenina tetracerae* Hansf. & Deight.). [Non *Meliola tetracerae* F. Müll. & Thüm., 1878.]
- *thunbergiae* (Stev. & Rold.) Ciferri [as 'thumbbergiae'] in *Mycopathologia*, 7, p. 87, 1954. (Syn. *Irenina thunbergiae* Stev. & Rold.). [Non *Meliola thunbergiae* Hansf., 1935.]
- *thunbergiae-chrysopidis* (Hansf. & Deight.) Ciferri in *Mycopathologia*, 7, p. 88, 1954. (Syn. *Irenina thunbergiae-chrysopidis* Hansf. & Deight.).
- *trachylaena* (H. Syd.) Ciferri in *Mycopathologia*, 7, p. 87, 1954. (Syn. *Irene trachylaena* H. Syd.).
- *trompilliana* (Toro) Ciferri in *Mycopathologia*, 7, p. 87, 1954. (Syn. *Irenopsis trompilliana* Toro).
- *turpiniae* (Yamam.) Ciferri in *Mycopathologia*, 7, p. 87, 1954. (Syn. *Irenina turpiniae* Yamam.).
- *ugandensis* (Hansf.) Ciferri in *Mycopathologia*, 7, p. 88, 1954. (Syn. *Irene ugandensis* Hansf.). [Non *Meliola ugandensis* Hansf., 1937.]
- var. *antiaridis* (Hansf. & Deight.) Ciferri in *Mycopathologia*, 7, p. 88, 1954. (Syn. *Irenina ugandensis* (Hansf.) Hansf. & Deight. var. *antiaridis* Hansf. & Deight.).
- *urceolae* Hansf. in *Reinwardtia*, 3, p. 78, 1954 on *Urceola javanica*.—? Java.
- *uvaricola* Hansford in *Proc. Linn. Soc. Lond.*, 157 (1944-45), p. 24, 1945 on *Uvaria bukobensis*.—Uganda.
- *vaccinii* (Hansf.) Ciferri in *Mycopathologia*, 7, p. 88, 1954. (Syn. *Irene vaccinii* Hansf.). [Non *Meliola vaccinii* Stev., 1928.]
- *voacangae-foetidae* Hansf. in *Reinwardtia*, 3, p. 77, 1954 on *Voacanga foetida*.—Java.
- *ximeniae* (Bat. & Silva) Ciferri in *Mycopathologia*, 7, p. 89, 1954. (Syn. *Irenina ximeniae* Bat. & Silva).

- Meliola yamamotoi* Ciferri nom. nov. in *Mycopathologia*, 7, p. 88, 1954. (Syn. *Irene sinsuiensis* Yamam. non *Meliola sinsuiensis* (Yamam.) Ciferri, above).
- *zeyheri* (Doidge) Ciferri in *Mycopathologia*, 7, p. 87, 1954. (Syn. *Irene zeyheri* Doidge).
- ***MICROCOLLYBIA** Métrod in *Rev. Mycol.*, Paris, 17, p. 75, 1952.—Agaricales. [Type not designated.]
- *cirrhatia* (Schum. ex Fr.) Métrod in *Rev. Mycol.*, Paris, 17, p. 87, 1952. [Syn. *Agaricus cirrhatia* Schum. ex Fr.].
- *racemosa* (Pers. ex Fr.) Métrod in *Rev. Mycol.*, Paris, 17, p. 88, 1952. [Syn. *Agaricus racemosus* Pers. ex Fr.].
- *tuberosa* (Bull. ex Fr.) Métrod in *Rev. Mycol.*, Paris, 17, p. 87, 1952. [Syn. *Agaricus tuberosus* Bull. ex Fr.].
- Microhaplosporella brachychitonis* Dias & Da Camara in *Agron. lusit.*, 16, p. 12, 1954 on *Brachychiton populneum*.—Portugal.
- Micromphale abhorrens* (Berk. & Br.) Parker-Rhodes in *Trans. Brit. mycol. Soc.*, 37, p. 331, 1954. (Syn. *Omphalia abhorrens* Berk. & Br.).
- Micropeltis asclepiadis* Batista & Vital in *Ann. Soc. Biol. Pernambuco*, 12, p. 57, 1954 on *Asclepias curassavica*.—Brazil.
- *aspidospermatis* Batista & Vital [as 'aspidospermae'] in *Ann. Soc. Biol. Pernambuco*, 12, p. 58, 1954 on *Aspidosperma*.—Brazil.
- *byrsonimicola* Batista in *Ann. Soc. Biol. Pernambuco*, 12, p. 49, 1954 on *Byrsonima sericea*.—Brazil.
- *caseariae* Batista in *Ann. Soc. Biol. Pernambuco*, 12, p. 51, 1954 on *Casearia*.—Brazil.
- *cassiae* Batista in *Ann. Soc. Biol. Pernambuco*, 12, pp. 49 and 53, 1954 on *Cassia*.—Brazil.
- *cassicola* Batista in *Ann. Soc. Biol. Pernambuco*, 12, pp. 53 and 51, 1954 on *Cassia*.—Brazil.
- *clusiae* Batista & Vital in *Ann. Soc. Biol. Pernambuco*, 12, p. 58, 1954 on *Clusia*.—Brazil.
- *clusiae-majoris* Batista & Vital in *Ann. Soc. Biol. Pernambuco*, 12, p. 59, 1954 on *Clusia*.—Brazil.
- *lufficola* Batista [as 'luffaeicola'] in *Ann. Soc. Biol. Pernambuco*, 12, p. 51, 1954 on *Luffa*.—Brazil.
- *pithecolobii* Batista in *Ann. Soc. Biol. Pernambuco*, 12, p. 52, 1954 on *Pithecolobium auaremotemo*.—Brazil.
- *pogonophorae* Batista in *Ann. Soc. Biol. Pernambuco*, 12, pp. 52 and 50, 1954 on *Pogonophora schomburgkiana*.—Brazil.
- *psychotriae* Batista in *Ann. Soc. Biol. Pernambuco*, 12, pp. 50 and 54, 1954 on *Psychotria*.—Brazil.
- *roupalicola* Batista & Vital in *Ann. Soc. Biol. Pernambuco*, 12, p. 60, 1954 on *Roupala brasiliensis*.—Brazil.
- Microsporium distortum** di Menna & Marples in *Trans. Brit. mycol. Soc.*, 37, p. 372, 1954 on man.—New Zealand.
- * **gypseum** (Bodin) Guiart & Grigorakis var. *nana* Fuentes, Aboulafia & Vidal in *J. invest. Derm.*, 23, p. 56, 1954 on man.—Cuba.
- Mollisia clavata* Gremmen in *Fungus, Wageningen*, 24, p. 5, 1954 on *Rubus*.—Holland.

- Mollisia escharodes* (Berk. & Br.) Gremmen in *Fungus, Wageningen*, 24, p. 5, 1954. (Syn. *Peziza escharodes* Berk. & Br.).
- *petiolaris* (Alb. & Schw. ex Fr.) Gremmen in *Fungus, Wageningen*, 24, p. 9, 1954. (Syn. *Hysterium petiolare* Alb. & Schw.).
- Monilinia baccarum* (Schroet.) V. Grasso in *Ann. Sper. agr., N.S.*, 9, p. 225, 1955. (Syn. *Rutstroemia baccarum* Schroet.).
- *urnula* (Wein.) V. Grasso in *Ann. Sper. agr., N.S.*, 9, p. 225, 1955. (Syn. *Sclerotinia urnula* Wein.).
- Monochaetia schini* Lucas & Da Camara in *Agron. lusit.*, 16, p. 103, 1954 on *Schinus molle*.—Portugal.
- Morenoella annularis* Hansf. in *Reinwardtia*, 3, p. 138, 1954 on *Tetracera fagifolia*.—Java.
- Mucidula venosolamellata* Imazeki & Toki in *Bull. For. Exp. Sta., Meguro*, 79, p. 1, 1955 on dead trunk of *Fagus crenata*.—Japan.
- Mycena citrinovirens* M. Lange in *Medd. Grönland*, 147, p. 41, 1955 under *Juniperus* on needles.—Greenland.
- *cryptomeriicola* Imazeki & Toki in *Bull. For. Exp. Sta., Meguro*, 79, p. 8, 1955 on fallen leaves of *Cryptomeria japonica*.—Japan.
- *epiterygia* (Fr.) S. F. Gray var. *bodiceps* M. Lange in *Medd. Grönland*, 147, p. 49, 1955 in moss on deep humus layer.—Greenland.
- *— *nigromarginata* Métrod in *Schweiz. Z. Pilzk.*, 33, p. 45, 1955 on trunk covered with thick layer of needles.—Switzerland.
- Mycosphaerella fuitensis* Hara, *A List of Japanese Fungi*, p. 399, 1954 on *Pyrus sinensis*.—Japan.
- *kabocha* Hara, *A List of Japanese Fungi*, p. 399, 1954 on fruits of *Cucurbita moschata*.—Japan.
- *pourthiaee* Hara, *A List of Japanese Fungi*, p. 402 (2), 1954 on *Pourthiaea villosa*.—Japan.
- Myriangium tuberculiferum* Shirai & Hara in Hara, *A List of Japanese Fungi*, p. 399, 1954 on *Cryptomeria japonica*.—Japan.
- Myxomycidium yakusimense* Y. Kobayasi in *Nagaoa*, (*Mycol. J. Nagao Inst.*), 1954, 4, p. 46, 1954 on decaying trunks of *Cryptomeria japonica*.—Japan.
- Naemosphaera macrorostrata* Lucas & Da Camara in *Agron. lusit.*, 16, p. 97, 1954 on *Marrubium vulgare*.—Portugal.
- NANOSTICTIS** M. S. Christiansen in *Bot. Tidsskr.*, 51, p. 59, 1954.—Ostropales.
- *peltigerae* M. S. Christiansen in *Bot. Tidsskr.*, 51, p. 59, 1954 on *Peltigera polydactyla*.—Denmark.
- Nematothecium asterinae* Hansford in *Proc. Linn. Soc. Lond.*, 157 (1944-45), p. 26, 1945 on *Asterina geniospori* on *Geniosporum paludosum*.—Uganda.
- NEOHYGROPHORUS** Singer in *Lilloa*, 22, p. 149, 1951. Sp. typ.: *N. angelesianus* (Sm. & Hesl.) Singer.
- *angelesianus* (Smith & Hesler) Singer in *Lilloa*, 22, p. 149, 1951. (Syn. *Hygrophorus angelesianus* Sm. & Hesl.).
- Octospora tetraspora* (Fuckel) Korf in *Mycologia*, 46, p. 838, 1954. (Syn. *Ascobolus tetrasporus* Fuckel).
- Olpidiopsis verrucosa* T. W. Johnson in *J. Elisha Mitchell sci. Soc.*, 71, p. 60, 1955 in *Achlya glomerata* in soil.—Mississippi, U.S.A.
- Omphalina acerosa* (Fr.) M. Lange in *Medd. Grönland*, 147, p. 21, 1955. (Syn. *Agaricus acerosus* Fr.).
- *demissella* M. Lange in *Medd. Grönland*, 147, p. 23, 1955 in low mosses or naked soil.—Greenland.
- *ericetorum* (Fr.) M. Lange in *Medd. Grönland*, 147, p. 25, 1955. (Syn. *Agaricus ericetorum* Fr.).
- *flava* (Cooke) M. Lange in *Medd. Grönland*, 147, p. 25, 1955. (Syn. *Agaricus umbelliferus* L. ex Fr. forma *flavus* Cooke).
- *obscurata* (Kühner) M. Lange in *Medd. Grönland*, 147, p. 21, 1955. (Syn. *Omphalia obscurata* Kühner).
- Ophiostoma bicolor* Davidson & Wells apud Davidson in *Mycologia*, 47, p. 63, 1955 from bark of *Picea engelmannii* attacked by *Ips hunteri* and *Dendroctonus engelmannii*.—Colorado, U.S.A.
- *truncicola* R. W. Davidson in *Mycologia*, 47, p. 63, 1955 [as 'truncicolor', but as 'truncicola', tom. cit., p. 66] in galleries of *Dendroctonus engelmannii* attacking *Picea engelmannii*.—U.S.A.
- Panaeolus ater* (J. E. Lange) Kühner & Romagnesi, *Flore analytique des champignons supérieurs*, p. 350, 1953. (Syn. *Panaeolus fimicola* (Fr.) Gillet var. *ater* J. E. Lange). [Also transferred by M. Lange in *Medd. Grönland*, 147, p. 63, 1955.]
- Parastigmatea taraktogenodis* Hansf. [better 'taraktogeneos'] in *Reinwardtia*, 3, p. 117, 1954 on *Taraktogenos heterophylla*.—Java.
- Parodiopsis cecropiae* Baker in *Mycol. Pap., C.M.I.*, 58, p. 9, 1955 on *Cecropia peltata*.—Trinidad.
- var. *sterculiae* Baker in *Mycol. Pap., C.M.I.*, 58, p. 9, 1955 on *Sterculia caribaea*.—Trinidad.
- *clusiae* Baker in *Mycol. Pap., C.M.I.*, 58, p. 2, 1955 on *Clusia rosea*.—Trinidad.
- *megalospora* (Sacc. & Berl.) Arn. var. *viridescens* (Rehm) Baker in *Mycol. Pap., C.M.I.*, 58, p. 5, 1955. (Syn. *Parodiella viridescens* Rehm).
- *perae* Arn. var. *protii* Baker in *Mycol. Pap., C.M.I.*, 58, p. 14, 1955 on *Protium guianense*.—Trinidad.
- Patouillardina aporosae* Hansf. in *Reinwardtia*, 3, p. 140, 1954 on *Aporosa aurita*.—Java.
- Peltella palmarum* (Wint.) Hansf. in *Reinwardtia*, 3, p. 122, 1954. (Syn. *Myiocypron palmarum* Wint.).
- Penicillium megasporum* Orpurt & Fennell in *Mycologia*, 47, p. 233, 1955 from soil.—Wisconsin, U.S.A., and England.
- Pestalotiopsis acrocomiarum* Batista in *Ann. Soc. Biol. Pernambuco*, 12, p. 44, 1954 on *Acrocomia intumescens*.—Brazil.
- Peziza badio-confusa* Korf nom. nov. in *Mycologia*, 46, p. 838, 1954. (Syn. *Aleuria olivacea* Boud. non *Peziza olivacea* Batsch ex Pers.).
- Phaeodimeriella echinulospora* Hansford in *Proc. Linn. Soc. Lond.*, 157 (1944-45), p. 24, 1945 on *Englerula macarangae* on *Macaranga schweinfurthii*.—Uganda.
- Phaeophragmaeriella englerulae* Hansford in *Proc. Linn. Soc. Lond.*, 157 (1944-45), p. 25, 1945 on *Englerula macarangae* on *Macaranga schweinfurthii*.—Uganda.

- Phlyctochytrium stipitatum* Y. Kobayasi & Ookubo in *Nagaoa*, (*Mycol. J. Nagao Inst.*), 1954, 4, p. 60, 1954 on immersed culms of grass.—Japan.
- Phoma artemisiicola* Lucas & Da Camara in *Agron. lusit.*, 16, p. 90, 1954 on *Artemisia crithmifolia*.—Portugal.
- Phomopsis biwa* Hara, *A List of Japanese Fungi*, p. 400, 1954 on fruits of *Eriobotrya japonica*.—Japan.
- campsidis* Lucas & Da Camara in *Agron. lusit.*, 16, p. 92, 1954 on *Campsis radicans*.—Portugal.
- cycadis* (Sacc. & Berl.) Lucas & Da Camara in *Agron. lusit.*, 16, p. 93, 1954. (Syn. *Phoma cycadis* Sacc. & Berl.).
- inulina* (Sacc.) Lucas & Da Camara in *Agron. lusit.*, 16, p. 93, 1954. (Syn. *Phoma inulina* Sacc.).
- natsume* Hara, *A List of Japanese Fungi*, p. 400, 1954 on *Zizyphus vulgaris*.—Japan.
- vincentiana* (Speg.) Lucas & Da Camara in *Agron. lusit.*, 16, p. 96, 1954. (Syn. *Phoma vincentiana* Speg.).
- Phragmocephala glanduliformis* (Höhnelt) Hughes in *Canad. J. Bot.*, 33, p. 267, 1955. (Syn. *Clasterosporium glandulaeforme* Höhnelt).
- Phyllachora flemingiae* T. S. Ramakrishnan & Sundaram in *Indian Phytopath.*, 7 (1954), p. 142, 1955 on *Flemingia semialata*.—India.
- **Phyllosticta comoriana* Sechet in *Oleagineux*, 10, p. 415, 1955 on *Cocos nucifera*.—Comoro Is., Madagascar.
- corydalis* (Ell. & Davis) Greene in *Trans. Wis. Acad. Sci. Arts Lett.*, 43, p. 178, 1954. (Syn. *Septoria corydalis* Ell. & Davis).
- entylomicola* Greene in *Trans. Wis. Acad. Sci. Arts Lett.*, 43, p. 178, 1954 on *Ratibida pinnata* bearing *Entyloma compositarum*.—Wisconsin, U.S.A.
- limonum* Lucas & Da Camara in *Agron. lusit.*, 16, p. 96, 1954 on *Citrus limonum*.—Portugal.
- succinosa* Greene in *Trans. Wis. Acad. Sci. Arts Lett.*, 43, p. 178, 1954 on *Ribes americanum*.—Wisconsin, U.S.A.
- Physalospora aquatica* Ingold in *Trans. Brit. mycol. Soc.*, 38, p. 163, 1955 on submerged dead stems of *Eleocharis palustris*.—G.B.
- jasmini* T. S. Ramakrishnan & Sundaram in *Indian Phytopath.*, 7 (1954), p. 143, 1955 on *Jasminum rigidum*.—India.
- Physoderma commelinae* B. T. Lingappa in *Mycologia*, 47, p. 110, 1955 on *Commelina nudiflora*, *Cyanotis axillaris* and *Aneilema nudiflora*.—India.
- corchori* B. T. Lingappa in *Mycologia*, 47, p. 109, 1955 on *Corchorus acutangulus* and *C. olitorius*.—India.
- **Pichia dubia* Dietrichson in *Ann. Parasit. hum. comp.*, 29, p. 469, 1954 on man.—Norway.
- Pileolaria incrustans* (Arthur & Cummins) Thirumalachar & Kern in *Bull. Torrey bot. Cl.*, 82, p. 105, 1955. (Syn. *Atelocaula incrustans* Arthur & Cummins).
- Piptocephalis xenophila* Dobbs & English in *Trans. Brit. mycol. Soc.*, 37, p. 375, 1954. on *Penicillium waksmani*.—England.
- Piricularia higginsii* Luttrell in *Mycologia*, 46, p. 810, 1954 on *Cyperus rotundus*.—Georgia, U.S.A.
- Placosphaeria platani* (Bäuml.) Limber in *Mycologia*, 47, p. 398, 1955. (Syn. *Sporonema platani* Bäuml.).
- Pleospora crassiasca* Sechet in *Oleagineux*, 10, p. 414, 1955 on *Arachis hypogaea*.—Madagascar.
- PLEUROSORDARIA** Fernier in *Rev. Mycol.*, Paris, 19, p. 16, 1954.—Sordariaceae.
- brassicae* (Klotzsch) Fernier in *Rev. Mycol.*, Paris, 19, Suppl. Colon. 1, p. 17, 1954. (Syn. *Sphaeria brassicae* Klotzsch).
- Podochytrium emmanuelense* (Sparrow) Sparrow & Paterson in *Mycologia*, 47, p. 274, 1955. (Syn. *Rhizidiopsis emmanuelensis* Sparrow).
- Podoporia cincta* (Berk.) Parker-Rhodes in *Trans. Brit. mycol. Soc.*, 37, p. 327, 1954. (Syn. *Poria cincta* Berk.).
- Polyclypeolum brideliae* Hansford in *Proc. Linn. Soc. Lond.*, 157 (1944-45), p. 37, 1945 on *Bridelia micrantha*.—Uganda.
- Prillieuxia caesia* (Pers. ex Fr.) Parker-Rhodes in *Trans. Brit. mycol. Soc.*, 37, p. 326, 1954. (Syn. *Thelephora caesia* Pers. ex Fr.).
- Prospodium quitense* (Sydow) Thirumalachar & Kern in *Bull. Torrey bot. Cl.*, 82, p. 106, 1955. (Syn. *Coinostelium quitense* Sydow).
- Psathyrella badiophylla* (Rom.) Parker-Rhodes in *Trans. Brit. mycol. Soc.*, 37, p. 335, 1954. (Syn. *Drosophila badiophylla* Rom.).
- stercoraria* (Kühn. & Joss.) Parker-Rhodes in *Trans. Brit. mycol. Soc.*, 37, p. 335, 1954. (Syn. *Drosophila stercoraria* Kühn. & Joss.).
- Pseudeurotium multisporum* (Saito & Minoura) Stolk in *Leeuwenhoek ned. Tijdschr.*, 21, p. 71, 1955. (Syn. *Anaxiopsis multispora* Saito & Minoura).
- ovale* Stolk in *Leeuwenhoek ned. Tijdschr.*, 21, p. 78, 1955 on cysts of *Heterodera rostrchiensis*.—Jersey.
- Pseudohiatula conigena* (Pers. ex Fr.) Métrod in *Rev. Mycol.*, Paris, 17, p. 85, 1952. [Syn. *Agaricus conigenus* Pers. ex Fr.].
- *—*favrei* Tuomikoski in *Karstenia*, 2, p. 30, 1953. (As 'nom. nov.' for *Agaricus tenacellus* Schröter non Fr.).
- grisea* [Schaeff.] Métrod in *Rev. Mycol.*, Paris, 17, p. 86, 1952. [Syn. *Agaricus griseus* [Schaeff.]].
- tenacella* (Pers. ex Fr.) Métrod [as '(Persoon) sensu Schröter, Favre'] in *Rev. Mycol.*, Paris, 17, p. 86, 1952. [Syn. *Agaricus tenacellus* Pers. ex Fr.].
- Pseudohydnum gelatinosum* (Fr.) Karst. forma album (Bres.) Kobayasi in *Nagaoa*, (*Mycol. J. Nagao Inst.*), 1954, 4, p. 43, 1954. (Syn. *Tremellodon gelatinosum* (Scop.) Pers. forma album Bres.).
- forma fuscum* (Bres.) Kobayasi in *Nagaoa*, (*Mycol. J. Nagao Inst.*), 1954, 4, p. 43, 1954. (Syn. *Tremellodon gelatinosum* (Scop.) Pers. forma fuscum Bres.).
- Pseudoplea gaeumannii* (Müller) Wehmeyer in *Mycologia*, 47, p. 164, 1955. (Syn. *Pleospora gaeumannii* Müller).
- Puccinia alboclava* G. T. S. Baylis in *Trans. roy. Soc. N.Z.*, 82, p. 633, 1954 on *Clematis indivisa*.—N. Zealand.
- avocensis* Cummins & Greene in *Trans. Wis. Acad. Sci. Arts Lett.*, 43, p. 177, 1954 on *Stipa spartea*.—Wisconsin, U.S.A.
- cephalotes* Dale in *Mycol. Pap.*, C.M.I., 59, p. 5, 1955 on *Rhynchospora cephalotes*.—Trinidad.
- entrerriana* Lindquist in *Bol. Soc. argent. Bot.*, 5, p. 157, 1954 on leaves of *Stipa*.—Argentina.

- Puccinia fragilispora* Dale in *Mycol. Pap., C.M.I.*, 59, p. 6, 1955 on *Aspilota verbesinoides*.—Trinidad.
- nonerumpens* Dale in *Mycol. Pap., C.M.I.*, 59, p. 7, 1955 on *Rhynchospora triflora*.—Trinidad.
- prosopidis* Biebedorf, Mefferd & Blackmon in *Bull. Torrey bot. Cl.*, 82, p. 131, 1955 on *Prosopis juliflora*.—Texas, U.S.A.
- *—*terminaliae* T. S. Ramakrishnan & Sundaram in *Indian Phytopath.*, 7 (1954), p. 145, 1955 on *Terminalia bellerica*.—India. [Cited as a comb. nov., syn. *Aecidium terminaliae* Ramak. T. S. & K., but see Art. 69.]
- Pythium hemmianum* Takahashi in *Ann. phytopath. Soc. Japan*, 18, p. 117, 1954 on *Luffa cylindrica*.—Japan.
- thalassium* D. Atkins in *Trans. Brit. mycol. Soc.*, 38, p. 31, 1955 on egg-mass of *Pinnotheres pisum*.—G.B.
- zingiberum* Takahashi in *Ann. phytopath. Soc. Japan*, 18, p. 115, 1954 on *Zingiber officinale*.—Japan.
- Resupinatus algidus* (Fr.) [? M. Lange] var. *dendrocytis* M. Lange in *Medd. Grønland*, 147, p. 13, 1955 on *Sorbus americana*.—Greenland.
- Rhinotrichum multisporum* Doguet in *Rev. Mycol., Paris*, 17, *Suppl. Colon*, 2, p. 78, 1952 isolated from soil.—Madagascar.
- Rhizoctonia chousii* Crandall & Arillaga in *Mycologia*, 47, p. 404, 1955 on roots and trunks of *Coffea arabica*.—El Salvador.
- Rhizopogon reticulatus* Hawker in *Trans. Brit. mycol. Soc.*, 38, p. 73, 1955 in soil under *Picea*.—G.B.
- Russula subnigricans* Hongo in *J. Jap. Bot.*, 30, p. 79, 1955 on the ground in woods of *Shima*.—Japan.
- Saccardomyces atropurpureus* Hansford in *Proc. Linn. Soc. Lond.*, 157 (1944-45), p. 26, 1945 on *Meliola ramicola* on *Uvaria witschii*.—Uganda.
- **Saccharomyces chevalieri* Guilierm. var. *atypica* Dietrichson in *Ann. Parasit. hum. comp.*, 29, p. 460, 1954 on man.—Norway.
- *—*kyushuensis* Zenitani in *Sci. Bull. Fac. Agric. Kyushu Univ.*, 14, p. 306, 1953 isolated from 'Shiokara'.—Japan.
- *—*scandinavicus* Dietrichson in *Ann. Parasit. hum. comp.*, 29, p. 461, 1954 on man.—Norway.
- *—*veronae* Lodder & Kreger-Van Rij var. *osloensis* Dietrichson in *Ann. Parasit. hum. comp.*, 29, p. 466, 1954 on man.—Norway.
- *—*verticillatus* Dietrichson in *Ann. Parasit. hum. comp.*, 29, p. 463, 1954 on man.—Norway.
- *—*vossii* Dietrichson in *Ann. Parasit. hum. comp.*, 29, p. 467, 1954 on man.—Norway.
- Sclerophthora cryophila* W. Jones in *Canad. J. Bot.*, 33, p. 352, 1955 on *Dactylis glomerata*.—British Columbia, Canada.
- **Sclerotinia sclerotiorum* (Lib.) de Bary forma *orobanches* Narasimhan & Thirumalachar in *Phytopath. Z.*, 22, p. 426, 1954 on *Orobanche cernua*.—India.
- SELINIELLA* Arx & Müller in *Acta bot. neerl.*, 4, p. 118, 1955.—Seliniaceae (Sphaeriales).
- macrospora* Arx & Müller in *Acta bot. neerl.*, 4, p. 119, 1955 on cow dung.—France.
- Septoria ananassicola* Batista in *Ann. Soc. Biol. Pernambuco*, 12, p. 45, 1954 on *Ananas*.—Brazil.
- delonicis* T. S. Ramakrishnan & Sundaram in *Indian Phytopath.*, 7 (1954), p. 147, 1955 on *Delonix elata*.—India.
- sapotae* Batista in *Ann. Soc. Biol. Pernambuco*, 12, p. 46, 1954 on *Achras sapota*.—Brazil.
- Sirexipula hiemalis* (Desm.) Limber in *Mycologia*, 47, p. 395, 1955. (Syn. *Sporonema hiemalis* Desm.).
- Soppittella sphaerospora* (Maire) Parker-Rhodes in *Trans. Brit. mycol. Soc.*, 37, p. 325, 1954. (Syn. *Hypochnus sphaerosporus* Maire).
- Sphaceloma glycines* Kurata & Kuribayashi in *Ann. phytopath. Soc. Japan*, 18, p. 120, 1954 on *Glycine max*.—Japan.
- Sphaerognomonia elaeicola* Batista in *Ann. Soc. Biol. Pernambuco*, 12, p. 46, 1954 on *Elaeis guineensis*.—Brazil.
- Sphaeronaema macrorostratum* A. M. Sacas in *Agron. trop.*, Nogent, 9, p. 661, 1954 on *Sorghum vulgare*.—French Equatorial Africa.
- Sphaerulina caricae* Hara, *A List of Japanese Fungi*, p. 402 (2), 1954 on *Ficus carica*.—Japan.
- dioscoreae* Hara, *A List of Japanese Fungi*, p. 399, 1954 on living leaves of *Dioscorea japonica*.—Japan.
- Spicaria mori* Hara, *A List of Japanese Fungi*, p. 400, 1954 on *Bombyx mori*.—Japan.
- purpureoidea* Hara, *A List of Japanese Fungi*, p. 400, 1954 on *Bombyx mori*.—Japan.
- satoi* Hara, *A List of Japanese Fungi*, p. 400, 1954 on *Bombyx mori*.—Japan.
- shirako* Hara, *A List of Japanese Fungi*, p. 400, 1954 on *Bombyx mori*.—Japan.
- Sporonema diapensiae* (Rostr.) Limber in *Mycologia*, 47, p. 393, 1955. (Syn. *Excipula diapensiae* Rostr.).
- fraxini* Limber in *Mycologia*, 47, p. 393, 1955 on *Fraxinus oregana*.
- Stagonospora phragmiticola* Hansford in *Proc. Linn. Soc. Lond.*, 157 (1944-45), p. 38, 1945 on *Phragmites mauritianus*.—Uganda.
- sacchari* Lo & Ling in *J. Sugar Cane Res.*, 4, p. 333, 1950 on *Saccharum officinarum*.—Formosa.
- Stemphylium floridanum* Hannon & Weber in *Phytopathology*, 45, p. 14, 1955 on *Lycopersicon esculentum*.—Florida, U.S.A.
- Stigmatea cremasporae* Hansford in *Proc. Linn. Soc. Lond.*, 157 (1944-45), p. 28, 1945 on *Cremaspora africana*.—Uganda.
- Stomiopeltella coccolobicola* Batista in *Ann. Soc. Biol. Pernambuco*, 12, p. 47, 1954 on *Coccoloba*.—Brazil.
- Strasseria vincae* Lucas & Da Camara in *Agron. lusit.*, 16, p. 97, 1954 on *Vinca difformis*.—Portugal.
- Streptomyces griseus* (Krausky) Waksman & Henrici var. *purpureus* Burkholder, Sung, Anderson & Ehrlich in *Bull. Torrey bot. Cl.*, 82, p. 117, 1955.—U.S.A.
- ***STREPTOSPORANGIUM** Couch in *J. Elisha Mitchell sci. Soc.*, 71, p. 149, 1955.—Actinomycetales.
- *—*roseum* Couch in *J. Elisha Mitchell sci. Soc.*, 71, p. 151, 1955 in vegetable garden soil.—U.S.A.
- Stropharia aeruginosa* (Fr.) Quél. var. *alpina* M. Lange in *Medd. Grønland*, 147, p. 63, 1955 in deep *Rhacomitrium*.—Greenland.
- cyanea* (Bolt. ex Seer.) Tuomikoski in

- Karstenia*, 2, p. 31, 1953. (Syn. *Agaricus cyaneus* Bolt. ex Secr.).
- Stylopage grandis* Duddington in *Mycologia*, 47, p. 247, 1955 on nematodes.—England.
- Synsporium furcatum* Losa in *Coll. bot., Barcinone*, 4, p. 139, 1954.—Spain.
- Tephrophana admissa* (Britz.) Métrod [as (Britz.) sensu Favre] in *Rev. Mycol., Paris*, 17, p. 91, 1952. [Syn. *Collybia admissa* Britz.].
- *coracina* (Fr.) Métrod [as (Fr.) sensu Konrad & Maublanc, non Ricken] in *Rev. Mycol., Paris*, 17, p. 92, 1952. [Syn. *Agaricus coracinus* Fr.].
- *gibberosa* (J. Schaeff.) Métrod in *Rev. Mycol., Paris*, 17, p. 91, 1952. [Syn. *Collybia gibberosa* J. Schaeff.].
- *inolens* (Fr.) Métrod in *Rev. Mycol., Paris*, 17, p. 92, 1952. [Syn. *Agaricus inolens* Fr.].
- *mephitica* (Fr.) Métrod in *Rev. Mycol., Paris*, 17, p. 92, 1952. [Syn. *Agaricus mephiticus* Fr.].
- *ozes* (Fr.) Métrod in *Rev. Mycol., Paris*, 17, p. 91, 1952. [Syn. *Agaricus ozes* Fr.].
- *tylicolor* (Fr.) Métrod in *Rev. Mycol., Paris*, 17, p. 91, 1952. [Syn. *Agaricus tylicolor* Fr.].
- Terana vellerea* (Ell. & Crag.) Parker-Rhodes in *Trans. Brit. mycol. Soc.*, 37, p. 327, 1954. (Syn. *Corticium vellereum* Ell. & Crag.).
- Tetracium piperis* Hansford in *Proc. Linn. Soc. Lond.*, 157 (1944-45), p. 39, 1945 on *Piper capense*.—Uganda.
- Tomentella varicolor* Malençon in *Bull. Soc. bot. Fr.*, 99, 10, p. 51, 1952 on rotting wood of *Quercus mirbeckii*.—Tunisia.
- **Torulopsis inconspicua* Lodder & Kreger-Van Rij var. *filiformis* Dietrichson in *Ann. Parasit. hum. comp.*, 29, p. 474, 1954 on man.—Norway.
- *— *osloensis* Dietrichson in *Ann. Parasit. hum. comp.*, 29, p. 475, 1954 on man.—Norway.
- Trechispora niveocrema* (Höhn. & Litsch.) Parker-Rhodes in *Trans. Brit. mycol. Soc.*, 37, p. 325, 1954. (Syn. *Corticium niveocrema* Höhn. & Litsch.).
- TREMELLODENDROPSIS** (Corner) D. A. Crawford in *Trans. roy. Soc. N.Z.*, 82, p. 618, 1954. (Syn. *Aphelaria* subgen. *Tremelodendropsis* Corner).
- *flagelliformis* (Berk.) D. A. Crawford in *Trans. roy. Soc. N.Z.*, 82, p. 621, 1954. (Syn. *Clavaria flagelliformis* Berk.).
- var. *ovalispora* D. A. Crawford in *Trans. roy. Soc. N.Z.*, 82, p. 621, 1954.—N. Zealand.
- var. *tasmanica* (Lloyd) D. A. Crawford in *Trans. roy. Soc. N.Z.*, 82, p. 623, 1954. (Syn. *Pterula tasmanica* Lloyd).
- *pusio* (Berk.) D. A. Crawford in *Trans. roy. Soc. N.Z.*, 82, p. 620, 1954. (Syn. *Clavaria pusio* Berk.).
- *transpusio* D. A. Crawford in *Trans. roy. Soc. N.Z.*, 82, p. 624, 1954 on earth below *Beilschmiedia tawa*.—N. Zealand.
- var. *inflata* D. A. Crawford in *Trans. roy. Soc. N.Z.*, 82, p. 625, 1954.—N. Zealand.
- var. *minor* D. A. Crawford in *Trans. roy. Soc. N.Z.*, 82, p. 625, 1954 on earth.—N. Zealand.
- *tuberosa* (Grev.) D. A. Crawford in *Trans. roy. Soc. N.Z.*, 82, p. 619, 1954. (Syn. *Merisma tuberosum* Grev.).
- Trichasterina microspila* (Syd.) Hansf. in *Reinwardtia*, 3, p. 126, 1954. (Syn. *Prileuxina microspila* Syd.).
- Trichoconis crotalariae* Salam & Rao in *J. Indian bot. Soc.*, 33, p. 191, 1954 on *Crotalaria verrucosa*.—India.
- TROCHOPHORA** R. T. Moore in *Mycologia*, 47, p. 90, 1955. (Nom. nov. for invalid *Helicostilbe* Höhnelt emend. Linder, 1929).
- *simplex* (Petch) R. T. Moore in *Mycologia*, 47, p. 90, 1955. (Syn. *Helicostilbe simplex* Petch).
- TUMIDAPEXUS** D. A. Crawford in *Trans. roy. Soc. N.Z.*, 82, p. 626, 1954.—Clavariaceae.
- *ravus* D. A. Crawford in *Trans. roy. Soc. N.Z.*, 82, p. 626, 1954 on bare earth.—N. Zealand.
- **Typhula borealis* Ekstrand in *Växtskyddsnotiser, Stockh.*, 1937, 1, p. 4, 1937 (in Swedish) and in *Medd. Växtskyddsanst. Stockh.*, 1955, 67, p. 113, 1955 (amplified and amended description in English) on leaves and shoots of winter cereals and other grasses, etc.—Scandinavia.
- *— *hyperborea* Ekstrand in *Medd. Växtskyddsanst. Stockh.*, 1955, 67, p. 114, 1955 (nom. nud. in *Växtskyddsnotiser, Stockh.*, 1939, 1, p. 17, 1939) on winter cereals and ley grasses.—Scandinavia.
- Uredo ierensis* Dale in *Mycol. Pap., C.M.I.*, 59, p. 8, 1955 on *Lonchocarpus latifolius*.—Trinidad.
- *puawhananga* G. T. S. Baylis in *Trans. roy. Soc. N.Z.*, 82, p. 635, 1954 on *Clematis indivisa*.—N. Zealand.
- *rollinae* Dale in *Mycol. Pap., C.M.I.*, 59, p. 8, 1955 on *Rollinia exsucca*.—Trinidad.
- Urocystis ficariae* (Unger) Henderson in *Notes R. bot. Gdn. Edinb.*, 21, p. 241, 1955. (Syn. *Casoma ficariae* Unger).
- *floccosa* (Wallr.) Henderson in *Notes R. bot. Gdn. Edinb.*, 21, p. 241, 1955. (Syn. *Erycibe floccosa* Wallr.).
- Uromyces corallocarpi* Dale in *Mycol. Pap., C.M.I.*, 59, p. 9, 1955 on *Corallocarpus emetocatharticus*.—Trinidad.
- *dichromenae* Dale in *Mycol. Pap., C.M.I.*, 59, p. 10, 1955 on *Dichromena radicans*.—Trinidad.
- *sedii* Gäumann in *Rev. Mycol., Paris*, 19, p. 253, 1954 on *Sedum anacampseros*.—France.
- *sparganii* Clint. & Peck subsp. *asiaticus* Parmelee & Savile nom. nov. in *Mycologia*, 46, p. 833, 1954. (Syn. *Uromyces acori* Ram. & Rang.).
- Valsa ceratophora* Tul. var. *minuscula* Dias & Da Camara in *Agron. lusit.*, 16, p. 6, 1954 on *Hibiscus*.—Portugal.
- Vararia ellipsospora* Cunningham in *Trans. roy. Soc. N.Z.*, 82, p. 979, 1955 on bark of dead branches and fern stipes (type on *Rhipogonum scandens*).—New Zealand.
- *fusispora* Cunningham in *Trans. roy. Soc. N.Z.*, 82, p. 977, 1955 on bark of dead branches (type on *Rubus australis*).—New Zealand.
- *ochroleuca* (Bourd. & Galz.) Cunningham in *Trans. roy. Soc. N.Z.*, 82, p. 981, 1955. (Syn. *Asterostromella ochroleuca* Bourd. & Galz.).
- *protrusa* Cunningham in *Trans. roy. Soc. N.Z.*, 82, p. 976, 1955 on bark of dead branches (type on *Leptospermum ericoides*).—New Zealand.

- Verticillium intertextum* Isaac & Davies in *Trans. Brit. mycol. Soc.*, 38, p. 155, 1955 on *Acer palmatum*.—Mass., U.S.A.
Volutella colletotrichoides Chilton in *Mycologia*, 46, p. 801, 1954 on *Medicago sativa*, *M. falcata*, *Trifolium pratense* and *T. hybridum*.—Iowa, U.S.A.
 — var. *setosa* Chilton in *Mycologia*, 46, p. 801, 1954 on *Medicago sativa*.—U.S.A.

- XEROMYCES* L. Fraser in *Proc. Linn. Soc. N.S.W.*, 78, p. 245, 1953.—Plectascales.
 — *bisporus* L. Fraser in *Proc. Linn. Soc. N.S.W.*, 78, p. 245, 1953 isolated from stick licorice.—Australia.

HOST INDEX

For Phanerogams see under families; for Algae, Bryophyta, Charophyta, Fungi, Lichenes and Pteridophyta see under those names; for animal hosts see under Insecta, Invertebrata, and Vertebrata.

ACANTHACEAE

- Graptophyllum pictum*
Irenopsis graptophylli
Thunbergia chrysops
Asterina thunbergicola

ACERACEAE

- Acer palmatum*
Verticillium intertextum

AIZOACEAE

- Mesembryanthemum*
Dichomera ripidiomorpha
Mesembryanthemum australe
Albugo mesembryanthemi

AMARANTACEAE

- Alternanthera sessilis*
Laestadia alternantherae

ANACARDIACEAE

- Lithraea malleoides*
Meliola lithraeae
Melanochyla tomentosa
Meliola melanochylae
Pistacia lentiscus
Botryodiplodia pistaciae
Pseudospondias microcarpa
Asterinella pseudospondiadis
Schinus molle
Monochaetia schini

ANNONACEAE

- Annona senegalensis*
Aphanostigma annonae
Melodorum latifolium
Asteromyxa melodori
Rollinia exsucca
Uredo rollinae
Uvaria bukobensis
Meliola uvariicola
Uvaria welwitschii
Asterina uvariicola

APOCYNACEAE

- Anodendron*
Hysterostomina anodendri
Aspidosperma
Micropeltis aspidospermatis
Carpodinus dulcis
Lembosia carpodini
Landolphia ugandensis
Asterina landolphiicola
Dialacenum landolphiae
Meliola landolphiicola
Urceola javanica
Meliola urceolae
Vinca difformis
Strasseria vincae
Voacanga foetida
Meliola voacangae-foetidae

AQUIFOLIACEAE

- ? *Ilex*
Aspergillus variegator var. *astellatus*
Ilex odorata
Asterinella ilicicola

ARACEAE

- Philodendron imbe*
Ascochyta philodendri

ARALIACEAE

- Schefflera aromatica*
Meliola schefflerae

ASCLEPIADACEAE

- Asclepias curassavica*
Micropeltis asclepiadis
Cynanchum abyssinicum var. *tomentosum*
Meliola asclepiadacearum
Matelea viridiflora
Crossospora mateleae

BEGONIACEAE

- Begonia*
Bartalinia begoniae

BIGNONIACEAE

- Campsis radicans*
Dothiorella campsidis
Phomopsis campsidis
Cydista aequinoctialis
Cerotelium bignoniacearum

BIXACEAE

- Bixa orellana*
Meliola bixae

BOMBACACEAE

- Bombax insigne*
Bartalinia bombacicola
Enchnoa bombacifoliae
Cullenia excelsa
Elsinoe culleniae

BORAGINACEAE

- Cordia bicolor*
Aecidium trinitense

BROMELIACEAE

- Ananas*
Septoria ananassicola

BURSERACEAE

- Commiphora caudata*
Ascochyta commiphorae
Protium guianense
Parodiopsis perae var. *protii*

CAPPARIDACEAE

- Capparis acuminata*
Asterina boedijniana

CAPRIFOLIACEAE

- Sambucus javanica*
Meliola sambuci

CELASTRACEAE

- Maytenus rigida*
Aphanostigme mayteni

CHAROPHYTA

- Chara fragilis*
Diplophyctis verrucosa

CISTACEAE

- Cistus ladaniferus*
Dothiorella cisti

COMBRETACEAE

- Terminalia bellerica*
Puccinia terminaliae

COMMELINACEAE

- Aneilema nudiflora*
Physoderma commelinae
Commelina nudiflora
Physoderma commelinae
Cyanotis axillaris
Physoderma commelinae

COMPOSITAE

- Irenina negeri*
Artemisia crithmifolia
Phoma artemisiicola
Aspilota verbesinoides
Puccinia fragilispora
Ratibida pinnata
Phyllosticta entylomicola
Spilanthes acmella
Aecidium spilanthis

CONIFERAE

- Corticium pilati*
Agathis
Lembosia agathidis
Cryptomeria japonica
Dacrymyces albidus
Mycena cryptomeriicola
Myriangium tuberculiferum
Myxomycidium yakusimense
Juniperus nana
Lophium elegans
Picea engelmannii
Leptographium engelmannii
Ophiostoma bicolor
Ophiostoma truncicola
Pinus pentaphylla
Belonidium japonicum

CONNARACEAE

- Connarus longistipitatus*
Cocconia connari

CONVOLVULACEAE

- Argyreia capitata*
Asterina argyreiae
Erycibe rhedii
Meliola erycibis
Ipomoea crassicaulis
Meliola malacotricha var. *major*

CRASSULACEAE

- Sedum anacampseros*
Uromyces sedi

CUCURBITACEAE

- Corallocarpus emetocatharticus*
Uromyces corallocarpi
Cucurbita moschata
Mycosphaerella kabocha
Luffa
Micropeltis lufficola
Luffa cylindrica
Pythium hemmianum

CYPERACEAE

- Carex riparia*
Akenomyces enigmaticus
Cyperus rotundus
Piricularia higginsii

CYPERACEAE (continued)

- Dichromena radicans*
Uromyces dichromenae
Eleocharis palustris
Physalospora aquatica
Rhynchospora cephalotes
Puccinia cephalotes
Rhynchospora triflora
Puccinia nonerumpens

DILLENIACEAE

- Tetracera fagifolia*
Morenoella annularis
Tetracera indica
Asterinella tetracerae
Tetracera scandens
Irenina tetracerae var. *minor*

DIOSCOREACEAE

- Dioscorea japonica*
Sphaerulina dioscoreae

EBENACEAE

- Diospyros inconstans*
Aecidium carbonaceum

ELAEOCARPACEAE

- Elaeocarpus*
Asterina borneensis
Elaeocarpus punctatus
Asterina elaeocarpicola

ELATINACEAE

- Elatine triandra*
Limnomyces neglectus

EPACRIDACEAE

- Styphelia*
Meliola cyathodis var. *stypheliae*

EUPHORBIACEAE

- Acalypha*
Irenopsis paulensis
Alchornea cordifolia
Asterina alchorneicola
Alchornea javanensis
Asterina alchorneae-javanensis
Meliola alchorneicola
Aporosa aurita
Asterina aporosae
Patouillardina aporosae
Bridelia micrantha
Polychyptolium brideliae
Galearia filiformis
Meliola galeariae
Macaranga schweinfurthii
Meliola macarangicola
Macaranga triloba
Meliola macarangae var. *longiseta*
Neoboutonia melleri
Isariopsis neoboutoniae
Pogonophora schomburgkiana
Micropeltis pogonophorae

FAGACEAE

- Castanea*
Bagcheea castanea
Fagus crenata
Mucidula venosolamellata
Quercus mirbeckii
Tomentella variegata
Quercus suber
Dryodon suberis
Shiia japonica
Heterochaete imazekiana

FLACOURTIACEAE

- Barteria fistulosa*
Asterina barteriaae
Taraktogenos heterophylla
Parastigmatea taraktogenodis

FUNGI

- Achlya glomerata*
Olpidopsis verrucosa
Asterina geniospori
Nematothecium asterinae
Balladynastrum entebbeense
Helminthosporium balladynae
Balladyna leonensis
Acrospeira balladynae
Englerula macarangae
Eriomycopsis englerulae
Phaeodimeriella echinulospora
Phaeophragmeriella englerulae
Meliola artabotrydis
Malacaria entebbeensis
Meliola ramicola
Saccardomyces atropurpureus
Penicillium waksmani
Piptcephalis xenophila
 Polyporaceae
Cistella incrustata var. *ellipsospora*

GESNERIACEAE

- Cyrtandra picta*
Asterina cyrtandrae

GNETACEAE

- Gnetum gnemon*
Meliola gneti

GRAMINEAE

- Meliola boedijniana*
Phlyctochytrium stipitatum
Typhula borealis
Typhula hyperborea
Brachiarina dictyoneura
Claviceps sulcata
Cynodon dactylon
Claviceps cynodontis
Cyrtococcum oxyphyllum
Angiopsora cyrtococci
Dactylis glomerata
Sclerophthora cryophila
Oryza sativa
Helminthosporium australiense
Helminthosporium hawaiiense
Paspalum orbiculare
Claviceps queenslandica
Pennisetum purpureum
Hadronema penniseti
Phleum pratense
Helminthosporium dictyoides
Phragmites mauritianus
Stagonospora phragmiticola
Poa annua
Leptosphaeria muirensis
Saccharum officinarum
Leptosphaeria taiwanensis
Stagonospora sacchari
Sorghum vulgare
Sphaeronaema macrorostratum
Stipa
Puccinia entrerriana
Stipa spartea
Puccinia avocensis
Zizania latifolia
Leptosphaeria zizanivora

GUTTIFERAE

- Clusia*
Micropeltis clusiae
Micropeltis clusiae-majoris
Clusia rosea
Parodiopsis clusiae

HIPPOCRATEACEAE

- Salacia*
Clypeolella salaciae

HYPERICACEAE

- Harungana madagascariensis*
Echidnodes harunganae

INSECTA

- Bombyx mori*
Botrytis sekimotoi
Spicaria mori
Spicaria purpurioidea
Spicaria satoi
Spicaria shirako

INVERTEBRATA (other than Insecta)

- Amoeba*
Acaulopage dasyspora
Cystopage ellipsospora
Cystopage sphaerospora
Heterodera rostochiensis
Pseudeurotium ovale
 Nematodes
Arthrobotrys anchonia
Dactylaria pyriformis
Dactylella megalospora
Dactylella phymatopaga
Euryancale obliqua
Harposporium crassum
Stylopaga grandis
Pinnotheres pisum (crab)
Pythium thalassium
Spenoderia dentata
Cochlonema explicatum
 Spiders
Cordyceps grenadensis
Cordyceps singeri
Zabrus tenebrioides
Entomophthora zabri

LABIATAE

- Lavandula stoechas*
Anthostomella lavandulae
Marrubium vulgare
Naemosphaera macrorostrata

LAURACEAE

- Cinnamomum iners*
Armatella cinnamomicola
Meliola beilschmiediae var. *cinnamomi*
Litsea cubeba
Meliola litseae-citratae
Litsea glutinosa
Meliola litseae var. *rotundipoda*
Ocotea
Auerswaldiella ocoteae

LEGUMINOSAE

- Irenina usterii*
Acacia ? melanoxydon
Irenopsis berggrenii
Arachis hypogaea
Pleospora crassiasca
Astragalus sinicus
Camptomeris astragali
Bauhinia
Aphanopeltis bauhiniae
Cassia
Micropeltis cassiae
Micropeltis cassicola
Cassia hoffmannseggiana
Meliola cassicola
Cercis siliquastrum
Cytospora cercidis
Crotalaria verrucosa
Trichoconis crotalariae
Delonix elata
Septoria delonicis
Desmodium zonatum
Meliola bantamensis

LEGUMINOSAE (continued)

- Eriosema psoraleoides
Cercospora erioseomatis
 Flemingia semialata
Phyllachora flemingiae
 Glycine max
Sphaceloma glycines
 Indigofera endecaphylla
Cercospora endecaphylla
 Lonchocarpus latifolius
Uredo ierensis
 Medicago falcata
Volutella colletotrichoides
 Medicago sativa
Volutella colletotrichoides
Volutella colletotrichoides var. *setosa*
 Millettia sericea
Meliola ostryoderridis var. *milletiae-sericeae*
 Mucuna acuminata
Meliola mucunae-acuminatae
 Pithecolobium auaremotemo
Micropeltis pithecolobii
 Prosopis juliflora
Puccinia prosopidis
 Spatholobus ferrugineus
Asterolibertia spatholobi
 Trifolium hybridum
Volutella colletotrichoides
 Trifolium pratense
Volutella colletotrichoides

LICHENES

- Peltigera polydactyla
Nanostictis peltigerae

LILIACEAE

- Aloe arborescens
Leptosphaeria aloes

LOGANIACEAE

- Geniostoma arboreum
Asterina geniostomaticola
Asterina geniostomatis

MAGNOLIACEAE

- Magnolia grandiflora
Elsinoe magnoliae
 Magnolia virginiana
Meliola nashii
 Talauma
Meliola talaumae

MALPIGHIACEAE

- Byrsonima sericea
Micropeltis byrsonimicola
 Flabellaria paniculata
Aphanostigma flabellariae

MALVACEAE

- Callirhoe triangulata
Acididium avocense
 Hibiscus
Valsa ceratophora var. *minuscula*
 Thespesia lampas
Irenopsis thespesiae

MELASTOMACEAE

- Melastoma malabathricum
Asterina melastomaticola

MELIACEAE

- Meliola rickii*
 Aglaia
Meliola aglaiaicola
 Dysoxylum
Meliola dysoxylicola

MENISPERMACEAE

- Stephania hernandifolia
Meliola stephaniae

MENISPERMACEAE (continued)

- Tinospora coriacea
Asterina tinosporae

MORACEAE

- Artocarpus glauca
Meliola brinkii
 Artocarpus integrifolia
Marssonina artocarpi
 Cecropia peltata
Parodiopsis cecropiae
 Conocephalus suaveolens
Asterinella conocephali
 Ficus carica
Sphaerulina caricae
 Ficus globosa
Asterina fici-globosae
Meliola fici-globosae
 Morus alba
Colletotrichum morina
 Morus nigra
Botryodiplodina mori
Dothiorella strobilomorphospora
 Paratrophis glabra
Meliola paratrophidis

MYRISTICACEAE

- Horsfieldia irya
Asterina horsfieldiae
 Knema glauca
Irenina knemae
Meliola knemicola

MYRSINACEAE

- Ardisia colorata
Asterina ardisiae
 Ardisia humilis
Asterinella ardisiae
 MYRTACEAE
 Eugenia
Lembosia boedijnii
 Eugenia formosa
Lembosia javensis
 Eugenia jamboloides
Meliola eugeniae-jamboloidis
 Eugenia polyantha
Lembosia engeniae-polyanthae

OCHNACEAE

- Planchonella nitida
Asterina planchonellae

OLACACEAE

- Anacolosia frutescens
Meliola anacolosae
 Erythralium scandens
Asterina erythralii

OLEACEAE

- Fraxinus oregana
Sporonema fraxini
 Fraxinus pennsylvanica var. *lanceolata*
Alternaria inconspicua
 Jasminum dichotomum
Lecideopsella gelatinosa
 Jasminum rigidum
Physalospora jasmini
 Jasminum sambac
Meliola schwarzii

PALMAE

- Acrocomia intumescens
Discosiella acrocomia-maculiformis
Pestalotiopsis acrocomiarum
 Cocos nucifera
Didymella cocoina
Phyllosticta comoriana
 Elaeis guineensis
Helminthosporium halodes var. *elaecicola*
Sphaerognomonium elaeicola

- PALMAE (continued)
Livistona subglobosa
Marasmius livistonae
Zalacca edulis
Lembosia zalaccaae
 PANDANACEAE
Pandanus
Meliola juttingii
 PASSIFLORACEAE
Adenia lobata
Asterina adeniae
Passiflora edulis
Fusarium oxysporum forma *passiflorae*
 PIPERACEAE
Piper capense
Tetracium piperis
 PITTOSPORACEAE
Pittosporum ferrugineum
Asterina pittospori
 POLYGONACEAE
Coccoloba
Stomiopeltella coccolobicola
Polygonum chinense
Irenina polygoni
 PROTEACEAE
Macadamia ternifolia
Dothiorella macadamiae
Hendersonia macadamiae
Roupala brasiliensis
Micropeltis roupalicola
 PTERIDOPHYTA
Angiopteris evecta
Meliola angiopteridis
Dipteris conjugata
Asterinella dipteridis
 RANUNCULACEAE
Clematis indivisa
Puccinia alboclava
Uredo puawhananga
 RESEDACEAE
Reseda
Cercospora resedae var. *legionensis*
 RHAMNACEAE
Gouania longispicata
Meliola gouaniae
Phylla arborea
Farlowiella australis
Hyaloscypha australis
Zizyphus vulgaris
Phomopsis natsume
 ROSACEAE
Eriobotrya japonica
Phomopsis biwa
Pourthiaea villosa
Mycosphaerella pourthiaeae
Pyrus malus
Candida malicola
Pyrus sinensis
Mycosphaerella fuyiensis
Rubus
Mollisia clavata
 RUBIACEAE
Canthium vulgare
Meliola canthii
Coffea arabica
Fusarium equiseti var. *intermedium*
Rhizoctonia chousii
Coffea robusta
Fusarium equiseti var. *intermedium*
Craterispermum laurinum
Olypeolella craterispermii
Entopeltis craterispermii
 RUBIACEAE (continued)
Cremaspora africana
Stigmatea cremasporae
Lasianthus purpureus
Aphanopeltis lasianthi
Mussaenda frondosa
Meliola kibirae var. *mussaendae*
Petunga roxburghii
Meliola kibirae var. *petungae*
Psychotria
Micropeltis psychotriae
Psychotria viridiflora
Amazonia psychotriae var. *major*
Randia patula
Meliola randiicola
 RUTACEAE
Citrus aurantium
Cercospora daidai
Citrus limonum
Phyllosticta limonum
Citrus sinensis
Cercospora angolensis
Evodia aromatica
Asterina evodiae
Evodia glabra
Meliola evodiicola
 SALICACEAE
Populus
Helicoma taenia
Populus canadensis
Fomes applanatus forma *coralloides*
 SAMYDACEAE
Casearia
Micropeltis caseariae
 SAPINDACEAE
Allophylus
Cercospora allophylis
Mischocarpus sundaeicus
Meliola capensis var. *mischocarpi*
 SAPOTACEAE
Achras sapota
Septoria sapotae
Sideroxylon
Asterina sideroxyli
 SAXIFRAGACEAE
Ribes americanum
Phyllosticta succinosa
 SCROPHULARIACEAE
Antirrhinum latifolium
Melanotaenium antirrhini
 SOLANACEAE
Lycopersicon esculentum
Stemphylium floridanum
 SONNERATIACEAE
Crypteronia paniculata
Glypeolella crypteroniae
 STERCULIACEAE
Brachychiton populneum
Botryodiplodia brachychitonis
Microhaplosporella brachychitonis
Pterospermum javanicum
Irenopsis tjiobodensis
Sterculia caribaea
Parodiopsis cecropiae var. *sterculiae*
 SYMPLOCACEAE
Symplocos
Irenina singalensis
 TAMARICACEAE
Tamarix tetrandia
Dothiorella tamaricis

THEACEAE

- Schima noronha*
Meliola schimae

TILIACEAE

- Corchorus acutangulus*
Physoderma corchori
Corchorus olitorius
Physoderma corchori

ULMACEAE

- Celtis occidentalis*
Botryodiplodia celtidis

UMBELLIFERAE

- Sanicula europaea*
Asterina saniculicola

URTICACEAE

- Achudemia javanica*
Meliola achudemiae
Pouzolzia zeylanica
Asterina pouzolziae
Urera hypselodendron
Asterina urerae
Villebrunea scabra
Irenina villebruneae

VERBENACEAE

- Vitex agnus-castus*
Camarosporium lusitanicum
Camarosporium viticis
Vitex paniculata
Irenina depokensis

VERTEBRATA

Homo sapiens

- Candida aaseri*
Candida langeroni
Candida mycoderma
Candida parapsilosis var. *obtusa*
Candida rugosa var. *elegans*
Candida trigonopsoides
Candida zeylanoides var. *norvegensis*
Cladosporium carrionii
Hansenula amylofaciens
Microsporium distortum
Microsporium gypseum var. *nana*
Pichia dubia
Saccharomyces chevalieri
Saccharomyces scandinavicus
Saccharomyces veronae var. *osloensis*
Saccharomyces verticillatus
Saccharomyces vossii
Torulopsis inconspicua var. *filiformis*
Torulopsis osloensis

VITACEAE

- Cissus repanda*
Meliola cissi-repandae
Meliola merrillii var. *major*
Leea aequata
Irenopsis leae var. *javensis*
Vitis vinifera
Phellinus ampelinus

ZINGIBERACEAE

- Zingiber officinale*
Pythium zingiberum

The Editor again gratefully acknowledges the assistance of Drs. R. W. G. Dennis, J. A. Stevenson, and Edith Cash for supplying details of certain citations.

PRINTED IN
GREAT BRITAIN
AT THE
UNIVERSITY PRESS
OXFORD
BY
CHARLES BATEY
PRINTER
TO THE
UNIVERSITY

PA
L

Z

PA
P

PA
A

P

Pr
P

Pr
P

Po
C

P

Pr
M

R

Pr
A

D

RA
C

Re
R

Re
G

P

Z

Ro
E

P

P

P

R

Rt
C

C

C

C